

Head Lice Treatment Calendar

| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|---------------------------|---|---|--|---------------------------|---------------------------|---|
| Lice are noticed. | Use lice shampoo. Comb out hair. Check other members of the household for lice or nits. Clean household. | Perform lice rechecks and comb for 7-10 days. | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb |
| Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | If lice found... | Reshampoo and begin rechecks. |
| Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | If NO lice found... | Don't reshampoo. Make head check routine hygiene. |
| Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb | Recheck & Comb |
| | | | | | | Routine head check |
| Recheck & Comb | Recheck & Comb | Recheck & Comb | If lice are found after the 10th day, shampooing a third time is not recommended. Instead, contact the school nurse at your child's school, the county health nurse, or your physician for suggestions and assistance. | | | |
| | | | | | | Routine head check |
| | | | | | | |