



**Prevalence of Adult Life-time Asthma by County, Oklahoma 2002-2004\***

County	Prevalence (%)	County	Prevalence (%)	County	Prevalence (%)
Adair	13.3	Grant	N/A	Nowata	6.8
Alfalfa	N/A	Greer	N/A	Okfuskee	14.8
Atoka	N/A	Harmon	N/A	Oklahoma	12.1
Beaver	10.0	Harper	N/A	Okmulgee	9.3
Beckham	13.2	Haskell	N/A	Osage	10.8
Blaine	10.2	Hughes	6.2	Ottawa	18.5
Bryan	8.5	Jackson	9.3	Pawnee	15.4
Caddo	12.7	Jefferson	N/A	Payne	13.7
Canadian	10.1	Johnston	N/A	Pittsburg	13.3
Carter	14.3	Kay	11.6	Pontotoc	15.6
Cherokee	16.5	Kingfisher	15.8	Pottawatomie	13.9
Choctaw	11.7	Kiowa	8.3	Pushmataha	5.2
Cimarron	N/A	Latimer	N/A	Roger Mills	N/A
Cleveland	13.6	Le Flore	12.3	Rogers	10.2
Coal	N/A	Lincoln	15.0	Seminole	10.0
Comanche	12.3	Logan	12.4	Sequoyah	14.9
Cotton	N/A	Love	8.2	Stephens	16.3
Craig	N/A	McClain	15.6	Texas	6.8
Creek	14.1	McCurtain	9.0	Tillman	10.0
Custer	6.0	McIntosh	16.1	Tulsa	11.1
Delaware	9.6	Major	10.4	Wagoner	8.6
Dewey	7.8	Marshall	N/A	Washington	14.6
Ellis	N/A	Mayes	8.4	Washita	N/A
Garfield	8.6	Murray	9.8	Woods	11.5
Garvin	14.8	Muskogee	15.0	Woodward	12.4
Grady	12.8	Noble	N/A		

Data source: Oklahoma 2002-2004 BRFSS.

\*: The estimated prevalence rate is not available if the respondents <50 in the county or the half of the Confidence Interval >10 to ensure the stable results.