




# Men who have sex with men living with HIV

Oklahoma, Years 2000 through 2007

Even in 2007, Men who have sex with men (MSM) account for almost half (49%) of living HIV cases in Oklahoma. Black MSMs accounted for 23% of cases diagnosed in MSM for 2007, while American Indian/Alaska Natives accounted for 7% of the cases. The majority of MSM cases are concentrated in ages 20-29 years. However, over the past eight years, MSM ages 40-49 years have seen an 156% increase in living HIV cases. Sixty percent of MSM cases for 2007 occurred in the Oklahoma City Metro Area, followed by 24% in the Tulsa Area and 2% in the Lawton Area. In the Oklahoma City area, zip codes 73112 73120, 73118, are the areas with the largest number of MSM cases for 2007. In the Tulsa area, the largest areas are 74105, 74115, and 74133. Out of all Oklahoma cities, Oklahoma City has had the largest number of black MSM cases with 32%.

**Race of Living HIV Cases in MSM for Years 2000 and 2007, Oklahoma**



**Age Group by Diagnosis Year for Homosexual/Bisexual Men Living with HIV in Oklahoma, Years 2000 through 2007\***

Year	Age in Years when HIV+						Total
	13 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 +	
2000	4	32	31	9	4	*	81
2001	*	26	28	12	4	0	72
2002	*	22	33	16	*	*	76
2003	*	30	33	7	3	0	75
2004	6	28	25	10	3	*	74
2005	*	42	40	16	7	*	108
2006	4	35	32	20	3	*	95
2007	3	34	27	23	6	*	94
<b>Total</b>	25	249	249	113	32	7	675


\*cells containing less than 3 have been suppressed for confidentiality reasons.



Over the past eight years, 74% of living HIV cases in Men Who Have Sex with Men (MSM) have been between the ages 20-49 years. Ages 40-49 years has seen a 156% increase in living HIV cases from 2000 to 2007.

In 2007, ages 20-29 years accounted for 36% of HIV cases, followed by 30-39 years who accounted for 29% of cases.

**Age by Year for MSM Living with HIV In Oklahoma, Years 2000 through 2007**



**Exposure Status by Diagnosis Year for Homosexual/Bisexual Men Living with HIV in Oklahoma, Years 2000 through 2007**

**Mode of Exposure**

Year	Homosexual-Bisexual Male	Homosexual & IDU	Total
2000	68	13	81
2001	58	14	72
2002	69	7	76
2003	65	10	75
2004	63	11	74
2005	97	11	108
2006	84	11	95
2007	84	10	94
<b>Total</b>	<b>588</b>	<b>87</b>	<b>675</b>

- Fifty-eight percent of Oklahoma males living with HIV in 2007 had a risk category of Homosexual/Bisexual Male; 7% had a risk category of homosexual and IDU.
- There has been a slight increase (16%) of HIV cases in MSM over the past eight years.
- Among living HIV cases, there has been a 24% increase in men who only have a risk of MSM. Most of the increase has occurred within years 2005 through 2007.