



STATE OF OKLAHOMA

HONORABLE BRAD HENRY
GOVERNOR

ANNUAL REPORT

OKLAHOMA MINING COMMISSION
DEPARTMENT OF MINES

Ninety Third Annual Report
Calendar Years 2008 and 2009

Mary Ann Pritchard
Director

ANNUAL REPORT

2008 AND 2009

This publication printed by

**Department of Central Services
Central Printing**

As authorized by Mary Ann Pritchard, Director

In compliance with Title 45, Section 31,
Oklahoma Statutes

Copies of this report may be obtained from

Oklahoma Department of Mines
2915 North Classen Boulevard, Suite 213
Oklahoma City, Oklahoma 73106

405.427.3859
405.427.9646 Fax
405.424.4932 Fax



MARY ANN PRITCHARD
DIRECTOR

**STATE OF OKLAHOMA
DEPARTMENT OF MINES**

BRAD HENRY
GOVERNOR

December 2010

The Honorable Brad Henry
Governor of Oklahoma
State Capitol Building
Oklahoma City, Oklahoma 73105

Dear Governor Henry:

It is my honor to submit the Annual Report of the Oklahoma Mining Commission and Oklahoma Department of Mines for calendar years 2008 and 2009. Included in this report is information on the types of minerals mined in Oklahoma, where this mining occurs, and the amount of mineral production that took place during the reporting year.

Respectfully,

Mary Ann Pritchard, Director
Oklahoma Department of Mines

Table of Contents

Oklahoma Department of Mines Key Personnel	1
Office of Chief Mine Inspector / Directors.....	2
State Mining Board / Oklahoma Mining Commission.....	3
2008 and 2009 Oklahoma Mining Commission Members.....	4
Oklahoma Miner Training Institute.....	5
Public Service / Safety Committee.....	6
Geology and Mineral Resources of Oklahoma.....	7
Oklahoma Mining Production Graph	8
Oklahoma Minerals – Coal, Coalbeds	9-14
Coal Production.....	15
Coalbed Production Graph.....	16
Coal Tonnage Comparison	17-18
Major Mining Disasters in Oklahoma.....	19
Non-Fuel Minerals.....	20
Asphalt, Bentonite, and Caliche Production	21
Chat and Clay Production.....	22
Cooper and Dimensional Stone Production.....	23
Granite Production.....	24
Gypsum and Iron Ore Production	25
Lead and Zinc Production.....	26
Limestone Production.....	27
Sand and Gravel Production	28-30
Salt and Select Fill Production.....	30
Shale, Tripoli and Volcanic Ash Production	31
Acknowledgements.....	32

**OFFICE OF THE DIRECTOR - STATE OF OKLAHOMA
DEPARTMENT OF MINES - KEY PERSONNEL**

Director	Mary Ann Pritchard
Deputy Director	Doug Schooley
Coal Program Director	Rhonda Dossett
Chief Counsel	Mark Secrest
Chief Financial Officer	Suzen Rodesney

OKLAHOMA DEPARTMENT OF MINES

The Office of the Chief Mine Inspector was created before statehood for the safe operation of mines and the protection of the health of those employed in the mines. The territorial years were well noted for the many mining disasters, and officials were busied with the necessary investigations and recommendations following each serious or fatal accident. Over the years major revisions in mining health and safety laws and the increase in surface mining versus underground mining helped to decrease mining fatalities in Oklahoma.

The extraction or mining of minerals from the earth occurs in every county of the state. Minerals mined in Oklahoma include coal, limestone, sand and gravel, gypsum, clay and shale, granite, volcanic ash, tripoli, salt, bentonite, iron ore, asphalt, copper and chat.

Before commencement of mining operations, a permit must be obtained from the Department. A permit is issued when the mine operator submits an acceptable application and posts adequate bond to cover reclamation costs should it be necessary for a third party to complete the reclamation process. The mining operator's permit application must include the requirements for legal and financial compliance, the safeguard of environmental resources, and an operations and reclamation plan. Before opening the site, the employees of the mining operation must be trained and certified in accordance with state and federal safety regulations. Mining practices, reclamation, and health and safety procedures are monitored on a regular basis by Department inspectors.

The general provisions of Title 45 O.S. address health and safety on the mine site and reclamation of mined land. In 1967, the Oklahoma Legislature passed the state's first reclamation law which became effective January 1, 1968. That law was replaced in July, 1971 with the Mining Lands Reclamation Act, which requires better reclamation in general and includes all mining. Until the passage of such legislation, however, 17,000 acres had been mined with little or no reclamation. This Act is still in effect for non-coal lands.

The Surface Coal Mining Control and Reclamation Act of 1977 were created by Congress with the passage of Public Law 95-87. Subsequently, the State of Oklahoma enacted further legislation to equal the enforcement ability of the federal government. The Coal Reclamation Act of 1978 enabled Oklahoma to operate the interim program law and regulations (Section 715, CFR 30) under P. L. 95-87. It was followed by permanent standards adopted in 1979.

OFFICE OF CHIEF MINE INSPECTOR ABOLISHED

In 1986, State Question 594 was passed by the Oklahoma voters. This amended sections of the Oklahoma Constitution by removing all mention of the Chief Mine Inspector. The Department of Mines is now administered by a Director chosen by the Mining Commission. The Director must be knowledgeable of the Oklahoma mining industry and have the ability to administer the functions of the Department.

DIRECTORS, DEPARTMENT OF MINES

Gayle Townley	1986 -- 1987
Bennie Cox	1987 -- 1993
James Hamm	1993 -- 1998
Mary Ann Pritchard	1998 -- Present

CHIEF MINE INSPECTORS

Pete Hanraty	1907 -- 1910
R. W. Church	1910 -- 1911
Ed Boyle	1911 -- 1927
Miller D. Hay	1927 -- 1931
Robert Brown	1931 -- 1947
John M. Malloy.....	1947 -- 1963
Ward Padgett	1963 -- 1980
Otis English	1980 -- 1980

DEPUTY CHIEF MINE INSPECTORS

Blaney Qualls	1980 -- 1984
Gayle Townley.....	1984 -- 1986

TERRITORIAL DIRECTORS

Luke W. Bryan	1894 -- 1901
William Cameron	1901 -- 1907

STATE MINING BOARD

The State Mining Board was established at statehood with the express purpose of testing and certifying persons who would hold the important positions of mine superintendent, foreman, hoisting engineer, and fire boss. The Board was later given additional responsibilities: to promulgate and enforce rules and regulations with regard to the health and safety of persons employed in the mines, to issue or revoke certificates of competency for surface and underground mine positions, to require the submission and review of plans and specifications for underground mine ventilation and safety and to recommend approval or denial of such plans to the Chief Mine Inspector. In addition, the Board acted as mediator between miners and operators on matters of health and safety; the decision of the Board was binding unless overturned by an opinion of the Attorney General or by a court of law.

As revised by the 1982 Legislature, the Mining Board was composed of ten members. Four of the members were strip miners, of which at least two represented the industry mining non-coal minerals. Two members were practical miners, who held either underground mine superintendent, mine foreman, or fire boss certification. Two members were owners or superintendents of coal mines. One member was a non-supervisory miner who was actively employed in an underground coal mine for at least five years and held a minimum of a fire boss certificate. The last member was the Chief Mine Inspector, who was the executive officer of the Board.

THE OKLAHOMA MINING COMMISSION

In 1985, the State Legislature abolished the State Mining Board and replaced it with the Oklahoma Mining Commission. This nine member board, which held its first meeting in January, 1986, is the policy-determining body of the Department of Mines and determines the broad plans and programs for the Department.

The membership of the Commission consists of one person with a background in engineering or geology; one person with a background in labor or worker's safety; one person with a background in agriculture or soil conservation; one person with a background in transportation; one person with a background in economic development or banking; one person with a background in public utilities; one person with a background in natural resources; and two persons selected at large.

OKLAHOMA MINING COMMISSION - 2008

J. Clement Burdick III, Vice Chairman Edmond, OK
Position #1; Engineering/Geology
Kris Kinder Ninnekah, OK
Position #2; Labor/Worker’s Safety
George E. Fraley, Chairman Chelsea, OK
Position #3; Agriculture/Conservation
Dave Donoley, Secretary Wilburton, OK
Position #4; Transportation
Bill Willis, Granite, OK
Position #5; Banking/Economic Development
Jan Kunze Okla. City, OK
Position #6: Public Utilities
Larry Ennis Ada, OK
Position #7; Natural Resources
Ernest Achterberg Tulsa, OK
Position #8; At-Large
Tim Lochridge Sulphur, OK
Position #9; At-Large

OKLAHOMA MINING COMMISSION- 2009

J. Clement Burdick III, Vice-Chairman Edmond, OK
Position #1; Engineering/Geology
Kris Kinder Ninnekah, OK
Position #2; Labor/Worker’s Safety
George E. Fraley, Chairman Chelsea, OK
Position #3; Agriculture/Conservation
Dave Donoley, Secretary Wilburton, OK
Position #4; Transportation
Bill Willis, Granite, OK
Position #5; Banking/Economic Development
Jan Kunze Okla. City, OK
Position #6; Public Utilities
Larry Ennis Ada, OK
Position #7; Natural Resources
Ernest Achterberg Tulsa, OK
Position #8; At-Large; (Served January thru March 2009)
Ron Cunningham Wilburton, OK
Position #8; At-Large; (Beginning April 2009)
Tim Lochridge, Sulphur, OK
Position #9; At-Large

OKLAHOMA MINER TRAINING INSTITUTE

The Oklahoma Miner Training Institute (OMTI) is operated under the direction of the Oklahoma Mining Commission. The Institute, located at Eastern Oklahoma State College in Wilburton, OK provides training in all aspects of mine safety and health. Regularly scheduled classes are provided at the school, or at the mine sites throughout the state to minimize the inconvenience to both miners and operators. All training provided by the Oklahoma Miner Training Institute in Wilburton is free of charge to the mining companies who hold permits in Oklahoma.

Courses Offered by OMTI

Accident Prevention	Mine Gases
Annual Refresher Training	New Miner Training #1 (Surface)
Annual Refresher (Underground)	New Miner Training #2 (Surface) Blasting
Certification (Surface)	New Miner Training (Underground)
Cardiopulmonary Resuscitation (CPR)	State and Federal Regulations
Electrical Training	State Surface Certification
Electrical Retraining	State Surface Certification Refresher
Fire Prevention and Control	Surface Blasters Refresher
First Aid (Initial)	Underground Rescue Training
First Aid (Refresher)	
Instructor Training	

OMTI Personnel

Judy Tate, Director Danita Oller, Secretary Danny Thornburg, Instructor

OKLAHOMA MINER TRAINING INSTITUTE				
ANNUAL REPORT For the Years of 2008 and 2009				
Year	# Miners Trained		Total # Of Classes	Total # Classroom Hours
	Coal	Metal/Non-Metal		
2008	83	5,180	288	1,908
2009	93	4,001	267	1,672

PUBLIC SERVICE

The Oklahoma Department of Mines was proud to present its first Student Outreach Program in April 2000. The Student Outreach Program was designed to provide students and teachers of Oklahoma with a better understanding of the mining process in Oklahoma. The Department conducted five student outreach presentations during 2008 and five in 2009. These presentations ranged from exhibits at the Annual ScienceFest at the Oklahoma City Zoo reaching approximately 5,500 students, to small classroom presentations throughout the state.

SAFETY COMMITTEE

The Oklahoma Mining Commission established a Safety Committee on March 16, 2000. This committee creates and produces monthly "Safety-Grams" for distribution to all mining permittees and operators in Oklahoma. Twenty-four individual Safety-Grams were published from January 2008 to December 2009. The Safety-Grams cover a variety of topics including basic first-aid, safe operation of mining equipment, and compliance with Oklahoma mining rules and regulations. Safety-Grams are posted or distributed on mine sites by the Department of Mines so that all mine employees have ready access to the information.

OKLAHOMA MINE HEALTH AND SAFETY CONFERENCE

The State of Oklahoma is one of a very few states that has its own Mine Health and Safety Conference. For the past nineteen years, the Oklahoma Miner Training Institute and the Oklahoma Department of Mines have joined with Mine Safety and Health Administration (MSHA) to co-host this conference. The purpose of the conference is to combat health and safety issues that plague the mining industry. This conference is usually held in the fall of the year at a designated site in Oklahoma City. As many as twelve other mining states come to Oklahoma to attend beneficial workshops and receive recognition awards for their safety efforts.

GEOLOGY AND MINERAL RESOURCES OF OKLAHOMA


Geology

Oklahoma is a region of complex geology where several major sedimentary basins are set among mountain ranges and uplifts. The state contains many classic areas where fundamental concepts of geology, petroleum exploration, and mineral production have been formulated through the years. Because of its geologic history, Oklahoma has abundant mineral resources that include petroleum (crude oil and natural gas), coal, non-fuel minerals (lead, zinc, gypsum, limestone, salt, sand and gravel), and water.

Geologic forces deep within the earth's crust hundreds of millions of years ago caused portions of Oklahoma to subside as major sedimentary basins, while adjacent areas were folding and thrust upward as major mountain uplifts. Most of the outcropping rocks in Oklahoma are of sandstone, limestone, and gypsum. These sedimentary rocks typically are 2,000-10,000 feet thick in the northern shelf areas, and they increase sharply to 30,000-40,000 feet thick in the deep basins of the south. These sedimentary rocks contain most of the state's mineral resources, including petroleum, coal, water, and most of the non-fuel minerals. Sedimentary rocks rest upon a "basement" of igneous and metamorphic rocks that underlie all parts of the state.

Exposed in the southern Oklahoma mountain belts are a great variety of sedimentary and igneous rock units seen at few other places in the entire mid-continent region. Steeply dipping strata, such as those exposed along Interstate 35 through the Arbuckle Mountains, attest to the strong geologic forces that folded and raised the mountain blocks. Outcropping rocks outside the mountain regions are essentially horizontal, with dips of less than one degree being most common. These strata typically form gently rolling hills and plains: thick shale units form broad, flat plains and valleys, where resistant layers of sandstone and limestone cap mesas, cuerdas, and hills 100-500 feet high. Rocks and soils of western Oklahoma typically are red in color, due to oxides present in the bedrock, whereas rocks and soils elsewhere are shades of brown, gray, and black.

Oklahoma Mining Production - Tons 2008 and 2009



OKLAHOMA MINERALS

COAL

Oklahoma fuel resources include coal, oil, and natural gas. Coal mining is regulated by the Oklahoma Department of Mines and is discussed below. Oil and natural gas production are regulated by the Oklahoma Corporation Commission and are not discussed in this report.

Identified coal resources are present in an area of approximately 8,000 square miles in 20 counties in eastern Oklahoma. This area is within the southern part of the Western Region of the Interior Coal Province of the United States (Campbell, 1917). The coal beds are of Middle and Late Pennsylvania age, 0.8 to 10 feet thick, 0.4% to 6.5% in sulfur content, coking or noncoking, contain 11,400 to 15,000 Btu/lb, and are low (2-7%) in inherent moisture. Oklahoma contains the most significant deposits of bituminous coal between the Mississippi River and the Rocky Mountains. Although the McClellan-Kerr Arkansas River Navigation System is available for barging coal to international ports, most coal production is shipped by truck or rail. As of January 1, 1994, 8.1 billion short tons of remaining coal resources have been identified; 76% are in the Arkoma basin and 24% are in the northeast Oklahoma shelf area. About 41% of the State's coal resources are low- and medium-volatile bituminous in rank and are present in the Arkoma basin.


The bituminous coals of the state are low volatile in northern LeFlore County; medium volatile in northern LeFlore, Sequoyah, and most of Haskell Counties; high volatile A and B in Craig and Nowata Counties, parts of Haskell County, and in most of the remaining coal-bearing counties; and high volatile C in Coal and Pittsburg Counties.

The commercial coalbeds in the Northeast Oklahoma Shelf area are 0.8-5.0 feet thick, average 2.0 feet thick, dip westward from ½ degree to 2 degrees, and contain more than 3 percent sulfur by weight with the exception of the low-sulfur Croweburg and Secor coals. The coalbeds in the Arkoma Basin area are 1-10 feet thick and occur in eroded anticlines and synclines that trend northeastward. The coals crop out mostly along the sides of these folded and faulted structures, and their dip ranges from 3 degrees to nearly vertical.

The face cleat trend is northwestward in the coal beds of the Shelf and the Basin. In the Arkoma Basin, coals that exhibit steep dips (18 degrees to 65 degrees) commonly were mined before 1960. From 1960 to 1974, no mines were developed in steeply dipping coalbeds because of cost. The Arab oil embargo of 1973 resulted in increases in demand and prices for coal. Thus from 1974 to 1984, seven surface mines were developed in steeply dipping coalbeds in the Arkoma Basin, and they produced coking and metallurgical coal in which the sulfur content was only 1%. Coal from steeply dipping beds has not been mined since 1984 because of the high cost. Of the remaining coal resources in the state, 76% are in the Arkoma Basin and 24% are in the Shelf area. About 41% of the coal is low- and medium-volatile bituminous in rank, and it is in the Arkoma Basin. The weighted average sulfur content of the total remaining resources is 2.3%.

Approximately 680 million tons of Oklahoma's remaining coal resources were estimated (Friedman, 1974) as strippable from beneath 100 feet or less of overburden, in beds 12 inches or more in thickness. Strippable coal resources were reported in Atoka, Coal, Craig, Creek, Haskell, Latimer, LeFlore, Mayes, McIntosh, Muskogee, Nowata, Okfuskee, Okmulgee, Pittsburg, Rogers, Sequoyah, Tulsa, and Wagoner Counties in 25 different coalbeds. The Demonstrated Reserve Base (DRB) shows 342 million tons as strippable (U.S. Department of Energy, 1996).

In 1986, the major use of Oklahoma coal was by out-of-state electric power generating plants, and the major use of Oklahoma coal in Oklahoma was in cement and lime kilns, at a paper plant, and for process heat at an auto assembly plant. In 1987, however, state law required blending 10% of the BTU value of total non-Oklahoma (Wyoming) coal consumed at Oklahoma power plants with Oklahoma coal. Consequently, a significant change took place in the distribution of Oklahoma coals by the end use. By 1991, more than 50% of Oklahoma coal production was shipped to Oklahoma electric power plants. Although the 1987 "10%" law was declared unconstitutional by the U.S. Supreme Court in January 1992, the 1991 Oklahoma coal production increased 16% from 1990. This is explained by a shift in shipments of Oklahoma coal in 1991 to the AES Shady Point fluidized-bed combustion power plant in LeFlore County. Nevertheless, about 18 million tons of low-sulfur (0.4%) subbituminous Wyoming coal was shipped to Oklahoma public utilities in 1997. Oklahoma power plants rank fourth among the states consuming coal imported from Wyoming. Cumulative coal production in Oklahoma (1873-2009) is 293 million tons.



COALBEDS

A total of 25 named bituminous coal beds are present and have been mined in eastern Oklahoma. Most past production has been from the Hartshorne, Lower Hartshorne, McAlester, and Crowburg Coals, which were mined by underground methods. A total of 85% of the coal produced in 2008 and 2009 was mined at surface operations in the Hartshorne, Lower Hartshorne, Stigler, Secor, Crowburg, Morris and Iron Post Coals. In 2009, 43% was produced from an underground mine that was started in the Hartshorne Coal in 1995. Coal rank, generalized for all coals at or near the surface, ranges from high-volatile bituminous in the northeast Oklahoma shelf and western Arkoma Basin to medium-volatile bituminous and low-volatile bituminous in the eastern Arkoma Basin in Oklahoma. Rank increases from west to east and with depth in the Arkoma Basin, attaining semianthracite in Arkansas.

HARTSHORNE COAL

At the southern edge of the coal region in Oklahoma, the Hartshorne Coal commonly is split into two beds by shale and sandstone that are 1 to 100 feet thick. The two beds are called the Upper and Lower Hartshorne Coals, and they have been extensively mined. North of the position of the long axis of the Arkoma Basin, the Hartshorne Coal is not split but is a single bed 1 to 7 feet thick containing, in most places, a persistent black shale or mudstone parting about 1 to 5 inches thick. Core drilling and successful efforts at underground mine development since 1969 have demonstrated significant underground coal resources in the Hartshorne Coal in areas in Haskell and LeFlore Counties, where it is 3 to 7 feet thick, of low- or medium-volatile bituminous rank, and an excellent coking coal.

In 2008 and 2009, 65% of Oklahoma's coal production was from the Hartshorne Coal. The Hartshorne Coal is a prime target for coalbed methane production (Friedman, 1982). The Hartshorne Coalbed contains 1,552 million tons of remaining resources (Friedman, 1974) and large resources of coalbed methane. In 1988, the first coalbed methane production was reported from the Hartshorne Coalbed, where it is about 4 feet thick and 700 feet deep near Kinta, Haskell County.

LOWER HARTSHORNE COAL

Mined in the Arkoma Basin mostly for metallurgical coke manufacture for 115 years, the Lower Hartshorne Coal has been shipped to electric power plants since 1985. Hundreds of underground mines, many of them referred to as no more than "dog holes" have been developed along the 120 miles of outcrop of the Lower Hartshorne Coal since 1872, at which time a railroad first connected McAlester, Pittsburg County, with Arkansas, and thus with the other states. The Lower Hartshorne Coal is 0.8 to 7.0 feet thick, averaging 4 feet in underground mines. The railroads used this premium-grade coal for steam, but historically the coal was shipped to blast furnaces in Colorado, Ohio, Pennsylvania, Texas and Japan. The Lower Hartshorne Coalbed contains at least 1,541 million tons of remaining coal resources (Friedman, 1974), and it also contains coalbed methane resources.

UPPER HARTSHORNE COAL

The Upper Hartshorne Coal was once extensively mined at outcrops on the flanks of anticlines in LeFlore, Haskell, Latimer and Pittsburg Counties. It is 2 to 4 feet thick and is low- or medium-volatile bituminous in rank in the east end of the Arkoma Basin and high-volatile in the west end. The Upper Hartshorne Coalbed contains 663 million tons of remaining coal resources (Friedman, 1974), and it also contains coalbed methane resources.

McALESTER COAL

The McAlester Coalbed has been extensively mined by underground methods at McAlester in central Pittsburg County and in southeastern Coal County. Throughout the Arkoma Basin, the McAlester Coalbed is 1.5 to 5.0 feet thick and mostly high-volatile bituminous in rank. The coal is thickest in Coal and Pittsburg Counties. It is suitable for use in electric power generation, for blending with higher rank coal for coke manufacture, in cement and lime manufacture, and it is suitable for gasification and liquefaction conversion processes. The McAlester Coal contains 1,012 million tons of remaining resources (Friedman, 1974), and it contains significant coalbed methane resources in places where it is 3 to 5 feet thick.

STIGLER COAL

Correlated with the McAlester Coal (Friedman, 1978), the Stigler Coal has been mined historically to depths of 30 to 45 feet by surface methods in Haskell, LeFlore, Muskogee and Sequoyah Counties. The Stigler Coal was mined to 100 feet in Sequoyah County and to 140 feet in Haskell County. Mostly of low- and medium-volatile bituminous rank, the low-sulfur (0.5 to 1.0%) Stigler Coal has been used in coke manufacture in U.S. and overseas markets. In 1978-1979, 11 companies operated surface mines in this high BTU (13,000 - 14,500) coal, where it is 1.0 to 2.7 feet thick. This premium grade coal is overlain by 15 to 110 feet of medium- and dark-gray mudstone, the Stigler Rider Coal (correlated with the Upper McAlester Coal of Latimer, Pittsburg and Coal Counties), one sandstone bed, and in places, Quaternary silt and sand. The Stigler Coalbed contains 533 million tons of remaining resources (Friedman, 1974). Less than 8% of Oklahoma's coal production was from the Stigler Coal in 2008 and less than 10% in 2009.

CAVANAL COAL

The Cavanal Coal, moderate in ash and high in sulfur content, is of medium-volatile bituminous rank and crops out on the synclinal flanks of Cavanal Mountain in LeFlore County (Knechtel, 1949). Of high-volatile bituminous rank, it was mapped in Pittsburg County (Hendricks, 1937). In 1976, it was mined at a surface operation on the north side of Cavanal Mountain, where it is 2 feet thick and overlain by 35 feet of blue-gray shale that is overlain by sandstone. Total remaining resources in the Cavanal Coal in the Arkoma Basin are 159 million tons (Friedman, 1974). About 60 feet below the Cavanal, the Lower Cavanal Coal, 2.0 to 2.2 feet thick, was mined by surface and underground methods in LeFlore County in 1942-43 (Knechtel, 1949). This medium-volatile bituminous coal contains undetermined resources.

LOWER WITTEVILLE COAL

The Lower Witteville Coal is widely distributed in the Arkoma Basin. In the first half of the twentieth century, underground mines produced 522,000 tons of this coal from Cavanal Mountain, LeFlore County, where it is 3 to 4 feet thick and contains thin shale partings. The Lower Witteville may correlate with the Drywood Coal in the Savanna Formation of the Northeast Shelf area (Friedman, 1982), or with an unnamed coal that occurs in a shale interval within the Bluejacket sandstone member of the Boggy Formation (Hemish, 1994). It is medium-volatile bituminous in rank, and thus it probably contains coalbed methane resources. The Lower Witteville Coal contains 52 million tons of identified coal resources in LeFlore County (Friedman, 1974).

ROWE COAL

A high-sulfur, high-volatile bituminous coal, the Rowe is 0.8 to 3.0 feet thick in Craig, Mayes, Muskogee, Rogers and Wagoner Counties. The remaining resources in the Rowe Coal are 25 million tons (Hemish, 1986, 1989). The Rowe Coal may be suitable for gasification and liquefaction conversion processes.

SECOR COAL

The Secor Coal in the Boggy Formation contains a minimum of 446 million tons of identified coal resources (Friedman, 1974). Recent exploration and mining indicates that additional millions of tons of this coal are present in LeFlore County. The Secor Coalbed is 1.5 to 4.3 feet thick, moderately brightly banded and medium-to-high-volatile bituminous in rank. High in ash and sulfur content, it contains 12,000 to 14,000 BTU/lb. The coal has been considered of marginal economic value for most markets. Discovery of a rare occurrence of a low-sulfur (1% or less) deposit of the Secor Coal in McIntosh and Wagoner Counties (Friedman, 1978) resulted in 3.2 million tons of production of this rare coal from 10 strip mines from 1978-1990.

WEIR-PITTSBURG COAL

Correlated from outcrops and drilling data in southeastern Kansas (Friedman, 1974), the Weir-Pittsburg Coal contains 496 million tons of identified coal resources in the Northeastern Oklahoma Shelf. Mined by surface methods in Craig, Mayes, Rogers, and Wagoner Counties, the Weir-Pittsburg Coal is 1.1 to 3.0 feet thick and is overlain by 20 to 30 feet of gray shale that in some places contains marine invertebrate fossils. This coal is high in sulfur (more than 3%) and ash (more than 12%). No production has been reported from this coalbed since 1980 because its run-of-mine condition has been of marginal economic value.

MINERAL COAL & MORRIS COAL

The Mineral is a high-volatile bituminous coal, 1.2 to 2.7 feet thick, averaging 1.8 feet in Craig, Nowata, Rogers, Tulsa, and Wagoner Counties. The Mineral Coal is overlain by a hard, thin, impure limestone and gray shale in most places in Craig County. Dunham and Trumbull (1955) described the Morris Coal as 7 to 30 inches thick, averaging 16 inches in the Henryetta Mining District. About 30 million short tons of identified resources of Morris Coal have been determined (Friedman, 1974). Although adverse geologic and mining conditions are present in the faulted area north of Morris, additional resources and recoverable reserves of Morris Coal undoubtedly are present in other places in Okmulgee County. Physical, chemical, petrographic and stratigraphic characteristics of the Morris Coal strongly indicate its correlation with the Mineral Coal of the Northern Shelf area (and of Kansas and Missouri)(Friedman, 1974, 1982). The Eram Coal in Okmulgee County is also correlated with the Mineral Coal (Hemish, 1988). The Mineral Coal (and equivalent coalbeds) contains 198 million tons of identified coal resources in Craig, Nowata, Okmulgee, Rogers, Tulsa, and Wagoner Counties (Hemish, 1986, 1989, 1990, 1994).

CROWEBURG COAL

The Croweburg has been one of three leading coals produced in Oklahoma, because it contains 1% or less sulfur and a Free Swelling Index (FSI) of 6 or more in most of the area of its distribution in the Northeastern Oklahoma Shelf. A total of 681 million tons of identified remaining resources of the Croweburg Coal has been reported (Hemish, 1986, 1989, 1990, 1994) as present in Oklahoma. The Croweburg has been known as the Henryetta Coal, the Broken Arrow Coal, and the "Sequoyah" Coal (Oakes, 1944).

IRON POST COAL


Fort Scott Coal is also known as Iron Post Coal. The Iron Post Coal is the uppermost commercial coal in the Senora Formation. It crops out across Craig, Nowata, and Rogers Counties in an irregular line roughly parallel to the outcrop line of the Croweburg Coal. The Iron Post Coal lies about 30 to 50 feet above the Verdigris Limestone and is overlain by a few inches to a few feet of black and gray shale. The shale is overlain in turn by a limestone known as Breezy Hill. It has a high BTU value that averages about 13,000. It averages about 12 inches in thickness, and has an average sulfur content of about 3.5%. Less than 4% of Oklahoma's coal production was from Iron Post Coal in 2008 and less than 2% in 2009.

COAL PRODUCTION

Oklahoma coal production has declined from its peak of 5.73 million tons in 1981 to a low of 1.04 million tons in 2009. This trend can be attributed to several factors, including the reduced demand for metallurgical coal, the loss of cement markets in Dallas, lower prices for coal, high transportation costs, lack of financial incentives, lack of available local investment capital, and lower prices for natural gas. One bright spot is the use of Oklahoma coal at the Applied Energy Services Cogeneration Plant near Shady Point, Oklahoma, which burns in excess of 800,000 tons of Oklahoma coal each year. Until recent years, the major consumption of Oklahoma coal had been by out-of-state utilities. Major in-state use of Oklahoma coal has been by the cement and lime industry and utilities. Like the oil and gas industries, the coal industry has experienced production cycles. There is potential for Oklahoma's coal resources to provide the basis for economic growth; only the apex of coal resources has been exploited.

COAL (Tons Produced)		
Coal Production Information	2008	2009
Producing Counties	6	6
Companies Reporting	4	4
Men Employed, Average Per Month	186	181
Total Man Days Worked	2,073	1,754
Total Man Hours Worked	442,592	428,056
Total Tonnage	1,469,629	1,036,024
Counties	2008	2009
Haskell	169,336	123,766
LeFlore	870,060	637,266
Nowata/Craig	260,577	226,044
Okmulgee	1,172	644
Rogers	168,483	48,301
Total Coal Production	1,469,629	1,036,024
Coal Permit Activities		
Permits Issued	2	3
Permits on Inspectable Units List	58	58
Acreage Permitted	20,200	20,000
Inspections Conducted	568	571
Violations Issued	52	31
Phase III Bond Releases Approved	7	4
Revisions Issued	27	22

Oklahoma Coalbed Production - Tons 2008 and 2009



COAL				
Surface & Underground Tonnage Comparison				
YEAR (Fiscal)	Surface	Underground	% Surface Mined	Total
1930	351,109	2,905,557	11	3,256,666
1932	245,344	1,146,401	18	1,391,745
1933	228,674	758,230	23	986,904
1934	278,199	841,803	25	1,120,002
1935	275,233	832,590	25	1,107,823
1936	268,058	974,880	20	1,242,947
1937	452,704	875,037	36	1,327,741
1938	430,961	921,534	32	1,352,495
1939	355,175	707,037	33	1,062,212
1940	499,989	840,340	37	1,340,329
1941	675,429	982,583	41	1,658,012
1942	851,223	1,241,236	41	2,092,459
1943	1,273,960	1,582,462	45	2,856,422
1944	1,377,637	1,408,855	49	2,786,492
1945	1,804,954	1,295,974	58	3,100,928
1946	1,630,250	1,008,860	62	2,639,110
1947	1,812,881	1,013,885	64	2,826,766
1948	2,270,668	1,149,484	66	3,420,152
1949	2,218,492	991,960	69	3,210,452
1950	2,042,705	856,823	70	2,899,528
1951	1,437,278	957,691	60	2,394,969
1952	1,203,020	958,306	56	2,161,326
1953	1,426,672	870,162	62	2,296,834
1954	1,105,955	764,377	59	1,870,332
1955	1,118,841	787,440	59	1,906,281
1956	1,470,688	581,611	72	2,052,299
1957	1,469,891	474,875	76	1,944,766
1958	1,434,555	430,985	77	1,865,540
1959	1,347,922	348,608	80	1,696,530
1960	1,064,938	425,999	71	1,490,937
1961	953,265	128,436	88	1,081,701
1962	891,431	161,294	85	1,052,725
1963	956,232	55,713	94	1,011,945
1964	1,026,162	12,817	99	1,038,979
1965	954,043	9,523	99	963,566
1966	835,692	6,291	99	841,983
1967	822,903	2,352	99	825,983
1968	1,059,263	45,979	96	1,105,242
1969	1,716,877	120,490	94	1,837,367
1970	2,204,870	237,594	90	2,442,464
1971	2,038,565	194,928	91	2,233,493

COAL				
Surface & Underground Tonnage Comparison Cont...				
YEAR (Fiscal)	Surface	Underground	% Surface Mined	Total
1972	2,445,311	84,900	97	2,530,211
1973	2,194,670	0	100	2,194,670
1974	2,374,685	0	100	2,374,685
1975	2,850,427	0	100	2,850,427
1976	3,626,781	0	100	3,636,781
1977	5,346,654	0	100	5,346,654
1978	5,425,432	3,246	99	5,428,678
1979	4,491,211	1,476	99	4,492,687
1980	5,338,287	3,102	99	5,341,389
1981	5,723,312	5,149	99	5,728,461
1982	4,619,783	39,556	99	4,659,339
1983	3,672,107	13,783	99	3,685,890
1984	4,226,106	0	100	4,226,106
1985	3,343,188	0	100	3,343,188
1986	2,969,523	6,751	98	2,976,274
1987	2,866,840	0	100	2,866,840
1988	2,117,536	0	100	2,117,536
1989	1,728,437	39,855	98	1,768,292
1990	1,523,797	102,963	94	1,626,760
1991	1,863,720	26,839	99	1,890,599
1992	1,691,406	58,590	97	1,749,996
1993	1,704,275	92,076	95	1,796,351
1994	1,900,114	10,647	99	1,910,761
1995	1,860,514	25,450	99	1,885,964
1996	1,570,393	136,702	92	1,707,095
1997	1,407,562	211,686	87	1,619,248
1998	1,439,708	294,205	83	1,733,913
1999	1,461,234	199,760	88	1,660,994
2000	1,349,036	244,577	85	1,593,613
2001	1,303,334	412,434	76	1,715,818
2002	930,657	463,481	67	1,394,138
2003	1,174,237	456,837	72	1,631,074
2004	1,269,968	409,068	76	1,679,036
2005	1,172,751	465,459	72	1,638,209
2006	1,315,872	464,086	74	1,779,958
2007	1,146,230	514,288	69	1,660,518
2008	1,027,291	442,338	70	1,469,629
2009	548,961	487,063	53	1,036,024

MAJOR MINING DISASTERS IN OKLAHOMA

NAME & LOCATION	DATE	NUMBER KILLED	CAUSE
Osage Coal & Mining, Krebs	03/00/1885	13	Gas & Dust
Mines #1 & #2, Savanna	04/06/1887	18	Gas & Dust
Osage Coal & Mining Co., Krebs	01/07/1892	96	Gas & Dust
Choctaw-Oklahoma Gulf Railway Co., Alderson	04/29/1901	5	Gas & Dust
McAlester Coal Co., Alderson	12/28/1901	6	Gas & Dust
McAlester Coal Co., Alderson	01/13/1902	6	Cage Dump
Milby-Dow Coal Co., Dow	01/13/1902	10	Mine Fire
Central Coal & Coke Co., Carbon	04/13/1903	6	Gas & Dust
Missouri-Kansas Co., Wilburton	04/30/1905	13	Gas & Dust
Poteau Coal & Mercantile Co., Witteville	04/30/1906	14	Dynamite
Hailey-Ola Coal Co., Haileyville	08/26/1908	29	Oil Fire
Rock Island Coal & Mining Co., Hartshorne	10/21/1909	10	Gas & Dust
Western Coal & Coke Co., Lehigh	03/31/1910	6	Gas & Dust
San Boise Coal Co., McCurtain	03/20/1912	73	Gas & Oil
Union Coal Co., Adamson	09/04/1914	14	Slope Cave-In
Rock Island Coal & Mining Co., Alderson	06/30/1919	15	Gas & Dust
MK & T Coal Co., Degnan	08/21/1920	10	Gas & Dust
McCurtain Improvement Co., McCurtain	10/20/1922	8	Gas & Dust
Eastern Coal Co., Wilburton	01/13/1926	91	Gas & Dust
Superior Smokeless Coal Co., Tahona	09/03/1926	16	Gas & Dust
Covington Coal Co., Poteau	12/17/1929	61	Gas & Dust
Sample Coal Co., McAlester	10/30/1930	30	Gas & Dust
Hailey-Ola Coal Co., Haileyville	11/29/1930	13	Gas & Dust
Bond Valley Coal Co., Haileyville	01/17/1945	9	Gas & Dust

NON-FUEL MINERALS

Oklahoma's mines exclusively produced industrial minerals; no metals were mined in the state, based upon USGS estimates of the quantities produced in the 50 states during 2008 and 2009. Oklahoma was one of two states that produced iodine in 2009, and Oklahoma also continued to be the first in gypsum production in 2008 falling to the fourth largest producer in 2009. Additionally, the state continued to be a significant producer of crushed stone, portland cement, construction sand and gravel, and masonry cement for 2008 and 2009.

In 2008, Oklahoma's estimated value of non-coal raw mineral production was \$746 million decreasing to \$696 million in 2009 based upon the annual U.S. Geological Survey (USGS) data. The state ranked 30th in 2008 and 27th in 2009 among the 50 states in total non-fuel mineral production value, of which Oklahoma accounted for nearly 1% of the U. S. total value.

In 2008 and 2009, crushed stone continued to be Oklahoma's leading non-fuel mineral commodity, accounting for two-fifths of the state's total non-fuel mineral production value. Based upon value, crushed stone was followed by construction sand and gravel, industrial sand and gravel, gypsum and iodine. The combined values of three of Oklahoma's four major construction materials - crushed stone, sand and gravel, and gypsum (descending order of value) - accounted for 63% of the total value.

MINERALS PERMITS

Minerals Mining Permit Activities	2008	2009
Permits Issued	63	60
Revisions Issued	84	70
Annual Renewals Processed	533	557
Inspections Conducted	7,640	7,392
Violations Issued	867	639
Non-Mining Blasting Activity	2008	2009
Blasting Permit Issued	20	19
Blasting Plans Reviewed	43	27
Blasting Exemptions Issued	122	112
Non-Mining Blasting Inspections	57	15
Violations Issued	4	0

ASPHALT

Asphalt is a viscous residue of petroleum found in porous rocks. It was mined commercially in Oklahoma from around 1900 through 1960, primarily in Murray and Atoka Counties, but has not been mined in recent years.

BENTONITE

Bentonite is either of two principally aluminum silicate clays, containing some magnesium and iron, distinguished by sodium or calcium content with corresponding high or low swelling capacity and used in various adhesives, cements, and ceramic fillers. There was no Bentonite production in 2008 or 2009.

CALICHE

Caliche is a sedimentary rock, a hardened deposit of calcium carbonate. This calcium carbonate cements together other materials, including gravel, sand, clay, and silt. Caliche is generally light colored but can range from white to light pink to reddish-brown, depending on the impurities present. It is generally found on or near the surface, but it can be found in deeper subsoil deposits as well. The layers can vary from a few inches to feet thick, and multiple layers can exist in a single location. No production was reported in 2008.

Caliche Production Information	2008	2009
Producing Counties	0	1
Companies Reporting	0	1
Men Employed, Average Per Month	0	2
Total Man Days Worked	0	20
Total Man Hours Worked	0	1,128
Total Tonnage	0	4,595
Counties		
Ottawa	0	4,595
Total Caliche Production	0	4,595

CHAT (CHAT HAULING)

The term "*chat*" is applied to fragments of silicious rock, limestone, and dolomitic waste rejected in the lead-zinc milling operations that accompanied lead-zinc mining in Ottawa County, largely in the first half of the twentieth century. These chats, found as huge man-made mounds in that county, are utilized as construction aggregate, principally for railroad ballast, highway construction, and concrete production.

Chat Production Information	2008	2009
Producing Counties	1	1
Companies Reporting	1	1
Men Employed, Average Per Month	7	7
Total Man Days Worked	258	247
Total Man Hours Worked	15,456	15,824
Total Tonnage	268,000	264,836
Counties		
Ottawa	268,000	264,836
Total	268,000	264,836

CLAY

Clay is a naturally occurring material composed primarily of fine-grained minerals. Clay deposits are mostly composed of clay minerals, a subtype of phyllosilicate minerals, which impart plasticity and harden when fired or dried; they also may contain variable amounts of water trapped in the mineral structure by polar attraction. Organic materials which do not impart plasticity may also be a part of clay deposits.

Clay Production Information	2008	2009
Producing Counties	19	18
Companies Reporting	46	47
Men Employed, Average Per Month	80	84
Total Man Days Worked	2,763	2,857
Total Man Hours Worked	129,276	121,592
Total Tonnage	1,051,419	1,266,600
Counties		
Bryan	700	0
Canadian	240,069	298,494
Carter	16,033	8,565
Cherokee	35,425	50,781
Cleveland	60,003	74,256
Creek	8,680	2,165
Greer	29,869	26,772
LeFlore	74,727	131,957
Lincoln	2,200	1,860
Logan	30,008	36,102

Clay Production Cont....	County	2008	2009
Mayes		6,059	28,298
Muskogee		1,460	137,532
Oklahoma		844	90,652
Ottawa		13,310	6,184
Pontotoc		29,578	12,612
Rogers		72,600	91,450
Seminole		280,629	192,079
Sequoyah		36,714	17,775
Tulsa		112,511	59,066
Total Clay Production		1,051,419	1,266,600

COPPER

The occurrence of *copper* in Oklahoma has been known since the mid-19th century, when observations were first recorded in what is now Jefferson County. Studies in 1962 proved that deposits in Jackson County were of a sufficient quality and thickness for commercial value. First production from these reserves was in 1965, although the operation is inactive now.

DIMENSIONAL STONE

The term *dimensional stone* refers to stone that is finished to specific dimensions and shapes. Most commonly it is quarried in large rectangular blocks, which are then sawed into slabs for further finishing, and used in building, monuments, furniture industrial applications and other uses. Other stone, sold as fieldstone, flagging, rubble and other similar names, is sold in either natural or broken sizes and shapes that are sorted into size ranges, but not finished or dressed to specific dimensions. These types of stone can be used for building, paving, decorative, or other purposes.

Dimensional Stone Production Information	2008	2009
Producing Counties	9	7
Companies Reporting	82	86
Men Employed, Average Per Month	667	479
Total Man Days Worked	16,527	14,414
Total Man Hours Worked	1,267,289	830,992
Total Tonnage	610,991	397,304
Counties		
Choctaw	3,859	0
Haskell	257,003	160,905
Johnston	1,965	861
Latimer	8,291	7,132
LeFlore	291,228	190,948
Latimer	8,291	7,132

Dimensional Stone Production Cont...	2008	2009
Muskogee	402	1,467
Pittsburg	36,195	21,640
Pontotoc	11,826	4,989
Sequoyah	218	360
Total Dimensional Stone Production	610,991	397,304

GRANITE

Oklahoma's commercially quarried granite deposits are confined to the Arbuckle and Wichita Mountains. Production is limited to Johnston and Murray Counties in the Arbuckle's and Greer and Kiowa Counties in the Wichita's. The variety of colors of granite found in Oklahoma makes it desirable for use as dimension stone and monument stone.

Granite Production Information	2008	2009
Producing Counties	4	4
Companies Reporting	7	7
Men Employed, Average Per Month	105	114
Total Man Days Worked	1,226	1,484
Total Man Hours Worked	209,856	253,528
Total Tonnage	4,278,692	4,779,525
Counties		
Greer	32,341	25,115
Johnston	1,798,618	2,595,703
Kiowa	1,115,628	972,473
Murray	1,332,104	1,186,234
Total Granite Production	4,278,692	4,779,525

GYP SUM

Gypsum is a calcium sulfate compound found in large quantities as rock in western Oklahoma, principally in Blaine, Caddo, Comanche, Jackson, Major and Woodward Counties. The mineral is used as a plaster for interior walls and wallboard, and soil conditioners. Recent weather-related disasters requiring large scale repairs and reconstruction of homes and businesses have pushed Oklahoma gypsum production to number one in the gypsum-producing states.

Gypsum Production Information	2008	2009
Producing Counties	6	7
Companies Reporting	7	11
Men Employed, Average Per Month	129	98
Total Man Days Worked	2,422	2,052
Total Man Hours Worked	275,000	206,896
Total Tonnage	4,878,553	2,842,591
Counties		
Blaine	486,904	389,427
Caddo	1,226,375	858,673
Jackson	854,576	585,492
Kingfisher	8,184	7,342
Major	1,870,399	927,637
Woodward	432,114	74,086
Total Gypsum Production	4,878,553	2,842,591

IRON ORE

The term "**iron ore**" refers to any body of rock which contains economically extractable quantities of iron. The most common iron ores are the iron-based minerals Hematite, Magnetite and Goethite. These minerals occur quite commonly throughout the world and account for the majority of iron ore production. These minerals occur in sedimentary, igneous and metamorphic environments with percentages of iron contained in typical ores ranging from thirty to sixty-five percent or higher. No iron ore has been mined in Oklahoma since 1988.

LEAD & ZINC

Lead and zinc ores were discovered in the Ottawa County region of northeastern Oklahoma in 1904. Rapid development of these resources and those in neighboring Kansas and Missouri made the Tri-State Mining District the leading producer of lead and zinc in the world. In almost every year from 1918 until 1945, Oklahoma led the world in the production of zinc. The greatest production levels were reached shortly after the discovery of the ore bodies at Picher in 1914; production highs for both lead and zinc mining industries were recorded in 1925. Production dropped to pre-World War I levels during the Great Depression. Although a minor resurgence in production occurred just before and during the Second World War, the lead and zinc mining industries were never able to again come close to the boom of the 1920's. Declining world prices forced a temporary shutdown of the field in 1959 and 1960; the mines were permanently closed in October, 1970. Depletion of the higher grade ores in the field, a decline of the world price, and the cost of continual pumping made mining in the once-great mining center uneconomical and forced its closure. During the years of production, Oklahoma mines produced 1.3 million tons of recoverable lead and 5.2 million tons of recoverable zinc.

The lead and zinc mines of the Tri-State District operated with the room-and-pillar method of mining; many of the rooms were as much as sixty feet in height, with only a thin roof of rock separating them from the surface. Some of the contaminated waters from the mines have seeped into the drinking water and surface water systems of the area. In the 1980's and again in the early 2000's, the Department of Mines worked with task forces which focused on the pollution problems resulting from this situation. Extensive funding has been provided at various times by both the State of Oklahoma and the federal government for the remediation of soil and water contamination, but some of the problems persist. Relocation of some residents is now taking place.

LIMESTONE

Limestone represents one of the most widely available of the mineral resources of Oklahoma, and has generally accounted for around 57% of the reported tonnage of all non-fuel minerals mined in the state. Three major production areas exist within Oklahoma: the Tulsa-Rogers-Mayes County region of northeastern Oklahoma north of the Arkansas River; the Arbuckle Mountains region of Murray County and extending into Pontotoc County; and the Wichita Mountains area of Comanche and Kiowa Counties. Limestone is used mainly in the crusted state as concrete aggregate for building highways and other structures, railroad ballast, glass manufacturing, cement production, preparation of lime and agricultural purposes. Some limestone is used as dimensional building stone.

Limestone Production Information	2008	2009
Producing Counties	32	36
Companies Reporting	54	61
Men Employed, Average Per Month	1,001	1,011
Total Man Days Worked	14,013	14,437
Total Man Hours Worked	2,134,302	2,128,251
Total Tonnage	46,337,833	39,159,686
Counties	2008	2009
Atoka	3,237,823	2,269,829
Bryan	0	28,144
Caddo	512,084	190,173
Carter	817,152	578,665
Cherokee	627,175	607,943
Choctaw	969,331	2,583,505
Comanche	4,188,667	3,656,125
Craig	343,934	349,135
Creek	816,220	851,900
Delaware	1,751	997
Ellis	222,533	35,551
Haskell	497,767	322,609
Johnston	7,920,571	5,301,106
Kay	116,856	199,777
Kiowa	3,316,341	2,423,857
LeFlore	8,287	74,676
Marshall	9,640	0
Mayes	1,638,480	1,693,606
McCurtain	691,925	664,206
McIntosh	299,739	267,934
Murray	5,290,981	4,389,413
Nowata	93,744	59,695
Osage	587,107	555,694

Limestone Production Cont... County	2008	2009
Ottawa	463,010	523,110
Pawnee	320,744	305,652
Payne	280,308	263,618
Pittsburg	1,638,796	1,012,857
Pontotoc	1,672,631	1,293,884
Pushmataha	3,792	33,562
Rogers	4,758,381	3,952,313
Seminole	562,928	366,875
Sequoyah	988,680	773,593
Tulsa	1,908,061	2,403,693
Tulsa/Rogers	855,103	365,651
Wagoner	338,796	295,189
Washington	267,489	465,139
Total Limestone Production	46,337,833	39,159,686

SAND & GRAVEL

Sand and gravel is produced in most counties in Oklahoma from deposits that are found near the many rivers and streams. Principal uses are in mixing concrete for highway building and other construction, and for railroad ballast. Silica sands, found chiefly in the Arbuckle Mountain region of south-central Oklahoma, are used in the manufacture of various grades of glass and other chemical and industrial activities.

Sand & Gravel Production Information	2008	2009
Producing Counties	56	58
Companies Reporting	233	230
Men Employed, Average Per Month	748	646
Total Man Days Worked	31,182	28,370
Total Man Hours Worked	1,425,272	1,138,438
Total Tonnage	22,532,304	15,555,930
Counties		
Adair	1,916	0
Atoka	244,799	145,735
Beaver	381,394	199,348
Beckham	83,249	69,599
Bryan	2,514,841	1,305,928
Caddo	64,695	7,397
Canadian	978,684	764,445
Carter	129,528	63,556
Cherokee	1,623	0
Choctaw	1,766,612	106,371

Sand & Gravel Production Cont... County	2008	2009
Cimarron	0	175
Cleveland	862,487	774,366
Comanche	38,018	54,788
Cotton	400,663	384,507
Creek	193,623	125,939
Delaware	3,986	3,975
Dewey	188,568	162,130
Garfield	97,117	51,043
Garvin	7,412	560
Grady	6,355	7,905
Harper	31,754	2,293
Haskell	1,985	785
Hughes	900	3,980
Jackson	21,671	38,316
Johnston	2,641,777	1,644,521
Kay	277,431	229,667
Kingfisher	693,790	641,094
Kiowa	48,933	18,917
LeFlore	127,950	193,660
Lincoln	58,414	48,579
Logan	386,233	412,856
Love	1,028,867	573,174
Major	24,900	24,762
Marshall	2,408	868
Mayes	30,020	33,822
McClain	154,730	103,981
McCurtain	479,865	520,685
McIntosh	276	870
Murray	21,707	24,216
Muskogee	521,550	477,329
Okfuskee	5,448	1,862
Oklahoma	1,764,297	1,519,368
Okmulgee	525,000	231,565
Osage	885	0
Pawnee	130,823	120,118
Payne	116,173	55,248
Pittsburg	21,447	19,867
Pontotoc	1,256,971	753,292
Pottawatomie	247,719	211,844
Rogers	16,356	2,208
Seminole	160,087	133,984
Sequoyah	70,682	82,128
Stephens	2,119	600

Sand & Gravel Production Cont... County	2008	2009
Texas	34,843	31,115
Tillman	130,444	128,638
Tulsa	2,115,569	1,530,520
Wagoner	1,374,805	1,442,727
Woodward	37,895	45,649
Total Sand & Gravel Production	22,532,304	15,555,930

SALT

Oklahoma's vast *salt* reserves underlie most of the northwestern portion of the state. Salt brine, dissolved from underground deposits by ground water, is brought to the surface either as natural springs or by pumping; the salt is recovered as a residue through solar evaporation of the brine. Salt is used primarily for stock feeds, recharging water softeners, and road de-icing.

Salt Production Information	2008	2009
Producing Counties	1	1
Companies Reporting	1	1
Men Employed, Average Per Month	28	28
Total Man Days Worked	263	274
Total Man Hours Worked	60,632	63,504
Total Tonnage	151,210	155,764
Counties		
Woods	151,210	155,764
Total Salt Production	151,210	155,764

SELECT FILL

Select Fill is a clay-based excavated product that packs well. This dirt has some rocks present but is generally composed of clay and or silty sand; and is appropriate for filling holes or a base for other materials, around a house foundation or berm.

Select Fill Production Information	2008	2009
Producing Counties	1	6
Companies Reporting	1	8
Men Employed, Average Per Month	1	7
Total Man Days Worked	4	261
Total Man Hours Worked	96	3,688
Total Tonnage	16,104	228,752
Counties		
Woods		

SHALE

Shale is a classic sedimentary rock typically composed of variable amounts of clay sized particles and weathering debris. Addition of variable amounts of other minerals constituents alters the color of the rock. In manufacturing, shale is used as a filler material for concrete and brick.

Shale Production Information	2008	2009
Producing Counties	1	8
Companies Reporting	1	14
Men Employed, Average Per Month	N/A	8
Total Man Days Worked	N/A	318
Total Man Hours Worked	N/A	5,608
Total Tonnage	52,687	279,427
Counties		
Blaine	52,687	279,427
Total Shale Production	52,687	279,427

TRIPOLI

Tripoli is the general name for soft, porous silica found in sedimentary rocks in Ottawa County and neighboring parts of Missouri and Arkansas. Primarily used as an abrasive, it is also used in concrete and as paint filler. One company is at present responsible for the production in Oklahoma. The United States is self-sufficient in Tripoli and much of the product is exported.

Tripoli Production Information	2008	2009
Producing Counties	1	1
Companies Reporting	1	1
Men Employed, Average Per Month	1	1
Total Man Days Worked	221	191
Total Man Hours Worked	1,768	2,008
Total Tonnage	95,762	37,661
Counties		
Ottawa	95,762	37,661
Total Tripoli Production	95,762	37,661

VOLCANIC ASH

Volcanic Ash is composed of fine, uncemented particles of volcanic dust that were deposited in lakes during pre-historic activity. These deposits occur in many western and central counties in Oklahoma. The material is primarily used for concrete mixtures, abrasives, and insulating compounds. There was no mining production for volcanic ash in 2008 or 2009.

ACKNOWLEDGEMENTS

Brian Cardott
Oklahoma Geological Survey
Coal Geologist
University of Oklahoma

Dr. Samuel A. Friedman
Oklahoma Geological Survey
Energy Center
University of Oklahoma

Arnold O. Tanner
US Geological Survey
Reston, Virginia

Oklahoma Department of Libraries
Archives Division
Government Documents Division

Stan T. Krukowski
Oklahoma Geological Survey
Energy Center
University of Oklahoma

SOURCES

Mineral Resources of the United States
United States Geological Survey, Department of the Interior - 1891 through 1924 reports
Mineral Resources of the United States
Bureau of Mines, Department of Commerce - 1925 through 1931 reports
Mineral Yearbook
Bureau of Mines, Department of the Interior - 1932 through 1979 reports
Oklahoma's Metallic and Non-Metallic Minerals
Industrial Development Division, Oklahoma Planning and Resources Board 1952
Annual Report - Office of the Territorial Mine Inspector - 1884 through 1907 reports
Annual Report - Office of the Chief Mine Inspector - 1910 through 1983 reports
Annual Report - Oklahoma Department of Mines -1984 through 2007 reports