

OKLAHOMA BOARD OF NURSING  
2915 N. Classen Boulevard, Suite 524  
Oklahoma City, OK 73106  
(405) 962-1800

Monitoring of the Moderate (Conscious) Sedation Patient by  
Licensed Practical Nurse Guidelines

I. Definitions

- A. Administration includes preparing and handing a medication to a patient for self-administration and/or the introduction of a medication via any route into a body system at any point during a moderate (conscious) sedation event. Medications used to achieve moderate (conscious) sedation are selected and ordered by any person authorized by state law to so prescribe.
- B. Management of the patient is the use of the nursing process to deliver and direct comprehensive nursing care during a procedure in a practice setting.
- C. Moderate (Conscious) sedation is a medically controlled state of depressed consciousness in which the patient has the ability to retain protective airway reflexes, to independently and continuously maintain a patent airway, and to respond to age-appropriate physical and verbal stimuli. Routes of administration of moderate (conscious) sedation drugs include but are not limited to IV, oral (including lollipops), nasal inhalation, or per rectum. Moderate (conscious) sedation does not apply to the control of pain, sleep, or sedation of patients on ventilators or to the administration of pre-operative medications.  
*Those patients whose only response is reflex withdrawal from a painful stimulus are sedated to a greater degree than encompassed by moderate (conscious) sedation/analgesia (AANA). Deep sedation is a medically controlled state of depressed consciousness or unconsciousness from which the patient is not easily aroused. It may be accompanied by a partial or complete loss of protective reflexes and includes the inability to maintain a patent airway independently and respond purposefully to physical stimulation or verbal command. These guidelines do not apply to deep sedation.*
- D. Monitoring is clinical observation that is individualized to patient needs based on data obtained from pre-procedure patient assessments. The objective of monitoring patients who receive Moderate (conscious) sedation is to improve patient outcomes. Monitoring includes the use of mechanical devices and direct observation.

## II. Qualifications

- A. The LPN is authorized by institutional policy to monitor moderate (conscious) sedation patients during short-term therapeutic, diagnostic or surgical procedures.
- B. The LPN monitoring the patient receiving moderate (conscious) sedation:
  - 1. demonstrates the acquired knowledge of anatomy, physiology, pharmacology, cardiac arrhythmia recognition, medications and complications related to moderate (conscious) sedation;
  - 2. understands the principles of oxygen delivery, transport and uptake, respiratory physiology, and the use of oxygen delivery services;
  - 3. has the ability to monitor and intervene based upon orders or institutional protocols, in the event of complications;
  - 4. demonstrates competency in airway management and resuscitation appropriate to the age of the patient.
- C. Administration of medications to and management of the moderate (conscious) sedation patient remains the responsibility of the RN, licensed physician or dentist.

## III. Monitoring

- A. The following policies must be available to the LPN monitoring the moderate (conscious) sedation patient in the facility in which the moderate (conscious) sedation is administered:
  - 1. Moderate (conscious) sedation may not be started until an adequate number of staff with demonstrated competency in the management and monitoring of the patient with moderate (conscious) sedation is available;
  - 2. Guidelines for patient monitoring and protocols for dealing with potential complications or emergency situations, developed in accordance with accepted standards;
  - 3. A policy addressing frequency of documentation and monitoring of physiologic measurements including but not limited to blood pressure, respiratory rate, oxygen saturation, cardiac rate and rhythm, and level of consciousness.
- B. The following equipment must be available:
  - 1. An emergency cart must be immediately accessible to every location where moderate (conscious) sedation is administered. This cart must include emergency resuscitative drugs, airway and ventilatory adjunct equipment, defibrillator, and a source for administration of 100% oxygen.
  - 2. A positive pressure breathing device, oxygen, suction, and appropriate airways must be placed in each room where moderate (conscious) sedation is administered.

3. Supplemental oxygen shall be available for any patient receiving moderate (conscious) sedation during the post-procedure period.
- C. The LPN monitoring the patient receiving moderate (conscious) sedation shall have no other responsibilities that would leave the patient unattended or compromise continuous monitoring.
  - D. Qualified professionals who are experts in airway management, emergency intubation and advanced cardiopulmonary resuscitation are present and immediately available in the facility and remain in the facility until the patient is stable.
- IV. Regulatory Authority: Title 59 O.S. §567.3a.2, 3 & 4
- V. References

American Association of Nurse Anesthetists. (Adopted: June 1996; Revised: June 2003). Considerations for policy guidelines for registered nurses engaged in the administration of Moderate (conscious) sedation. Retrieved January 15, 2009, from: [http://www.aana.com/resources.aspx?ucNavMenu\\_TSMMenuTargetID=51&ucNavMenu\\_TSMMenuTargetType=4&ucNavMenu\\_TSMMenuID=6&id=706](http://www.aana.com/resources.aspx?ucNavMenu_TSMMenuTargetID=51&ucNavMenu_TSMMenuTargetType=4&ucNavMenu_TSMMenuID=6&id=706)

The Joint Commission on Accreditation of HealthCare Organizations (2004). Moderate sedation medication and patient monitoring. Retrieved September 18, 2008, from: [http://www.jointcommission.org/AccreditationPrograms/AmbulatoryCare/Standards/FAQs/Provision+of+Care/Operative+High+Risk/ModSedation\\_Pt\\_Monitoring.htm](http://www.jointcommission.org/AccreditationPrograms/AmbulatoryCare/Standards/FAQs/Provision+of+Care/Operative+High+Risk/ModSedation_Pt_Monitoring.htm)

Kost, Michael. (1998). *Manual of conscious sedation*. Philadelphia, Pennsylvania: W.B. Saunders Company.

North Carolina Board of Nursing. Moderate (conscious) Sedation – Position Statement for RN Practice. (Origin: 12/1993; Revised: 4/2007). Retrieved January 15, 2009, from: <http://www.ncbon.org/content.aspx?id=682>

North Dakota Board of Nursing. Administration Of Anesthetic Agents By The RN Practice Statement. (Adopted: 3/05; Revised: 1/06). Retrieved January 15, 2009, from: <http://www.ndbon.org/opinions/administration%20of%20anesthetic%20agents.shtml>

Oklahoma Nursing Practice Act. (November 2003).

Oklahoma Board of Nursing. Moderate (conscious) sedation guidelines for registered nurse managing and monitoring patients. (Board Approved: 01/28/99; Revised: 11/11/08). Oklahoma City, OK: Author.

Oregon State Board of Nursing. Policy Guideline: Nursing Scope of Practice for the Use of Sedating and Anesthetic Agents. (Adopted 2/2006). Retrieved January 15, 2009, from: <http://www.oregon.gov/OSBN/pdfs/policies/sedation.pdf>

Texas Board of Nursing. 15.8 Role of the Nurse in Moderate Sedation. (Board Action: 01/1992; Revised 01/2007). Retrieved January 15, 2009, from: <http://www.bon.state.tx.us/practice/position.html#15.8>