



**STATE OF OKLAHOMA
BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE**

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

Dr. Kenneth E. Blick, Ph.D.
Chairman

J. Robert Blakeburn
State Director of Tests
for Alcohol and Drug Influence

REGULAR MEETING AT OKLAHOMA CITY, OKLAHOMA

Oklahoma Department of Public Safety Complex
W. C. (Sarge) Smith Training Room 3600 ML King, Bldg. 9
Wednesday, August 15, 2012
10:00 A.M. CST

Regular Meeting

AGENDA

1. Call to Order and determination of quorum
2. Approval of Minutes
3. State Director Report
 - A. Training statistics.
 - B. Teaching at Continuing Legal Education (CLE)
 - C. Attendance at conferences
 - D. Website update
 - E. Grants to the agency
 - F. Issues in interstate ignition interlock and implementing S.B. 529
4. Set 2013 regular meeting dates
5. Expungement of the Intoxilyzer 5000-D for breath testing
 - A. Discussion of expungement of I-5000D as approved evidentiary device for the state's test
 - B. Resolution to expunge/not expunge the I-5000D as approved evidentiary device for the state's test
 - C. Discussion of expungement of I-5000D as approved evidentiary device for an independent test
 - D. Resolution to expunge/not expunge the I-5000D as approved evidentiary device for independent test
6. Discussion of the number of vials of blood to be required in a Board-approved blood

kit, as indicated at the Board's last meeting.

A. Motion to retain or change Board requirements for the number of vials of blood to be required in a Board-approved blood kit.

B. Approval or disapproval of motion.

7. Request to the Board for the director to attend the CLEET Law Enforcement Terrorism Certification Program.

A. Discussion.

B. Motion to approve/disapprove request.

8. Presentation to the Board on Actions clarifying ignition interlock device calibration procedures. (See attached)

A. Discussion

B. Motion to approve/disapprove Actions

9. Consideration as to whether Action 01-01 (Persons Authorized to Withdraw Blood pursuant to 47 O.S. §752(a)) may need to be amended or created as an administrative code rule.

A. Discussion

B. Motion to amend, convert to rule, or take no action.

10. Personnel: Executive session, The Board may convene an executive session pursuant to 25 O.S. § 307 (B)(1).

11. Chairman Report

12. Consideration of any statements by the public

13. Adjournment

The Board of Tests for Alcohol and Drug Influence may discuss, vote to approve or disapprove, vote to table or decide not to vote on agenda items. All visitors are encouraged to sign in and must be signed in to make comment during the meeting.



**STATE OF OKLAHOMA
BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE**

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

Dr. Kenneth E. Blick, Ph.D.
Chairman

J. Robert Blakeburn
State Director of Tests
for Alcohol and Drug Influence

August 15, 2012

Administrative Assistant

**ACTION NO. 12-01 BY THE STATE DIRECTOR OF TESTS FOR ALCOHOL AND DRUG
INFLUENCE**

Under authority of 47 O.S., Section 751-761 and OAC 40:1-1-3 AND 40:50-1-5, ignition interlock calibration procedures promulgated by the Board of Tests for Alcohol and Drug Influence, the following official **ACTION** is hereby taken by the State Director of Tests for Alcohol and Drug Influence.

**CALIBRATION PROCEDURE REQUIREMENTS
FOR IGNITION INTERLOCK DEVICES**

The State Director of Tests for Alcohol and Drug Influence hereby prescribes and approves the following requirements for wet-bath calibration of ignition interlock devices, in keeping with provisions of OAC 40:50-1-5 promulgated by the Board of Tests for Alcohol and Drug Influence.

- (1) Wet bath simulators may not be operated in an environment which exceeds the simulator operating temperature. For example, the Guth 34C simulator maintains solution at temperatures between 33.95 and 34.05 degrees Celsius. Therefore, the solution heater indicator must flash and the ambient temperature may not exceed 34.05C.(93.6F.) at least thirty minutes prior to delivering a sample.
- (2) The term "proper working order" requires a wet-bath simulator to be plugged in to an appropriate power supply, with the paddles turning, and to be operating in the same position (not moved), thirty minutes prior to delivering a sample.
- (3) All wet-bath simulators approved by the Board require a specific volume of solution to be in "proper working order". Solution jars must be marked to show the point at which the jar will contain the proper volume. The solution in a simulator must be filled to, and not exceeding, the appropriate mark.

J. Robert Blakeburn
State Director of Tests
for Alcohol and Drug Influence

ACTION 12-01, State Director of Tests, August 15, 2012



**STATE OF OKLAHOMA
BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE**

Dr. Kenneth E. Blick, Ph.D.
Chairman

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

J. Robert Blakeburn
State Director of Tests
for Alcohol and Drug Influence

August 15, 2012

Administrative Assistant

**ACTION NO. 12-02 BY THE STATE DIRECTOR OF TESTS FOR ALCOHOL AND DRUG
INFLUENCE**

Under authority of 47 O.S., Section 751-761 and OAC 40:1-1-3 AND 40:50-1-5. Breath alcohol ignition interlock calibration procedures promulgated by the Board of Tests for Alcohol and Drug Influence, the following official **ACTION** is hereby taken by the State Director of Tests for Alcohol and Drug Influence.

**CALIBRATION PROCEDURE REQUIREMENTS FOR
BREATH ALCOHOL IGNITION INTERLOCK DEVICES**

The State Director of Tests for Alcohol and Drug Influence hereby prescribes and approves the following requirements for calibration of breath alcohol ignition interlock devices, in keeping with provisions of OAC 40:50-1-5 promulgated by the Board of Tests for Alcohol and Drug Influence.

- (1) Nitrogen/ethanol gas canisters must be established at a known elevation. The correction for elevation must be accounted prior to introducing the sample into the BAIID to be calibrated. The correction may be made by the software i.e. the sample is introduced as the corrected value or the BAIID may be programmed to receive the uncorrected value.

J. Robert Blakeburn
State Director of Tests
for Alcohol and Drug Influence

ACTION 12-02, State Director of Tests, August 15, 2012