



Amendment of Solicitation

Date of Issuance: 05/31/2016 Solicitation No. 3450004608
Requisition No. 3450029684 Amendment No. 1

Hours and date specified for receipt of offers is changed: No Yes, to: 06/09/2016 3 p.m. CDT

Pursuant to OAC 580:15-4-5©, this document shall serve as official notice of amendment to the Solicitation identified above. Such notice is being provided to all suppliers to which the original solicitation was sent. Suppliers submitting bids or quotations shall acknowledge receipt of this solicitation amendment prior to the hour and date specified in the solicitation as follows:

- (1) Sign and return a copy of this amendment with the solicitation response being submitted; or,
- (2) If the supplier has already submitted a response, this acknowledgement must be signed and returned prior to the solicitation deadline. All amendment acknowledgements submitted separately shall have the solicitation number and bid opening date printed clearly on the front of the envelope.

ISSUED BY AND RETURN TO:

Office of Management and Enterprise Services
ISD Procurement
Attn: Cini Zacharia
5005 N. Lincoln Blvd. Suite 200
Oklahoma City, OK 73105

Cini Zacharia
Procurement Specialist
Cini.zacharia@omes.ok.gov
E-mail address

Description of Amendment:

a. This is to incorporate the following:

Re: Extend the Solicitation response due date to June 09, 2016 3 :00 PM CDT

Question #1

Item number C.5.1.10 Foresight Office has been discontinued. Topcon has a product Magnet Office that is similar. Ed Stewart in the Tulsa construction DIV 8 uses it. Spectra Precision has a new product that is similar Survey Office Complete. I can get demo copies of both software's if needed.

Re: Specifically, we need any alternate software to have the ability to accept project data from our design systems (Bentley InRoads, AutoCAD, etc.) and convert it into a surface model that can be used on the GPS systems field controller for grade checking and other survey activities. As long as the proposed alternative is capable of this then it is acceptable

Question#2

Can you place more than one bid if you want to give different options?

Re: yes, you can send alternate bid.