

S.10.0. #00653038015: LOW SILHOUETTE UTILITY BODY FOR 10,000 GVW TRUCK CHASSIS WITH DUAL REAR WHEELS.

NEW, THE LATEST CURRENT PRODUCTION MODEL. COMPLETE WITH MANUFACTURER'S CERTIFICATE OF WARRANTY AND BE BID LESS ALL APPLICABLE STATE AND FEDERAL TAXES. (WARRANTY SHALL BE THE STANDARD FOR THE INDUSTRY AS OFFERED TO THE GENERAL PUBLIC.) THIS BODY SHALL BE EQUIPPED TO MEET ALL FEDERAL AND STATE OF OKLAHOMA SAFETY STANDARDS AND REQUIREMENTS. ILLUSTRATED REPAIR MANUAL, OPERATOR INSTRUCTION MANUAL, PARTS MANUAL, AND SERVICE MANUALS ALONG WITH SERVICE POLICY TO BE INCLUDED WITH EQUIPMENT. ALSO A LIST OF LOCATIONS STOCKING AN ADEQUATE SUPPLY OF PARTS FOR THESE UNITS. NO DEALER ADVERTISEMENT SHALL BE AFFIXED TO BED. THIS BODY MUST BE DESIGNED AND FABRICATED SO THAT ALL COMPARTMENTS WILL BE KEPT DRY AND CLEAN. ALL COMPARTMENTS MUST HAVE BUILT-IN WATER RUN-OFF TROUGHS, DRIP GUARDS AND DRIP RAILS. THIS BODY MUST BE NEW, THE MANUFACTURER'S LATEST CURRENT MODEL, MADE IN THE USA AND MUST MEET ALL FEDERAL SAFETY REQUIREMENTS.

S.10.1. THIS BODY SHALL BE STAHL MODEL 108 OR OMAHA STANDARD 108D54H OR EQUAL.

S.10.2. FILL IN ALL SPACES SHOWING SPECIFIC INFORMATION, FAILURE TO COMPLY COULD RESULT IN BID REJECTION.

S.10.3. VENDOR'S PROPOSED:

MAKE: STAHL

MODEL: CST110CCD--52.5 CHALLENGER ST II

MINIMUM REQUIREMENTS

S.10.4. BODY FOR TRUCK WITH CAB TO AXLE OF 60 INCHES DUAL RAER WHEEL
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.5. WEIGHT OF THIS BODY: 1245 LBS. 20 INCHES DEEP, 108 INCHES LONG
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.6. ALL STEEL & WELDED BODY MATERIALS 14 GA. A-40 GALVANNEALED ZINC COATED STEEL. COMPLETE AUTOMOTIVE TYPE UNDERCOATING
EQUIPMENT MEETS SPECIFICATIONS: YES _____ NO X

S.10.7. FRONT, REAR & FENDER MATERIALS 12. GA.
EQUIPMENT MEETS SPECIFICATIONS: YES _____ NO X

S.10.8. FRONT VERTICAL COMPARTMENTS 32 INCHES WIDE (ONE ON EACH SIDE); 37 INCHES HIGH, 20 INCHES DEEP
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.9. TO BE COMPLETE WITH 2 ADJUSTABLE
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.10. HORIZONTAL COMPARTMENT: 76 INCHES LONG (ONE ON EACH SIDE); 17 INCHES LONG AND 20 INCHES DEEP.
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.11. TO BE COMPLETE WITH 1 TRAY & ADJUSTABLE DIVIDERS IN EACH COMPARTMENT
EQUIPMENT MEETS SPECIFICATIONS: YES X NO _____

S.10.6: 16 GA & 14 GA

S.10.7: 14 GA & 16 GA

S.10.12. REAR COMPARTMENTS (ONE ON EACH SIDE) 20 INCHES HIGH, 20 INCHES DEEP, 26 INCHES WIDE
EQUIPMENT MEETS SPECIFICATIONS: YES ☒ NO ☐

S.10.13. TREAD PLATE 3/16" STEEL FLOOR: 54-1/2" INCHES WIDE, 108 INCHES LONG
EQUIPMENT MEETS SPECIFICATIONS: YES ☐ NO ☒

S.10.14. TAILGATE: 6 INCHES HIGH WITH SUPPORT CHAINS OR BARS
EQUIPMENT MEETS SPECIFICATIONS: YES ☐ NO ☒

S.10.15. REAR BUMPER MUST HAVE RECESSED TRAILER HITCH AND HAVE 10" STEP PLATE, STEP AND RISER
EQUIPMENT MEETS SPECIFICATIONS: YES ☐ NO ☒

S.10.16. COMPARTMENT DOOR LOCKS, FLUSH AND KEYED ALIKE
EQUIPMENT MEETS SPECIFICATIONS: YES ☒ NO ☐

S.10.17. THIS BODY MUST BE COMPLETE WITH LED SIDE MARKER LIGHTS AND METAL BASE REFLECTORS, TWO (2) BACK UP LIGHTS, LED STOP AND TURN INDICATORS AS REQUIRED BY FEDERAL STANDARDS. ALL LIGHTS MUST BE RECESS MOUNTED.

INSTALLATION INSTRUCTIONS:

S.10.18. INSTALLATION MUST BE IN ACCORDANCE WITH FEDERAL MOTOR VEHICLE SAFETY STANDARD NO. 301

S.10.19. PAINT: THE BODY SHALL HAVE AN EPOXY ELECTROCOAT PRIME AND THEN PAINTED OR POWDER COATED A STANDARD PRODUCTION COLOR AS ORDERED, OR ANY STATE AGENCY COLOR AT NO EXTRA COST.
EQUIPMENT MEETS SPECIFICATIONS: YES ☒ NO ☐

S.10.20. INSTALLATION, WARRANTY SERVICE AND NON-WARRANTY SERVICE MUST BE PROVIDED WITHIN THE STATE OF OKLAHOMA.

S.10.21. BIDDER SHALL FILL IN ALL SPACES SHOWING SPECIFIC INFORMATION BIDDER SHALL FURNISH A STATEMENT IN WRITING IF EQUIPMENT PROPOSED STRICTLY MEETS OR EXCEEDS THESE MINIMUM SPECIFICATIONS. IF IT DOES NOT, HE SHALL LIST EACH VARIATION THERE. FAILURE TO COMPLY COULD RESULT IN BID REJECTION.

S.10.22. THE STATE OF OKLAHOMA RESERVES THE RIGHT TO WAIVE MINOR TECHNICALITIES UNDER THESE SPECIFICATIONS.

S.10.23. VENDOR'S STATEMENT: (EQUIPMENT PROPOSED COMPLIES) YES ☐ NO ☒

STAHL EXCEEDS SPECS WITH A FEW MINOR CHANGES

DEALER: TOTAL TRUCK & TRAILER, LLC

SIGNATURE: Dwight D. Arch

ADDRESS: PO BOX 720660 NORMAN, OK 73070-4500

PHONE: 405-329-3765

OPTIONS: S.10.13: 52.5 WIDE FLOOR
S.10.14: 9' TAILGATE WITH SLAM-ACTION
S.10.15: 8" STEP

S.11.0. #00653038016: TOP OPENING COMPARTMENTS 2 DOORS, LENGTH OF BODY, 20" DEEP, 4-1/4" HEIGHT W/DIVIDERS.

S.12.0. #00653038017: TELESCOPING STEEL ROOF, TWO SECTIONS WITH END GATE ENCLOSURE AND SAFETY STOPS TO PROTECT CAB.

S.13.0. #00653038018: PASS THRU COMPARTMENT WITH VENTS FOR CNG TANK.

S.14.0. #00653038019: REINFORCING PLATE FOR 4,000 LB. CRANE.