

SECTION "T"
24' 12 Passenger Metal Bus
RESPONSE SHEET

BASE
VEHICLE

COST PER
UNIT

Transit Bus (gas engine)

\$_54,581.00_/ ea.

CHASSIS SPECIFICATIONS

Specify Overall Vehicle Length (outside of front bumper to outside of Rear bumper): 307"

Overall vehicle length: 282" minimum _____
307" maximum _____307"_____

Width: Exterior 95" minimum _____95"_____
Interior 91" minimum _____91.25"_____

Height Exterior 105" minimum _____
124" maximum _____115"_____
Interior 76" minimum _____79"_____

Wheelbase: 176" minimum _____
190" maximum _____190"_____

AIR CONDITIONING

Make and Model of Rear A/C Unit and Cooling Capacity of rear Unit BTU's/Hr.
Include literature on unit being proposed.

MAKE/MODEL _ACT 913/21_____

BTU/HR of Rear Unit only _97,000_____

HEATING

BTU/HR of Rear Unit only _65,000_____

OPTIONAL ITEMS**COST**

- | | | |
|-----|------------------------------------|------------------------------|
| 1. | CNG Conversion Ford Chassis | \$__21,010.00__ /ea. |
| 1. | CNG Bifuel Conversion Ford Chassis | \$__NOT AVAILABLE__ /ea. |
| 2. | Propane Dedicated Conversion | \$__14,380.00__ /ea. |
| 3. | Propane Dual Fuel Conversion | \$__13,420.00__ /ea. |
| 5. | Back-Up Monitor System | \$__463.00__ /ea. |
| 6. | Two-way radio (UHF) | \$__840.00__ /ea. |
| 7. | Two-way radio (VHF) | \$__840.00__ /ea. |
| 8. | Two-way radio (800 MHZ) | \$__NOT AVAILABLE__ /ea. |
| 9. | Driver's Shield | \$__266.00__ /ea. |
| 10. | Painted lower skirts | \$__773.00__ /ea. |
| 11. | Outside Passenger Door Switch | \$__89.00__ /ea. |
| 12. | Bus Camera System: | \$__3,144.00__ /ea. |
| 13. | Fabric Insert on Ceiling | \$__600.00__ /ea. |
| 14. | Street Side Exhaust | \$__108.00__ /ea. |
| 15. | Integrated Child Seats | \$__502.00__ /ea. |
| 16. | Vinyl Seats (Price Deduction) | \$__(-70.00) PER SEAT__ /ea. |
| 17. | Public Address System | \$__416.00__ /ea. |
| 18. | Passenger Signal System Pull Cord | \$__954.00__ /ea. |
| 19. | Passenger Stop request Signs | \$__INCLUDED IN #18__ /ea. |
| 20. | Fare Collection Box | \$__13,680.00__ /ea. |

- | | | |
|------------|---|---------------------------|
| 21. | Destination Signs | \$__7,080.00____/ea. |
| 22. | Bicycle Racks | \$__2,172.00____/ea. |
| 23. | Delete B pillar and copilot seat
(Price Deduction) | \$__ADD 1,526.00____/ea. |
| 24. | Delete GERFLOR Flooring
(Price Deduction) | \$__ADD 165.00____/ea. |
| 25. | Delete Yellow Powder Coating on
Handrails, Grab Rails and Stanchions.
(Price Deduction) | \$__(-170.00)____/ea. |
| 1. | 100% Nida-Core[®] structure | \$__NO BID____/ea. |
| 27. | Composite floor | \$__1,810.00____/ea. |
| 28. | Side Door Slide Out Battery Box | \$__95.00____/ea. |
| 29. | Diesel Engine: | \$__NOT AVAILABLE____/ea. |
| 30. | Rear Spare Tire Holder: | \$__82.00____/ea. |
| 31. | Adjustable Rear Suspension System: | \$__1,007.00____/ea. |

A list of optional equipment and/or accessories shall be provided. The list must contain:

- Item
- Description and functionality detail
- Cost of item installed in final delivery of vehicle
- Any changes to listed specifications as outlined above to accommodate options

PROPOSAL EXECPTIONS:

Supplier must list any exceptions here to be used as a part of the Proposal evaluation and analysis. Please list the roman numerical on the standard specs or the number for the options when listing any Proposal exceptions.

I, page 1 of 44: Due to Ford and Chevrolet's chassis shortage the 120 calendar day delivery cannot be met. Delivery from Goshen Coach will be 120 calendar days from receipt of chassis.

XXIV, page 10 of 44: Air Conditioning, Carrier model AC-833MAX is no longer available for bus air conditioning systems. Since all other A/C systems were not approved we are quoting Goshen Coach standard air conditioning system manufactured by American Cooling Technology's. ACT is a major manufacture in the bus A/C industry.

Optional Items, #2: CNG Bi-fuel conversion is not available from Westport/BAF or IMPCO. No bid for CNG Bi-fuel for sections I, L, and N.

LLLLL GOSHEN COACH

Committed to moving people ahead >>>


CONNECTION




Shown with
optional graphics and
stainless steel wheel
inserts.

Committed to moving people ahead >


- Dual door chassis (driver & co-pilot)
- Up to 24 passengers including co-pilot
- Spacious interior
- Available on Ford E-350 and E-450 chassis



Parking Shuttle



Assisted Living



Church



Public Transit



Higher Education



Touring


CHASSIS

Ford E-350 & E-450:


- 11,500, 12,500, & 14,500 GVWR
- 5.4L & 6.8L Gas Engine
- 138", 158", 176", 186" or 190" Wheel Base
- Electronic 5-Speed Automatic Transmission
- OEM Dash A/C, Heater & Defroster
- Dual Batteries
- Power Steering/ABS Brakes/Tilt Wheel/Cruise
- OEM Alternator
- Chrome Front Bumper
- Driver & Co-Pilot Air Bags
- Driver & Co-Pilot Sun Visors
- Engine Block Heater
- Dual Rear Wheels
- All Wheels Painted White
- Power Outlets

CHASSIS OPTIONS

- Power Pedestal (driver only)
- Limited Slip
- Spare Tire
- Radio



Seating plans can be configured based on customer needs or specifications




15 Passenger, Rear Luggage

24 Passenger


STANDARD FEATURES

- Up to 26.5 Feet Long and 24 Passengers
- 91" Interior Width for Double Seating on Both Sides of Center Aisle
- 79" Interior Height at Aisle (75" with raised floor option)
- Fully Welded, Unitized Steel Cage Construction
- Vacuum Laminated and Fully Insulated Walls and Roof
- Electric Entry Door
- 36" Vertical Entry Grab on Left Side
- Stanchion Behind Co-Pilot Seat on Right Side
- 5/8" Exterior Plywood Sub-floor with Black Rubber Flooring & Carpet Under Seats
- FRP Interior Walls
- 6 Dome Lights and 2 Stepwell Lights
- One Piece, High Gloss, FRP Exterior Sidewalls
- LED Taillights, Clearance and Marker Lights
- Emergency Side and Rear Egress Windows
- Large Upper T-slender Windows w/Dark Tint
- Manual Exterior Breakaway Mirrors w/Convex
- One Piece Roof
- Rear Mud Flaps

Due to constant product improvements, specifications, component parts and optional equipment are subject to change without notice or obligation. See your dealer for details. Photos may show optional equipment.





Breakaway Convex Mirror



Rear Wall (shown with optional light package)



High Gloss Exterior Fiberglass



15 Passenger, 2 W/C



14 Passenger, 2 W/C

Optional Equipment:

- Choice of Exterior Skin (Aluminum or Fiberglass)
- Choice of Rear Suspension Systems
- Audio/Visual Packages
- Luggage, Dedicated Rear and/or Overhead
- Rubber or Altro Flooring
- Choice of Interiors (Cloth, Vinyl, Carpet)
- Choice of Seat Material (Vinyl, Cloth, Leather)
- ADA Packages Available
- Custom Paint & Graphics Packages



Overhead Luggage



Flip-down TV



Rooftop Mount AC



Perimeter Seating



Rear Wheel Chair Lift



Driver & Co-Pilot

GOSHEN COACH

Committed to moving people ahead >>>



25161 Leer Drive Elkhart, IN


Phone 574.970.6300

Fax 574.266.5866


E-mail: sales@goshencoach.com

Web: www.goshencoach.com


Rev.	Revision Description	By	Date	ECN / PPN
A	DR & REL	ARS	3/4/	N/A



SEAT STYLE	SEAT SPACING 'A'	HIP-TO-KNEE 'B'	KNEE ROOM 'C'
MID HI	38"	34-5/8"	16-1/2"
MID HI	31-1/2"	28-1/8"	10"



FLOOR PLAN I

Drawing Name / Description:		Reference:			
FLOOR PLAN, CONNECTION FORD, 11P/2WC/190WB/307BDY		25161 Leer Drive Elkhart, IN 46514 (574) 970-6300			
DO NOT SCALE	SIZE A				
		Drawing Number/GC Part Number 0132794			
		Revision: A			
		Tolerances: +/- 1/16" +/- 1" Unless Noted Otherwise			
		THIS DRAWING AND THE INFORMATION CONTAINED THEREON ARE THE EXCLUSIVE PROPERTY OF GOSHEN COACH. IT SHALL NOT BE COPIED OR DUPLICATED IN ANY MANNER, NOR SHALL IT BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR WRITTEN CONSENT. THIS DRAWING IS THE PROPERTY OF GOSHEN COACH. IT SHALL NOT BE COPIED OR DUPLICATED IN ANY MANNER, NOR SHALL IT BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR WRITTEN CONSENT.			
Scale: N/A		Units: INCHES	Drawn: ARS	Date: 3/4/14	Class Code: Sheet of 1
File location: FP/CONNECTION/SPECIAL/190-307					

SECTION I

Aisle

- ☐ Std. Black Ribbed Rubber
☐ Colored Ribbed Rubber
 Color _____
☐ Carpet
 Color _____
☒ Other GERFLOR

Seater Seats

- ☐ Std. Grey Carpet
☐ Black Smooth Rubber
☐ Colored Smooth Rubber
 Color _____
☒ Other GERFLOR

Cab

- ☒ Std. Grey Vinyl
☐ Vinyl
 Color _____
☐ Auto Cloth
 Color _____
☐ Grey Silver Mist

Walls

- ☒ Std. Grey FRP
☐ Vinyl
 Color _____
☐ Auto Cloth
 Color _____
☐ Carpet
 Color _____
☐ Grey Silver Mist

Ceiling

- ☒ Std. Grey Silver Mist
☐ Grey FRP
☐ Vinyl
 Color _____
☐ Auto Cloth
 Color _____
☐ Carpet
 Color _____

Pads

- ☒ Std. Grey Vinyl
☐ Vinyl
 Color _____
☐ Auto Cloth
 Color _____
☐ Grey Silver Mist
☐ Grey FRP

GLF318	1	26.5' MODE CONNECTION
E486D	1	GCII 186"WB/318" Ford 6.8L Gas, GVWR 14,500 E-450
1453	1	RUNNING BOARD - BOTH SIDES DIAMOND PLATE, GCII DUAL DOOR ONLY
2200	1	TOW HOOKS-REAR (N/A ON 159"WB / 263" OAL G4500 DUE TO FUEL TANK LOCATION)
1380	1	FUEL TANK-ACCESS PLATE OVER SENDING UNIT
1396	1	ONE EXTRA SET OF KEYS, FORD E & F SERIES (STD IS 2 SETS)
2180	1	TIRE-SPARE & WHEEL GCII & PII
7124	1	WHEEL INSERTS-4 WHEELS STAINLESS STEEL
2184	1	EXTENSION-VALVES FOR TWO INNER DUAL WHEEL
2110	1	BUMPER-REAR ROMEO RIM
2301	1	FLOOR-ADVANTECH 3/4"
YSN	1	YELLOW STEP NOSING
14991	1	GERFLOR TARABUS SIRIUS INCLUDES STEPS /NOSING
1609	1	COVE MOLDING (ALUMINUM) BETWEEN FLOOR & WALLS
4215	1	HEATER, REAR-65000 BTU
1933	1	ACT-913HD, EZ-91 EVAP, CS-3 COND, DUAL COMPRESSORS-97000 BTU FORD GAS
1535	1	ALARM-BACK UP
7030	1	SCHEMATICS-WIRING AS BUILT
3053	1	ADD-ON PA SYSTEM FOR AM/FM/CD RADIOS ONLY. INCLUDES EXTERNAL SPEAKER (REQUIRES A RADIO OPTION)
3232	1	LIGHTS-ALL INTERIOR DOME LIGHTS ON WITH ENTRY DOOR OPEN
1607	1	LIGHTS-LED STEPWELL LIGHTS IN LIEU OF STANDARD (2)
1643	1	LIGHTS-LED INTERIOR DOME, ONE (1) ADD'L
1612	1	LIGHTS-LED DRIVER DOME LIGHT IN LIEU OF INCANDESCENT
3179	1	BRAKE LIGHT-REAR CENTER MOUNTED LED
3203	1	EXTERIOR LIGHTS (PAIR) - 7" AMBER LED LOCATION: REAR TOP
31931	1	ARMOR FOR MARKER & CLEARANCE LIGHTS
31815	1	MIDSHIP TURN SIGNAL / MARKER LIGHT COMBINATION (ARMORED) - LED
1506	1	OVERHEAD STORAGE IN FRONT CAP (N/A W/Front DESTINATION SIGN)
4152	1	GRAB RAILS-ENTRANCE PARALLEL TO STEPS, BOTH SIDES
520	1	GRAB RAILS-CEILING (BOTH SIDES OF AISLE)
4155	1	YELLOW POWDER COATING-FOR ENTRANCE GRAB RAIL(S)

4156	1	YELLOW POWDER COATING - FOR STANCHIONS
1561	1	YELLOW POWDER COATING - FOR CEILING GRAB RAILS
4130	1	MODESTY PANEL-DRIVER W/ STAINLESS STEEL STANCHIONS
1557	1	FIRST AID KIT-24 UNIT (CALIFORNIA CERTIFIED)
2276	1	FIRE EXTINGUISHER-5 LB KIDDIE #FXBND9
1549	1	EMERGENCY TRIANGLES-IN BOX
15174	1	SKIN - ALUMINUM IN LIEU OF FIBERGLASS (ROOF STILL FRP)
1524	1	ROOF-ALUMINUM IPO FIBERGLASS (TWO LATERAL SEAMS)
4878	1	MIRRORS-EXTERIOR, M715, REMOTE CONTROL, HEATED, FORD DUAL DOORS
4867	1	MIRRORS-EXTERIOR, ADD LED TURN SIGNALS TO ANY ROSCO MIRROR
1533	1	MIRRORS-INTERIOR FLAT 6"X16"
7200	1	LENS-WIDE ANGLE 11"X14" (ADHERES TO REAR WINDOW)
4355	1	DECAL-"PRIORITY SEATING AREA" (ADA REQUIRED)
4345	1	DECAL-INTERNATIONAL WHEELCHAIR SYMBOL-4"X4"
6050	1	PAINT BLACK OUT WINDOWS
4390	1	INTERMOTIVE HIGHLOCK FAST IDLE & INTERLOCK SYSTEM W/ DOOR AJAR LED PANEL, FORD E-SERIES
4281	1	WC DR, SGL, 1 WIND, INT LITE, AJAR PKG, EXT LITE UNDER LIFT DOOR & AT ENTRY DOOR, EXTRA SPRING
4272	2	STORAGE POUCH FOR TIE-DOWN BELTS (GOSHEN COACH LOGO)
43008	2	Q'STRAIT QRT MAX SYSTEM FOR SLIDE 'N CLICK Q-8300-A1-SC W/RETRACTABLE LAP/SHOULDER COMBO BELT W/HEIGHT ADJUSTMENT
4330	8	Q'STRAIT WEBBING LOOP Q5-7580 (EACH)
4366	2	Q'STRAIT 12" LAP BELT EXTENSION Q5-6340-12-INT
4263	1	BRAUN MILLENNIUM (SERIES 2) NL9191B-2, 34" X 51"
4522	1	SEAT, DRIVER, FREEDMAN SHIELD RECLINER, RH ARM REST, ADJ LUMBAR, MAP POCKET, FORD & CHEVY
4523	1	SEAT, CO-PILOT DRIVER, FREEDMAN SHIELD RECLINER, LH ARM REST, ADJ LUMBAR, MAP POCKET, FORD & CHEVY
4786	7	SEAT, MID-HIGH, RIGID, DBL, FEATHERWEIGHT
4680	2	RE-COVER OEM DRIVER SEAT, LEVEL 1, FORD
49551	2	SEAT, FABRIC UPGRADE TO LEVEL 5, (1) DRIVER SEAT
4955	14	SEAT, FABRIC UPGRADE TO LEVEL 5, (1) PASS SEAT
4676	7	SEAT BELT, U.S.R., DOUBLE SEAT
4746AV	7	GRAB HANDLE, TOP MOUNT, ANTIVANDAL, BLACK
4655	7	ARMREST, FLIP-UP, US ARM
7002	1	PARTS MANUAL AS BUILT
	1	BATTERY BOX IN STEPS
	1	BODY GROUNDED TO FRAME IN TWO LOCATIONS
	1	NO BUTT CONECTORS
	1	RADIO SPEAKERS-KICKER KS #KS6930
	1	BODY FLUID KIT-CERTIFIED SAFETY #FK200-931
	1	CLEAR AREA FOR WHEELCHAIRS TO BE 3"x52"
	1	WHEELCHAIR LIFT GROUND TO FRAME
	1	ALUMINUM ROOF AND SIDES TO BE .060
	1	STANCHIONS AND HAND RAILS TO BE BOLTED
	1	WHEELCHAIR DOOR MINIMUM 48" x 70"