

Contact Information

Website: [www.globetrailers.com](http://www.globetrailers.com)

Company Name	Globe Trailer Mfg, Inc.
Doing Business as (if applicable)	
Contact Person for Solicitation Response	Curtiss S. Homan
Phone	941-753-2199
Email	<a href="mailto:curt@globemilitary.com">curt@globemilitary.com</a>
Fax	941-755-7604
Address For Purchase Orders-Number & Street-Post Office Box (some companies have ordering addresses that are are different than the payment address)	3101 59th Ave. Dr. E.
City, State, Zip	Bradenton, FL 34203
Contact Person for Contract/Ordering/Price Information/Equipment Additions/Changes/Discontinuations	
Contact Name	Curtiss S. Homan
Phone	941-753-2199 x 200
Fax	941-755-7604
Email	<a href="mailto:curt@globemilitary.com">curt@globemilitary.com</a>
Secondary Contact for Contract/Ordering	David Simpkins
Phone	941-753-2199 x 204
Fax	941-755-7604
Email	<a href="mailto:david@globetrailers.com">david@globetrailers.com</a>
Address For Payment-Number & Street-Post Office Box (some companies have a different Payment/remittance address than the ordering address)	3101 59th Ave. Dr. E.
City, State, Zip	Bradon, FL 34203
Contact Person/Department for payment	Brian Kalamanka
Phone	941-753-2199 x 301
Fax	941-755-7604
Email	<a href="mailto:brian@globetrailers.co">brian@globetrailers.co</a>
Counties You can provide products/warranty service/repair parts to	<u>  x  </u> All counties in Oklahoma OR just these counties: _____
(include any special conditions, such as territory or district maps on a separate sheet)	
Payment Discount (i.e. 15 days)	Please state any discount applied if paid and within what time frame. n/a
Supplier will be responsible for notifying the contracting officer when the contact information changes.	Notes: (Special ordering instructions-please attach any special instructions on a separate sheet)

If a manufacturer submitting a response, a list of certified dealers within the State of Oklahoma authorized to sell and service your products  
Copy of Oklahoma Motor Vehicle Commission license if applicable to the products you sell.  
Copy of Certificate of Good Standing (If required to be registered with the Secretary of State of Oklahoma)  
Attachments

## G. OTHER

None

## H. PRICE AND COST

The State of Oklahoma is requesting pricing for Trailers. The pricing matrix is a percentage off the Manufacturer's list price. Vendors can submit actual pricing schedules for their equipment though, with the percentage discount already figured, as long as the discount is clearly stated as well as the pricing minus the discount. Also, please provide the current manufacturer's price list used as a basis for the pricing schedules if you submit pricing with the discount already figured in. Attachments have been provided in Microsoft Word and Adobe PDF.

The State of Oklahoma has been a leader in the push for State use of CNG-powered vehicles. If you have products that are fueled by means other than gas or diesel fuel, and that are considered environmentally friendly, please include them in your response.

Manufacturers responding please include a listing of Distributors/Dealers for the State of Oklahoma to include Name of business, Address, contact names, phone numbers, fax numbers, email addresses and websites.

Vendors may submit specifications for all equipment bid, as well as options available. Please submit these specifications on a cd or dvd or flash drive. It is preferred that vendors have a website where customers can go and view the products. The Central Purchasing Statewide Contract website will be updated as necessary.

The manufacturer's price list date that you are being asked to provide is considered the "starting point" of the contract and is to be used as a measurement of price increases throughout the contract. (i.e. at the end of the contract year, the purchases will be compared to annotate any price changes that were made.) You will be expected to provide brochures and descriptive literature to those customers who request it and the contracting officer responsible for the maintenance of the contract. Although you will not be required to send actual pricing sheets as the prices are updated, you will be required to notify the contracting officer when there are price changes and a note will be made to the website where your contract will be located.

The Vendor will be expected to notify the Contracting Officer of any changes in the Company status, such as mergers, sell offs, discontinuation of equipment, addition of equipment lines and changes in the contact information for the contract. It is imperative that the Contracting Officer be able to contact someone at all times during business hours, especially when helping an entity make a decision on equipment they want to purchase.

With the age of technology, customers are more likely to use the internet to research the equipment they are interested in buying. We will put a link to your website on the contract website. Please provide a guide to the use of your website if you require a name and password to access current pricing, if listed, at no subscription cost to the State of Oklahoma. Also, please provide any additional enhancements such as any special ordering features available to users or a site with pricing specific to the Oklahoma contract even though we are not requiring you to offer a direct link to the Oklahoma-specific contract pricing or your current price lists.

Website: www.globetrailers.com

Log-in required? ☐ Yes ☒ No

Government entities who will be buying from this contract will be expected to provide their accounting offices with a pricing sheet or pricing sheet reference date at the time they prepare their payment method. This pricing sheet will clearly state the Price Book/Catalog Number and Date. This sheet is to be attached to the quote provided by the Vendor. The quote will reference the Statewide contract number being used for the purchase. All set up charges, testing, and freight charges are to be included in the quote as separate line items.

Discounts offered will remain the same or can be increased throughout the contract period. Multiple Unit discounts are encouraged.

OEM Repair Parts: 20 % After Market Parts: 20 %

Extra manuals, warranties and tools:

Electronic (cd, dvd) Repair Parts manual: Free % "Hard Copy" Repair parts manual: 20 %

Electronic (cd, dvd) Operator Manual: Free %

"Hard Copy" Operator's manual: 20 %

Electronic (cd, dvd) Service Manual: Free %

'Hard Copy" Service Manual: 20 %

Extended Warranty offered?      Yes   x   No  
warranty purchase. Discount offered None %

If yes, please attach information for the extended

**ATTACHMENT A**

TRAILERS: Axle, hydraulic, non-hydraulic, cargo, horse, dove tail, drop deck, deck over, utility, goose neck, haul, heavy equipment trailers, truck beds, belly dump, end dump, flat bed, enclosed, tandem axle.

[illegible]

Trade-in allowed?    ☒ Yes       ☐ No.


Multiple Unit discount of 3 % Based on quantity purchased? x Yes \_\_\_\_\_ No. Based on dollar amount spent? \_\_\_\_\_ Yes  
x No.

If dollar amount how much? \$\_\_\_\_\_

OEM Repair Parts discount is 20 % After Market Parts discount is 20 %

Note: Quantity pricing discount of 3% is being offered for 25 units or more for a total of 23% off the published price list.





# GLOBE TRAILER MFG., INC.

3101 59th Ave. Dr. E. - Bradenton, FL - 34203

P: (941)753-2199 F: (941)755-7604 E: sales@globetrailers.com

## Limited Warranty

One (1) year from the date of delivery on parts manufactured by Globe Trailer Mfg, Inc.

One (1) year on the main frame structure.

The provisions of this warranty shall be interpreted and governed pursuant to the laws of Florida.

This is to certify that Globe Trailer Mfg, Inc. warrants to the first Purchaser only, the described new trailer manufactured by it to be free from defects in materials and workmanship, when properly maintained, and under normal use and service, which means the loading, unloading and transportation of uniformly distributed legal loads of cargo, adequately restrained and secured, in a manner which does not subject the trailer to strains or impacts greater than are imposed by normal use. Total weight of the trailer and cargo must not exceed the gross vehicle weight rating (GVWR) set forth on the vehicle identification plate affixed to the trailer at the factory and the loading of each axle must not exceed the gross axle weight rating (GAWR) listed on the same plate.

Globe Trailer Mfg, Inc.'s sole obligation under this warranty shall be limited to the repair or replacement, at its option, of:

1. Any defective part of said trailer, which is the result of defective material and/or defective workmanship of parts manufactured and installed by Globe Trailer Mfg, Inc. This warranty will expire one (1) year from the date of delivery, and repairs under this warranty shall be at repair facilities designated by Globe Trailer Mfg, Inc. Transportation expenses to and from the repair facility are to be borne by the purchaser.
2. The main frame structure of the equipment which is the result of defective material or workmanship by Globe Trailer Mfg, Inc. This warranty will expire one (1) year from the date of delivery.


The warranty herein does not apply to and Globe Trailer Mfg, Inc. makes no warranties, expressed or implied, with respect to:

1. Tires, tubes, suspensions, axle assemblies, wheels, landing gears, brakes, anti-lock components, spring brakes, air brake valves, lights, hydraulic components, wood products, engines, and the like.
2. Any non-standard features or items specified by the Purchaser.
3. Parts, accessories, or other goods manufactured by others, which are specified by Purchaser or installed as a result of Purchaser's requirements. Manufacturer will assign to Purchaser all warranties extended to Manufacturer by the makers or suppliers of such goods.
4. Used goods delivered hereunder, regardless of manufacturer, all of which are delivered "as is".
5. Any goods, which after delivery hereunder have been repaired or altered by anyone other than who has been authorized and approved by Globe Trailer Mfg, Inc., unless Manufacturer's reasonable opinion, such repairs are in no way responsible for the condition complained of.
6. Goods which are not defective but may wear out and have to be replaced during the warranty period including for example, but without limitation thereto, light bulbs, electrical receptacle, paint, and coatings, brakes, linings, drums, and return springs, equalizer, torque rod and camshaft bushings, camshafts, slack adjusters, brake cylinders diaphragms, springs, slider pads, wheel bearings, drums, oil and oil seals, rim clamps and studs, gaskets and sealers, all types of interior lining, floors, bent frames, parts, and components, and the like.
7. All parts and repairs per warranty agreement schedule.

Manufacturer and Customer/Purchaser agree that Manufacturer shall have no liability for any cargo loss, loss of use or any other incidental or consequential damages arising out of this order, which are alleged to have been caused by any of the goods delivered hereunder. Customer/Purchaser and Manufacturer further agree that Purchaser's sole remedy for any defects in new goods delivered hereunder, whether Purchaser's claim arises under the warranty set forth above, or otherwise shall be limited to the repairs or replacement at Manufacturer's option within one (1) year after delivery of such goods to the first Purchaser, of which notice of the defects is given by Customer/Purchaser to Manufacturer immediately after such defect is or ought to have been discovered and which goods are returned to Manufacturer within ten (10) days after Manufacturer requests their return for inspection and/or repair of replacement.

The warranty herein supersedes and is expressly in lieu of any and all other warranties, expressed or implied. No implied warranty of merchantability is made and there are no warranties, which extend to use of the trailer for purposes beyond the description hereof.

NO EMPLOYEE OR REPRESENTATIVE IS AUTHORIZED TO CHANGE THIS WARRANTY IN ANY WAY OR GRANT ANY OTHER WARRANTY



# GLOBE TRAILER MFG., INC.

3101 59th Ave. Dr. E. - Bradenton, FL - 34203

P: (941)753-2199 F: (941)755-7604 E: sales@globetrailers.com

## Limited Warranty

One (1) year from the date of delivery on parts manufactured by Globe Trailer Mfg. Inc.

Three (3) year on the main frame structure.

The provisions of this warranty shall be interpreted and governed pursuant to the laws of Florida.

This is to certify that Globe Trailer Mfg. Inc. warrants to the first Purchaser only, the described new trailer manufactured by it to be free from defects in materials and workmanship, when properly maintained, and under normal use and service, which means the loading, unloading and transportation of uniformly distributed legal loads of cargo, adequately restrained and secured, in a manner which does not subject the trailer to strains or impacts greater than are imposed by normal use. Total weight of the trailer and cargo must not exceed the gross vehicle weight rating (GVWR) set forth on the vehicle identification plate affixed to the trailer at the factory, and the loading of each axle must not exceed the gross axle weight rating (GAWR) listed on the same plate.

Globe Trailer Mfg. Inc.'s sole obligation under this warranty shall be limited to the repair or replacement, at its option, of:

1. Any defective part of said trailer, which is the result of defective material and/or defective workmanship of parts manufactured and installed by Globe Trailer Mfg. Inc. This warranty will expire one (1) year from the date of delivery, and repairs under this warranty shall be at repair facilities designated by Globe Trailer Mfg. Inc. Transportation expenses to and from the repair facility are to be borne by the purchaser.
  2. The main frame structure of the equipment which is the result of defective material or workmanship by Globe Trailer Mfg. Inc. This warranty will expire three (3) years from the date of delivery.
- The warranty herein does not apply to and Globe Trailer Mfg. Inc. makes no warranties, expressed or implied, with respect to:
1. Tires, tubes, suspensions, axle assemblies, wheels, landing gears, brakes, anti-lock components, spring brakes, air brake valves, lights, hydraulic components, wood products, engines, and the like.
  2. Any non-standard features or items specified by the Purchaser.
  3. Parts, accessories, or other goods manufactured by others, which are specified by Purchaser or installed as a result of Purchaser's requirements. Manufacturer will assign to Purchaser all warranties extended to Manufacturer by the makers or suppliers of such goods.
  4. Used goods delivered hereunder, regardless of manufacturer, all of which are delivered "as is".
  5. Any goods, which after delivery hereunder have been repaired or altered by anyone other than who has been authorized and approved by Globe Trailer Mfg. Inc., unless, Manufacturer's reasonable opinion, such repairs are in no way responsible for the condition complained of.
  6. Goods which are not defective but may wear out and have to be replaced during the warranty period including for example, but without limitation thereto, light bulbs, electrical receptacle, paint, and oil seals, rim clamps and studs, gaskets and sealers, all types of interior lining, floors, bent frames, parts, and components, and the like.
  7. All parts and repairs per warranty agreement schedule.

Manufacturer and Customer/Purchaser agree that Manufacturer shall have no liability for any cargo loss, loss of use or any other incidental or consequential damages arising out of this order, which are alleged to have been caused by any of the goods delivered hereunder.

Customer/Purchaser and Manufacturer further agree that Purchaser's sole remedy for any defects in new goods delivered hereunder, whether Purchaser's claim arises under the warranty set forth above, or otherwise shall be limited to the repairs or replacement at Manufacturer's option within one (1) year after delivery of such goods to the first Purchaser, of any defective goods, of which notice of the defects is given by Customer/Purchaser to Manufacturer immediately after such defect is or ought to have been discovered and which goods are returned to Manufacturer within ten (10) days after Manufacturer requests their return for inspection and/or repair or replacement.

The warranty herein supersedes and is expressly in lieu of any and all other warranties, expressed or implied. No implied warranty of merchantability is made and there are no warranties, which extend to use of the trailer for purposes beyond the description hereof.

NO EMPLOYEE OR REPRESENTATIVE IS AUTHORIZED TO CHANGE THIS WARRANTY IN ANY WAY OR GRANT ANY OTHER WARRANTY

**State of Oklahoma Price Sheet & Catalog for SW198**

**1. TABLE OF PRODUCT(S):**

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>	<b>DELIVERY COST</b>	<b>TOTAL GOV'T PRICE</b>
GTPU6	6-Ton Lowpro, 16' Deck, Spring Ride, 18' x 48" Ramps	\$5,434.00	-\$1,086.80	\$4,347.20	\$1,500.00	\$5,847.20
GTPU7	7-Ton Lowpro, 16' Deck, Spring Ride, 18' x 48" Ramps	\$7,001.50	-\$1,400.30	\$5,601.20	\$1,500.00	\$7,101.20
GTPU8	8-Ton Lowpro, 16' Deck, Spring Ride, 18' x 48" Ramps	\$7,393.38	-\$1,478.68	\$5,914.70	\$1,500.00	\$7,414.70
<b>TAG-ALONG TRAILERS</b>	<b>1 Year Warranty</b>					
GTTU10	10-Ton Tag Along, Spring Ride, 20' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps	\$11,840.63	-\$2,368.13	\$9,472.50	\$1,500.00	\$10,972.50
GTTU12	12-Ton Tag Along, Spring Ride, 20' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps	\$14,507.08	-\$2,901.42	\$11,605.67	\$1,500.00	\$13,105.67
GTTU15	15-Ton Tag Along, Spring Ride, 20' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps, Air Brakes	\$14,929.92	-\$2,985.98	\$11,943.94	\$2,500.00	\$14,443.94
GTTU20	20-Ton Tag Along, Spring Ride, 24' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps, Air Brakes	\$20,377.50	-\$4,075.50	\$16,302.00	\$2,500.00	\$18,802.00
GTTU25	25-Ton Tag Along, Spring Ride, 24' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps, 3rd Axle Fixed, Air Brakes	\$23,856.04	-\$4,771.21	\$19,084.83	\$2,500.00	\$21,584.83
GTTU30	30-Ton Tag Along, Spring Ride, 24' Deck, Oak Covered, Spring Ramps, 24 x 60 Ramps, 3rd Axle Fixed, Air Brakes	\$27,990.33	-\$5,598.07	\$22,392.26	\$2,500.00	\$24,892.26
<b>SG Series LOWBOY'S NGB</b>	<b>1 Year Warranty</b>					
GTBN35-SG	35-Ton Lowboy, Spring Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$38,343.66	-\$7,668.73	\$30,674.93	\$3,000.00	\$33,674.93
GTBN50-SG	50-Ton Lowboy, Spring Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$45,738.34	-\$9,147.67	\$36,590.67	\$3,000.00	\$39,590.67
<b>GG Series LOWBOY'S NGB</b>	<b>10 Year Warranty</b>					
GTBN35-GG	35-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$48,344.31	-\$9,668.86	\$38,675.45	\$3,000.00	\$41,675.45
GTBN50-GG	50-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 54" Axle Spacing, Wet Line, 98" Swing	\$58,056.28	-\$11,611.26	\$46,445.02	\$3,000.00	\$49,445.02
GTBN55-GG	55-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 54" Axle Spacing, Wet Line, 98" Swing	\$60,668.78	-\$12,133.76	\$48,535.02	\$3,000.00	\$51,535.02

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.	DELIVERY COST	TOTAL GOV'T PRICE
<b>HGG Series LOWBOY'S NGB</b>	<b>10 Year Warranty 35 to 60-Ton, 65-Ton Up 1 Year</b>					
GTBN35-HGG	35-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$50,792.23	-\$10,158.45	\$40,633.78	\$3,000.00	\$43,633.78
GTBN50-HGG	50-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$60,612.61	-\$12,122.52	\$48,490.09	\$3,000.00	\$51,409.09
GTBN55-HGG	55-Ton Lowboy, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$62,736.58	-\$12,547.32	\$50,189.26	\$3,000.00	\$53,189.26
GTBN60-HGG	60-Ton Lowboy, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$73,685.56	-\$14,737.11	\$58,948.45	\$3,000.00	\$61,948.45
GTBN65-HGG	65-Ton Lowboy, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$82,992.59	-\$16,598.52	\$66,394.07	\$4,500.00	\$70,894.07
GTBN70-HGG	70-Ton Lowboy, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$109,740.68	-\$21,948.14	\$87,792.54	\$4,500.00	\$92,292.54
<b>MULTI-AXLE COMPONENTS</b>	<b>1 Year Warranty</b>					
GTZY10	Flip Axle, Air Ride	\$11,103.13	-\$2,220.63	\$8,882.50	\$2,500.00	\$11,382.50
50/55-Ton Spreader Bar	14' 1" Spread	\$11,079.61	-\$2,215.92	\$8,863.69	\$2,500.00	\$11,363.69
50/55- Ton Nitrogen Stinger Bar ( single axle)	14' 1" spread with self contained Nitrogen stinger package ( Price for Stinger bar only no flip axle in this price)	\$27,300.63	-\$5,460.13	\$21,840.50	\$2,500.00	\$24,340.50
60/65-Ton Spreader Bar	14' 1" Spread	\$13,117.36	-\$2,623.47	\$10,493.89	\$2,500.00	\$12,993.89
60/65- Ton Nitrogen Stinger Bar	14' 1" spread with self contained Nitrogen stinger package ( Price for Stinger bar only no flip axle in this price)	\$29,521.25	-\$5,904.25	\$23,617.00	\$2,500.00	\$26,117.00
GTY10	Single Axle, Stinger/Flip Axle w/ 14' spreader bar, Air Ride	\$28,640.84	-\$5,728.17	\$22,912.67	\$2,500.00	\$25,412.67
GTY20	2 Axle Stinger, 54" Spacing, Air Ride	\$43,401.46	-\$8,680.29	\$34,721.17	\$2,500.00	\$37,221.17
GTY30	3 Axle Stinger, 54" Spacing, Air Ride	\$59,545.41	-\$11,909.08	\$47,636.33	\$2,500.00	\$50,136.33
GTX10	1 Axle Jeep/Dolly, 54" Spacing, Air Ride	\$27,431.25	-\$5,486.25	\$21,945.00	\$2,500.00	\$24,445.00
GTX20	2 Axle Jeep/Dolly, 54" Spacing, Air Ride	\$35,366.72	-\$7,073.34	\$28,293.38	\$2,500.00	\$30,793.38
GTX30	3 Axle Jeep/Dolly, 54" Spacing, Air Ride	\$50,388.59	-\$10,077.72	\$40,310.87	\$2,500.00	\$42,810.87
GTX40	4 Axle Jeep/Dolly, 54" Spacing, Air Ride	\$65,475.78	-\$13,095.16	\$52,380.62	\$2,500.00	\$54,880.62
<b>DUMP TRAILER'S</b>	<b>3 Year Warranty</b>					
GTDD20-30Y	20-Ton, 30-Yard, 30' Dump Trailer, w/ Tarp	\$35,804.31	-\$7,160.86	\$28,643.45	\$3,000.00	\$31,643.45

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.	DELIVERY COST	TOTAL GOV'T PRICE
GTDD30-45Y	30-Ton, 45-Yard, 30' Dump Trailer, w/ Tarp, OAH 10'	\$40,546.00	-\$8,109.20	\$32,436.80	\$3,000.00	\$35,436.80
GTDD30-60Y	30-Ton, 60-Yard Dump Trailer, All Steel Sides, w/Tarp, OAH 12'	\$43,733.25	-\$8,746.65	\$34,986.60	\$3,000.00	\$37,986.60
GTDD30-75Y	30-Ton, 75-Yard, 36' Dump Trailer, All Steel Sides, w/ Tarp, OAH 12'	\$48,070.00	-\$9,614.00	\$38,456.00	\$3,000.00	\$41,456.00
GTDD35-100Y	35-Ton, 100-Yard, 42' Dump Trailer, All Steel Sides, w/ Tarp, OAH 12'	\$63,034.95	-\$12,606.99	\$50,427.96	\$3,000.00	\$53,427.96
<b>NARROW FIXED NECK TRAILERS</b>	<b>1-Year Warranty</b>					
GTFV25	25-Ton, 2 Axle, Fixed/Narrow Neck Trailer, 30' Deck, Spring Ride	\$26,973.12	-\$5,394.62	\$21,578.50	\$3,000.00	\$24,578.50
GTFV35	35-Ton, 2 Axle, Fixed/Narrow Neck Trailer, 30' Deck, Spring Ride	\$32,352.78	-\$6,470.56	\$25,882.22	\$3,000.00	\$28,882.22
GTFV50	50-Ton, 3 Axle, Fixed/Narrow Neck Trailer, 36' Deck, Spring Ride	\$39,042.87	-\$7,808.57	\$31,234.30	\$3,000.00	\$34,234.30
GTFV60	60-Ton, 3 Axle, Fixed/Narrow Neck Trailer, 36' Deck, Spring Walking Beam	\$54,763.02	-\$10,952.60	\$43,810.42	\$3,000.00	\$46,810.42
GTFV70	70-Ton, 4 Axle, Fixed/Narrow Neck Trailer, 36' Deck, Spring Walking Beam	\$68,786.50	-\$13,757.30	\$55,029.20	\$3,000.00	\$58,029.20
<b>HYDRAULIC TAIL TRAILERS</b>	<b>1-Year Warranty</b>					
GTFH25	25-Ton, Hydraulic Tail Trailer, 26' Deck, Air Ride	\$50,149.55	-\$10,029.91	\$40,119.64	\$3,000.00	\$43,119.64
GTFH35	35-Ton, Hydraulic Tail Trailer, 26' Deck, Air Ride	\$51,152.75	-\$10,230.55	\$40,922.20	\$3,000.00	\$43,922.20
GTFH50	50-Ton, Hydraulic Tail Trailer, 26' Deck, Air Ride	\$57,945.25	-\$11,589.05	\$46,356.20	\$3,000.00	\$49,356.20
GTFH60	60-Ton, Hydraulic Tail Trailer, 26' Deck, Air Ride	\$63,765.90	-\$12,753.18	\$51,012.72	\$3,000.00	\$54,012.72
<b>FLATBED</b>	<b>1-Year Warranty</b>					
GTFB40	40-Ton, 2 Axle, Flatbed Trailer, All Steel, 48' Long	\$30,576.70	-\$6,115.34	\$24,461.36	\$3,000.00	\$27,461.36
<b>DROPDECK</b>	<b>1-Year Warranty</b>					
GTFS40	40-Ton, 2 Axle, Drop Deck Trailer, All Steel, 45' Long	\$33,649.00	-\$6,729.80	\$26,919.20	\$3,000.00	\$29,919.20
<b>SLIDING AXLE TRAILERS</b>	<b>1-Year Warranty</b>					
GTFJ35	35-Ton Sliding Axle Trailer, 38' Deck, Air Ride, 12K Winch, Wet Line Only	\$53,990.00	-\$10,798.00	\$43,192.00	\$3,000.00	\$46,192.00
GTFJ50	50-Ton Sliding Axle Trailer, 38' Deck, Air Ride, 12K Winch, Wet Line Only	\$63,450.00	-\$12,690.00	\$50,760.00	\$3,000.00	\$53,760.00
GTFJ55	55-Ton Sliding Axle Trailer, 38' Deck, Air Ride, 12K Winch, Wet Line Only	\$68,120.00	-\$13,624.00	\$54,496.00	\$3,000.00	\$57,496.00

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>	<b>DELIVERY COST</b>	<b>TOTAL GOV'T PRICE</b>
<b>SG Series FOLDING NECK</b>	<b>1 Year Warranty</b>					
GTFL35-SG	35-Ton Mechanical Folding Neck, Spring Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$42,523.66	-\$8,504.73	\$34,018.93	\$3,000.00	\$37,018.93
GTFL50-SG	50-Ton Mechanical Folding Neck, Spring Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$49,917.56	-\$9,983.51	\$39,934.05	\$3,000.00	\$42,934.05
<b>GG Series FOLDING NECK</b>	<b>1 Year Warranty</b>					
GTFL35-GG	35-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 49" Axle Spacing, Wet Line, 86" Swing	\$52,523.79	-\$10,504.76	\$42,019.03	\$3,000.00	\$45,019.30
GTFL50-GG	50-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 54" Axle Spacing, Wet Line, 98" Swing	\$64,326.02	-\$12,865.20	\$51,460.82	\$3,000.00	\$54,460.82
GTFL55-GG	55-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 54" Axle Spacing, Wet Line, 98" Swing	\$64,848.52	-\$12,969.70	\$51,878.82	\$3,000.00	\$54,878.82
<b>HGG Series FOLDING NECK</b>	<b>1 Year Warranty</b>					
GTFL35-HGG	35-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$54,972.23	-\$10,994.45	\$43,977.78	\$3,000.00	\$46,977.78
GTFL50-HGG	50-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$64,792.09	-\$12,958.42	\$51,833.67	\$3,000.00	\$54,833.67
GTFL55-HGG	55-Ton Mechanical Folding Neck, Air Ride, 24' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$65,871.58	-\$13,174.32	\$52,697.26	\$3,000.00	\$55,697.26
GTFL60-HGG	60-Ton Mechanical Folding Neck, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$79,955.04	-\$15,991.01	\$63,964.03	\$3,000.00	\$66,964.03
GTFL65-HGG	65-Ton Mechanical Folding Neck, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$82,954.00	-\$16,590.80	\$66,363.20	\$4,500.00	\$70,863.20
GTFL70-HGG	70-Ton Mechanical Folding Neck, Air Ride, 26' Deck, Oak Covered, 54" Spacing, Wet Line, Optional Stinger/Flip Axle	\$120,190.68	-\$24,038.14	\$96,152.54	\$4,500.00	\$100,652.54



1. Quantity discounts of 25 units or more are an additional 3% for a total of 23% off list price.

2. FET has been included in the total government price in the event that it is applicable, however if not please use the government price with discount as the evaluated pricing method. If FET is not applicable proof of exemption will be required for each order.

**NOTE:**

PRODUCT NUMBER DESCRIPTIONS FOR TABLE 1

EXPAMPLE - GTBN553-51-24-GG

GT=GLOBE TRAILERS

NEXT 2 LETTERS (BN) = TYPE OF TRAILER (TU=TAG ALONG, BN=LOWBOY, DD=DUMP TRAILERS, ETC.)

NEXT 1, 2, OR 3 NUMBERS (55) = TONNAGE OF TRAILER

NEXT 1 OR 2 NUMBERS (3) = NUMBER OF AXLES

NEXT 1, 2, OR 3 NUMBERS (51) = OVERALL LENGHT OF TRAILER

NEXT 1 OR 2 NUMBERS = DECK LENGTH

NEXT SET OF ANY LETTERS FOLLOWING ARE CATEGORY OF TRAILER IN THAT SPECIFIC TYPE OR ADD ON ITEMS FOR EXAMPLE GG IS THE MIDDLE CLASS LOWBOY AND COULD BE FOLLOWED BY A HT IF CUSTOMER ADDS ON A HYRDAULIC TAIL ON THE BACK.

MODEL NUMBERS ARE SUBJECT TO CHANGE WITH CERTAIN ADD ON FEATURES FOR EXAMPLE IF CUSTOMER ADDS LENGTH TO A STANDARD MODEL GTBN553-51-24-GG LIKE A 2' LONGER DECK THE MODEL CHANGES TO GTBN553-53-26-GG

All weights & dimensions are nominal. Weights are within 3% of specified weight for standard model trailers. Non-standard models plant will provide drawing and weight after order is recieved and accepted.






# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)


## Low Pro Trailers



**Manufacturing Part #: GTPU6**

**Price: \$5,847.20**

	Standard Features	Description
	Capacity	12,0000 lb.
	Electrical	DOT approved lights, wiring, and connectors
	Frame	6 in. x 3 in. Angle frame with 4 in crossmembers
	Dovetail	N/A
	Upper Deck	N/A
	Side Rail	N/A
	Tongue	4" Channel Wrap Around
	Tires	4 - 750/16 LRF Bias (3,100 lb.)
	Floor	2 in. treated wood
	Coupler	2 5/16" or 2 1/2" pintle adjustable A-frame coupler
	Safety Chains	Heavy duty safety chains
	Ramps	18" x 48" Spring Assist
	Tiedowns	6 D'Ring Tie Downs
	Deck Length	16 ft.
	Deck Height	18 in.
	Deck Width	82 in.
	Fenders	Steel Fenders and backs
	Lower Deck	N/A
	Brakes	All wheel brakes
	Tailgate	N/A
	Wheels	Silver or white mod (Based on stock)
	Jack	10,000 lb jack
	Axles	2-6,000 lb. e-z lube axle
	Suspension	Double eye springs
	Toolbox	N/A
	Finish	Sandblasted & Powder Coated Color of Choice



**Manufacturing Part #: GTPU7**

**Price: \$7,101.20**

Standard Features	Description
Capacity	14,000 lb.
Electrical	DOT approved lights, wiring, and connectors
Frame	6 in. x 3 in. Angle frame with 4 in crossmembers
Dovetail	N/A
Upper Deck	N/A
Side Rail	N/A
Tongue	4" Channel Wrap Around
Tires	4 - 235/80 R16 LRE (3,520)
Floor	2 in. treated wood
Coupler	2 5/16" or 2 1/2" pintle adjustable A-frame coupler
Safety Chains	Heavy duty safety chains
Ramps	18" x 48" Spring Assist
Tiedowns	6 D'Ring Tie Downs
Deck Length	16 ft.
Deck Height	18 in.
Deck Width	82 in.
Fenders	Steel Fenders and backs
Lower Deck	N/A
Brakes	All wheel brakes
Tailgate	N/A
Wheels	Silver or white mod (Based on stock)
Jack	12,000 lb jack
Axles	2-7,000 lb. e-z lube axle
Suspension	Double eye springs
Toolbox	N/A
Finish	Sandblasted & Powder Coated Color of Choice

No Image Available

**Manufacturing Part #: GTPU8**

**Price: \$7,414.70**

	Standard Features	Description
	Capacity	16,0000 lb.
	Electrical	DOT approved lights, wiring, and connectors
	Frame	6 in. x 6 in. x 1/2" angle frame with 4 in crossmembers
	Dovetail	N/A
	Upper Deck	N/A
	Side Rail	N/A
	Tongue	6 in. x 6 in. x 1/2" angle
	Tires	4 - 750/16 LRF (3,100)
	Floor	2 in. treated wood
	Coupler	2 5/16" or 2 1/2" pintle adjustable A-frame coupler
	Safety Chains	Heavy duty safety chains
	Ramps	18" x 48" Spring Assist
	Tiedowns	6 D'Ring Tie Downs
	Deck Length	16 ft.
	Deck Height	21 in.
	Deck Width	82 in.
	Fenders	Steel Fenders and backs
	Lower Deck	N/A
	Brakes	All wheel brakes
	Tailgate	N/A
	Wheels	Silver or white mod (Based on stock)
	Jack	12,000 lb jack
	Axles	3-6,000 lb. e-z lube axle
	Suspension	Double eye springs
	Toolbox	N/A
	Finish	Sandblasted & Powder Coated Color of Choice

## LowPro Trailer Options

Option for all models GTPU are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>LENGTHS &amp; WIDTHS</b>				
Extra Deck Length GTPU1 - GTPU3.5	Per Foot up to 8' 6" Wide	\$78.38	-\$15.68	\$62.70
Extra Deck Length GTPU4 - GTPU10	Per Foot up to 8' 6" Wide	\$114.95	-\$22.99	\$91.96
8' Wide	Per Foot up to 8' 6" Wide	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Per Foot up to 8' 6" Wide	\$104.50	-\$20.90	\$83.60
10' Wide	Per Foot up to 8' 6" Wide	\$261.25	-\$52.25	\$209.00
11' Wide	Per Foot up to 8' 6" Wide	\$418.00	-\$83.60	\$334.40
12' Wide	Per Foot up to 8' 6" Wide	\$783.75	-\$156.75	\$627.00
<b>FLOORING MATERIALS</b>				
*Pressure Treated Pine Covered Main Deck		\$0.00	\$0.00	\$0.00
Oak Covered Main Deck	Main Deck Per Foot 2"x 12" x 12' Planks - (In Lieu of Pine)	\$47.03	-\$9.41	\$37.62
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Pine)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Pine)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Pine)	\$104.50	-\$20.90	\$83.60
<b>DECK &amp; ACCESSORIES</b>				
Aluminum Tool Box	Mounted at Front of Trailer or Tounge of Trailer - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Steel Tool Box	Located/Built Into Rear Deck of Trailer or Tounge of Trailer - (Price Ea.)	\$261.25	-\$52.25	\$209.00
1' Tall Side Rail Guard	Guard 1' Tall Around Entire Deck	\$365.75	-\$73.15	\$292.60
Manual Tilt Deck	Pin Release, Drops Down Manually, No Ramps	\$888.25	-\$177.65	\$710.60
Hydraulic Tilt Deck	Pin Release, Operates & Tilts Using Hydraulics, No Ramps	\$1,933.25	-\$386.65	\$1,546.60
Potable Water Tank	Optional Gallon Sizes Available	\$13,496.18	-\$2,699.24	\$10,796.94
Fuel Tank	Optional Gallon Sizes Available	\$12,801.25	-\$2,560.25	\$10,241.00
Enclosed Cargo Container Closed Top (Includes Tarp)	Cargo Storage Container with Rear Door Access	\$6,792.50	-\$1,358.50	\$5,434.00
Open Top Cargo Container Trailer (Includes Tarp)	Open Top, Sides, Rear Door Access	\$4,702.50	-\$940.50	\$3,762.00
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Extra Axle	Includes Suspension & Axle (Price Per Axle)	\$470.25	-\$94.05	\$376.20
Military Special Application Suspension	Heavy Duty Military Suspension On/Off Road, (Price Per Axle - In Lieu of Standard)	\$284.76	-\$56.95	\$227.81
Military Special Applications Axles	Heavy Duty Military Axles On/Off Road, (Price Per Axle - In Lieu of Standard)	\$945.73	-\$189.15	\$756.58

MFG PART # *	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Trailer Hand Brake Control	Manual Brake Control for Trailer	\$181.05	-\$36.21	\$144.84
Hydraulic Brake System	Hydraulic Brake System for Trailer	\$783.75	-\$156.75	\$627.00
Heavy Duty Single Point Suspension	In Lieu of Spring Ride Tandem Axle	\$1,488.75	-\$297.75	\$1,191.00
Air Brake Axle	Price Per Axle Includes ABS In Lieu of Standard Axle	\$421.81	-\$84.36	\$337.45
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
1/2" Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings (Price Each)	\$47.03	-\$9.41	\$37.62
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets (Price Each)	\$83.60	-\$16.72	\$66.88
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$679.25	-\$135.85	\$543.40
Winch Nylon Straps	Standard Size 4" - Optional Sizes Available (Price Each)	\$88.30	-\$17.66	\$70.64
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available (Price Each)	\$7.84	-\$1.57	\$6.27
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$261.25	-\$52.25	\$209.00
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$156.75	-\$31.35	\$125.40
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer	\$156.75	-\$31.35	\$125.40
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim	\$261.25	-\$52.25	\$209.00
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$261.25	-\$52.25	\$209.00
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$297.83	-\$59.57	\$238.26
Metalic Paint	Metalic Paint w/ Flakes	\$537.13	-\$107.43	\$429.70
CARC Paint	Military CARC (chemical agent resistant coating)	\$1,585.27	-\$317.05	\$1,268.22
Camouflage Paint	Military Camouflage Paint	\$1,112.59	-\$222.52	\$890.07
Camouflage Carc Paint	Camoufage Military CARC (chemical agent resistant coating)	\$1,866.06	-\$373.21	\$1,492.85
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>LIGHTS &amp; WIRING</b>				

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Extra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$56.72	-\$11.34	\$45.38
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$80.61	-\$16.12	\$64.49
Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$297.83	-\$59.57	\$238.26
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$297.83	-\$59.57	\$238.26
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness - (In Lieu of Standard)	\$943.19	-\$188.64	\$754.55
Wireless Remote Control	Optional Functions Available Set Up To	\$918.56	-\$183.71	\$734.85
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
<b>REAR RAMPS</b>				
Extra Ramp Length	Angle Iron Cleated Standard 18" x 48"	\$15.68	-\$3.14	\$12.54
Extra Ramp Width	Angle Iron Cleated Standard 18"	\$10.45	-\$2.09	\$8.36
Full Width Wire Mesh Ramps	Full Width x 48" Long	\$156.75	-\$31.35	\$125.40
Rumber Covered Rear Ramps	Per Foot up to 48" Wide	\$55.98	-\$11.20	\$44.78
Apitong Covered Rear Ramps	Per Foot up to 48" Wide	\$48.52	-\$9.70	\$38.82
Oak Covered Rear Ramps	Per Foot up to 48" Wide	\$29.86	-\$5.97	\$23.89
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea.)	\$156.75	-\$31.35	\$125.40
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable - (Price Ea Set of 2)	\$574.75	-\$114.95	\$459.80
Flag Holders	4 Flag Holders, 2 Mounted On the Front Deck & 2 On Rear Beavertail	\$156.75	-\$31.35	\$125.40
Wide Load Sign	Wide Load Indication Signs Mounted on Rear of Trailer	\$470.25	-\$94.05	\$376.20
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequecy Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)


## **Tag Along Trailers**



**Manufacturing Part #: GTTU10**

**Price: \$10,972.50**

Standard Features	Description
Capacity	20,000 LB.
Electrical	DOT approved lights, wiring, and connectors
Frame	10 in. I-beam, with 3 in. channel crossmembers 24 in. on center
Dovetail	5 ft. Wood dove
Upper Deck	N/A
Side Rail	6 in.
Tongue	Cold formed
Tires	8 - 225/75 D15 (2,640 lb.) Bias
Floor	2 in. treated wood
Coupler	Adjustable pintle eye
Safety Chains	Heavy duty safety chains
Ramps	60 in. x 24 in. Heavy duty flip up ramps, with spring assist
Tiedowns	Stakepockets and rubrail
Deck Length	23 ft. (18 ft. flat + 5 ft. dovetail)
Deck Height	35 in. with side steps
Deck Width	Maximum 102 in.
Fenders	N/A
Lower Deck	N/A
Brakes	All wheel electric brakes
Tailgate	N/A
Wheels	Heavy duty bud style dual wheels
Jack	Single 12,000 lb. drop foot jack
Axles	2 - 10,000 lb. Oil bath axles
Suspension	Slipper springs
Toolbox	Chain box with lockable lid
Finish	Sandblasted & Powder Coated Color of Choice
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	5 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTTU12**

**Price: \$13,105.67**

	Standard Features	Description
	Capacity	24,000 lb.
	Electrical	DOT approved lights, wiring, and connectors
	Frame	12 in. Pierced i-beam, with 3 in. crossmembers 16 in. on center
	Dovetail	5 ft. Self-cleaning
	Upper Deck	N/A
	Side Rail	6 in. Channel
	Tongue	Cold form
	Tires	8 - 235/80 R16 LRE (3,097 lb.)
	Floor	2 in. Treated Wood
	Coupler	Adjustable pintle eye
	Safety Chains	Heavy duty safety chains
	Ramps	60 in. x 24 in. Heavy duty flip up ramps, with spring assist
	Tiedowns	Stakepockets and rubrail
	Deck Length	25 ft. (20 ft. flat + 5 ft. dove)
	Deck Height	36 in. With side steps
	Deck Width	Maximum 102 in.
	Fenders	N/A
	Lower Deck	N/A
	Brakes	All wheel electric brakes
	Tailgate	N/A
	Wheels	Heavy duty bud style dual wheels
	Jack	Single 12,000 lb. drop foot jack
	Axles	2 - 12,000 lb. Oil bath axles
	Suspension	Slipper springs
	Toolbox	Chain box with lockable lid
	Finish	Sandblasted & Powder Coated Color of Choice
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTTU15**

**Price: \$14,443.94**


	Standard Features	Description
	Capacity	30,000 lb.
	Electrical	DOT approved lights, wiring, and connectors
	Frame	12 in. Pierced i-beam, with 3 in. crossmembers 16 in. on center
	Dovetail	5 ft. Self-cleaning
	Upper Deck	N/A
	Side Rail	6 in. Channel
	Tongue	Cold form
	Tires	8 - 215R75x17.5 LRH (4,540 lb.)
	Floor	2 in. Treated Wood
	Coupler	Adjustable pintle eye
	Safety Chains	Heavy duty safety chains
	Ramps	60 in. x 24 in. Heavy duty flip up ramps, with spring assist
	Tiedowns	Stakepockets and rubrail
	Deck Length	25 ft. (20 ft. flat + 5 ft. dove)
	Deck Height	36 in. With side steps
	Deck Width	Maximum 102 in.
	Fenders	N/A
	Lower Deck	N/A
	Brakes	All wheel air brakes
	Tailgate	N/A
	Wheels	Heavy duty bud style dual wheels
	Jack	Single 12,000 lb. drop foot jack
	Axles	2 - 15,000 lb. Oil bath axles
	Suspension	Slipper springs
	Toolbox	Chain box with lockable lid
	Finish	Sandblasted & Powder Coated Color of Choice
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTTU20**

**Price: \$18,802.00**


Standard Features	Description
Capacity	40,000 lb.
Electrical	DOT approved lights, connectors and sealed wiring harness
Frame	14 in. Pierced i-beam, 30 ppf. with 4 in. channel crossmembers, 12 in. o.c.
Dovetail	5 ft.
Upper Deck	N/A
Side Rail	8 in. channel
Tongue	Cold formed
Tires	8 - 235/75 R17.5 LRH (5,675 lb.)
Floor	Oak
Coupler	Adjustable pintle eye
Safety Chains	Heavy duty safety chains
Ramps	60in. x 24in. Heavy duty, Swing-up with spring assist
Tiedowns	6 D-rings
Deck Length	25 ft (20 ft. flat + 5 ft. dove)
Deck Height	36 in.
Deck Width	Maximum 102 in.
Fenders	N/A
Lower Deck	N/A
Brakes	All wheel air brake with spring lock each wheel (ABS)
Tailgate	N/A
Wheels	Heavy duty dual 17.5 in. wheels
Jack	2-50,000 lb. Dual speed jacks
Axles	2 - 25,000 oil bath axles
Suspension	Spring suspension
Toolbox	Lockable lid on tongue
Finish	Sandblasted & Powder Coated Color of Choice
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	5 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTTU25**

**Price: \$21,584.83**

	Standard Features	Description
	Capacity	50,000 lb.
	Electrical	DOT approved lights, connectors and sealed wiring harness
	Frame	14 in. Pierced i-beam, 30 ppf. with 4 in. channel crossmembers, 12 in. o.c.
	Dovetail	5 ft.
	Upper Deck	N/A
	Side Rail	8 in. channel
	Tongue	Cold formed
	Tires	12 - 235/75 R17.5 LRH (5,675 lb.)
	Floor	Oak
	Coupler	Adjustable pintle eye
	Safety Chains	Heavy duty safety chains
	Ramps	60in. x 24in. Heavy duty, Swing-up with spring assist
	Tiedowns	6 D-rings
	Deck Length	29 ft (24 ft. flat + 5 ft. dove)
	Deck Height	36 in.
	Deck Width	Maximum 102 in.
	Fenders	N/A
	Lower Deck	N/A
	Brakes	All wheel air brake with spring lock each wheel (ABS)
	Tailgate	N/A
	Wheels	Heavy duty dual 17.5 in. wheels
	Jack	2-50,000 lb. Dual speed jacks
	Axles	3 - 25,000 oil bath axles
	Suspension	Spring suspension
	Toolbox	Lockable lid on tongue
	Finish	Sandblasted & Powder Coated Color of Choice
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTTU30**

**Price: \$24,892.26**

Standard Features	Description
Capacity	60,000 lb.
Electrical	DOT approved lights, connectors and sealed wiring harness
Frame	14 in. Pierced i-beam, 30 ppf. with 4 in. channel crossmembers, 12 in. o.c.
Dovetail	5 ft.
Upper Deck	N/A
Side Rail	8 in. channel
Tongue	Cold formed
Tires	12 - 235/75 R17.5 LRH (5,675 lb.)
Floor	Oak
Coupler	Adjustable pintle eye
Safety Chains	Heavy duty safety chains
Ramps	60in. x 24in. Heavy duty, Swing-up with spring assist
Tiedowns	6 D-rings
Deck Length	29 ft (24 ft. flat + 5 ft. dove)
Deck Height	36 in.
Deck Width	Maximum 102 in.
Fenders	N/A
Lower Deck	N/A
Brakes	All wheel air brake with spring lock each wheel (ABS)
Tailgate	N/A
Wheels	Heavy duty dual 17.5 in. wheels
Jack	2-50,000 lb. Dual speed jacks
Axles	3 - 25,000 oil bath axles
Suspension	Spring suspension
Toolbox	Lockable lid on tongue
Finish	Sandblasted & Powder Coated Color of Choice
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	5 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.

### Tag Along Trailer Options

Option for all models GTTU are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>LENGTHS &amp; WIDTHS</b>				
Extra Deck Length	Per Foot up to 8' 6" Wide	\$459.80	-\$91.96	\$367.84
8' Wide	Per Foot up to 8' 6" Wide	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Per Foot up to 8' 6" Wide	\$653.13	-\$130.63	\$522.50
10' Wide	Per Foot up to 8' 6" Wide	\$1,306.25	-\$261.25	\$1,045.00
11' Wide	Per Foot up to 8' 6" Wide	\$1,959.38	-\$391.88	\$1,567.50
12' Wide	Per Foot up to 8' 6" Wide	\$2,612.50	-\$522.50	\$2,090.00
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	2"x 12" x 12' Planks	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$783.75	-\$156.75	\$627.00
Tool Box	Located/Built Into Rear Deck of Trailer or Tounge of Trailer	\$470.25	-\$94.05	\$376.20
Track Guides	Multi Position Track Guides	\$1,045.00	-\$209.00	\$836.00
Manual Tilt Deck	Pin Release, Drops Down Manually, No Ramps	\$3,209.46	-\$641.89	\$2,567.57
Hydraulic Tilt Deck	Pin Release, Operates & Tilts Using Hydraulics, No Ramps	\$5,225.00	-\$1,045.00	\$4,180.00
Center Outrigger Boards	Center Outrigger Boards Used for Widening the Trailer Deck Space	\$418.00	-\$83.60	\$334.40
Outrigger Extensions	Swing Out Outrigger Extensions	\$888.25	-\$177.65	\$710.60
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
*2 Axle Spring Ride - 20-Ton Tag	Standard On 20-Ton Tag Trailer	\$0.00	\$0.00	\$0.00
*3 Axle Spring Ride - 25-Ton Tag	Standard On 25-Ton Tag Trailer	\$0.00	\$0.00	\$0.00
3rd Front Axle Lift	Add On for 20-Ton 25,000# Air Lift with Control Valve on Driver Side	\$6,034.88	-\$1,206.98	\$4,827.90
Front Axle Lift	Add On for 25-Ton 25,000# Air Lift with Control Valve on Driver Side - In Lieu of Spring	\$2,873.75	-\$574.75	\$2,299.00
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$862.13	-\$172.43	\$689.70
Air Ride Axle	Air Ride Tag Along - In Lieu of Spring	\$1,384.63	-\$276.93	\$1,107.70
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight - Air Ride Only	\$862.13	-\$172.43	\$689.70

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60
Heavy Duty Single Point Suspension	In Lieu of Spring Ride Tandem Axle	\$1,488.75	-\$297.75	\$1,191.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings (Price Each)	\$47.03	-\$9.41	\$37.62
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets (Price Each)	\$83.60	-\$16.72	\$66.88
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$1,567.50	-\$313.50	\$1,254.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizes Available (Price Each)	\$88.30	-\$17.66	\$70.64
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On (Price Per Section)	\$102.39	-\$20.48	\$81.91
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available (Price Each)	\$7.84	-\$1.57	\$6.27
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available at Same Cost	\$522.50	-\$104.50	\$418.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets (Price Each)	\$10.45	-\$2.09	\$8.36
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers), (Price Each)	\$186.53	-\$37.31	\$149.22
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea. Axle)	\$374.11	-\$74.82	\$299.29
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$130.63	-\$26.13	\$104.50
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$365.75	-\$73.15	\$292.60
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$365.75	-\$73.15	\$292.60
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Aluminum Rims	Price Each Rim 6.75, 8 Hole, Hub Piloted - (Price Ea. - In Lieu of Steel Rims)	\$235.13	-\$47.03	\$188.10
*235/70R x 17.5 Tires	Standard Tire 235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires - In Lieu of Standard	\$0.00	\$0.00	\$0.00
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea - In Lieu of Standard)	\$365.75	-\$73.15	\$292.60
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$574.75	-\$114.95	\$459.80
Metalic Paint	Metalic Paint w/ Flakes	\$940.50	-\$188.10	\$752.40
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,220.63	-\$444.13	\$1,776.50
Camouflage Paint	Military Camouflage Paint	\$1,045.00	-\$209.00	\$836.00
Camouflage Carc Paint	Camoufage Military CARC (chemical agent resistant coating)	\$3,265.63	-\$653.13	\$2,612.50
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$99.28	-\$19.86	\$79.42
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$141.08	-\$28.22	\$112.86
Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$522.50	-\$104.50	\$418.00
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,149.50	-\$229.90	\$919.60
Safety Night Light	Battery & Lighting Package	\$1,240.94	-\$248.19	\$992.75
Strobe Light	Magnet Mount Strobe & Plug	\$979.69	-\$195.94	\$783.75
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$522.50	-\$104.50	\$418.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,650.58	-\$330.12	\$1,320.46
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
Wireless Remote Control	Optional Funtions Available Set Up To	\$918.56	-\$183.71	\$734.85
<b>REAR RAMPS</b>				
Hydraulic Ramp System	Self Contained with Pump & Battery, Charger Kit for Truck	\$2,126.58	-\$425.32	\$1,701.26
*New 24 x 60 Ramps	Angle Iron Cleated	\$0.00	\$0.00	\$0.00
New 32 x 60 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$261.25	-\$52.25	\$209.00
New 32 x 72 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$522.50	-\$104.50	\$418.00
New 32 x 84 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$783.75	-\$156.75	\$627.00
New 32 x 96 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,045.00	-\$209.00	\$836.00
New 36 x 60 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$391.88	-\$78.38	\$313.50
New 36 x 72 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$783.75	-\$156.75	\$627.00
New 36 x 84 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,175.63	-\$235.13	\$940.50
New 36 x 96 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,567.50	-\$313.50	\$1,254.00
New 48 x 60 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,045.00	-\$209.00	\$836.00
New 48 x 72 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,436.88	-\$287.38	\$1,149.50
New 48 x 84 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$1,828.75	-\$365.75	\$1,463.00

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
New 48 x 96 Ramps	Angle Iron Cleated "In Lieu of 24 x 60"	\$2,220.63	-\$444.13	\$1,776.50
*Cleated Self Cleaning Ramps	1/4" x 3" Angle Iron	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Ramps	Per Foot up to 48" Wide	\$97.97	-\$19.59	\$78.38
Apitong Covered Rear Ramps	Per Foot up to 48" Wide	\$84.91	-\$16.98	\$67.93
Oak Covered Rear Ramps	Per Foot up to 48" Wide	\$52.25	-\$10.45	\$41.80
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea)	\$156.75	-\$31.35	\$125.40
48" High Bulk Head	48" High Removable or Welded Bulkhead	\$888.25	-\$177.65	\$710.60
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$339.63	-\$67.93	\$271.70
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable - (Price Ea Set of 2)	\$574.75	-\$114.95	\$459.80
Flag Holders	4 Flag Holders, 2 Mounted On the Front Deck & 2 On Rear Beavertail	\$156.75	-\$31.35	\$125.40
Wide Load Sign	Wide Load Indication Signs Mounted on Rear of Trailer	\$470.25	-\$94.05	\$376.20
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequecy Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90




# **GLOBE TRAILER MFG, INC.**

GLOBETRAILERMFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## **Lowboy/Hydraulic Detachable Trailers**



**Manufacturing Part #: GTBN35-SG**

**Price: \$33,674.93**

Standard Features	Description
General	This Specification is for a Model GTBN352-47-24-SG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 16' LC Shipping Weight of 16,800 lbs +/- 3%..
Dimensions:	
- Overall Length:	45' 2" (542")
- Overall Width:	8' 6"
- GN Length:	10' 11" (131")
- GN Swing Clearance:	86"
- Load Well Length:	24' (288")
- Rear Deck Length	10' 3" (123")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" I-Beam Mill Rolled
- Cross Memebers:	8" Jr. I-Beam on 24" Centers
- Side Rail:	12" Channel
- Rear Tail:	14" I-Beam Mill Rolled
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.

	<b>Standard Features</b>	<b>Description</b>
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.


Image Not Available

**Manufacturing Part #: GTBN50-SG**

**Price: \$39,590.67**

	Standard Features	Description
	General	This Specification is for a Model GTBN503-50-24-SG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 16' LC Shipping Weight of 21,700 lbs +/- 3%..
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	10' 11" (131")
	- GN Swing Clearance:	86"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	15' 2" (182")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	16" I-Beam Mill Rolled
	- Cross Memebbers:	8" Jr. I-Beam on 24" Centers
	- Side Rail:	12" Channel
	- Rear Tail:	14" I-Beam Mill Rolled
	Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 2 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.

	Standard Features	Description
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTBN35-GG**

**Price: \$41,675.45**

Standard Features	Description
General	This Specification is for a Model GTBN352-45-24-GG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 12' Load Concentration and a Shipping Weight of 15,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	44' 2" (530")
- Overall Width:	8' 6"
- GN Length:	10' 11" (131")
- GN Swing Clearance:	86"
- Load Well Length:	24' (288")
- Rear Deck Length:	9' 3" (111")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers.
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.

	Standard Features	Description
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTBN50-GG**

**Price: \$49,445.02**

	Standard Features	Description
	General	This Specification is for Model GTBN503-50-24-GG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 12' Load Concentration and a Shipping Weight of 20,700 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	14' 2" (170")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.

	Standard Features	Description
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTBN55-GG**

**Price: \$51,535.02**

Standard Features	Description
General	This Specification is for Model GTBN553-50-24-GG, 55-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 110,000 lbs in 12' Load Concentration and a Shipping Weight of 21,700 lbs +/- 3%.
Dimensions:	
- Overall Length:	50' 1" (601")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	24' (288")
- 5th Wheel Height:	14' 2" (170")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.

	<b>Standard Features</b>	<b>Description</b>
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTBN35-HGG**

**Price: \$43,633.78**

Standard Features	Description
General	This Specification is for a Model GTBN352-47-24-HGG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 12' Load Concentration and a Shipping Weight of 15,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	46' 1" (552")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	24' (288")
- Rear Deck Length	10' 2" (122")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers.
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.

	<b>Standard Features</b>	<b>Description</b>
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




Manufacturing Part #: GTBN50-HGG

Price: \$51,409.09

	Standard Features	Description
	General	This Specification is for Model GTBN503-50-24-HGG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 12' Load Concentration and a Shipping Weight of 20,700 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	14' 2" (170")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.

	<b>Standard Features</b>	<b>Description</b>
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTBN55-HGG**

**Price: \$53,189.26**

Standard Features	Description
General	This Specification is for Model GTBN553-51-24-HGG, 55-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 110,000 lbs in 12' Load Concentration and a Shipping Weight of 21,700 lbs +/- 3%.
Dimensions:	
- Overall Length:	50' 1" (601")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	24' (288")
- 5th Wheel Height:	14' 2" (170")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 - 25,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grouser.
Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.

	Standard Features	Description
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTBN60-HGG**

**Price: \$61,948.45**

Standard Features	Description
General	This Specification is for Model GTBN603-53-26-HGG, 60-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 120,000 lbs in 12' Load Concentration and a Shipping Weight of 22,900 lbs +/- 3%.
Dimensions:	
- Overall Length:	52' 7" (631")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	26' (312")
- 5th Wheel Height:	14' 2" (176")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "T" beam, 100,000 PSI.
- Cross Members:	10" Jr. "T" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "T" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "T" beam, 100,000 PSI.
Axles:	3 – 30,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.

	Standard Features	Description
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.
	Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




\*Flip Box & 4th Axle Not Included\*

**Manufacturing Part #: GTBN65-HGG**

**Price: \$70,894.07**

Standard Features	Description
General	This Specification is for Model GTBN653-53-26-HGG, 65-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 130,000 lbs in 12' Load Concentration and a Shipping Weight of 23,500 lbs +/- 3%.
Dimensions:	
- Overall Length:	52' 7" (631")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	26' (312")
- 5th Wheel Height:	14' 2" (176")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 - 30,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.

	Standard Features	Description
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.
	Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



\*Flip Box & 4th Axle Not Included\*

**Manufacturing Part #: GTBN70-HGG**

**Price: \$92,292.54**

Standard Features	Description
General	This Specification is for Model GTBN703-53-26-HGG, 70-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 130,000 lbs in 12' Load Concentration and a Shipping Weight of 25,300 lbs +/- 3%.
Dimensions:	
- Overall Length:	52' 7" (631")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	26' (312")
- 5th Wheel Height:	14' 2" (176")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 - 30,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grouser.

	<b>Standard Features</b>	<b>Description</b>
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.
	Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

## Lowboy Trailer Options

Option for all models GTBN are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>GOOSENECK</b>				
Non-Standard Goose-neck	84" to 108" Swing Clearance Necks, Standard (86", 98", & 110")	\$1,959.38	-\$391.88	\$1,567.50
Non-Standard Goose-neck	109" to 120" Swing Clearance Necks, Standard (86", 98", & 110")	\$3,265.63	-\$653.13	\$2,612.50
70-Ton Style Goose-neck Upgrade	Upgrade for 60 or 65 ton lowboy w/ 70-Ton rated neck (this is standard on 70-Ton and above)	\$6,270.00	-\$1,254.00	\$5,016.00
Set Up for a Flip Box	Heavy Duty Gooseneck Set Up For Flip Box Extension All Connections, Pins, Etc.	\$2,351.25	-\$470.25	\$1,881.00
Flip Box - 24"	Gooseneck Flip Box - 98" to 122" Swing, Air and Electrical Lines	\$1,306.25	-\$261.25	\$1,045.00
Flip Box - 36"	Gooseneck Flip Box - 98" to 134" Swing, Air and Electrical Lines	\$2,926.00	-\$585.20	\$2,340.80
Flip Box - 66"	Gooseneck Flip Box - 122" to 172" Swing, Air and Electrical Lines	\$4,807.00	-\$961.40	\$3,845.60
Flip Box - 72"	Gooseneck Flip Box - 122" to 178" Swing, Air and Electrical Lines	\$5,434.00	-\$1,086.80	\$4,347.20
Flip Box - 84"	Gooseneck Flip Box - 122" to 190" Swing, Air and Electrical Lines	\$6,113.25	-\$1,222.65	\$4,890.60
Hydraulic Assist Flip Neck	Hydraulically Operated Assisted Flip Box on Neck	\$2,873.75	-\$574.75	\$2,299.00
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,481.25	-\$496.25	\$1,985.00
Aluminum Pony Motor Engine Cover	Hinged Cover Plate Aluminum	\$1,018.88	-\$203.78	\$815.10
Pony Motor Engine Cover	Hinged Cover Plate	\$347.38	-\$69.48	\$277.90
Steel Gooseneck Fenders	Smooth Plate Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$1,201.75	-\$240.35	\$961.40
Diamond Plate Steel Gooseneck Fenders	Diamond Plate Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$1,672.00	-\$334.40	\$1,337.60
Stainless Steel Gooseneck Fenders	Stainless Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$2,612.50	-\$522.50	\$2,090.00
Aluminum Gooseneck Fenders	Smooth Plate Aluminum Goosneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$2,978.25	-\$595.65	\$2,382.60
Diamond Plate Aluminum Gooseneck Fenders	Diamond Plate Aluminum Goosneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$3,135.00	-\$627.00	\$2,508.00
Gooseneck Upper Full Width Deck	Full Width 8' 6" Wide, Full Length of Flat Portion on Neck Secured to Top Flanges	\$2,873.75	-\$574.75	\$2,299.00
Steel Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location) - (Price Ea)	\$470.25	-\$94.05	\$376.20
Aluminum Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location) - (Price Ea)	\$783.75	-\$156.75	\$627.00
Hydraulic Folding Goosneck	Hydraulic Folding Gooseneck In Lieu of Standard Hydraulic Detachable	\$5,225.00	-\$1,045.00	\$4,180.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Hydraulic Sliding King Pin	Multi Position King Pin, Allows for Additional Swing Clearance, Ease of Connecting Neck, & Weight Distribution	\$6,113.25	-\$418.00	\$1,672.00
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,090.00	-\$418.00	\$1,672.00
3 1/2" King Pin	3 1/2" King Pin - In Lieu of Standard	\$365.75	-\$73.15	\$292.60
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,455.75	-\$491.15	\$1,964.60
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,978.25	-\$595.65	\$2,382.60
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$446.63	-\$89.33	\$357.30
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$888.25	-\$177.65	\$710.60
Track Guides	Multi Position Track Guides	\$1,045.00	-\$209.00	\$836.00
Center Outrigger Boards	Center Outrigger Boards Used for Widening the Trailer Deck Space, 4 each	\$418.00	-\$83.60	\$334.40
Outrigger Extensions	Swing Out Outrigger Extensions	\$888.25	-\$177.65	\$710.60
Outrigger Boards	Outrigger Boards with Hand Holders, 4 each	\$919.60	-\$183.92	\$735.68
*Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$0.00	\$0.00	\$0.00
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out - (Price Ea In Lieu of Standard)	\$13.06	-\$2.61	\$10.45
2' Fixed Outriggers	2' Fixed Outriggers Spring Securing Device - (Price Ea In Lieu of Standard)	\$157.48	-\$104.50	\$418.00
Bucket Pan	Bucket Pan Located In Center of Loadwell	\$522.50	-\$104.50	\$418.00
I-Beam Deck Only up to 30' *24' Standard*	I-Beam Deck Up to 30' - In Lieu of Standard	-\$174.25	\$34.85	-\$139.40
Extendable Deck	Optional Extended Lengths up to 50+ Feet	\$21,553.13	-\$4,310.63	\$17,242.50
Drop Side Trailer	Drop Side Trailer, Side Rails are Lower than Main Beams	\$8,360.00	-\$1,672.00	\$6,688.00
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading - (Price Ea.)	\$26.13	-\$5.23	\$20.90
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Wheel Wells in Deck Area	Used w/ Drop Side Only, Machine Sits in Wells	\$3,265.63	-\$653.13	\$2,612.50
Deck Insert Additional Length (Per Ft)		\$567.44	-\$113.49	\$453.95
5' Deck Insert	Pin on Deck Insert to Increase Deck 5' Long	\$12,559.86	-\$2,511.97	\$10,047.89
10' Deck Insert	Pin on Deck Insert to Increase Deck 10' Long	\$15,397.03	-\$3,079.41	\$12,317.62



MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
24" Steel Pull Out Outriggers	Price Each Outrigger	\$200.00	-\$40.00	\$160.00
24" Aluminum Pull Out Outriggers	Price Each Outrigger	\$325.00	-\$65.00	\$260.00
	<b>REAR DECK OVER AXLES &amp; ACCESSORIES</b>			
*Open Rear Deck W/ Bolsters	Load Bearing Bolsters	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$78.38	-\$15.68	\$62.70
Steel Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$62.70	-\$12.54	\$50.16
Oak Covered Rear Deck	Load Bearing, Covered Over Axles - Oak Over Steel - (Price Per Ft.)	\$71.06	-\$14.21	\$56.85
Apitong Covered Rear Deck	Load Bearing, Covered Over Axles - Apitong Over Steel - (Price Per Ft.)	\$75.24	-\$15.05	\$60.19
Removable Rear Deck	One Piece Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$104.50	-\$20.90	\$83.60
Single Wheel Removable Covers	Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$888.25	-\$177.65	\$710.60
Aluminum Removable Rear Deck Covers	One Piece Aluminum Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$181.83	-\$36.37	\$145.46
Aluminum Single Wheel Removable Covers	Aluminum Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$1,933.25	-\$386.65	\$1,546.60
Boom Well Cover - Level	Level Removable or Weld Solid Cover Plate Over Boom Well	\$888.25	-\$177.65	\$710.60
Boom Well Cover	Cover Over Boom Well To Protect Air, Electrical, and Axles - Welded or Removable	\$522.50	-\$104.50	\$418.00
Aluminum Dress Up Package	Aluminum Dress Up Package for Rear Deck Rear Bumper	\$783.75	-\$156.75	\$627.00
Flip/Stinger Single Axle Set Up	Single Axle Flip/Stinger 14' 1 Spread Rear Reinforcement/Set Up, Air & Electrical	\$1,933.25	-\$386.65	\$1,546.60
Frame Reinforcement for 2 + 2 or 2 + 3 Axle Stinger	Extra Frame Reinforcement for 2 + 2 or 2 + 3 Axle Stinger, Set Up, Air & Electrical	\$3,918.75	-\$783.75	\$3,135.00
Frame Reinforcement for 3 + 2 or 3 + 3 Axle Stinger	Extra Frame Reinforcement for 3 + 2 or 3 + 3 Axle Stinger, Set Up, Air & Electrical	\$7,837.50	-\$1,567.50	\$6,270.00
*49" Axle Spacing	Standard Axle Spacing For Trailers	\$0.00	\$0.00	\$0.00
50" to 64" Axle Spacing	Optional Axle Spacing Add's To Overall Length	\$1,306.25	-\$261.25	\$1,045.00
Hydraulic Flip Axle Set Up	Set Up For Hydraulic Flip Axle (Includes, Hydraulics, Frame Reinforcement, Air, Electrical)	\$3,918.75	-\$783.75	\$3,135.00
Hydraulic Flip Tail	Hydraulic Flip Tail, 8' 1" Flip Tail w/ 4' Flip Extension	\$11,429.69	-\$2,285.94	\$9,143.75
Tool Box	Tool Box Mounted In Rear of Trailer Before Rear Crossmember	\$470.25	-\$94.05	\$376.20
Boom Well w/ Bucket Pan	6' Pan Center of Rear Deck to Store Equipment Bucket When in Transit	\$326.56	-\$65.31	\$261.25

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Deep Drop Boom Well w/ Bucket Pan	Drop Crossmember Boom Well to Allow Customers to Get Equipment Booms Down To Lowest Possible Height	\$1,110.31	-\$222.06	\$888.25
V-Style Boom Well w/ Bucket Pan	Same as Drop Crossmember Boomwell but in the Shape of a V with Rear Beam Lowered	\$1,371.56	-\$274.31	\$1,097.25
Pin on rear tail to end of load well	This option will have horizontal pins connecting the rear tail to main deck air pins	\$7,001.50	-\$1,400.30	\$5,601.20
<b>FRONT &amp; REAR RAMPS</b>				
Non-Standard Flip Ramps	Non-Standard Flip Ramps - (In Lieu of 31" Standard Ramps - Price Per Set of 2)	\$297.75	-\$59.55	\$238.20
Wood or Compsite Filled Flip Ramps	Includes Rumber, Oak, Apitong, Etc. - (In Lieu of Steel Ramps - Price Per Set of 2)	\$446.63	-\$89.33	\$357.30
Hydraulic Transition Ramps	Hydraulic Elevator Ramps lift up to provide a paver style transisient to the rear deck over the lowboy tires	\$7,262.75	-\$1,452.55	\$5,810.20
Air Transition Ramps	Air Elevator Ramps lift up to provide a paver style transisient to the rear deck over the lowboy tires	\$5,000.00	-\$1,000.00	\$4,000.00
Welded/Fixed Front Flip Ramps	Welded/Fixed Front Flip Ramps - (In Lieu of 31" Standard Ramps - Price Per Set of 2)	\$309.66	-\$61.93	\$247.73
Hydraulic Ramp System	Self Contained with Pump & Battery, Charger Kit for Truck	\$2,035.00	-\$407.00	\$1,628.00
Beavertail	Beaver Tail, Steel Covered, w/ Traction Bars Price Per Foot	\$437.50	-\$87.50	\$350.00
New 24 x 60 Ramps	Angle Iron Cleated	\$1,187.50	-\$237.50	\$950.00
New 32 x 60 Ramps	Angle Iron Cleated	\$1,437.50	-\$287.50	\$1,150.00
New 32 x 72 Ramps	Angle Iron Cleated	\$1,687.50	-\$337.50	\$1,350.00
New 32 x 84 Ramps	Angle Iron Cleated	\$1,937.50	-\$387.50	\$1,550.00
New 32 x 96 Ramps	Angle Iron Cleated	\$2,187.50	-\$437.50	\$1,750.00
New 36 x 60 Ramps	Angle Iron Cleated	\$1,562.50	-\$312.50	\$1,250.00
New 36 x 72 Ramps	Angle Iron Cleated	\$1,937.50	-\$387.50	\$1,550.00
New 36 x 84 Ramps	Angle Iron Cleated	\$2,312.50	-\$462.50	\$1,850.00
New 36 x 96 Ramps	Angle Iron Cleated	\$2,687.50	-\$537.50	\$2,150.00
New 48 x 60 Ramps	Angle Iron Cleated	\$2,187.50	-\$437.50	\$1,750.00
New 48 x 72 Ramps	Angle Iron Cleated	\$2,562.50	-\$512.50	\$2,050.00
New 48 x 84 Ramps	Angle Iron Cleated	\$2,937.50	-\$587.50	\$2,350.00
New 48 x 96 Ramps	Angle Iron Cleated	\$3,312.50	-\$662.50	\$2,650.00
*Cleated Self leaning Ramps	1/4" x 3" Angle Iron	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Ramps	Per Foot up to 48" Wide	\$93.75	-\$18.75	\$75.00
Apitong Covered Rear Ramps	Per Foot up to 48" Wide	\$81.25	-\$16.25	\$65.00
Oak Covered Rear Ramps	Per Foot up to 48" Wide	\$50.00	-\$10.00	\$40.00
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,959.38	-\$391.88	\$1,567.50
10' Wide	Overall Trailer Width	\$2,873.75	-\$574.75	\$2,299.00

MEG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
11' Wide	Overall Trailer Width	\$4,571.88	-\$914.38	\$3,657.50
12' Wide	Overall Trailer Width	\$5,878.13	-\$1,175.63	\$4,702.50
Extra Length up to 28' *24' Standard*	Extra Length Cost Up to 28' (Other Lengths Available but Special Pricing Applies) - (Price Per Ft)	\$1,306.25	-\$261.25	\$1,045.00
Extra Length up to 30' *24' Standard*	Extra Length Cost Up to 30' (Other Lengths Available but Special Pricing Applies) - (Price Per Ft)	\$2,612.50	-\$522.50	\$2,090.00
18" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 18"	\$5,016.00	-\$1,003.20	\$4,012.80
20" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 20"	\$3,657.50	-\$731.50	\$2,926.00
22" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 22"	\$1,254.00	-\$250.80	\$1,003.20
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2" Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
Carriage Bolts with Clamps		\$653.13	-\$130.63	\$522.50
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Spring Ride Per Axle	Spring Ride Lowboy Trailer - (In Lieu of Air Ride Per Axle)	-\$1,469.53	\$293.91	-\$1,175.62
Walking Beam Per Axle	Walking Beam - (In Lieu of Air Ride Per Axle)	\$761.81	-\$152.36	\$609.45
Additional Stationary Axle	Fixed Additional Axle Added On Trailer Air Ride	\$11,103.13	-\$2,220.63	\$8,882.50
Steerable Axles	Self Steerable Axles - (Price Ea In Lieu of Non-Steerable Axle)	\$6,583.50	-\$1,316.70	\$5,266.80
No Rear Axle Lift 50-Ton		-\$2,547.19	\$509.44	-\$2,037.75
Air Ride Adjustment	Automatic air ride leveling system	\$1,045.00	-\$209.00	\$836.00
Air Gauge	Air Gauge Pressure Gauge	\$261.25	-\$52.25	\$209.00
Air Ride 2 Axle	Option for SG Model Only - 2 Axle Air Ride Tag Along - In Lieu of Spring	\$2,769.25	-\$553.85	\$2,215.40
Air Ride 3 Axle	Option for SC Model Only - 3 Axle Air Ride Tag Along - In Lieu of Spring	\$3,605.25	-\$721.05	\$2,884.20
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$862.13	-\$172.43	\$689.70
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$574.75	-\$114.95	\$459.80
25K P-type Axles	Parallel ends on 25K Axles per axle cost	\$271.70	-\$54.34	\$217.36

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
30K Suspension Per Axle	Price Per Axle (Included on trailers over 55-Ton)	\$888.25	-\$177.65	\$710.60
*30K Air Bags	Price Per Axle (Included on trailers over 55-Ton)	\$0.00	\$0.00	\$0.00
30K Axles	Price Per Axle (Included on trailers over 55-Ton)	\$2,926.00	-\$585.20	\$2,340.80
Dual Air Ride Adjustment	Allows a dual adjustment of the air ride sytem when the lift axle is up and down	\$522.50	-\$104.50	\$418.00
*Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$44.66	-\$8.93	\$35.73
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$79.40	-\$15.88	\$63.52
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$1,488.75	-\$297.75	\$1,191.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizez Available - (Price Each)	\$83.87	-\$16.77	\$67.10
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$97.25	-\$19.45	\$77.80
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.44	-\$1.49	\$5.95
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$496.25	-\$99.25	\$397.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$9.93	-\$1.99	\$7.94
4 way Chain slot center strip	located down the middle of the load well for securing 1/2" and 3/8" Chain 24 feet long	\$726.28	-\$145.26	\$581.02
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers), - (Price Each)	\$177.16	-\$35.43	\$141.73
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,939.26	-\$3,987.85	\$15,951.41
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Each Axle)	\$355.32	-\$71.06	\$284.26
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$124.06	-\$24.81	\$99.25

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$347.38	-\$69.48	\$277.90
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$843.63	-\$168.73	\$674.90
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$347.38	-\$69.48	\$277.90
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$119.10	-\$23.82	\$95.28
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (In Lieu of Steel Rims - Price Ea)	\$225.00	-\$45.00	\$180.00
235/70R x 17.5 Tires	235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
275/70R x 22.5	Add on for 25 to 55-Ton - Standard on 60 to 80-Ton Lowboy - (Price Ea - In Lieu of Standard)	\$90.20	-\$18.04	\$72.16
*255/70R x 22.5	Standard on 25 Ton to 55-Ton Lowboys	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$50.00	-\$10.00	\$40.00
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$126.20	-\$25.24	\$100.96
315/80R x 22.5 Tire & Rim	315/80R x 22.5 Tire & Rim (Price Ea. - In Lieu of Standard)	\$522.50	-\$104.50	\$418.00
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$350.00	-\$70.00	\$280.00
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$783.75	-\$156.75	\$627.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,149.50	-\$229.90	\$919.60
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Paint	Military Camouflage Paint	\$1,567.50	-\$313.50	\$1,254.00
Camouflage Carc Paint	Camouflage Military CARC (chemical agent resistant coating)	\$3,918.75	-\$783.75	\$3,135.00
Carwell Coating	Rust Protection	\$261.25	-\$52.25	\$209.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$99.28	-\$19.86	\$79.42
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$141.08	-\$28.22	\$112.86
*Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$0.00	\$0.00	\$0.00
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,149.50	-\$229.90	\$919.60
Safety Night Light	Battery & Lighting Package	\$1,240.94	-\$248.19	\$992.75
Strobe Light	Magnet Mount Strobe & Plug	\$979.69	-\$195.94	\$783.75
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$522.50	-\$104.50	\$418.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness - (In Lieu of Standard)	\$1,650.58	-\$330.12	\$1,320.46
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Wireless Remote Control	Optional Functions Available Set Up To	\$918.56	-\$183.71	\$734.85
Gooseneck Light Package	3 Light Cluster, Stop/Turn/White Light Cluster Located in the base of the Neck	\$1,045.00	-\$209.00	\$836.00
	<b>HYDRAULICS</b>			
*Wet Line	Straight Wet Line, 3000 PSI @ 10 Gallons Per Min to Operate Full Load	\$0.00	\$0.00	\$0.00
11 Hp Honda Gas Motor		\$1,933.25	-\$386.65	\$1,546.60
13 Hp Honda Gas Motor		\$2,978.25	-\$595.65	\$2,382.60
10 Hp Yanmar Diesel Motor		\$4,284.50	-\$856.90	\$3,427.60
Hydraulic Pressure Gauge	Mounted On Trailer	\$150.00	-\$30.00	\$120.00
	<b>OTHER ACCESSORIES</b>			
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea.)	\$574.75	-\$114.95	\$459.80
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$339.63	-\$67.93	\$271.70
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$574.75	-\$114.95	\$459.80
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide - (Price Per Set)	\$2,351.25	-\$470.25	\$1,881.00
Oil Field Rollers	Price Each Roller	\$888.25	-\$177.65	\$710.60
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequency Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)


## Multi-Axle Components



**Manufacturing Part #: GTZY10**

**Price: \$11,382.50**

Standard Features	Description
General	This Specification is for Model GTZY101-5, 1 Axle, Flip Axle, Shipping Weight of 2,600 lbs +/- 3%.
Dimensions:	
- Overall Length:	4' (48")
- Overall Width:	8' 6"
- Height:	40"
- Axle Spacing:	54"
Frame:	T1 Flange & web 100,000 PSI
Axles:	1 – 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	4 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	4 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
Suspension:	Cush 25,000# air ride.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Tie Downs:	2 ea "D" Ring tie downs on rear bumper.
Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	1 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: 50/55-Ton Spreader Bar**

**Price: \$11,363.69**

	Standard Features	Description
	General	This Specification is for a 50/55-Ton Spreader Bar, Shipping Weight of 2,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	10' 6" (126")
	- Overall Width:	48"
	- Height:	40"
	- Spread:	14' 1" (169")
	Frame:	T1 Flange & web 100,000 PSI
	Landing Gear:	Drop leg Jack
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**\*Axle Not Included - Sold Separately\***

**Manufacturing Part #: 50/55-Ton Nitrogen Spreader Bar (Single Axle)**

**Price: \$24,340.50**

	Standard Features	Description
	General	This Specification is for a 50/55-Ton Nitrogen Spreader Bar, Shipping Weight of 2,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	10' 6" (126")
	- Overall Width:	48"
	- Height:	40"
	- Spread:	14' 1" (169")
	Frame:	T1 Flange & web 100,000 PSI
	Landing Gear:	Drop leg Jack
	Hydraulic Power:	5.5 hp Pony Motor
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: 60/65-Ton Spreader Bar**

**Price: \$12,993.89**

	Standard Features	Description
	General	This Specification is for a 60/65-Ton Spreader Bar, Shipping Weight of 3,000 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	14' 6" (174")
	- Overall Width:	48"
	- Height:	40"
	- Spread:	14' 1" (169")
	Frame:	T1 Flange & web 100,000 PSI
	Landing Gear:	Drop leg Jack
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.


Image Not Available

Axle Not Included - Sold Separately

**Manufacturing Part #: 60/65-Ton Nitrogen Spreader Bar (Single Axle)**

**Price: \$26,117.00**

	Standard Features	Description
	General	This Specification is for a 50/55-Ton Nitrogen Spreader Bar, Shipping Weight of 2,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	10' 6" (126")
	- Overall Width:	48"
	- Height:	40"
	- Spread:	14' 1" (169")
	Frame:	T1 Flange & web 100,000 PSI
	Landing Gear:	Drop leg Jack
	Hydraulic Power:	5.5 hp Pony Motor
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTYY10**

**Price: \$25,412.67**

Standard Features	Description
General	This Specification is for Model GTYY101-5, 1 Axle, Stinger/Flip Axle, with 14' 1" Spread and a Shipping Weight of 5,400 lbs +/- 3%.
Dimensions:	
- Overall Length:	5' (60")
- Overall Width:	8' 6"
- Height:	40"
- Axle Spacing:	54"
- Spread:	14' 1" (169")
Frame:	T1 Flange & web 100,000 PSI
Landing Gear:	Drop Leg Jack
Axles:	1 – 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	4 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	4 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
Suspension:	Cush 25,000# air ride.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Tie Downs:	2 ea "D" Ring tie downs on rear bumper.
Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	1 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.

No Image Available

**Manufacturing Part #: GTYY20**

**Price: \$37,221.17**


	Standard Features	Description
	General	This Specification is for Model GTYY202-10, 2 Axle, Stinger/Flip Axle, with 14' 1" Spread and a Shipping Weight of 8,000 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	10' (120")
	- Overall Width:	8' 6"
	- Height:	40"
	- Axle Spacing:	54"
	- Spread:	14' 1" (169")
	Frame:	T1 Flange & web 100,000 PSI
	Landing Gear:	Drop Leg Jack
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
	Suspension:	Cush 25,000# air ride.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Tie Downs:	2 ea "D" Ring tie downs on rear bumper.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

**Manufacturing Part #: GTYY30**

**Price: \$50,136.33**


	Standard Features	Description
	General	This Specification is for Model GTYY303-15, 3 Axle, Stinger/Flip Axle, with 14'1" Spread and a Shipping Weight of 10,600 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	15' (144")
	- Overall Width:	8' 6"
	- Height:	40"
	- Axle Spacing:	54"
	- Spread:	14' 1" (169")
	Frame:	T1 flange & web 100,000 PSI
	Landing Gear:	Drop Leg Jack
	Axles:	3 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
	Suspension:	Cush 25,000# air ride.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Tie Downs:	2 ea "D" Ring tie downs on rear bumper.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTXX10**

**Price: \$24,445.00**

	Standard Features	Description
	General	This Specification is for Model GTXX101-20, 1 Axle, Jeep/Dolly with a Shipping Weight of 6,600 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	20' (240")
	- Overall Width:	8' 6"
	- Swing Clearance	86"
	-5th Wheel Height:	50"
	- Axle Spacing:	54"
	Frame:	T1 Flange & web 100,000 PSI
	Fenders:	Located on gooseneck with mud flaps
	Landing Gear:	Drop Leg Jacks
	5th Wheel Coupler:	53" heavy duty, sliding 5th wheel
	King Pin:	2" heavy duty
	Axles:	1 -- 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	4 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	4 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
	Suspension:	Cush 25,000# air ride.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Tie Downs:	2 ea "D" Ring tie downs.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTXX20**

**Price: \$30,793.38**

Standard Features	Description
General	This Specification is for Model GTXX202-25, 2 Axle, Jeep/Dolly with a Shipping Weight of 7,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	25' (300")
- Overall Width:	8' 6"
- Swing Clearance	98"
-5th Wheel Height:	50"
- Axle Spacing:	54"
Frame:	T1 Flange & web 100,000 PSI
Fenders:	Located on gooseneck with mud flaps
Landing Gear:	Drop Leg Jacks
5th Wheel Coupler:	53" heavy duty, sliding 5th wheel
King Pin:	2" heavy duty
Axles:	2 – 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
Suspension:	Cush 25,000# air ride.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Tie Downs:	2 ea "D" Ring tie downs.
Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
Plates	Standard Globe Trailer vin data plate and warranty plate
Warranty	1 year defects materials & workmanship, 1 year parts
Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTXX30**

**Price: \$42,810.87**

	Standard Features	Description
	General	This Specification is for Model GTXX303-30, 3 Axle, Jeep/Dolly with a Shipping Weight of 10,600 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	30' (360")
	- Overall Width:	8' 6"
	- Swing Clearance	108"
	-5th Wheel Height:	50"
	- Axle Spacing:	54"
	Frame:	T1 Flange & web 100,000 PSI
	Fenders:	Located on gooseneck with mud flaps
	Landing Gear:	Drop Leg Jacks
	5th Wheel Coupler:	53" heavy duty, sliding 5th wheel
	King Pin:	2" heavy duty
	Axles:	3 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
	Suspension:	Cush 25,000# air ride.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Tie Downs:	2 ea "D" Ring tie downs.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTXX40**

**Price: \$54,880.62**

	Standard Features	Description
	General	This Specification is for Model GTXX404-35, 4 Axle, Jeep/Dolly with a Shipping Weight of 11,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	35' (420")
	- Overall Width:	8' 6"
	- Swing Clearance	108"
	-5th Wheel Height:	50"
	- Axle Spacing:	54"
	Frame:	T1 Flange & web 100,000 PSI
	Fenders:	Located on gooseneck with mud flaps
	Landing Gear:	Drop Leg Jacks
	5th Wheel Coupler:	53" heavy duty, sliding 5th wheel
	King Pin:	2" heavy duty
	Axles:	4 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	16 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	16 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake, auto slack adjusters.
	Suspension:	Cush 25,000# air ride.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Tie Downs:	2 ea "D" Ring tie downs.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## Dump Trailers




Manufacturing Part #: GTDD20-30Y

Price: \$31,643.45

Standard Features	Description
General	This Specification is for a GTDD302-30-30Y, 30-Yard, Tandem Axle, Level Floor, Dump Trailer. With a Maximum Capacity of 60,000 lbs and a Shipping Weight of 17,200 lbs +/- 3%.
Dimensions:	
- Overall Length:	30' 0" (360")
- Overall Width:	8' 6" (102")
- Overall Height:	10' 0" (120")
- Inner Width:	94"
- Inner Height:	54"
- King Pin Setting:	18"
- King Pin Height:	51"
Frame	
- Main Beam:	16" "I" beam
- Longitudinals:	6" 10 gauge grade 40 steel full length
- Floor Sills:	4" Jr. "I" beams on 12" centers
- Side Walls:	54" high, 10 gauge grade 50 steel and 4" x 6" structural tubing with 3" x 3" angle on top.
- Floor:	1/4" grade 50 steel with 4 rows of 2" x 2" angle
Tailgate:	Heavy duty barn door type gate, hinged and lockable.
Axles:	2 – 25,000 lbs capacity axles.
Landing Gear:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
King Pin:	2" heavy duty.
Wheels & Tires:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.

	Standard Features	Description
	Suspension:	Heavy duty single point spring ride suspension
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Tarp System:	Automatic tarp system, with cab kit for in cab operation.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	3 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTDD30-45Y**

**Price: \$35,436.80**

Standard Features	Description
General	This Specification is for a GTDD302-30-45Y, 45-Yard, Tandem Axle, Demolition Dump Trailer. With a Maximum Capacity of 60,000 lbs and a Shipping Weight of 19,640 lbs +/- 3%.
Dimensions:	
- Overall Length:	30' 0" (360")
- Overall Width:	8' 6" (102")
- Overall Height:	10' 0" (120")
- Inner Width:	94"
- Front Wall Height:	54"
- Rear Wall Height:	72"
- King Pin Setting:	18"
- King Pin Height:	51"
Frame	
- Main Beam:	16" "I" beam
- Longitudinals:	6" 10 gauge grade 40 steel full length
- Floor Sills:	4" Jr. "I" beams on 12" centers
- Side Walls:	72" & 54" high, 10 gauge grade 50 steel and 4" x 6" structural tubing with 3" x 3" angle on top.
- Floor:	1/4" grade 50 steel with 4 rows of 2" x 2" angle
Tailgate:	Heavy duty barn door type gate, hinged and lockable.
Axles:	2 – 25,000 lbs capacity axles.
Landing Gear:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
King Pin:	2" heavy duty.
Wheels & Tires:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	Heavy duty single point spring ride suspension

	Standard Features	Description
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Tarp System:	Automatic tarp system, with cab kit for in cab operation.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	3 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTDD30-60Y**

**Price: \$37,986.60**

	Standard Features	Description
	General	This Specification is for a GTDD302-30-60Y, 60-Yard, Tandem Axle, Demolition Dump Trailer. With a Maximum Capacity of 60,000 lbs and a Shipping Weight of 20,100 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	30' 0" (360")
	- Overall Width:	8' 6" (102")
	- Overall Height:	12' 0" (144")
	- Inner Width:	94"
	- Front Wall Height:	78"
	- Rear Wall Height:	96"
	- King Pin Setting:	18"
	- King Pin Height:	51"
	Frame	
	- Main Beam:	16" "I" beam
	- Longitudinals:	6" 10 gauge grade 40 steel full length
	- Floor Sills:	4" Jr. "I" beams on 12" centers
	- Side Walls:	96" & 78" high, 10 gauge grade 50 steel and 4" x 6" structural tubing with 3" x 3" angle on top.
	- Floor:	1/4" grade 50 steel with 4 rows of 2" x 2" angle
	Tailgate:	Heavy duty barn door type gate, hinged and lockable.
	Axles:	2 – 25,000 lbs capacity axles.
	Landing Gear:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	King Pin:	2" heavy duty.
	Wheels & Tires:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
	Suspension:	Heavy duty single point spring ride suspension

	Standard Features	Description
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Tarp System:	Automatic tarp system, with cab kit for in cab operation.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	3 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTDD30-75Y**

**Price: \$41,456.00**

	Standard Features	Description
	General	This Specification is for a GTDD302-36-75Y, 75-Yard, Tandem Axle, Demolition Dump Trailer. With a Maximum Capacity of 60,000 lbs and a Shipping Weight of 24,100 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	36' 0" (432")
	- Overall Width:	8' 6" (102")
	- Overall Height:	12' 0" (144")
	- Inner Width:	94"
	- Front Wall Height:	54"
	- Rear Wall Height:	72"
	- King Pin Setting:	18"
	- King Pin Height:	51"
	Frame	
	- Main Beam:	16" "I" beam
	- Longitudinals:	6" 10 gauge grade 40 steel full length
	- Floor Sills:	4" Jr. "I" beams on 12" centers
	- Side Walls:	72" & 54" high, 10 gauge grade 50 steel and 4" x 6" structural tubing with 3" x 3" angle on top.
	- Floor:	1/4" grade 50 steel with 4 rows of 2" x 2" angle
	Tailgate:	Heavy duty barn door type gate, hinged and lockable.
	Axles:	2 – 25,000 lbs capacity axles.
	Landing Gear:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	King Pin:	2" heavy duty.
	Wheels & Tires:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.

	<b>Standard Features</b>	<b>Description</b>
	Suspension:	Heavy duty single point spring ride suspension
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Tarp System:	Automatic tarp system, with cab kit for in cab operation.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	3 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



Manufacturing Part #: GTDD35-100Y

Price: \$53,427.96

	Standard Features	Description
	General	This Specification is for a GTDD353-42-100Y, 100-Yard, Tri Axle, Demolition Dump Trailer With a Maximum Capacity of 70,000 lbs and a Shipping Weight of 28,900 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	42' 0" (504")
	- Overall Width:	8' 6" (102")
	- Overall Height:	12' 0" (144")
	- Inner Width:	94"
	- Front Wall Height:	78"
	- Rear Wall Height:	96"
	- King Pin Setting:	18"
	- King Pin Height:	51"
	Frame	
	- Main Beam:	16" "I" beam
	- Longitudinals:	6" 10 gauge grade 40 steel full length
	- Floor Sills:	4" Jr. "I" beams on 12" centers
	- Side Walls:	96" & 78" hight, 10 gauge grade 50 steel and 4" x 6" structural tubing with 3" x 3" angle on top.
	- Floor:	1/4" grade 50 steel with 4 rows of 2" x 2" angle
	Tailgate:	Heavy duty barn door type gate, hinged and lockable.
	Axles:	3 – 25,000 lbs capacity axles, front axle lift.
	Lnading Gear:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	King Pin:	2" heavy duty.
	Wheels & Tires:	2-speed landing gear, static load capacity 160,000 lbs, lifting capacity 50,000 lbs, side capacity 29,000 lbs.
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
	Suspension:	Heavy duty single point spring ride suspension
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.

	Standard Features	Description
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Tarp System:	Automatic tarp system, with cab kit for in cab operation.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	3 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

## Dump Trailer Options

Option for all models GTDD are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>TARP SYSTEM</b>				
*Automatic Tarp System	Electric Tarp w/ Truck Wiring Kit	\$0.00	\$0.00	\$0.00
Manual Tarp w/ Box	Manual Tarp Box Positioned on Front of Trailer	-\$2,184.05	\$436.81	-\$1,747.24
Tarp Box	18 x 24 x 48 Steel	\$653.13	-\$130.63	\$522.50
<b>EXTRA LENGTH, WIDTH, HEIGHT &amp; KITS</b>				
Extra Length	Extra Length Per Foot - Grade 50 Steel	\$679.25	-\$135.85	\$543.40
Extra Height	Extra Height Per Foot - Grade 50 Steel	\$1,828.75	-\$365.75	\$1,463.00
Side Board Extension Kit	Two - 2" x 12" x 10' Boards	\$1,959.38	-\$391.88	\$1,567.50
2' Steel Side Extension		\$5,225.00	-\$1,045.00	\$4,180.00
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
<b>COMPOSITE MAKE UP</b>				
Aluminum Trailer	Aluminum Trailer In Lieu of Standard	\$10,450.00	-\$2,090.00	\$8,360.00
*Grade 50 Mild Steel	1/4" Floor, 11 GA Sides	\$0.00	\$0.00	\$0.00
AR400	AR400 3/16 Material On Floor Only - Per Ft. In Lieu of Standard	\$164.63	-\$32.93	\$131.70
AR400	AR400 3/16 Material On Sides Only - Per Ft. In Lieu of Standard	\$276.66	-\$55.33	\$221.33
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$1,045.00	-\$209.00	\$836.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,515.25	-\$303.05	\$1,212.20
CARC Paint	Military CARC (chemical agent resistant coating)	\$3,082.75	-\$616.55	\$2,466.20
Camouflage Paint	Military Camouflage Paint	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Care Paint	Camouflage Military CARC (chemical agent resistant coating)	\$4,963.75	-\$992.75	\$3,971.00
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Air Ride Per Axle	Per Axle Air Ride - (In Lieu of Standard)	\$1,250.00	-\$250.00	\$1,000.00
Lift Axle	Price Per Lift Axle	\$4,500.00	-\$900.00	\$3,600.00
*Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>HYDARULICS</b>				
Self Contained Hydraulic System	Includes Motor, Pump, Battery, Hoses, Tank, Etc.	\$7,500.00	-\$1,500.00	\$6,000.00
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea. Axle)	\$374.11	-\$74.82	\$299.29
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$130.63	-\$26.13	\$104.50

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$365.75	-\$73.15	\$292.60
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$365.75	-\$73.15	\$292.60
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
275/70R x 22.5	275/70R x 22.5 - (In Lieu of Standard)	\$90.20	-\$18.04	\$72.16
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$235.13	-\$47.03	\$188.10
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (Prie Ea. - In Lieu of Steel Rims)	\$94.26	-\$18.85	\$75.41
*255/70R x 22.5	Standard Tire & Rim	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$52.25	-\$10.45	\$41.80
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$131.88	-\$26.38	\$105.50
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$350.00	-\$70.00	\$280.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$99.28	-\$19.86	\$79.42
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$141.08	-\$28.22	\$112.86
Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$653.13	-\$130.63	\$522.50
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,149.50	-\$229.90	\$919.60
Safety Night Light	Battery & Lighting Package	\$1,240.94	-\$248.19	\$992.75
Strobe Light	Magnet Mount Strobe & Plug	\$979.69	-\$195.94	\$783.75
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$522.50	-\$104.50	\$418.00
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,650.58	-\$330.12	\$1,320.46
<b>OTHER OPTIONS/ACCESSORIES</b>				
Dual Swing Gate	Gate Swings As Barn Door & As Gravel Gate	\$1,306.25	-\$261.25	\$1,045.00
Air Operated Gate	Locked and Operated with Pnuematics	\$1,875.00	-\$375.00	\$1,500.00
Hydarulic Operated Gate	Locked and Operated with Hydraulics	\$5,500.00	-\$1,100.00	\$4,400.00
Rear Shoot	Tapered Shoot for Dumping	\$783.75	-\$156.75	\$627.00
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$574.75	-\$114.95	\$459.80
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequecy Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## Narrow Fixed Neck Trailers




Manufacturing Part #: GTFV25

Price: \$24,578.50

	Standard Features	Description
	General	This Specification is for Model GTFS352-40, 35-Ton, 2 Axle, Fixed Neck-Trailer. Max Payload of 70,000 lbs in 12' Load Concentration and a Shipping Weight of 14,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	39' 9" (477")
	- Overall Width:	8' 6"
	- GN Length:	10' 9" (129")
	- GN Swing Clearance:	86"
	- Load Well Length:	25' (300")
	- Beavertail:	4' (48")
	- 5th Wheel Height:	49"
	- King Pin Setting:	16"
	- Ground Clearance:	16"
	- Deck Height:	38"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	16" "I" beam 50,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Structural channel.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16 1/2" x 7" air brakes w/ spring brakes & ABS system.
	Suspension:	Four (4) spring suspension.
	Beaver Tail:	48" steel covered with center tool box between ramps.
	Ramps:	24" x 60" spring assist & adjustable.

	Standard Features	Description
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	14 ea "D" Ring tie downs 5 ea side on main deck, 2 on gooseneck & 2 on beavertail..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.






**Manufacturing Part #: GTFV35**

**Price: \$28,882.22**

	Standard Features	Description
	General	This Specification is for Model GTFS352-40, 35-Ton, 2 Axle, Fixed Neck-Trailer. Max Payload of 70,000 lbs in 12' Load Concentration and a Shipping Weight of 14,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	39' 9" (477")
	- Overall Width:	8' 6"
	- GN Length:	10' 9" (129")
	- GN Swing Clearance:	86"
	- Load Well Length:	25' (300")
	- Beavertail:	4' (48")
	- 5th Wheel Height:	49"
	- King Pin Setting:	16"
	- Ground Clearance:	16"
	- Deck Height:	38"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	16" "I" beam 50,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Structural channel.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16 1/2" x 7" air brakes w/ spring brakes & ABS system.
	Suspension:	Four (4) spring suspension.
	Beaver Tail:	48" steel covered with center tool box between ramps.
	Ramps:	24" x 60" spring assist & adjustable.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.

	Standard Features	Description
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	14 ea "D" Ring tie downs 5 ea side on main deck, 2 on gooseneck & 2 on beavertail..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTFV50**

**Price: \$34,234.30**

Standard Features	Description
General	This Specification is for Model GTFS503-46-36, 50-Ton, 3 Axle, Fixed Neck Trailer. Max Payload of 100,000 lbs in 12' Load Concentration and a Shipping Weight of 18,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	46' 9" (561")
- Overall Width:	8' 6"
- GN Length:	10' 9" (129")
- GN Swing Clearance:	86"
- Load Well Length:	32' (372")
- Beavertail:	4' (48")
- 5th Wheel Height:	49"
- King Pin Setting:	16"
- Ground Clearance:	16"
- Deck Height:	36"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" "I" beam 50,000 PSI.
- Cross Members:	Jr. "I" beams on 12" Centers
- Side Rail:	Structural channel.
Axles:	3 – 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16 1/2" x 7" air brakes w/ spring brakes & ABS system.
Suspension:	Six (6) spring suspension.
Beaver Tail:	48" steel covered with center tool box between ramps.
Ramps:	24" x 60" spring assist & adjustable.
Landing Gear:	2 - 50,000 lb dual speed jacks.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.

	Standard Features	Description
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 6 ea side on main deck, 2 on gooseneck & 2 on beavertail..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTFV60**

**Price: \$46,810.42**

	Standard Features	Description
	General	This Specification is for Model GTFV603-48, 60-Ton, 3 Axle, Fixed Neck Trailer. Max Payload of 120,000 lbs in 12' Load Concentration and a Shipping Weight of 21,300 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	46' 9" (561")
	- Overall Width:	8' 6"
	- GN Length:	10' 9" (129")
	- GN Swing Clearance:	86"
	- Load Well Length:	32' (372")
	- Beavertail:	4' (48")
	- 5th Wheel Height:	49"
	- King Pin Setting:	16"
	- Ground Clearance:	16"
	- Deck Height:	40"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	Fabricated "I" beam 80,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Fabricated "I" beam, 80,000 PSI.
	Axles:	3 – 30,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16 1/2" x 7" air brakes w/ spring brakes.
	Suspension:	30,000 lb heavy duty spring walking beam.
	Beaver Tail:	48" steel covered with center tool box between ramps.
	Ramps:	24" x 60" spring assist & adjustable.
	Landing Gear:	2 - 50,000 lb dual speed jacks.

	Standard Features	Description
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	8 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck & 2 on beavertail..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



Manufacturing Part #: GTFV70

Price: \$58,029.20

Standard Features	Description
General	This Specification is for Model GTFV703-48, 70-Ton, 4 Axle, Fixed Neck Trailer. Max Payload of 140,000 lbs in 12' Load Concentration and a Shipping Weight of 25,300 lbs +/- 3%.
Dimensions:	
- Overall Length:	46' 9" (561")
- Overall Width:	8' 6"
- GN Length:	10' 9" (129")
- GN Swing Clearance:	86"
- Load Well Length:	32' (300")
- Beavertail:	4' (48")
- 5th Wheel Height:	49"
- King Pin Setting:	16"
- Ground Clearance:	16"
- Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	Fabricated "I" beam 80,000 PSI.
- Cross Members:	Jr. "I" beams on 12" Centers
- Side Rail:	Fabricated "I" beam, 80,000 PSI.
Axles:	4 – 30,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 315/80R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 9 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16 1/2" x 7" air brakes w/ spring brakes.
Suspension:	30,000 lb heavy duty spring walking beam.
Beaver Tail:	48" steel covered with center tool box between ramps.
Ramps:	24" x 60" spring assist & adjustable.
Landing Gear:	2 - 50,000 lb dual speed jacks.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.

	Standard Features	Description
	Tie Downs:	8 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck & 2 on beavertail..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



## Narrow Fixed Neck Trailer Options

Option for all models GTFV are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>UPPER DECK/GOOSNECK</b>				
Non-Standard Gooseneck	Standard (86", 98", & 110")	\$888.25	-\$177.65	\$710.60
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,612.50	-\$522.50	\$2,090.00
Steel Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$470.25	-\$94.05	\$376.20
Aluminum Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$783.75	-\$156.75	\$627.00
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,090.00	-\$418.00	\$1,672.00
3 1/2" King Pin	3 1/2" King Pin - In Lieu of Standard	\$365.75	-\$73.15	\$292.60
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,455.75	-\$491.15	\$1,964.60
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,978.25	-\$595.65	\$2,382.60
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
Deck Over Neck	Full Covered Deck Over Neck, 102" Wide, Wood Covered w/ Slope	\$6,792.50	-\$1,358.50	\$5,434.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$466.73	-\$93.35	\$373.38
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$881.59	-\$176.32	\$705.27
Track Guides	Multi Position Track Guides	\$1,037.16	-\$207.43	\$829.73
Center Outrigger Boards	Center Outrigger Boards Used for Widening the Trailer Deck Space	\$414.87	-\$82.97	\$331.90
Outrigger Extensions	Swing Out Outrigger Extensions	\$881.59	-\$176.32	\$705.27
Outrigger Boards	Outrigger Boards with Hand Holders	\$912.70	-\$182.54	\$730.16
Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$518.58	-\$103.72	\$414.86
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out, Price Ea In Lieu of Standard	\$12.97	-\$2.59	\$10.38
Manual Tilt Deck	Pin Release, Drops Down Manually, No Ramps	\$881.59	-\$176.32	\$705.27
Hydraulic Tilt Deck	Pin Release, Operates & Tilts Using Hydraulics, No Ramps	\$1,918.76	-\$383.75	\$1,535.01
2' Fixed Outriggers	2' Fixed Outriggers Spring Securing Device - Price Ea In Lieu of Standard	\$156.30	-\$31.26	\$125.04
Extendable Deck	Optional Extended Lengths up to 50+ Feet	\$21,391.47	-\$4,278.29	\$17,113.18
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading - (Price Ea.)	\$25.93	-\$5.19	\$20.74
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section - (Price Ea.)	\$466.73	-\$93.35	\$373.38

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Double Drop in Deck	Load Well Drops Down Lower than Rear Deck for Height Clearance Price Per 1' Drop Section	\$2,592.91	-\$518.58	\$2,074.33
<b>REAR DECK OVER AXLES &amp; ACCESSORIES</b>				
Open Rear Deck W/ Bolsters	Load Bearing Bolsters	\$518.58	-\$103.72	\$414.86
Rumber Covered Rear Deck	Load Bearing, Covered Over Axles -(Price Per Ft)	\$77.79	-\$15.56	\$62.23
Steel Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$62.23	-\$12.45	\$49.78
Removable Rear Deck	One Piece Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$103.72	-\$20.74	\$82.98
Single Wheel Removable Covers	Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$881.59	-\$176.32	\$705.27
Aluminum Removable Rear Deck Covers	One Piece Aluminum Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$180.47	-\$36.09	\$144.38
Aluminum Single Wheel Removable Covers	Aluminum Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$1,918.76	-\$383.75	\$1,535.01
Aluminum Dress Up Package	Aluminum Dress Up Package for Rear Deck, Includes Wheel Covers, Rear Bumper, etc	\$2,592.91	-\$518.58	\$2,074.33
Flip/Stinger Single Axle Set Up	Single Axle Flip/Stinger 14' 1 Spread Rear Reinforcement/Set Up, Air & Electrical	\$1,918.76	-\$383.75	\$1,535.01
*49" Axle Spacing	Standard Axle Spacing For Trailers	\$0.00	\$0.00	\$0.00
50" to 64" Axle Spacing	Optional Axle Spacing Add's To Overall Length	\$1,296.46	-\$259.29	\$1,037.17
Hydraulic Flip Axle Set Up	Set Up For Hydraulic Flip Axle (Includes, Hydraulics, Frame Reinforcement, Air, Electrical)	\$3,889.36	-\$777.87	\$3,111.49
Hydraulic Flip Tail	Hydraulic Flip Tail, 8' 1" Flip Tail w/ 4' Flip Extension	\$11,343.97	-\$2,268.79	\$9,075.18
Tool Box	Tool Box Mounted In Rear of Trailer Before Rear Crossmember - (Price Ea.)	\$466.73	-\$93.35	\$373.38
<b>FRONT &amp; REAR RAMPS</b>				
Hydraulic Ramp System	Self Contained with Pump & Battery, Charger Kit for Truck	\$2,126.58	-\$425.32	\$1,701.26
Beavertail	Beaver Tail, Steel Covered, w/ Traction Bars Price Per Foot	\$457.19	-\$91.44	\$365.75
New 24 x 60 Ramps	Angle Iron Cleated	\$1,240.94	-\$248.19	\$992.75
New 32 x 60 Ramps	Angle Iron Cleated	\$1,502.19	-\$300.44	\$1,201.75
New 32 x 72 Ramps	Angle Iron Cleated	\$1,763.44	-\$352.69	\$1,410.75
New 32 x 84 Ramps	Angle Iron Cleated	\$2,024.69	-\$404.94	\$1,619.75
New 32 x 96 Ramps	Angle Iron Cleated	\$2,285.94	-\$457.19	\$1,828.75
New 36 x 60 Ramps	Angle Iron Cleated	\$1,632.81	-\$326.56	\$1,306.25
New 36 x 72 Ramps	Angle Iron Cleated	\$2,024.69	-\$404.94	\$1,619.75
New 36 x 84 Ramps	Angle Iron Cleated	\$2,416.56	-\$483.31	\$1,933.25
New 36 x 96 Ramps	Angle Iron Cleated	\$2,808.44	-\$561.69	\$2,246.75
New 48 x 60 Ramps	Angle Iron Cleated	\$2,285.94	-\$457.19	\$1,828.75
New 48 x 72 Ramps	Angle Iron Cleated	\$2,677.81	-\$535.56	\$2,142.25
New 48 x 84 Ramps	Angle Iron Cleated	\$3,069.69	-\$613.94	\$2,455.75
New 48 x 96 Ramps	Angle Iron Cleated	\$3,461.56	-\$692.31	\$2,769.25

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
*Cleated Self Cleaning Ramps	1/4" x 3" Angle Iron	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$97.97	-\$19.59	\$78.38
Apitong Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$84.91	-\$16.98	\$67.93
Oak Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$52.25	-\$10.45	\$41.80
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,959.38	-\$391.88	\$1,567.50
10' Wide	Overall Trailer Width	\$2,873.75	-\$574.75	\$2,299.00
11' Wide	Overall Trailer Width	\$4,571.88	-\$914.38	\$3,657.50
12' Wide	Overall Trailer Width	\$5,878.13	-\$1,175.63	\$4,702.50
Extra Length	Extra Length Cost Up to 53' Trailer (Other Lengths Available but Special Pricing Applies)	\$470.25	-\$94.05	\$376.20
Extra Length Over 53' Long	Extra Length Cost Per Foot Over 53' OAL, Up to 60' (Other Lengths Available but Special Pricing Applies)	\$1,306.25	-\$261.25	\$1,045.00
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2"Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
Carriage Bolts with Clamps		\$653.13	-\$130.63	\$522.50
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Spring Ride Per Axle	Spring Ride Trailer - (In Lieu of Walking Beam Per Axle)	-\$707.73	\$141.55	-\$566.18
Air Ride Per Axle	Air Ride Trailer - (In Lieu of Spring Ride Per Axle)	\$1,469.53	-\$293.91	\$1,175.62
Walking Beam Per Axle	Walking Beam - (In Lieu of Air Ride Per Axle)	\$761.81	-\$152.36	\$609.45
Sliding Axle Trailer	Axle Slides from 49" Spacing to 121" Spacing, 78" Travel - Other Sliding Options Available At Same Price	\$2,299.00	-\$459.80	\$1,839.20
Spread Axle Fixed	Fixed Spread Axle Std. 121" Spread Other Spreads Available At Same Price	\$1,254.00	-\$250.80	\$1,003.20
Additional Axles	Fixed Axle Added On Trailer Air Ride	\$11,103.13	-\$2,220.63	\$8,882.50
Air Ride Adjustment	Automatic air ride leveling system	\$1,045.00	-\$209.00	\$836.00
Air Gauge	Air Gauge Pressure Gauge	\$261.25	-\$52.25	\$209.00
Front Axle Lift	25,000# Air Lift with Control Valve on Driver Side - In Lieu of Spring	\$2,873.75	-\$574.75	\$2,299.00
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$862.13	-\$172.43	\$689.70
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$574.75	-\$114.95	\$459.80
30K Suspension Per Axle	Price Per Axle	\$888.25	-\$177.65	\$710.60
30K Air Bags	Price Per Axle	\$135.85	-\$27.17	\$108.68
Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$47.03	-\$9.41	\$37.62
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$83.60	-\$16.72	\$66.88
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$1,567.50	-\$313.50	\$1,254.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizes Available - (Price Each)	\$88.30	-\$17.66	\$70.64
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$102.39	-\$20.48	\$81.91
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.84	-\$1.57	\$6.27
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$522.50	-\$104.50	\$418.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$10.45	-\$2.09	\$8.36
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers) - (Price Each)	\$186.53	-\$37.31	\$149.22
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,939.26	-\$3,987.85	\$15,951.41
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea. Axle)	\$374.11	-\$74.82	\$299.29
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$130.63	-\$26.13	\$104.50
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$365.75	-\$73.15	\$292.60

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$365.75	-\$73.15	\$292.60
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (Price Ea - In Lieu of Steel Rims)	\$235.13	-\$47.03	\$188.10
*235/70R x 17.5 Tires	Standard Tire 235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires - (Price Ea - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
275/70R x 22.5	275/70R x 22.5 - (Price Ea. - In Lieu of Standard)	\$94.26	-\$18.85	\$75.41
255/70R x 22.5	255/70R x 22.5 - (Price Ea - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$52.25	-\$10.45	\$41.80
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$131.88	-\$26.38	\$105.50
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$365.75	-\$73.15	\$292.60
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$783.75	-\$156.75	\$627.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,149.50	-\$229.90	\$919.60
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Paint	Military Camouflage Paint	\$1,567.50	-\$313.50	\$1,254.00
Camouflage Carc Paint	Camouflage Military CARC (chemical agent resistant coating)	\$3,918.75	-\$783.75	\$3,135.00
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$94.29	-\$18.86	\$75.43
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$133.99	-\$26.80	\$107.19
Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$522.50	-\$104.50	\$418.00
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,091.75	-\$218.35	\$873.40
Safety Night Light	Battery & Lighting Package	\$1,178.59	-\$235.72	\$942.87
Strobe Light	Magnet Mount Strobe & Plug	\$930.47	-\$186.09	\$744.38
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$496.25	-\$99.25	\$397.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,567.65	-\$313.53	\$1,254.12
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,191.00	-\$238.20	\$952.80
Wireless Remote Control	Optional Funtions Available Set Up To	\$872.41	-\$174.48	\$697.93
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea.)	\$574.75	-\$114.95	\$459.80
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$339.63	-\$67.93	\$271.70
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$574.75	-\$114.95	\$459.80
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide - (Price Per Set)	\$2,351.25	-\$470.25	\$1,881.00
Aluminum Headrack	Includes Tool Box in Bottom & Chain Storage	\$3,657.50	-\$731.50	\$2,926.00
Steel Headrack - 36"	Straight, No Turn Back	\$1,254.00	-\$250.80	\$1,003.20
Steel Headrack - 36"	Turn Back	\$1,881.00	-\$376.20	\$1,504.80
Steel Headrack - 48"	Straight, No Turn Back	\$1,463.00	-\$292.60	\$1,170.40
Steel Headrack - 48"	Turn Back	\$2,090.00	-\$418.00	\$1,672.00
Oil Field Rollers	Price Each Roller	\$888.25	-\$177.65	\$710.60
Tarp System	Includes, Tarp, Bows, Ties	\$4,859.25	-\$971.85	\$3,887.40
Side Kit	1/2" Plywood CDX Panels Painted to Match Trailer Color w/ Anodized stakes, Bulkhead Retention Panel for Stake Storage, Four Chains with Grab Hooks and Rack	\$3,027.13	-\$605.43	\$2,421.70
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequency Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | www.globetrailers.com

## **Hydraulic Tail Trailers**




**Manufacturing Part #: GTFH25**

**Price: \$43,119.64**

	Standard Features	Description
	General	This Specification is for Model GTFH252-42-22, 25-Ton, 2 Axle, Hydraulic Tail Trailer. Max Payload of 50,000 lbs in 10' Load Concentration and a Shipping Weight of 15,500 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	41' 3" (495")
	- Overall Width:	8' 6"
	- GN Length:	11' 2" (134")
	- GN Swing Clearance:	86"
	- Load Well Length:	22' (264")
	- Hydraulic Tail:	8' 1" (99")
	- 5th Wheel Height:	49"
	- Flip Under Ramp:	4' (48")
	- King Pin Setting:	16"
	- Ground Clearance:	10"
	- Deck Height:	36"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	Fabricated "I" beam 80,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Fabricated "I" beam, 80,000 PSI.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 235/75R x 17.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
	Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
	Landing Gear:	2 - 50,000 lb dual speed jacks.

	Standard Features	Description
	Rear Folding Tail:	Total 12' 1" hydraulic tail with 8' 1" of top platform & 4' flip under. Tail will lift 20,000 lbs. 4' back from the hinge pin with automatic locking device. Rear hydraulic flip out extended ramp load bearing with ¼" steel tread plate covering with 15° loading angle.
	Suspension:	Air Ride.
	Hydraulics:	Wet-line setup for tractor
	Winch:	12,000# hydraulic winch mounted front center of the upper deck. Controls to be located on the driver's side of the upper deck. 60' of ½" steel cable to meet the rating of the winch be installed with pivoting cable roller guide.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	10 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.





**Manufacturing Part #: GTFH35**

**Price: \$43,922.20**

	Standard Features	Description
	General	This Specification is for Model GTFH352-46-26, 35-Ton, 2 Axle, Hydraulic Tail Trailer. Max Payload of 70,000 lbs in 12' Load Concentration and a Shipping Weight of 16,600 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	45' 3" (540")
	- Overall Width:	8' 6"
	- GN Length:	11' 2" (134")
	- GN Swing Clearance:	86"
	- Load Well Length:	26' (264")
	- Hydraulic Tail:	8' 1" (99")
	- 5th Wheel Height:	49"
	- Flip Under Ramp:	4' (48")
	- King Pin Setting:	16"
	- Ground Clearance:	10"
	- Deck Height:	36"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	Fabricated "I" beam 80,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Fabricated "I" beam, 80,000 PSI.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 235/75R x 17.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
	Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Rear Folding Tail:	Total 12' 1" hydraulic tail with 8' 1" of top platform & 4' flip under. Tail will lift 20,000 lbs. 4' back from the hinge pin with automatic locking device. Rear hydraulic flip out extended ramp load bearing with 1/4" steel tread plate covering with 15° loading angle.
	Suspension:	Air Ride

	Standard Features	Description
	Hydraulics:	Wet-line setup for tractor
	Winch:	12,000# hydraulic winch mounted front center of the upper deck. Controls to be located on the driver's side of the upper deck. 60' of ½" steel cable to meet the rating of the winch be installed with pivoting cable roller guide.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	10 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck..
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFH50

Price: \$49,356.20

Standard Features	Description
General	This Specification is for Model GTFH503-46-26, 50-Ton, 3 Axle, Hydraulic Tail Trailer. Max Payload of 100,000 lbs in 12' Load Concentration and a Shipping Weight of 19,600 lbs +/- 3%.
Dimensions:	
- Overall Length:	45' 3" (540")
- Overall Width:	8' 6"
- GN Length:	11' 2" (134")
- GN Swing Clearance:	86"
- Load Well Length:	26' (264")
- Hydraulic Tail:	8' 1" (99")
- 5th Wheel Height:	49"
- Flip Under Ramp:	4' (48")
- King Pin Setting:	16"
- Ground Clearance:	10"
- Deck Height:	36"
- Axle Spacing:	49"
Frame	
- Main Beam:	Fabricated "I" beam 80,000 PSI.
- Cross Memebers:	Jr. "I" beams on 12" Centers
- Side Rail:	Fabricated "I" beam, 80,000 PSI.
Axles:	3 -- 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 235/75R x 17.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
Landing Gear:	2 - 50,000 lb dual speed jacks.
Rear Folding Tail:	Total 12' 1" hydraulic tail with 8' 1" of top platform & 4' flip under. Tail will lift 20,000 lbs. 4' back from the hinge pin with automatic locking device. Rear hydraulic flip out extended ramp load bearing with 1/4" steel tread plate covering with 15° loading angle.
Suspension:	Air Ride
Hydraulics:	Wet-line setup for tractor
Winch:	20,000# hydraulic winch mounted front center of the upper deck. Controls to be located on the driver's side of the upper deck. 60' of 1/2" steel cable to meet the rating of the winch be installed with pivoting cable roller guide.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	10 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck..

	Standard Features	Description
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFH60

Price: \$54,012.72

Standard Features	Description
General	This Specification is for Model GTFH603-46-26, 60-Ton, 3 Axle, Hydraulic Tail Trailer. Max Payload of 120,000 lbs in 12' Load Concentration and a Shipping Weight of 20,600 lbs +/- 3%.
Dimensions:	
- Overall Length:	45' 3" (540")
- Overall Width:	8' 6"
- GN Length:	11' 2" (134")
- GN Swing Clearance:	86"
- Load Well Length:	26' (264")
- Hydraulic Tail:	8' 1" (99")
- 5th Wheel Height:	49"
- Flip Under Ramp:	4' (48")
- King Pin Setting:	16"
- Ground Clearance:	10"
- Deck Height:	38"
- Axle Spacing:	49"
Frame	
- Main Beam:	Fabricated "I" beam 100,000 PSI.
- Cross Members:	Jr. "I" beams on 12" Centers
- Side Rail:	Fabricated "I" beam, 100,000 PSI.
Axles:	3 - 30,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16 1/2" x 7" air brakes w/ spring brakes.
Landing Gear:	2 - 50,000 lb dual speed jacks.
Rear Folding Tail:	Total 12' 1" hydraulic tail with 8' 1" of top platform & 4' flip under. Tail will lift 20,000 lbs. 4' back from the hinge pin with automatic locking device. Rear hydraulic flip out extended ramp load bearing with 1/4" steel tread plate covering with 15° loading angle.
Suspension:	Air Ride
Hydraulics:	Wet-line setup for tractor
Winch:	20,000# hydraulic winch mounted front center of the upper deck. Controls to be located on the driver's side of the upper deck. 60' of 1/2" steel cable to meet the rating of the winch be installed with pivoting cable roller guide.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	10 ea "D" Ring tie downs 4 ea side on main deck, 2 on gooseneck..

	Standard Features	Description
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

## Hydraulic Tail Trailer Options

Option for all models GTFH are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>UPPER DECK/GOOSNECK</b>				
Non-Standard Gooseneck	Standard (86", 98", & 110")	\$843.63	-\$168.73	\$674.90
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,481.25	-\$496.25	\$1,985.00
Steel Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$446.63	-\$89.33	\$357.30
Aluminum Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$744.38	-\$148.88	\$595.50
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,000.00	-\$400.00	\$1,600.00
3 1/2" King Pin	3 1/2" King Pin - In Lieu of Standard	\$347.38	-\$69.48	\$277.90
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,332.38	-\$466.48	\$1,865.90
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,828.63	-\$565.73	\$2,262.90
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$888.25	-\$177.65	\$710.60
Track Guides	Multi Position Track Guides	\$1,045.00	-\$209.00	\$836.00
Outrigger Extensions	Swing Out Outrigger Extensions	\$888.25	-\$177.65	\$710.60
Outrigger Boards	Outrigger Boards with Hand Holders	\$919.60	-\$183.92	\$735.68
Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$522.50	-\$104.50	\$418.00
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out - (Price Ea - In Lieu of Standard)	\$13.06	-\$2.61	\$10.45
2' Fixed Outriggers	Fabricated 2' Fixed Outriggers Spring Securing Device - (Price Ea In Lieu of Standard)	\$157.48	-\$31.50	\$125.98
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading - (Price Ea.)	\$26.13	-\$5.23	\$20.90
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section, - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Double Drop in Deck	Load Well Drops Down Lower than Rear Deck for Height Clearance Price Per 1' Drop Section	\$2,612.50	-\$522.50	\$2,090.00
Drop Deck	(6" Drop, Approx 10° Angle), (12" Drop Approx 12° Angle)	\$2,612.50	-\$522.50	\$2,090.00
6' Hyd. Recessed Upper Deck Ramp	Includes 90° Neck	\$3,657.50	-\$731.50	\$2,926.00
8' Hyd. Recessed Upper Deck Ramp	Includes 90° Neck (Required with 6" Drop Deck)	\$3,918.75	-\$783.75	\$3,135.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
10' Hyd. Recessed Up- per Deck Ramp	Includes 90° Neck (Required with 12" Drop Deck)	\$4,180.00	-\$836.00	\$3,344.00
<b>REAR DECK &amp; ACCESSORIES</b>				
Open Rear Deck W/ Bolsters	Load Bearing Bolsters	\$522.50	-\$104.50	\$418.00
Rumber Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$78.38	-\$15.68	\$62.70
Steel Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$62.70	-\$12.54	\$50.16
Removable Rear Deck	One Piece Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$104.50	-\$20.90	\$83.60
Single Wheel Removable Covers	Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$888.25	-\$177.65	\$710.60
Aluminum Removable Rear Deck Covers	One Piece Aluminum Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$181.83	-\$36.37	\$145.46
Aluminum Single Wheel Removable Covers	Aluminum Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$1,933.25	-\$386.65	\$1,546.60
Aluminum Dress Up Package	Aluminum Dress Up Package for Rear Deck, In- cludes Wheel Covers, Rear Bumper, etc	\$2,612.50	-\$522.50	\$2,090.00
Flip/Stinger Single Axle Set Up	Single Axle Flip/Stinger 14' 1 Spread Rear Reinforce- ment/Set Up, Air & Electrical	\$1,933.25	-\$386.65	\$1,546.60
*49" Axle Spacing	Standard Axle Spacing For Trailers	\$0.00	\$0.00	\$0.00
50" to 64" Axle Spacing	Optional Axle Spacing Add's To Overall Length	\$1,306.25	-\$261.25	\$1,045.00
Tool Box	Tool Box Mounted In Rear of Trailer Before Rear Crossmember - (Price Ea.)	\$470.25	-\$94.05	\$376.20
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,959.38	-\$391.88	\$1,567.50
10' Wide	Overall Trailer Width	\$2,873.75	-\$574.75	\$2,299.00
11' Wide	Overall Trailer Width	\$4,571.88	-\$914.38	\$3,657.50
12' Wide	Overall Trailer Width	\$5,878.13	-\$1,175.63	\$4,702.50
Extra Length	Extra Length Cost Up to 53' Trailer (Other Lengths Available but Special Pricing Applies)	\$470.25	-\$94.05	\$376.20
Extra Length Over 53' Long	Extra Length Cost Per Foot Over 53' OAL, Up to 60' (Other Lengths Available but Special Pricing Applies)	\$1,306.25	-\$261.25	\$1,045.00
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2" Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
Carriage Bolts with Clamps		\$653.13	-\$130.63	\$522.50



MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Spring Ride Per Axle	Spring Ride Trailer - (In Lieu of Air Ride Per Axle)	\$1,469.53	-\$293.91	\$1,175.62
Walking Beam Per Axle	Walking Beam - (In Lieu of Air Ride Per Axle)	\$761.81	-\$152.36	\$609.45
Additional Axles	Fixed Axle Added On Trailer Air Ride	\$11,103.13	-\$2,220.63	\$8,882.50
Air Ride Adjustment	Automatic air ride leveling system	\$1,045.00	-\$209.00	\$836.00
Air Gauge	Air Gauge Pressure Guage	\$261.25	-\$52.25	\$209.00
Front Axle Lift	25,000# Air Lift with Control Valve on Driver Side - (In Lieu of Spring)	\$2,873.75	-\$574.75	\$2,299.00
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$862.13	-\$172.43	\$689.70
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$574.75	-\$114.95	\$459.80
30K Suspension Per Axle	Price Per Axle	\$888.25	-\$177.65	\$710.60
30K Air Bags	Price Per Axle	\$135.85	-\$27.17	\$108.68
*Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$47.03	-\$9.41	\$37.62
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$83.60	-\$16.72	\$66.88
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$1,567.50	-\$313.50	\$1,254.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizex Available - (Price Each)	\$88.30	-\$17.66	\$70.64
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$102.39	-\$20.48	\$81.91
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.84	-\$1.57	\$6.27
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$522.50	-\$104.50	\$418.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$10.45	-\$2.09	\$8.36
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers) - (Price Each)	\$186.53	-\$37.31	\$149.22
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,939.26	-\$3,987.85	\$15,951.41

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea. Axle)	\$374.11	-\$74.82	\$299.29
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$130.63	-\$26.13	\$104.50
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$365.75	-\$73.15	\$292.60
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$365.75	-\$73.15	\$292.60
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (Price Ea. - In Lieu of Steel Rims)	\$235.13	-\$47.03	\$188.10
*235/70R x 17.5 Tires	Standard Tire 235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires - (Price Ea. - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
275/70R x 22.5	275/70R x 22.5 Tires & Rim - (Price Ea. - In Lieu of Standard)	\$94.26	-\$18.85	\$75.41
255/70R x 22.5	255/70R x 22.5 Tires & Rim - (Price Ea - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$52.25	-\$10.45	\$41.80
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$131.88	-\$26.38	\$105.50
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$365.75	-\$73.15	\$292.60
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$783.75	-\$156.75	\$627.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,149.50	-\$229.90	\$919.60
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Paint	Military Camouflage Paint	\$1,567.50	-\$313.50	\$1,254.00
Camouflage Carc Paint	Camoufage Military CARC (chemical agent resistant coating)	\$3,918.75	-\$783.75	\$3,135.00
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$99.28	-\$19.86	\$79.42
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$141.08	-\$28.22	\$112.86
*Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$0.00	\$0.00	\$0.00
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,149.50	-\$229.90	\$919.60
Safety Night Light	Battery & Lighting Package	\$1,240.94	-\$248.19	\$992.75
Strobe Light	Magnet Mount Strobe & Plug	\$979.69	-\$195.94	\$783.75

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$522.50	-\$104.50	\$418.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,650.58	-\$330.12	\$1,320.46
4 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$918.56	-\$183.71	\$734.85
6 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$1,886.23	-\$377.25	\$1,508.98
10 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$3,814.25	-\$762.85	\$3,051.40
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
<b>HYDRAULICS</b>				
<b>*Wet Line</b>	<b>Straight Wet Line, 3000 PSI @ 10 Gallons Per Min to Operate Full Load</b>	<b>\$0.00</b>	<b>\$0.00</b>	<b>\$0.00</b>
11 Hp Honda Gas Motor		\$1,933.25	-\$386.65	\$1,546.60
13 Hp Honda Gas Motor		\$2,978.25	-\$595.65	\$2,382.60
10 Hp Yanmar Diesel Motor		\$4,284.50	-\$856.90	\$3,427.60
20 to 18 Hp Engine		\$7,158.25	-\$1,431.65	\$5,726.60
Hydraulic Pressure Gauge	Mounted On Trailer, Rear PSI	\$198.55	-\$39.71	\$158.84
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea)	\$574.75	-\$114.95	\$459.80
Dock Levelers Hydraulic	Dock levelers, 62,000 lb capacity, independent	\$4,451.70	-\$890.34	\$3,561.36
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$339.63	-\$67.93	\$271.70
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$574.75	-\$114.95	\$459.80
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide - (Price Per Set)	\$2,351.25	-\$470.25	\$1,881.00
Aluminum Headrack	Includes Tool Box in Bottom & Chain Storage	\$3,657.50	-\$731.50	\$2,926.00
Steel Headrack - 36"	Straight, No Turn Back	\$1,254.00	-\$250.80	\$1,003.20
Steel Headrack - 36"	Turn Back	\$1,881.00	-\$376.20	\$1,504.80
Steel Headrack - 48"	Straight, No Turn Back	\$1,463.00	-\$292.60	\$1,170.40
Steel Headrack - 48"	Turn Back	\$2,090.00	-\$418.00	\$1,672.00
Oil Field Rollers	Price Each Roller	\$888.25	-\$177.65	\$710.60
Tarp System	Includes, Tarp, Bows, Ties	\$2,540.80	-\$508.16	\$2,032.64
Side Kit	1/2" Plywood CDX Panels Painted to Match Trailer Color w/ Anodized stakes, Bulkhead Retention Panel for Stake Storage, Four Chains with Grab Hooks and Rack	\$3,027.13	-\$605.43	\$2,421.70
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequency Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## Flatbed Trailers



Manufacturing Part #: GTFF40

Price: \$27,461.36

	Standard Features	Description
	General	This Specification is for Model GTFF402-48, 40-Ton, 2 Axle, Flatbed Trailer. Max Payload of 80,000 lbs distributed and 60,000 in 10' Load Concentration and a Shipping Weight of 10,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	48' 0" (576")
	- Overall Width:	8' 6"
	- 5th Wheel Height:	49"
	- King Pin Setting:	16"
	- Ground Clearance:	16"
	- Deck Height:	59"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	Fabricated "I" beam 80,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	6" channel.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 11R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16 1/2" x 7" air brakes w/ spring brakes.
	Suspension:	4 spring suspension.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.


	Standard Features	Description
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)



**Manufacturing Part #: GTFS40**

**Price: \$29,919.20**

	Standard Features	Description
	General	This Specification is for Model GTFS402-45, 40-Ton, 2 Axle, Flatbed Trailer. Max Payload of 80,000 lbs distributed and 60,000 in 10' Load Concentration and a Shipping Weight of 12,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	45' 0" (540")
	- Overall Width:	8' 6"
	- 5th Wheel Height:	49"
	- King Pin Setting:	16"
	- Ground Clearance:	12"
	- Deck Height:	40"
	- Axle Spacing:	49"
	Frame	
	- Main Beam:	Fabricated "I" beam 80,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	6" channel.
	Axles:	2 - 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 8 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16 1/2" x 7" air brakes w/ spring brakes.
	Suspension:	4 spring suspension.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.

	Standard Features	Description
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	5 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



## Flatbed & Drop Deck Trailer Options

Option for all models GTFF & GTFS are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>COMPOSITE MAKE UP</b>				
Combo Trailer Steel/ Aluminum	Combo Trailer Steel/Aluminum - (In Lieu of Standard)	\$6,792.50	-\$1,358.50	\$5,434.00
All Aluminum Trailer	All Aluminum Trailer - (In Lieu of Standard)	\$10,450.00	-\$2,090.00	\$8,360.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$888.25	-\$177.65	\$710.60
Track Guides	Multi Position Track Guides	\$1,045.00	-\$209.00	\$836.00
Outrigger Extensions	Swing Out Outrigger Extensions	\$888.25	-\$177.65	\$710.60
Outrigger Boards	Outrigger Boards with Hand Holders	\$919.60	-\$183.92	\$735.68
Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$522.50	-\$104.50	\$418.00
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out - (Price Ea - In Lieu of Standard)	\$13.06	-\$2.61	\$10.45
2' Fixed Outriggers	Fabricated 2' Fixed Outriggers Spring Securing Device - (Price Ea In Lieu of Standard)	\$157.48	-\$31.50	\$125.98
Extendable Deck	Optional Extended Lengths up to 50+ Feet	\$21,553.13	-\$4,310.63	\$17,242.50
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading (Price Ea.)	\$26.13	-\$5.23	\$20.90
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,612.50	-\$522.50	\$2,090.00
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,090.00	-\$418.00	\$1,672.00
3 1/2" King Pin	3 1/2" King Pin - (In Lieu of Standard)	\$365.75	-\$73.15	\$292.60
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,455.75	-\$491.15	\$1,964.60
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,978.25	-\$595.65	\$2,382.60
<b>REAR RAMPS</b>				
Hydraulic Ramp System	Self Contained with Pump & Battery, Charger Kit for Truck	\$2,126.58	-\$425.32	\$1,701.26
Beavertail	Beaver Tail, Steel Covered, w/ Traction Bars Price Per Foot	\$457.19	-\$91.44	\$365.75
New 24 x 60 Ramps	Angle Iron Cleated	\$1,240.94	-\$248.19	\$992.75
New 32 x 60 Ramps	Angle Iron Cleated	\$1,502.19	-\$300.44	\$1,201.75
New 32 x 72 Ramps	Angle Iron Cleated	\$1,763.44	-\$352.69	\$1,410.75
New 32 x 84 Ramps	Angle Iron Cleated	\$2,024.69	-\$404.94	\$1,619.75
New 32 x 96 Ramps	Angle Iron Cleated	\$2,285.94	-\$457.19	\$1,828.75
New 36 x 60 Ramps	Angle Iron Cleated	\$1,632.81	-\$326.56	\$1,306.25
New 36 x 72 Ramps	Angle Iron Cleated	\$2,024.69	-\$404.94	\$1,619.75
New 36 x 84 Ramps	Angle Iron Cleated	\$2,416.56	-\$483.31	\$1,933.25

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
New 36 x 96 Ramps	Angle Iron Cleated	\$2,808.44	-\$561.69	\$2,246.75
New 48 x 60 Ramps	Angle Iron Cleated	\$2,285.94	-\$457.19	\$1,828.75
New 48 x 72 Ramps	Angle Iron Cleated	\$2,677.81	-\$535.56	\$2,142.25
New 48 x 84 Ramps	Angle Iron Cleated	\$3,069.69	-\$613.94	\$2,455.75
New 48 x 96 Ramps	Angle Iron Cleated	\$3,461.56	-\$692.31	\$2,769.25
*Cleated Self Cleaning Ramps	1/4" x 3" Angle Iron	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$97.97	-\$19.59	\$78.38
Apitong Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$84.91	-\$16.98	\$67.93
Oak Covered Rear Ramps	Per Foot of Ramp up to 48" Wide	\$52.25	-\$10.45	\$41.80
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,959.38	-\$391.88	\$1,567.50
10' Wide	Overall Trailer Width	\$2,873.75	-\$574.75	\$2,299.00
11' Wide	Overall Trailer Width	\$4,571.88	-\$914.38	\$3,657.50
12' Wide	Overall Trailer Width	\$5,878.13	-\$1,175.63	\$4,702.50
Extra Length	Extra Length Cost Up to 53' Trailer (Other Lengths Available but Special Pricing Applies)	\$470.25	-\$94.05	\$376.20
Extra Length Over 53' Long	Extra Length Cost Per Foot Over 53' OAL, Up to 60' (Other Lengths Available but Special Pricing Applies)	\$1,306.25	-\$261.25	\$1,045.00
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2" Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
Carriage Bolts with Clamps		\$653.13	-\$130.63	\$522.50
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
*Spring Ride Per Axle	Spring Ride Trailer	\$0.00	\$0.00	\$0.00
Air Ride Per Axle	Air Ride Trailer - (In Lieu of Spring Ride Per Axle)	\$1,469.53	-\$293.91	\$1,175.62
Walking Beam Per Axle	Walking Beam - (In Lieu of Air Ride Per Axle)	\$761.81	-\$152.36	\$609.45
Sliding Axle Trailer	Axle Slides from 49" Spacing to 121" Spacing, 78" Travel - Other Sliding Options Available At Same Price	\$2,299.00	-\$459.80	\$1,839.20

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Spread Axle Fixed	Fixed Spread Axle Std. 121" Spread Other Spreads Available At Same Price	\$1,254.00	-\$250.80	\$1,003.20
Additional Axles	Fixed Axle Added On Trailer Air Ride	\$1,977.14	-\$395.43	\$1,581.71
Air Ride Adjustment	Automatic air ride leveling system	\$1,045.00	-\$209.00	\$836.00
Air Gauge	Air Gauge Pressure Guage	\$261.25	-\$52.25	\$209.00
Front Axle Lift	25,000# Air Lift with Control Valve on Driver Side - (In Lieu of Spring)	\$2,873.75	-\$574.75	\$2,299.00
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$862.13	-\$172.43	\$689.70
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$574.75	-\$114.95	\$459.80
30K Suspension Per Axle	Price Per Axle	\$888.25	-\$177.65	\$710.60
30K Air Bags	Price Per Axle	\$135.85	-\$27.17	\$108.68
*Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$47.03	-\$9.41	\$37.62
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$83.60	-\$16.72	\$66.88
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability	\$1,567.50	-\$313.50	\$1,254.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizez Available - (Price Each)	\$88.30	-\$17.66	\$70.64
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$102.39	-\$20.48	\$81.91
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.84	-\$1.57	\$6.27
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$522.50	-\$104.50	\$418.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$10.45	-\$2.09	\$8.36
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers) - (Price Each)	\$186.53	-\$37.31	\$149.22
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,939.26	-\$3,987.85	\$15,951.41
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea Axle)	\$374.11	-\$74.82	\$299.29
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$130.63	-\$26.13	\$104.50
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$365.75	-\$73.15	\$292.60
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$888.25	-\$177.65	\$710.60
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$365.75	-\$73.15	\$292.60
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$125.40	-\$25.08	\$100.32
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (In Lieu of Steel Rims)	\$235.13	-\$47.03	\$188.10
235/70R x 17.5 Tire & Rim	235/70R x 17.5 Tires & Rim - (In Lieu of Standard)	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tire & Rim	215/70R x 17.5 Tires - (Price Ea - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
275/70R x 22.5 Tire & Rim	275/70R x 22.5 Tires & Rim - (Price Ea. - In Lieu of Standard)	\$94.26	-\$18.85	\$75.41
255/70R x 22.5 Tire & Rim	255/70R x 22.5 Tires & Rim - (Price Ea. - Standard Tire & Rim)	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$52.25	-\$10.45	\$41.80
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$131.88	-\$26.38	\$105.50
*295/75R x 22.5 "G"	*295/75R x 22.5 "G" Standard Tire & Rim	\$0.00	\$0.00	\$0.00
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$365.75	-\$73.15	\$292.60
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$783.75	-\$156.75	\$627.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,149.50	-\$229.90	\$919.60
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Paint	Military Camouflage Paint	\$1,567.50	-\$313.50	\$1,254.00
Camouflage Carc Paint	Camoufage Military CARC (chemical agent resistant coating)	\$3,918.75	-\$783.75	\$3,135.00
Carwell Coating	Rust Protection	\$250.00	-\$50.00	\$200.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$94.29	-\$18.86	\$75.43
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$133.99	-\$26.80	\$107.19
Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$522.26	-\$104.45	\$417.81
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,091.75	-\$218.35	\$873.40
Safety Night Light	Battery & Lighting Package	\$1,178.59	-\$235.72	\$942.87
Strobe Light	Magnet Mount Strobe & Plug	\$930.47	-\$186.09	\$744.38

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$496.25	-\$99.25	\$397.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,567.65	-\$313.53	\$1,254.12
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
Wireless Remote Control	Optional Funtions Available Set Up To	\$918.56	-\$183.71	\$734.85
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea)	\$545.88	-\$109.18	\$436.70
Registration Holder	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$93.05	-\$18.61	\$74.44
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$322.56	-\$64.51	\$258.05
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$545.88	-\$109.18	\$436.70
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide	\$2,233.13	-\$446.63	\$1,786.50
Aluminum Headrack	Includes Tool Box in Bottom & Chain Storage	\$3,657.50	-\$731.50	\$2,926.00
Steel Headrack - 36"	Straight, No Turn Back	\$1,254.00	-\$250.80	\$1,003.20
Steel Headrack - 36"	Turn Back	\$1,881.00	-\$376.20	\$1,504.80
Steel Headrack - 48"	Straight, No Turn Back	\$1,463.00	-\$292.60	\$1,170.40
Steel Headrack - 48"	Turn Back	\$2,090.00	-\$418.00	\$1,672.00
Forklift Mounting Kit w/ Header	Includes Mounting for Navigator, Priceton, Moffet Lifts and Weighted Header	\$3,344.00	-\$668.80	\$2,675.20
Oil Field Rollers	Price Each Roller	\$843.63	-\$168.73	\$674.90
Tarp System	Includes, Tarp, Bows, Ties	\$2,540.80	-\$508.16	\$2,032.64
Side Kit	1/2" Plywood CDX Panels Painted to Match Trailer Color w/ Anodized stakes, Bulkhead Retention Panel for Stake Storage, Four Chains with Grab Hooks and Rack	\$3,027.13	-\$605.43	\$2,421.70
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequecy Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90


# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## Sliding Axle Trailers




**Manufacturing Part #: GTFJ35**

**Price: \$46,192.00**

	Standard Features	Description
	General	This Specification is for Model GTFJ352-48-38, 35-Ton, 2 Axle, Sliding Axle Trailer. Max Payload of 50,000 lbs in 10' Load Concentration and a Shipping Weight of 16,500 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	47' 10" (574")
	- Overall Width:	8' 6"
	- GN Length:	9' 7" (116")
	- GN Swing Clearance:	84"
	- Load Well Length:	38' 1" (264")
	- 5th Wheel Height:	49"
	- King Pin Setting:	21"
	- Ground Clearance:	10"
	- Deck Height:	38"
	- Axle Spacing:	49"
	- Load Angle:	6.5°
	Frame	
	- Main Beam:	Fabricated "I" beam 100,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Fabricated "I" beam, 100,000 PSI.
	Axles:	2 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	8 ea 235/75R x 17.5 "H" load range, steel belted radials.
	- Wheels:	8 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
	Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Suspension:	Air Ride.
	Hydraulics:	Wet-line setup for tractor
	Winch:	12,000 Lb. with Spring Tension & 85' of 1/2" Cable

	<b>Standard Features</b>	<b>Description</b>
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	Double Key Hole Chain Slots w / Square Stake Pockets on 24" Centers
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.




**Manufacturing Part #: GTFJ50**

**Price: \$53,760.00**

	Standard Features	Description
	General	This Specification is for Model GTFJ503-48-38, 50-Ton, 3 Axle, Sliding Axle Trailer. Max Payload of 70,000 lbs in 10' Load Concentration and a Shipping Weight of 17,800 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	47' 10" (574")
	- Overall Width:	8' 6"
	- GN Length:	9' 7" (116")
	- GN Swing Clearance:	84"
	- Load Well Length:	38' 1" (264")
	- 5th Wheel Height:	49"
	- King Pin Setting:	21"
	- Ground Clearance:	10"
	- Deck Height:	38"
	- Axle Spacing:	49"
	- Load Angle:	6.5°
	Frame	
	- Main Beam:	Fabricated "I" beam 100,000 PSI.
	- Cross Members:	Jr. "I" beams on 12" Centers
	- Side Rail:	Fabricated "I" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 235/75R x 17.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
	Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
	Landing Gear:	2 - 50,000 lb dual speed jacks.
	Suspension:	Air Ride.
	Hydraulics:	Wet-line setup for tractor
	Winch:	12,000 Lb. with Spring Tension & 85' of 1/2" Cable
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.



	Standard Features	Description
	Tie Downs:	Double Key Hole Chain Slots w / Square Stake Pockets on 24" Centers
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



**Manufacturing Part #: GTFJ55**

**Price: \$57,496.00**

Standard Features	Description
General	This Specification is for Model GTFJ553-48-38, 55-Ton, 3 Axle, Sliding Axle Trailer. Max Payload of 75,000 lbs in 10' Load Concentration and a Shipping Weight of 18,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	47' 10" (574")
- Overall Width:	8' 6"
- GN Length:	9' 7" (116")
- GN Swing Clearance:	84"
- Load Well Length:	38' 1" (264")
- 5th Wheel Height:	49"
- King Pin Setting:	21"
- Ground Clearance:	10"
- Deck Height:	38"
- Axle Spacing:	49"
- Load Angle:	6.5°
Frame	
- Main Beam:	Fabricated "I" beam 100,000 PSI.
- Cross Members:	Jr. "I" beams on 12" Centers
- Side Rail:	Fabricated "I" beam, 100,000 PSI.
Axles:	3 – 25,000 lbs capacity axles.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 235/75R x 17.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 6.75 x 17.5, 8 hole hub piloted steel disc wheels.
Brakes:	12 1/4" x 7 1/2" air brakes w/ spring brakes.
Landing Gear:	2 - 50,000 lb dual speed jacks.
Suspension:	Air Ride.
Hydraulics:	Wet-line setup for tractor
Winch:	12,000 Lb. with Spring Tension & 85' of 1/2" Cable
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Decking:	2" oak flooring, secured to frame with 5/16" self-taping torque screws.

	<b>Standard Features</b>	<b>Description</b>
	Tie Downs:	Double Key Hole Chain Slots w / Square Stake Pockets on 24” Centers
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

### Sliding Axle Trailer Options

Option for all models GTFJ are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>UPPER DECK/GOOSNECK</b>				
Non-Standard Gooseneck	Standard (83")	\$850.00	-\$170.00	\$680.00
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,500.00	-\$500.00	\$2,000.00
Steel Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$450.00	-\$90.00	\$360.00
Aluminum Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location)	\$750.00	-\$150.00	\$600.00
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,000.00	-\$400.00	\$1,600.00
3 1/2" King Pin	3 1/2" King Pin - In Lieu of Standard	\$350.00	-\$70.00	\$280.00
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,350.00	-\$470.00	\$1,880.00
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,850.00	-\$570.00	\$2,280.00
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,875.00	-\$375.00	\$1,500.00
60" thru 67" 5th Wheel Height	Customer Must Specify	\$1,875.00	-\$375.00	\$1,500.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$450.00	-\$90.00	\$360.00
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$850.00	-\$170.00	\$680.00
Track Guides	Multi Position Track Guides	\$1,000.00	-\$200.00	\$800.00
Outrigger Extensions	Swing Out Outrigger Extensions	\$850.00	-\$170.00	\$680.00
Outrigger Boards	Outrigger Boards with Hand Holders	\$880.00	-\$176.00	\$704.00
Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$500.00	-\$100.00	\$400.00
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out - (Price Ea - In Lieu of Standard)	\$12.50	-\$2.50	\$10.00
2' Fixed Outriggers	Fabricated 2' Fixed Outriggers Spring Securing Device - (Price Ea In Lieu of Standard)	\$150.70	-\$30.14	\$120.56
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading - (Price Ea.)	\$25.00	-\$5.00	\$20.00
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section, - (Price Ea.)	\$450.00	-\$90.00	\$360.00
Hydraulic Flip Tail	Hydraulic Flip Tail w/ Slider	\$6,500.00	-\$1,300.00	\$5,200.00
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,875.00	-\$375.00	\$1,500.00
10' Wide	Overall Trailer Width	\$2,750.00	-\$550.00	\$2,200.00
11' Wide	Overall Trailer Width	\$4,375.00	-\$875.00	\$3,500.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
12' Wide	Overall Trailer Width	\$5,625.00	-\$1,125.00	\$4,500.00
Extra Length	Extra Length Cost Up to 53' Trailer (Other Lengths Available but Special Pricing Applies)	\$450.00	-\$90.00	\$360.00
Extra Length Over 53' Long	Extra Length Cost Per Foot Over 53' OAL, Up to 60' (Other Lengths Available but Special Pricing Applies)	\$1,250.00	-\$250.00	\$1,000.00
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2" Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$75.00	-\$15.00	\$60.00
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$60.00	-\$12.00	\$48.00
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$100.00	-\$20.00	\$80.00
Carriage Bolts with Clamps		\$625.00	-\$125.00	\$500.00
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Additional Axles	Fixed Axle Added On Trailer Air Ride	\$10,625.00	-\$2,125.00	\$8,500.00
Air Ride Adjustment	Automatic air ride leveling system	\$1,000.00	-\$200.00	\$800.00
Air Gauge	Air Gauge Pressure Guage	\$250.00	-\$50.00	\$200.00
Front Axle Lift	25,000# Air Lift with Control Valve on Driver Side - (In Lieu of Spring)	\$2,750.00	-\$550.00	\$2,200.00
Axle Dust Shields	Price Per Axle	\$50.00	-\$10.00	\$40.00
Axle Cam Covers	Price Per Axle	\$100.00	-\$20.00	\$80.00
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$825.00	-\$165.00	\$660.00
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$550.00	-\$110.00	\$440.00
30K Suspension Per Axle	Price Per Axle	\$850.00	-\$170.00	\$680.00
30K Air Bags	Price Per Axle	\$130.00	-\$26.00	\$104.00
*49" Axle Spacing	Standard Axle Spacing For Trailers	\$0.00	\$0.00	\$0.00
50" to 64" Axle Spacing	Optional Axle Spacing Add's To Overall Length	\$1,250.00	-\$250.00	\$1,000.00
*Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>				
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$45.00	-\$9.00	\$36.00
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$80.00	-\$16.00	\$64.00
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability	\$1,500.00	-\$300.00	\$1,200.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizex Available - (Price Each)	\$84.50	-\$16.90	\$67.60
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$97.98	-\$19.60	\$78.38
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.50	-\$1.50	\$6.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Rub Rail	Standard Size ¼" x 3" Rubrail - Optional Sizes Available	\$500.00	-\$100.00	\$400.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$10.00	-\$2.00	\$8.00
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers) - (Price Each)	\$178.50	-\$35.70	\$142.80
<b>WINCH &amp; WINCH ACCESSORIES</b>				
8000# Electric Winch	95ft. of 5/16" Cable	\$1,463.99	-\$292.80	\$1,171.19
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,761.80	-\$352.36	\$1,409.44
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,103.09	-\$420.62	\$1,682.47
20,000# Hydraulic Winch	85' of 1/2" Cable	\$3,958.20	-\$791.64	\$3,166.56
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,080.63	-\$3,816.13	\$15,264.50
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$294.00	-\$58.80	\$235.20
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$593.00	-\$118.60	\$474.40
<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>				
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Ea. Axle)	\$358.00	-\$71.60	\$286.40
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$125.00	-\$25.00	\$100.00
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$350.00	-\$70.00	\$280.00
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$850.00	-\$170.00	\$680.00
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$350.00	-\$70.00	\$280.00
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$120.00	-\$24.00	\$96.00
*Steel Rims	Standard Rim 6.75, 8 Hole, Hub Piloted	\$0.00	\$0.00	\$0.00
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (Price Ea. - In Lieu of Steel Rims)	\$225.00	-\$45.00	\$180.00
*235/70R x 17.5 Tires	Standard Tire 235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires - (Price Ea. - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
275/70R x 22.5	275/70R x 22.5 Tires & Rim - (Price Ea. - In Lieu of Standard)	\$90.20	-\$18.04	\$72.16
255/70R x 22.5	255/70R x 22.5 Tires & Rim - (Price Ea - In Lieu of Standard)	\$0.00	\$0.00	\$0.00
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$50.00	-\$10.00	\$40.00
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$126.20	-\$25.24	\$100.96
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$350.00	-\$70.00	\$280.00
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$750.00	-\$150.00	\$600.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,100.00	-\$220.00	\$880.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,500.00	-\$500.00	\$2,000.00
Camouflage Paint	Military Camouflage Paint	\$1,500.00	-\$300.00	\$1,200.00
Camouflage Carc Paint	Camouflage Military CARC (chemical agent resistant coating)	\$3,750.00	-\$750.00	\$3,000.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$95.00	-\$19.00	\$76.00
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$135.00	-\$27.00	\$108.00
*Inboard Strobe Lighting Kit	Mounted Strobes in Rear Bumper	\$0.00	\$0.00	\$0.00
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,100.00	-\$220.00	\$880.00
Safety Night Light	Battery & Lighting Package	\$1,187.50	-\$237.50	\$950.00
Strobe Light	Magnet Mount Strobe & Plug	\$937.50	-\$187.50	\$750.00
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$500.00	-\$100.00	\$400.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness	\$1,579.50	-\$315.90	\$1,263.60
4 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$879.00	-\$175.80	\$703.20
6 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$1,805.00	-\$361.00	\$1,444.00
10 Function Wireless Remote Control	Optional Funtions Available Set Up To	\$3,650.00	-\$730.00	\$2,920.00
12/24 Volt Lighting System	Converts Trailers from 12 Volt to 24 Volt	\$1,191.00	-\$238.20	\$952.80
<b>HYDRAULICS</b>				
*Wet Line	Straight Wet Line, 3000 PSI @ 10 Gallons Per Min to Operate Full Load	\$0.00	\$0.00	\$0.00
11 Hp Honda Gas Motor		\$1,850.00	-\$370.00	\$1,480.00
13 Hp Honda Gas Motor		\$2,850.00	-\$570.00	\$2,280.00
10 Hp Yanmar Diesel Motor		\$4,100.00	-\$820.00	\$3,280.00
20 to 18 Hp Engine		\$6,850.00	-\$1,370.00	\$5,480.00
Hydraulic Pressure Gauge	Mounted On Trailer, Rear PSI	\$190.00	-\$38.00	\$152.00
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea)	\$550.00	-\$110.00	\$440.00
Dock Levelers Hydraulic	Dock levelers, 62,000 lb capacity, independent	\$4,260.00	-\$852.00	\$3,408.00
Registration Holder	Document/Registration Holder - (Price Ea.)	\$93.75	-\$18.75	\$75.00
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$325.00	-\$65.00	\$260.00
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$550.00	-\$110.00	\$440.00

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide - (Price Per Set)	\$2,250.00	-\$450.00	\$1,800.00
Aluminum Headrack	Includes Tool Box in Bottom & Chain Storage	\$3,500.00	-\$700.00	\$2,800.00
Steel Headrack - 36"	Straight, No Turn Back	\$1,200.00	-\$240.00	\$960.00
Steel Headrack - 36"	Turn Back	\$1,800.00	-\$360.00	\$1,440.00
Steel Headrack - 48"	Straight, No Turn Back	\$1,400.00	-\$280.00	\$1,120.00
Steel Headrack - 48"	Turn Back	\$2,000.00	-\$400.00	\$1,600.00
Oil Field Rollers	Price Each Roller	\$850.00	-\$170.00	\$680.00
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequency Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90



# **GLOBE TRAILER MFG, INC.**

GLOBE TRAILER MFG, INC.

3101 59th Ave. Dr. E. | Bradenton, Florida U.S.A. 34203

1-800-800-3484 | Ph: 941-753-2199 | Fax: 941-755-7604 | [www.globetrailers.com](http://www.globetrailers.com)

## **Folding Neck Trailers**

No Image Available

Manufacturing Part #: GTFL35-SG

Price: \$37,018.93

Standard Features	Description
General	This Specification is for a Model GTBN352-47-24-SG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 16' LC Shipping Weight of 16,800 lbs +/- 3%..
Dimensions:	
- Overall Length:	45' 2" (542")
- Overall Width:	8' 6"
- GN Length:	10' 11" (131")
- GN Swing Clearance:	86"
- Load Well Length:	24' (288")
- Rear Deck Length	10' 3" (123")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" I-Beam Mill Rolled
- Cross Memebers:	8" Jr. I-Beam on 24" Centers
- Side Rail:	12" Channel
- Rear Tail:	14" I-Beam Mill Rolled
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grouser.
Rear Tail Section:	Open wheel with boom & bucket well.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.

	Standard Features	Description
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL50-SG

Price: \$42,934.05

Standard Features	Description
General	This Specification is for a Model GTBN503-50-24-SG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 16' LC Shipping Weight of 21,700 lbs +/- 3%..
Dimensions:	
- Overall Length:	50' 1" (601")
- Overall Width:	8' 6"
- GN Length:	10' 11" (131")
- GN Swing Clearance:	86"
- Load Well Length:	24' (288")
- 5th Wheel Height:	15' 2" (182")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" I-Beam Mill Rolled
- Cross Memebers:	8" Jr. I-Beam on 24" Centers
- Side Rail:	12" Channel
- Rear Tail:	14" I-Beam Mill Rolled
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grouzers.
Rear Tail Section:	Open wheel with boom & bucket well.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 2 on rear deck.
Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
Gooseneck:	4-Position ride height with air operated positive self locking system.

	Standard Features	Description
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL35-GG

Price: \$45,019.30

Standard Features	Description
General	This Specification is for a Model GTBN352-45-24-GG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 12' Load Concentration and a Shipping Weight of 15,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	44' 2" (530")
- Overall Width:	8' 6"
- GN Length:	10' 11" (131")
- GN Swing Clearance:	86"
- Load Well Length:	24' (288")
- Rear Deck Length:	9' 3" (111")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	49"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers.
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Rail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grouser.
Rear Tail Section:	Open wheel with boom & bucket well.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.

	<b>Standard Features</b>	<b>Description</b>
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL50-GG

Price: \$54,460.82

	Standard Features	Description
	General	This Specification is for Model GTBN503-50-24-GG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 12' Load Concentration and a Shipping Weight of 20,700 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	14' 2" (170")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grouser.
	Rear Tail Section:	Open wheel with boom & bucket well.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



No Image Available

Manufacturing Part #: GTFL55-GG

Price: \$54,878.82

Standard Features	Description
General	This Specification is for Model GTBN553-50-24-GG, 55-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 110,000 lbs in 12' Load Concentration and a Shipping Weight of 21,700 lbs +/- 3%.
Dimensions:	
- Overall Length:	50' 1" (601")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	24' (288")
- 5th Wheel Height:	14' 2" (170")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.
Rear Tail Section:	Open wheel with boom & bucket well.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL35-HGG

Price: \$46,977.78

Standard Features	Description
General	This Specification is for a Model GTBN352-47-24-HGG, 35-Ton, 2 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 70,000 lbs in 12' Load Concentration and a Shipping Weight of 15,800 lbs +/- 3%.
Dimensions:	
- Overall Length:	46' 1" (552")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	24' (288")
- Rear Deck Length	10' 2" (122")
- 5th Wheel Height:	50"
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Memembers:	10" & 4" Jr. "I" beams on 12" Centers.
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	Two (2) ea 25,000 lbs capacity axles, 77 1/2" track.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	8 ea 255/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	8 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.
Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	16 ea "D" Ring tie downs 7 ea side on main deck, 1 on rear deck.

	Standard Features	Description
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL50-HGG

Price: \$54,833.67

	Standard Features	Description
	General	This Specification is for Model GTBN503-50-24-HGG, 50-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 100,000 lbs in 12' Load Concentration and a Shipping Weight of 20,700 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	14' 2" (170")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Cross Members:	10" & 4" Jr. "I" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Rear Rail:	14" fabricated T-1 "I" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL55-HGG

Price: \$55,697.26

	Standard Features	Description
	General	This Specification is for Model GTBN553-51-24-HGG, 55-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload is 110,000 lbs in 12' Load Concentration and a Shipping Weight of 21,700 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	50' 1" (601")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	24' (288")
	- 5th Wheel Height:	14' 2" (170")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "T" beam, 100,000 PSI.
	- Cross Memembers:	10" & 4" Jr. "T" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "T" beam, 100,000 PSI.
	- Rear Tail:	14" fabricated T-1 "T" beam, 100,000 PSI.
	Axles:	3 – 25,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 255/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2S1M ABS system on 1st axle.
	Suspension:	25,000 lb cush air ride suspension, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	18 ea "D" Ring tie downs 6 ea side on main deck, 3 on rear deck.
	Out Riggers:	28 ea removable outriggers with double up front and double in middle of load well, 14 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.



No Image Available

Manufacturing Part #: GTFL60-HGG

Price: \$66,964.03

Standard Features	Description
General	This Specification is for Model GTBN603-53-26-HGG, 60-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 120,000 lbs in 12' Load Concentration and a Shipping Weight of 22,900 lbs +/- 3%.
Dimensions:	
- Overall Length:	52' 7" (631")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	26' (312")
- 5th Wheel Height:	14' 2" (176")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "T" beam, 100,000 PSI.
- Cross Memebers:	10" Jr. "T" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "T" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "T" beam, 100,000 PSI.
Axles:	3 – 30,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.
Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.
Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	10 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL65-HGG

Price: \$70,863.20

Standard Features	Description
General	This Specification is for Model GTBN653-53-26-HGG, 65-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 130,000 lbs in 12' Load Concentration and a Shipping Weight of 23,500 lbs +/- 3%.
Dimensions:	
- Overall Length:	52' 7" (631")
- Overall Width:	8' 6"
- GN Length:	11' 11" (143")
- GN Swing Clearance:	98"
- Load Well Length:	26' (312")
- 5th Wheel Height:	14' 2" (176")
- King Pin Setting:	16"
- Ground Clearance:	8"
- Deck Height:	24"
- Rear Deck Height:	40"
- Axle Spacing:	54"
Frame	
- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Cross Members:	10" Jr. "I" beams on 12" Centers
- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
Axles:	3 – 30,000 lbs capacity axles, 3rd axle lift.
King Pin:	2" heavy duty.
Wheels & Tires:	
- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
Front Ramps:	26" double hinged front loading flip ramps with grousers.
Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.
Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.

	Standard Features	Description
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

No Image Available

Manufacturing Part #: GTFL70-HGG

Price: \$100,652.54

	Standard Features	Description
	General	This Specification is for Model GTBN703-53-26-HGG, 70-Ton, 3 Axle, Detachable Gooseneck, Non-Ground Bearing, Lowboy Trailer. Max Payload of 130,000 lbs in 12' Load Concentration and a Shipping Weight of 25,300 lbs +/- 3%.
	Dimensions:	
	- Overall Length:	52' 7" (631")
	- Overall Width:	8' 6"
	- GN Length:	11' 11" (143")
	- GN Swing Clearance:	98"
	- Load Well Length:	26' (312")
	- 5th Wheel Height:	14' 2" (176")
	- King Pin Setting:	16"
	- Ground Clearance:	8"
	- Deck Height:	24"
	- Rear Deck Height:	40"
	- Axle Spacing:	54"
	Frame	
	- Main Beam:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Cross Memembers:	10" Jr. "I" beams on 12" Centers
	- Side Rail:	16" fabricated T-1 "I" beam, 100,000 PSI.
	- Rear Tail:	14" fabricated T-1 "I" beam, 100,000 PSI.
	Axles:	3 – 30,000 lbs capacity axles, 3rd axle lift.
	King Pin:	2" heavy duty.
	Wheels & Tires:	
	- Tires:	12 ea 275/70R x 22.5 "H" load range, steel belted radials.
	- Wheels:	12 ea. 8.25 x 22.5, 10 hole hub piloted steel disc wheels.
	Brakes:	16.5 x 7 air brakes w/ spring parking brake on front axle, auto slack adjusters, & 2SIM ABS system on 1st axle.
	Suspension:	Cush 30,000# air ride yoke mount suspension, 3rd axle air lift, with auto dump valve, & +/- 3 air ride adjustment.
	Front Ramps:	26" double hinged front loading flip ramps with grousers.
	Rear Tail Section:	Open wheel with boom & bucket well, set up for 4th axle flip/stinger.
	Electrical:	12-Volt electrical system, 7 way SAE connector, all lights LED mounted in rubber grommets to DOT standards.
	Hydraulics:	Wet line hook-up on trailer for tractor PTO operation.
	Decking:	2" oak flooring, open center, secured to frame with 5/16" self-taping torque screws.
	Tie Downs:	22 ea "D" Ring tie downs 9 ea side on main deck, 2 on rear deck.

	Standard Features	Description
	Out Riggers:	32 ea removable outriggers with double up front and double in middle of loadwell, Lock-In-Lock-Out 16 ea Side.
	Gooseneck:	4-Position ride height with air operated positive self locking system.
	Finish	Sandblasted & Powder Coated Color of Choice, conspicuity tape and mud flaps provided.
	Plates	Standard Globe Trailer vin data plate and warranty plate
	Warranty	1 year defects materials & workmanship, 1 year parts
	Manuals	Parts, Service, & Operator manuals provided.

## Folding Neck Trailer Options

Option for all models GTFL are as follows:

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
<b>GOOSENECK</b>				
Non-Standard Goose-neck	84" to 108" Swing Clearance Necks, Standard (86", 98", & 110")	\$1,959.38	-\$391.88	\$1,567.50
Non-Standard Goose-neck	109" to 120" Swing Clearance Necks, Standard (86", 98", & 110")	\$3,265.63	-\$653.13	\$2,612.50
70-Ton Style Goose-neck Upgrade	Upgrade for 60 or 65 ton lowboy w/ 70-Ton rated neck (this is standard on 70-Ton and above)	\$6,270.00	-\$1,254.00	\$5,016.00
Set Up for a Flip Box	Heavy Duty Gooseneck Set Up For Flip Box Extension All Connections, Pins, Etc.	\$2,351.25	-\$470.25	\$1,881.00
Flip Box - 24"	Gooseneck Flip Box - 98" to 122" Swing, Air and Electrical Lines	\$1,306.25	-\$261.25	\$1,045.00
Flip Box - 36"	Gooseneck Flip Box - 98" to 134" Swing, Air and Electrical Lines	\$2,926.00	-\$585.20	\$2,340.80
Flip Box - 66"	Gooseneck Flip Box - 122" to 172" Swing, Air and Electrical Lines	\$4,807.00	-\$961.40	\$3,845.60
Flip Box - 72"	Gooseneck Flip Box - 122" to 178" Swing, Air and Electrical Lines	\$5,434.00	-\$1,086.80	\$4,347.20
Flip Box - 84"	Gooseneck Flip Box - 122" to 190" Swing, Air and Electrical Lines	\$6,113.25	-\$1,222.65	\$4,890.60
Hydraulic Assist Flip Neck	Hydraulically Operated Assisted Flip Box on Neck	\$2,873.75	-\$574.75	\$2,299.00
Aluminum Dress Up Package	Aluminum Dress Up Package for Neck, Includes Engine Cover, Neck Side Plates, Etc.	\$2,481.25	-\$496.25	\$1,985.00
Aluminum Pony Motor Engine Cover	Hinged Cover Plate Aluminum	\$1,018.88	-\$203.78	\$815.10
Pony Motor Engine Cover	Hinged Cover Plate	\$347.38	-\$69.48	\$277.90
Steel Gooseneck Fenders	Smooth Plate Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$1,201.75	-\$240.35	\$961.40
Diamond Plate Steel Gooseneck Fenders	Diamond Plate Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$1,672.00	-\$334.40	\$1,337.60
Stainless Steel Gooseneck Fenders	Stainless Steel Gooseneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$2,612.50	-\$522.50	\$2,090.00
Aluminum Gooseneck Fenders	Smooth Plate Aluminum Goosneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$2,978.25	-\$595.65	\$2,382.60
Diamond Plate Aluminum Gooseneck Fenders	Diamond Plate Aluminum Goosneck Fenders, Includes Mud Flaps - (Price Ea Set)	\$3,135.00	-\$627.00	\$2,508.00
Gooseneck Upper Full Width Deck	Full Width 8' 6" Wide, Full Length of Flat Portion on Neck Secured to Top Flanges	\$2,873.75	-\$574.75	\$2,299.00
Steel Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location) - (Price Ea)	\$470.25	-\$94.05	\$376.20
Aluminum Tool Box Mounted On Neck	Optional Sizes Available (Mainly Depends on Mounting Location) - (Price Ea)	\$783.75	-\$156.75	\$627.00
Hydraulic Folding Goosneck	Hydraulic Folding Gooseneck In Lieu of Standard Hydraulic Detachable	\$5,225.00	-\$1,045.00	\$4,180.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Hydraulic Sliding King Pin	Multi Position King Pin, Allows for Additional Swing Clearance, Ease of Connecting Neck, & Weight Distribution	\$6,113.25	-\$1,222.65	\$4,890.60
2", 2-Position Removable King Pin	2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,090.00	-\$418.00	\$1,672.00
3 1/2" King Pin	3 1/2" King Pin - In Lieu of Standard	\$365.75	-\$73.15	\$292.60
3 1/2", 2-Position Removable King Pin	3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,455.75	-\$491.15	\$1,964.60
2" & 3 1/2", 2-Position Removable King Pin	2" & 3 1/2", 2-Position King Pin, Positions Optional Depending on Customer Locations	\$2,978.25	-\$595.65	\$2,382.60
55" thru 59" 5th Wheel Height	Customer Must Specify	\$1,959.38	-\$391.88	\$1,567.50
60" thru 67" 5th Wheel Height	Customer Must Specify	\$2,685.00	-\$537.00	\$2,148.00
<b>DECK &amp; ACCESSORIES</b>				
Steel Under Body Mount Tool Box	Steel Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$446.63	-\$89.33	\$357.30
Aluminum Under Body Mount Tool Box	Aluminum Under Body Mount Tool Box Optional Sizes - (Price Ea.)	\$888.25	-\$177.65	\$710.60
Track Guides	Multi Position Track Guides	\$1,045.00	-\$209.00	\$836.00
Center Outrigger Boards	Center Outrigger Boards Used for Widening the Trailer Deck Space, 4 each	\$418.00	-\$83.60	\$334.40
Outrigger Extensions	Swing Out Outrigger Extensions	\$888.25	-\$177.65	\$710.60
Outrigger Boards	Outrigger Boards with Hand Holders, 4 each	\$919.60	-\$183.92	\$735.68
*Removable Outriggers	Removable Outriggers w/ Bracket & Clip	\$0.00	\$0.00	\$0.00
Fixed Outriggers	Fixed Outriggers Lock-In-Lock-Out - (Price Ea In Lieu of Standard)	\$13.06	-\$2.61	\$10.45
2' Fixed Outriggers	2' Fixed Outriggers Spring Securing Device - (Price Ea In Lieu of Standard)	\$157.48	-\$31.50	\$125.98
Bucket Pan	Bucket Pan Located In Center of Loadwell	\$522.50	-\$104.50	\$418.00
I-Beam Deck Only up to 30' *24' Standard*	I-Beam Deck Up to 30' - In Lieu of Standard	-\$174.25	\$34.85	-\$139.40
Extendable Deck	Optional Extended Lengths up to 50+ Feet	\$21,553.13	-\$4,310.63	\$17,242.50
Drop Side Trailer	Drop Side Trailer, Side Rails are Lower than Main Beams	\$8,360.00	-\$1,672.00	\$6,688.00
Flange Stiffeners	1/2" Flange Stiffeners for side Loading & Unloading - (Price Ea.)	\$26.13	-\$5.23	\$20.90
Tool Box Built In	Built In Tool Box In Front or Rear of Deck Section - (Price Ea.)	\$470.25	-\$94.05	\$376.20
Wheel Wells in Deck Area	Used w/ Drop Side Only, Machine Sits in Wells	\$3,265.63	-\$653.13	\$2,612.50
Deck Insert Additional Length (Per Ft)		\$567.44	-\$113.49	\$453.95
5' Deck Insert	Pin on Deck Insert to Increase Deck 5' Long	\$12,559.86	-\$2,511.97	\$10,047.89
10' Deck Insert	Pin on Deck Insert to Increase Deck 10' Long	\$15,397.03	-\$3,079.41	\$12,317.62



MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
24" Steel Pull Out Outriggers	Price Each Outrigger	\$200.00	-\$40.00	\$160.00
24" Aluminum Pull Out Outriggers	Price Each Outrigger	\$325.00	-\$65.00	\$260.00
<b>REAR DECK OVER AXLES &amp; ACCESSORIES</b>				
*Open Rear Deck W/ Bolsters	Load Bearing Bolsters	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$78.38	-\$15.68	\$62.70
Steel Covered Rear Deck	Load Bearing, Covered Over Axles - (Price Per Ft)	\$62.70	-\$12.54	\$50.16
Oak Covered Rear Deck	Load Bearing, Covered Over Axles - Oak Over Steel - (Price Per Ft.)	\$71.06	-\$14.21	\$56.85
Apitong Covered Rear Deck	Load Bearing, Covered Over Axles - Apitong Over Steel - (Price Per Ft.)	\$75.24	-\$15.05	\$60.19
Removable Rear Deck	One Piece Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$104.50	-\$20.90	\$83.60
Single Wheel Removable Covers	Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$888.25	-\$177.65	\$710.60
Aluminum Removable Rear Deck Covers	One Piece Aluminum Removable Rear Deck Over Axles (Load Bearing) - (Price Per Ft)	\$181.83	-\$36.37	\$145.46
Aluminum Single Wheel Removable Covers	Aluminum Single Wheel Covers, Bolt On/Removable - (Price Ea Axle)	\$1,933.25	-\$386.65	\$1,546.60
Boom Well Cover - Level	Level Removable or Weld Solid Cover Plate Over Boom Well	\$888.25	-\$177.65	\$710.60
Boom Well Cover	Cover Over Boom Well To Protect Air, Electrical, and Axles - Welded or Removable	\$522.50	-\$104.50	\$418.00
Aluminum Dress Up Package	Aluminum Dress Up Package for Rear Deck Rear Bumper	\$783.75	-\$156.75	\$627.00
Flip/Stinger Single Axle Set Up	Single Axle Flip/Stinger 14' 1 Spread Rear Reinforcement/Set Up, Air & Electrical	\$1,933.25	-\$386.65	\$1,546.60
Frame Reignforcement for 2 + 2 or 2 + 3 Axle Stinger	Extra Frame Reignforcement for 2 + 2 or 2 + 3 Axle Stinger, Set Up, Air & Electrical	\$3,918.75	-\$783.75	\$3,135.00
Frame Reignforcement for 3 + 2 or 3 + 3 Axle Stinger	Extra Frame Reignforcement for 3 + 2 or 3 + 3 Axle Stinger, Set Up, Air & Electrical	\$7,837.50	-\$1,567.50	\$6,270.00
*49" Axle Spacing	Standard Axle Spacing For Trailers	\$0.00	\$0.00	\$0.00
50" to 64" Axle Spacing	Optional Axle Spacing Add's To Overall Length	\$1,306.25	-\$261.25	\$1,045.00
Hydraulic Flip Axle Set Up	Set Up For Hydraulic Flip Axle (Includes, Hydraulics, Frame Reinforcement, Air, Electrical)	\$3,918.75	-\$783.75	\$3,135.00
Hydraulic Flip Tail	Hydraulic Flip Tail, 8' 1" Flip Tail w/ 4'Flip Extension	\$11,429.69	-\$2,285.94	\$9,143.75
Tool Box	Tool Box Mounted In Rear of Trailer Before Rear Crossmember	\$470.25	-\$94.05	\$376.20
Boom Well w/ Bucket Pan	6' Pan Center of Rear Deck to Store Equipment Bucket When in Transit	\$326.56	-\$65.31	\$261.25

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Deep Drop Boom Well w/ Bucket Pan	Drop Crossmember Boom Well to Allow Customers to Get Equipment Booms Down To Lowest Possible Height	\$1,110.31	-\$222.06	\$888.25
V-Style Boom Well w/ Bucket Pan	Same as Drop Crossmember Boomwell but in the Shape of a V with Rear Beam Lowered	\$1,371.56	-\$274.31	\$1,097.25
Pin on rear tail to end of load well	This option will have horizontal pins connecting the rear tail to main deck air pins	\$7,001.50	-\$1,400.30	\$5,601.20
<b>FRONT &amp; REAR RAMPS</b>				
Hydraulic Transition Ramps	Hydraulic Elevator Ramps lift up to provide a paver style transisont to the rear deck over the lowboy tires	\$7,262.75	-\$1,452.55	\$5,810.20
Air Transition Ramps	Air Elevator Ramps lift up to provide a paver style transisont to the rear deck over the lowboy tires	\$5,000.00	-\$1,000.00	\$4,000.00
Hydraulic Ramp System	Self Contained with Pump & Battery, Charger Kit for Truck	\$2,035.00	-\$407.00	\$1,628.00
Beavertail	Beaver Tail, Steel Covered, w/ Traction Bars Price Per Foot	\$437.50	-\$87.50	\$350.00
New 24 x 60 Ramps	Angle Iron Cleated	\$1,187.50	-\$237.50	\$950.00
New 32 x 60 Ramps	Angle Iron Cleated	\$1,437.50	-\$287.50	\$1,150.00
New 32 x 72 Ramps	Angle Iron Cleated	\$1,687.50	-\$337.50	\$1,350.00
New 32 x 84 Ramps	Angle Iron Cleated	\$1,937.50	-\$387.50	\$1,550.00
New 32 x 96 Ramps	Angle Iron Cleated	\$2,187.50	-\$437.50	\$1,750.00
New 36 x 60 Ramps	Angle Iron Cleated	\$1,562.50	-\$312.50	\$1,250.00
New 36 x 72 Ramps	Angle Iron Cleated	\$1,937.50	-\$387.50	\$1,550.00
New 36 x 84 Ramps	Angle Iron Cleated	\$2,312.50	-\$462.50	\$1,850.00
New 36 x 96 Ramps	Angle Iron Cleated	\$2,687.50	-\$537.50	\$2,150.00
New 48 x 60 Ramps	Angle Iron Cleated	\$2,187.50	-\$437.50	\$1,750.00
New 48 x 72 Ramps	Angle Iron Cleated	\$2,562.50	-\$512.50	\$2,050.00
New 48 x 84 Ramps	Angle Iron Cleated	\$2,937.50	-\$587.50	\$2,350.00
New 48 x 96 Ramps	Angle Iron Cleated	\$3,312.50	-\$662.50	\$2,650.00
*Cleated Self Clean-ing Ramps	1/4" x 3" Angle Iron	\$0.00	\$0.00	\$0.00
Rumber Covered Rear Ramps	Per Foot up to 48" Wide	\$93.75	-\$18.75	\$75.00
Apitong Covered Rear Ramps	Per Foot up to 48" Wide	\$81.25	-\$16.25	\$65.00
Oak Covered Rear Ramps	Per Foot up to 48" Wide	\$50.00	-\$10.00	\$40.00
<b>LENGTHS &amp; WIDTHS</b>				
8' Wide	Per Foot	\$0.00	\$0.00	\$0.00
*8' 6" Wide	Standard Width of Trailer	\$0.00	\$0.00	\$0.00
9' Wide	Overall Trailer Width	\$1,959.38	-\$391.88	\$1,567.50
10' Wide	Overall Trailer Width	\$2,873.75	-\$574.75	\$2,299.00
11' Wide	Overall Trailer Width	\$4,571.88	-\$914.38	\$3,657.50
12' Wide	Overall Trailer Width	\$5,878.13	-\$1,175.63	\$4,702.50
Extra Length up to 28' *24' Standard*	Extra Length Cost Up to 28' (Other Lengths Available but Special Pricing Applies) - (Price Per Ft)	\$1,306.25	-\$261.25	\$1,045.00
Extra Length up to 30' *24' Standard*	Extra Length Cost Up to 30' (Other Lengths Available but Special Pricing Applies) - (Price Per Ft)	\$2,612.50	-\$522.50	\$2,090.00

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
18" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 18"	\$5,016.00	-\$1,003.20	\$4,012.80
20" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 20"	\$3,657.50	-\$731.50	\$2,926.00
22" Loaded Deck Height W/6" Ground Clearance	Overall Height of Trailer Loadwell to Go From 24" to 22"	\$1,254.00	-\$250.80	\$1,003.20
<b>FLOORING MATERIALS</b>				
*Oak Covered Main Deck	Standard Floor, 2"Oak Flooring	\$0.00	\$0.00	\$0.00
Rumber Main Deck	Main Deck Per Foot 1 3/4" x 7" to 12" x 23' 6" Planks - (In Lieu of Oak)	\$78.38	-\$15.68	\$62.70
Apitong Deck	Main Deck Per Foot 2" x 12" x 12' Planks - (In Lieu of Oak)	\$62.70	-\$12.54	\$50.16
Steel Main Deck	Main Deck Per Foot 1/4" Steel Diamond Plate - (In Lieu of Oak)	\$104.50	-\$20.90	\$83.60
Carriage Bolts with Clamps		\$653.13	-\$130.63	\$522.50
<b>SUSPENSIONS/AXLE COMPONENTS</b>				
Spring Ride Per Axle	Spring Ride Lowboy Trailer - (In Lieu of Air Ride Per Axle)	-\$1,469.53	\$293.91	-\$1,175.62
Walking Beam Per Axle	Walking Beam - (In Lieu of Air Ride Per Axle)	\$761.81	-\$152.36	\$609.45
Additional Stationary Axle	Fixed Additional Axle Added On Trailer Air Ride	\$11,103.13	-\$2,220.63	\$8,882.50
Steerable Axles	Self Steerable Axles - (Price Ea In Lieu of Non-Steerable Axle)	\$6,583.50	-\$1,316.70	\$5,266.80
No Rear Axle Lift 50-Ton		-\$2,547.19	\$509.44	-\$2,037.75
Air Ride Adjustment	Automatic air ride leveling system	\$1,045.00	-\$209.00	\$836.00
Air Gauge	Air Gauge Pressure Gauge	\$261.25	-\$52.25	\$209.00
Air Ride 2 Axle	Option for SG Model Only - 2 Axle Air Ride Tag Along - In Lieu of Spring	\$2,769.25	-\$553.85	\$2,215.40
Air Ride 3 Axle	Option for SC Model Only - 3 Axle Air Ride Tag Along - In Lieu of Spring	\$3,605.25	-\$721.05	\$2,884.20
Axle Dust Shields	Price Per Axle	\$52.25	-\$10.45	\$41.80
Axle Cam Covers	Price Per Axle	\$104.50	-\$20.90	\$83.60
Air Weigh Digital Scale	Calibrated & Used to Determine Load Weight	\$862.13	-\$172.43	\$689.70
Dump Valve	Dumps All Air of Trailer Suspension Air Ride Only	\$574.75	-\$114.95	\$459.80
25K P-type Axles	Parrallel ends on 25K Axles per axle cost	\$271.70	-\$54.34	\$217.36
30K Suspension Per Axle	Price Per Axle (Included on trailers over 55-Ton)	\$888.25	-\$177.65	\$710.60
30K Air Bags	Price Per Axle (Included on trailers over 55-Ton)	\$0.00	\$0.00	\$0.00
30K Axles	Price Per Axle (Included on trailers over 55-Ton)	\$2,926.00	-\$585.20	\$2,340.80
Dual Air Ride Adjustment	Allows a dual adjustment of the air ride sytem when the lift axle is up and down	\$522.50	-\$104.50	\$418.00

MFG PART #	PRODUCT DESCRIPTION	LIST PRICE	20% GOV'T DISCOUNT	GOV'T PRICE W/ 20% DISC.
Axle Performance Package	5- Year Warranty on Axles	\$0.00	\$0.00	\$0.00
	<b>TIE DOWN/LOAD SECURING ACCESSORIES</b>			
Extra Flush Mount "D" Rings	1/2" Flush Mount "D" Rings - (Price Each)	\$44.66	-\$8.93	\$35.73
Recessed Mount "D" Rings	Recessed Mount "D" Rings Located Inside Side Rail In Stake Pockets - (Price Each)	\$79.40	-\$15.88	\$63.52
Lift/Tie Down Locational Devices	Lift/Tie Down Location Devices for Military Applications/Air Transportability Per Mil Std 209	\$1,488.75	-\$297.75	\$1,191.00
Sliding Winch Nylon Straps	Standard Size 4" - Optional Sizes Available - (Price Each)	\$83.87	-\$16.77	\$67.10
Sliding Winch Track	6' Sections of Steel Sliding Winch Track Weld On - (Price Per Section)	\$97.25	-\$19.45	\$77.80
Stake Pockets	Standard Size 2 1/4" x 3 1/2" x 1/4" Stake Pockets - Optional Sizes Available - (Price Each)	\$7.44	-\$1.49	\$5.95
Rub Rail	Standard Size 1/4" x 3" Rubrail - Optional Sizes Available	\$496.25	-\$99.25	\$397.00
Pipe Spools	Double Pipe Spools Located Between Rub Rail & Stake Pockets - (Price Each)	\$9.93	-\$1.99	\$7.94
4 way Chain slot center strip	located down the middle of the load well for securing 1/2" and 3/8" Chain 24 feet long	\$726.28	-\$145.26	\$581.02
Twist Locks	Twist Locks (1 - 40', 1 - 20', or 2 - 20' Containers), - (Price Each)	\$177.16	-\$35.43	\$141.73
	<b>WINCH &amp; WINCH ACCESSORIES</b>			
8000# Electric Winch	95ft. of 5/16" Cable	\$1,529.87	-\$305.97	\$1,223.90
10,500 # Hydraulic Winch	85' of 1/2" Cable	\$1,841.08	-\$368.22	\$1,472.86
12,000 # Hydraulic Winch	85' of 1/2" Cable	\$2,197.73	-\$439.55	\$1,758.18
20,000# Hydraulic Winch	85' of 1/2" Cable	\$4,136.32	-\$827.26	\$3,309.06
45,000 # Hydraulic Winch	120' of 7/8" Cable	\$19,939.26	-\$3,987.85	\$15,951.41
Cable Roller Guide	Cable Guide Used When Operating Winch To Keep Cable On Line	\$307.23	-\$61.45	\$245.78
Sloped Roller	Attached To Deck Slope Usually when 90° Angle Keeps Cable From Rubbing	\$619.69	-\$123.94	\$495.75
	<b>TIRES &amp; RIMS PLUS ACCESSORIES</b>			
Auto Tire Inflation System	Keeps Tire Inflated to The Desired PSI Using The Trailer Air System - (Price Each Axle)	\$355.32	-\$71.06	\$284.26
Crossfire	Various Pound Sizes (Standard 110#) - (Price Per Dual Tire Set Up)	\$124.06	-\$24.81	\$99.25
Spare Tire Carrier	Tire Carrier & Mount Any Location On Trailer - (Price Ea.)	\$347.38	-\$69.48	\$277.90
Spare Tire Carrier w/ Assist	Spare Tire Carrier with Davit or Mount/De-Mount Assist	\$843.63	-\$168.73	\$674.90
Spare Tire & Rim	Spare Tire & Rim - (Price Ea)	\$347.38	-\$69.48	\$277.90
Hubometer	Milage Gauge Placed On Axle Hub To Track Milage on Trailer	\$119.10	-\$23.82	\$95.28

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
<b>*Steel Rims</b>	<b>Standard Rim 6.75, 8 Hole, Hub Piloted</b>	<b>\$0.00</b>	<b>\$0.00</b>	<b>\$0.00</b>
Aluminum Rims	Aluminum Rim 6.75, 8 Hole, Hub Piloted - (In Lieu of Steel Rims - Price Ea)	\$225.00	-\$45.00	\$180.00
235/70R x 17.5 Tires	235/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
215/70R x 17.5 Tires	215/70R x 17.5 Tires	\$0.00	\$0.00	\$0.00
275/70R x 22.5	Add on for 25 to 55-Ton - Standard on 60 to 80-Ton Lowboy - (Price Ea - In Lieu of Standard)	\$90.20	-\$18.04	\$72.16
<b>*255/70R x 22.5</b>	<b>Standard on 25 Ton to 55-Ton Lowboys</b>	<b>\$0.00</b>	<b>\$0.00</b>	<b>\$0.00</b>
11R x 22.5 Tire & Rim	11R x 22.5 - (Price Ea. - In Lieu of Standard)	\$50.00	-\$10.00	\$40.00
11R x 24.5 Tire & Rim	11R x 24.5 - (Price Ea. - In lieu of Standard)	\$126.20	-\$25.24	\$100.96
315/80R x 22.5 Tire & Rim	315/80R x 22.5 Tire & Rim (Price Ea. - In Lieu of Standard)	\$522.50	-\$104.50	\$418.00
Military Special Application Tire & Rim	Off/On Road Special Application Tires - (Price Ea. - In Lieu of Standard)	\$350.00	-\$70.00	\$280.00
<b>PAINT &amp; COATINGS</b>				
Clear Coat	Clear Coat Protection Over Standard Paint	\$783.75	-\$156.75	\$627.00
Metalic Paint	Metalic Paint w/ Flakes	\$1,149.50	-\$229.90	\$919.60
CARC Paint	Military CARC (chemical agent resistant coating)	\$2,612.50	-\$522.50	\$2,090.00
Camouflage Paint	Military Camouflage Paint	\$1,567.50	-\$313.50	\$1,254.00
Camouflage Carc Paint	Camoufage Military CARC (chemical agent resistant coating)	\$3,918.75	-\$783.75	\$3,135.00
Carwell Coating	Rust Protection	\$261.25	-\$52.25	\$209.00
<b>LIGHTS &amp; WIRING</b>				
Etra Lights 2" Round	2" Round, LED, Amber and/or Red Includes Grommet - (Price Ea)	\$99.28	-\$19.86	\$79.42
Extra Lights 4" Round	4" Round LED, Amber and/or Red Includes Grommet - (Price Ea)	\$141.08	-\$28.22	\$112.86
<b>*Inboard Strobe Lighting Kit</b>	<b>Mounted Strobes in Rear Bumper</b>	<b>\$0.00</b>	<b>\$0.00</b>	<b>\$0.00</b>
Strobe Lighting Kit	Outboard Mounted Removable Strobes & Connectors	\$1,149.50	-\$229.90	\$919.60
Safety Night Light	Battery & Lighting Package	\$1,240.94	-\$248.19	\$992.75
Strobe Light	Magnet Mount Strobe & Plug	\$979.69	-\$195.94	\$783.75
Auxillary Charge Plug	Used Auxillary Applications on Trailer (Lights, Ramps, Battery, Etc.)	\$522.50	-\$104.50	\$418.00
Blackout Lighting	Black Out Convoy Lighting For Military Applications, Includes Harness - (In Lieu of Standard)	\$1,650.58	-\$330.12	\$1,320.46
12/24 Volt Converter Box	Converts Trailers from 12 Volt to 24 Volt	\$1,244.60	-\$248.92	\$995.68
Wireless Remote Control	Optional Funtions Available Set Up To	\$918.56	-\$183.71	\$734.85
Gooseneck Light Package	3 Light Cluster, Stop/Turn/White Light Cluster Located in the base of the Neck	\$1,045.00	-\$209.00	\$836.00
<b>HYDRAULICS</b>				
<b>*Wet Line</b>	<b>Straight Wet Line, 3000 PSI @ 10 Gallons Per Min to Operate Full Load</b>	<b>\$0.00</b>	<b>\$0.00</b>	<b>\$0.00</b>

<b>MFG PART #</b>	<b>PRODUCT DESCRIPTION</b>	<b>LIST PRICE</b>	<b>20% GOV'T DISCOUNT</b>	<b>GOV'T PRICE W/ 20% DISC.</b>
11 Hp Honda Gas Motor		\$1,933.25	-\$386.65	\$1,546.60
13 Hp Honda Gas Motor		\$2,978.25	-\$595.65	\$2,382.60
10 Hp Yanmar Diesel Motor		\$4,284.50	-\$856.90	\$3,427.60
Hydraulic Pressure Gauge	Mounted On Trailer	\$150.00	-\$30.00	\$120.00
<b>OTHER ACCESSORIES</b>				
Leveling Jacks	Leveling Jacks Used When Trailer Is Sitting - (Price Ea.)	\$574.75	-\$114.95	\$459.80
Registration Holder	Document/Registration Holder - (Price Ea.)	\$97.97	-\$19.59	\$78.38
Chain Storage Rack	Chain Storage Rack Lockable - Typically Placed In Bulkhead	\$339.63	-\$67.93	\$271.70
Dual Halogen Work Lights	Mounted On Trailer, Switch Operated Removable with Battery & Charge Cable	\$574.75	-\$114.95	\$459.80
Aluminum Ramps	#40,000 Capacity Ea, 84" Long x 20" Wide - (Price Per Set)	\$2,351.25	-\$470.25	\$1,881.00
Oil Field Rollers	Price Each Roller	\$888.25	-\$177.65	\$710.60
Mil Data Plates	Lubrication, Tie Down, Lifting, Warranty, Mfg Data Plate	\$84.36	-\$16.87	\$67.49
IUID Tags	Item Unique Identification	\$24.81	-\$4.96	\$19.85
RFID Tags	Radio Frequency Identification	\$124.06	-\$24.81	\$99.25
BII (Basic Issue Items)	Basic Issue Items Included with Trailer	\$446.63	-\$89.33	\$357.30
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90
Operation, Maintenance, Parts & Service Manuals	Includes One (1) Hard Copy Manual with CD	\$347.38	-\$69.48	\$277.90

