

JOHN DEERE GOLF PRODUCTS

180SL PrecisionCut Walk Greens Mower (Model Year 2014)

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
18 In. (45.7 cm) 11 Blade Reel
5 In. Reel Diameter
2.0 mm Ultra Low BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5512M		180SL PrecisionCut Walk Greens Mower (Model Year 2014)	9,154.00
-------	--	--	----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price

REEL FRONT ROLLERS

1308		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1309		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1321		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-46.00
1390		Less Front Rollers	-209.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:			
9766		Light Kit	369.00
9779		Transport Wheels and Stand	473.00
9780		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	1,196.00

JOHN DEERE GOLF PRODUCTS

180SL PrecisionCut Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9781		Rotary Brush	235.00
9783		Push Brush	500.00
9782		Greens Tender Conditioner	468.00
9801		Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	240.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	MT7350	Bedknife, 2.0 mm Ultra Low-Cut	See Parts
	MT4846	Bedknife, 2.5 mm Tournament	See Parts
		Miscellaneous:	
	TCA23624	14 Blade Reel	See Parts
	AMT2865	Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	See Parts
	BM24731	Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	251.46
	BM20568	Greens Tender Conditioner	500.76
	BM20579	Light Kit	394.83
	BM23449	Push Brush	535.00
	AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	See Parts
	BM20569	Rotary Brush	251.46
	BM20578	Transport Wheels and Stand	506.11
		Rollers:	
	BM24204	(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
	BM20562	(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps	223.63
	BM20561	(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	210.79
	BM24203	(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller	174.41

JOHN DEERE GOLF PRODUCTS

180 E-Cut Hybrid Walk Greens Mower (Model Year 2014)
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 18 In. (45.7 cm) 11 Blade Reel
5 In. Reel Diameter
2.0 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic Light
Adjustable Frequency of Clip

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5541M		180 E-Cut Hybrid Walk Greens Mower (Model Year 2014)	11,885.00
-------	--	--	-----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price
0136		France	176.00

REEL FRONT ROLLERS

1308		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1309		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1321		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-46.00
1390		Less Front Rollers	-209.00

REEL REAR ROLLERS

1622		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1690		Less Rear Rollers	-163.00

JOHN DEERE GOLF PRODUCTS

180 E-Cut Hybrid Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNITS			
1200		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8 mm bedknife, Direct Mount Grass Catcher Yoke, less Front and Rear Rollers, Motors and Counter Weights	-247.00
1202		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife, Direct Mount Grass Catcher Yoke, less Front and Rear Rollers, Motors and Counter Weight	In Base Price
1290		Less Cutting Unit	-2,622.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>	In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>	Same Price
1490		Less Counter Weight Kit	-60.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9743		(1) GTC/FTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	1,227.00
9766		Light Kit	369.00
9779		Transport Wheels and Stand	473.00
9781		(1) QA5 18 In. Rotary Turf Brush <i>Can not be used with GTC. Also need order Gear Drive code 9020</i>	200.00
9783		Push Brush	500.00
9782		Greens Tender Conditioner	468.00
9812		(1) Grass Catcher with large paddle clip (22 Low Profile)	183.00
9813		(1) QA5 Grass Catcher Side Plate Insert	46.00
9803		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,389.00
9801		(1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
MT7350		Bedknife, 2.0 mm Ultra Low-Cut	See Parts
MT4846		Bedknife, 2.5 mm Tournament	See Parts
Cutting Units:			
BM24128		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight	2,556.23

JOHN DEERE GOLF PRODUCTS

180 E-Cut Hybrid Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24127		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights	2,291.94
		Miscellaneous:	
BM24374		(1) 18 In. Front Rotary Turf Brush <i>Requires GTC/FTC Gear Drive.</i>	214.00
BTC10214		(1) 18 In. Rear Grass Catcher with large paddle clip <i>1 Needed for 180 E-Cut Hybrid Walk Greens Mowers. 2 Needed for 8000 E-Cut Hybrid Fairway Mower. Not compatible with with rear bail system BTC10405.</i>	195.81
BM22469		(1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i>	1,339.64
BM24732		(1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
TCA23622		14 Blade Reel	See Parts
BTC10629		Direct Mount Grass Catcher (18")	179.76
BM24900		Direct Mount QA5 Grass Catcher Brackets	69.56
BM24358		Greens Tender Conditioner	279.27
BM22615		Light Kit	394.83
BM23449		Push Brush	535.00
BM22616		Transport Wheels and Stand	506.11
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24204		(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM20562		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps	223.63
BM20561		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	210.79
BM24203		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller	174.41

JOHN DEERE GOLF PRODUCTS

220SL PrecisionCut Walk Greens Mower (Model Year 2014)

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
22 In. (55.9 cm) 11 Blade Reel
5 In. Reel Diameter
2.5mm Tournament BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5522M		220SL PrecisionCut Walk Greens Mower (Model Year 2014)	8,961.00
-------	--	--	----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price

REEL FRONT ROLLERS

1300		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1301		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1302		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-65.00
1390		Less Front Rollers	-228.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

9766		Light Kit	369.00
9779		Transport Wheels and Stand	473.00
9780		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	1,196.00

JOHN DEERE GOLF PRODUCTS

220SL PrecisionCut Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9781		Rotary Brush	235.00
9783		Push Brush	500.00
9782		Greens Tender Conditioner	468.00
9801		Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	240.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	ET17532	Bedknife, 4.8mm Fairway	See Parts
	MT7351	Bedknife, 2.0mm Ultra Low Cut	See Parts
	ET17534	Bedknife, 2.5mm Tournament	See Parts
	ET17533	Bedknife, 3.2 mm	See Parts
	ET11066	Bedknife, 3.2 mm with Hardened Insert	See Parts
		Miscellaneous:	
	TCA23623	14 Blade Reel	See Parts
	AMT2865	Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	See Parts
	BM24729	Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	251.46
	BM20566	Greens Tender Conditioner	525.37
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
	BM20579	Light Kit	394.83
	BM23449	Push Brush	535.00
	AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	See Parts
	BM20567	Rotary Brush	251.46
	BM23443	Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included).	1,279.71
	TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	See Parts
	BM20578	Transport Wheels and Stand	506.11

JOHN DEERE GOLF PRODUCTS

220SL PrecisionCut Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rollers:	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18711		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	231.11
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41

JOHN DEERE GOLF PRODUCTS

220 E-Cut Hybrid Walk Greens Mower (Model Year 2014)
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 22 In. (55.9 cm) 11
Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5504M		220 E-Cut Hybrid Walk Greens Mower (Model Year 2014)	11,833.00
-------	--	--	-----------

DESTINATION

0195		Mexico	Same Price
001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price
0136		France	176.00

REEL FRONT ROLLERS

1300		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1301		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1390		Less Front Rollers	-228.00

REEL REAR ROLLERS

1602		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1690		Less Rear Rollers	-163.00

REEL CUTTING UNITS

JOHN DEERE GOLF PRODUCTS

220 E-Cut Hybrid Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNITS Continued...			
1201		(1) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher Yoke, Less Front and Rear Rollers, Motor and counter weight.	-84.00
1203		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher Yoke, Less Front and Rear Rollers, Motor and counter weight.	In Base Price
1290		Less Cutting Unit	-2,513.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>	In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>	Same Price
1490		Less Counter Weight Kit	-60.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9743		(1) GTC/FTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	1,227.00
9766		Light Kit	369.00
9779		Transport Wheels and Stand	473.00
9781		(1) QA5 22 In. Rotary Turf Brush <i>Can not be used with GTC. Also need order Gear Drive code 9020</i>	200.00
9783		Push Brush	500.00
9782		Greens Tender Conditioner	468.00
9812		(1) Grass Catcher with large paddle clip (22 Low Profile)	168.00
9813		(1) QA5 Grass Catcher Side Plate Insert	46.00
9803		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,280.00
9801		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts

JOHN DEERE GOLF PRODUCTS

220 E-Cut Hybrid Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	ET17534	Bedknife, 2.5mm Tournament	See Parts
	ET17533	Bedknife, 3.2 mm	See Parts
	ET11066	Bedknife, 3.2 mm with Hardened Insert	See Parts
		Cutting Units:	
	BM24130	(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
	BM25128	(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
	BM24129	(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
		Miscellaneous:	
	BM22761	(1) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC. Requires GTC/FTC Gear Drive.</i>	214.00
	BM22471	(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	295.31
	BM22469	(1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i>	1,339.64
	BM24730	(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
	BM23910	(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
	TCA23621	14 Blade Reel	See Parts
	BM24900	Direct Mount QA5 Grass Catcher Brackets	69.56
	BTC10216	Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers 7700/8700. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
	BM22615	Light Kit	394.83
	BM23449	Push Brush	535.00
	BM24199	QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
	TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	See Parts
	BM22616	Transport Wheels and Stand	506.11

JOHN DEERE GOLF PRODUCTS

220 E-Cut Hybrid Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
Rollers:			
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18711		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	231.11
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41

JOHN DEERE GOLF PRODUCTS

260SL PrecisionCut Walk Greens Mower (Model Year 2014)

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.286 (7.26mm) Frequency of Clip (7-Blade)
26 In. (66.0 cm) 7 Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller with Solid End Caps
Meets Carb Standards

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5532M		260SL PrecisionCut Walk Greens Mower (Model Year 2014)	10,200.00
-------	--	--	-----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price

REEL FRONT ROLLERS

1313		(1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1314		(1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-9.00
1390		Less Front Rollers	-248.00

REEL CUTTING UNITS

1211		(1) 26 In. 7-Blade Cutting Unit	In Base Price
1210		(1) 26 In. 11-Blade Cutting Unit	Same Price

ATTACHMENTS - ORDER AS DESIRED

9766		Miscellaneous: Light Kit	369.00
9779		Transport Wheels and Stand	473.00

JOHN DEERE GOLF PRODUCTS

260SL PrecisionCut Walk Greens Mower (Model Year 2014)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9780		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	1,196.00
9781		Rotary Brush	235.00
9782		Greens Tender Conditioner	468.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
MT6947		Bedknife, 3.2 mm	See Parts
MT6946		Bedknife, Long-Life Fairway	See Parts
		Miscellaneous:	
AMT2865		Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	See Parts
BM20570		Greens Tender Conditioner	548.91
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
BM20579		Light Kit	394.83
BM23449		Push Brush	535.00
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	See Parts
BM20571		Rotary Brush	263.21
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	See Parts
BM20578		Transport Wheels and Stand	506.11
		Rollers:	
BM20564		(1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller with Solid End Caps	265.36
BM20563		(1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	255.73
BM17670		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	406.60
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	352.03
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	469.73

**JOHN DEERE GOLF PRODUCTS
GREENSMOWER TRAILER**

22B Walk Greens Mower Trailer
Equipment for Base Machine

Carries 2 Walk Greens Mowers
Compatible with A, B, C and SL
Models 180 and 220 E-Cut Hybrid
Walk Greens Mower
Multiple angle location ramp
with stainless steel latch
system
Spray-On Bedliner on floor
of trailer bed and ramp
Welded storage holders for
retaining bar when not in
use
Box Capacity: 12.7 Cu. Ft.
(0.36 cu. m)

Maximum Load: 1000 Lbs.
(454 kg)
Maximum Payload: 700 Lbs.
(318 kg)
Pneumatic Turf Tires 2 Ply
22.5x10.00-8
Ball Bearing, Double Sealed
Wheel Bearings
1-7/8 In. Dia. (4.8 cm)
Hitch Coupler
Inside Box 60"L X 40"W
Outside Box 62"L x46"W
Box Side Panels 8.5" Tall
Front Wall 13" Tall

Outside to Outside Tire is 66"
Ramp Down Position 27" L X 46"
W down
Trailer Tongue 43" L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0521TC		22B Walk Greens Mower Trailer <i>Must be Ordered in Quantities of Two. Requires Utility Vehicles to be Equipment With 1-7/8 In. (4.8cm) Ball Hitch.</i>	2,407.00
--------	--	--	----------

Miscellaneous Items

9100		European CE Kit: European CE Conversion Kit for 22B Greensmower Trailer <i>Must Be Ordered to Receive a 22B Walk-Behind Greensmower Trailer Which Meets CE Mark Requirements. Kit Includes Pictorial Decals and Operator's Manual in English, French, German, Spanish and Italian.</i>	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: TCU23674 John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
		TCU29767 Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	See Parts

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Riding Greens Mower - Gas
Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm, Engine Manufacturer Gross Power, Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Foot Actuated Adjustable Tilt Steering Wheel
Deluxe Seat
2-Post SAE J21294 Roll Over Protection Structure with Seat Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever

Hand Operated Mow/Transport Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Quik-Tatch Cutting Units with Adjustable Shields
Quick Adjust QA5 Cutting Units with Speed Link Height of Cut System
Dual Point Adjustable Bed Knife with Notch Adjustments
Double Upstops for Front Cutting Units
Machined Grooved Solid Front Rollers with Solid End Caps and 22 In. 2 In. (5 cm) Diameter
Wide Tube/Hollow Smooth Rear Rollers
Sit on Seat Diagnostics
White Box Controller

Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth Floatation Tires
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1206TC	2500B PrecisionCut Riding Greens Mower - Gas	34,519.00
--------	--	-----------

DESTINATION CODE

001A	US/Canada	In Base Price
001C	Aust/NZ	Same Price
001D	Other Countries	Same Price

OPERATOR MANUALS - LANGUAGES

0443	All Other countries (English/Spanish)	No Charge
------	---------------------------------------	-----------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With Front AND Rear Rollers <i>Requires 2010 Code, Less Front Rollers.</i>	-72.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	-252.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	In Base Price
1290	Less Cutting Units	-6,840.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-195.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	510.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1318		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1320		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1390		Less Front Rollers	-684.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1690		Less Rear Rollers	-489.00
WHEELS WITH TIRES (THREE)			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10)	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10)	11.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10)	42.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	11.00
1149		Less Wheels with Tires	-447.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	228.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-180.00
REEL CUTTING UNIT ATTACHING YOKES			
3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i>	778.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-113.00
3210		Less Cutting Yokes and Grass Catchers	-1,417.00
ATTACHMENTS - ORDER AS DESIRED			
Cutting Units:			
9121		(3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	6,768.00
Miscellaneous:			
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	1,431.00
9743		(3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i>	3,681.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	414.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,131.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	600.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	828.00
9756		(3) Smooth Roller Scrapers	45.00
9763		(3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i>	27.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,361.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	600.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9803		(3) 11 blade QA5 Ccutting Units less front and rear rollers	6,840.00
9804		(3) 7 blade QA5 Cutting units less front and rear rollers	6,588.00
9805		Cutting Unit Top Shield Extension (Set of 3)	83.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts
ET17534		Bedknife, 2.5mm Tournament	See Parts
ET17533		Bedknife, 3.2 mm	See Parts
ET11066		Bedknife, 3.2 mm with Hardened Insert	See Parts
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
		Cutting Units:	
BM22460		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
		Miscellaneous:	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	295.31
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,431.66
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	See Parts
BM23080		Cutting Unit Top Shield Extension (Set of 3)	88.81
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	854.93
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	599.20
BTC10686		Dew Whip with end support bracket <i>Fits 2014 Gas and All Model Year Diesel.</i>	138.03
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	143.39
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	179.76
AMT2978		Height of Cut Gauge Bar	See Parts
TCB11165		Leak Detector Kit	1,456.27
BM19746		Light Kit, Front	255.73
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	55.64
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	160.50
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	148.73
TCB11167		Third Wheel Assist Kit	2,566.93
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	478.29
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	490.06

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	490.06
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	523.23
BTC10606		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	149.80
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Riding Greens Mower - Diesel
Equipment for Base Machine

19.6 hp (14.6 kW) per SAE J1995 Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's web site for additional information.

Meets EPA Tier 4
Foot Actuated Adjustable Tilt Steering Wheel
Deluxe Seat
2-Post SAE J21294 Roll Over Protection Structure with Seat Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport Lever

Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Quik-Tatch Cutting Units with Adjustable Shields
Quick Adjust QA5 Cutting Units with Speed Link Height of Cut System
Dual Point Adjustable Bed Knife with Notch Adjustments
Double Upstops for Front Cutting Units
Machined Grooved Solid Front Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rear Rollers
Sit on Seat Diagnostics
White Box Controller

Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth Flootation Tires
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1186TC	2500B PrecisionCut Riding Greens Mower - Diesel	40,725.00
--------	---	-----------

DESTINATION CODE

001A	US/Canada	In Base Price
001B	Europe	70.00
001C	Aust/NZ	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

OPERATOR MANUALS - LANGUAGES

0443	All Other countries (English/Spanish)	No Charge
------	---------------------------------------	-----------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With Front AND Rear Rollers	-72.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	-252.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	In Base Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNITS Continued...			
1290		Less Cutting Units	-6,840.00
REEL FRONT ROLLERS			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-195.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	510.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1318		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1320		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1390		Less Front Rollers	-684.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1690		Less Rear Rollers	-489.00
WHEELS WITH TIRES (THREE)			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10)	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10)	11.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10)	42.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	11.00
1149		Less Wheels with Tires	-447.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only Counter Weight Kit	228.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>			
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-180.00

SEATS

2010		Deluxe Suspension Seat with Armrest	781.00
2009		Standard Seat	431.00
2090		Less Seat	In Base Price

REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS

3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i>	778.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-113.00
3210		Less Cutting Yokes and Grass Catchers	-1,417.00

ATTACHMENTS - ORDER AS DESIRED

Cutting Units:			
9121		(3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	6,768.00
Miscellaneous:			
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	1,431.00
9743		(3) GTC/FTC Gear Drive <i>Requires order code 9738.</i>	3,681.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	414.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,131.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	600.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	828.00
9756		(3) Smooth Roller Scrapers	45.00
9763		(3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i>	27.00
9769		Greens Mower Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	78.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,361.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	600.00
9803		(3) 11 blade QA5 Cutting Units less front and rear rollers	6,840.00
9804		(3) 7 blade QA5 Cutting units less front and rear rollers	6,588.00
9805		Cutting Unit Top Shield Extension (Set of 3)	83.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	ET17532	Bedknife, 4.8mm Fairway	See Parts
	MT7351	Bedknife, 2.0mm Ultra Low Cut	See Parts
	ET17534	Bedknife, 2.5mm Tournament	See Parts
	ET17533	Bedknife, 3.2 mm	See Parts
	ET11066	Bedknife, 3.2 mm with Hardened Insert	See Parts
	ET17767	Bedknife, Hi-cut Fairway 7.6 mm	See Parts
		Cutting Units:	
	BM22460	(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
	BM24130	(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
	BM24129	(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
		Engine:	
	TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		Miscellaneous:	
	BM22671	(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	295.31
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,431.66
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	See Parts
BM23080		Cutting Unit Top Shield Extension (Set of 3)	88.81
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	854.93
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	599.20
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	65.27
BTC10686		Dew Whip with end support bracket <i>Fits 2014 Gas and All Model Year Diesel.</i>	138.03
BTC10655		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	587.43
BTC10630		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	69.56

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	143.39
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	179.76
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	83.46
AMT2978		Height of Cut Gauge Bar	See Parts
TCB11165		Leak Detector Kit	1,456.27
BM19746		Light Kit, Front	255.73
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	55.64
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	160.50
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	148.73
TCB11167		Third Wheel Assist Kit	2,566.93
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	478.29
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	490.06
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	490.06
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	523.23
BTC10606		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	149.80
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rollers:	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Riding Greens Mower - Gas
Equipment for Base Machine**

21.0 hp (15.7 kW) at 3600 rpm, Engine Manufacturer Gross Power, Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturers web site for additional information.

Foot Actuated Adjustable Tilt Steering Wheel
Deluxe Seat
2-Post SAE J21294 Roll Over Protection Structure with Seat Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever

Hand Operated Mow/Transport Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Electric Reel Motors
Offset Reel Design
Quick-Tatch Cutting Units with Adjustable Shields
Quick Adjust QA5 Cutting Units with Speed Link Height of Cut System
Dual Point Adjustable Bed Knife with Notch Adjustments
Double Upstops for Front Cutting Units
Machined Grooved Solid Front Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rear Rollers
Sit on Seat Diagnostics

White Box Controller
Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth Floatation Tires
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1216TC	2500E E-Cut Hybrid Riding Greens Mower - Gas	36,411.00
--------	--	-----------

DESTINATION CODE

001A	US/Canada	In Base Price
001C	Aust/NZ	Same Price
001D	Other Countries	Same Price

OPERATOR MANUALS - LANGUAGES

0443	All Other countries (English/Spanish)	No Charge
------	---------------------------------------	-----------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With Front AND Rear Rollers	-72.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	-252.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	In Base Price
1290	Less Cutting Units	-6,840.00

REEL FRONT ROLLERS

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-195.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	510.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1318		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1320		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1390		Less Front Rollers	-684.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1690		Less Rear Rollers	-489.00
WHEELS WITH TIRES (THREE)			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10)	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10)	11.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10)	42.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	11.00
1149		Less Wheels with Tires	-447.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	228.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit	Same Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1490		REEL CUTTING UNIT COUNTER WEIGHTS Continued... Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-180.00
REEL CUTTING UNIT ATTACHING YOKES			
3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i>	778.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-113.00
3210		Less Cutting Yokes and Grass Catchers	-1,417.00
ATTACHMENTS - ORDER AS DESIRED			
Cutting Units:			
9121		(3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	6,768.00
Miscellaneous:			
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	1,431.00
9743		(3) GTC/FTC Gear Drive <i>Requires order code 9738.</i>	3,681.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	414.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,131.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	600.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	828.00
9756		(3) Smooth Roller Scrapers	45.00
9763		(3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i>	27.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,361.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	600.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9803		(3) 11 blade QA5 Ccutting Units less front and rear rollers	6,840.00
9804		(3) 7 blade QA5 Cutting units less front and rear rollers	6,588.00
9805		Cutting Unit Top Shield Extension (Set of 3)	83.00
 ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts
ET17534		Bedknife, 2.5mm Tournament	See Parts
ET17533		Bedknife, 3.2 mm	See Parts
ET11066		Bedknife, 3.2 mm with Hardened Insert	See Parts
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
Cutting Units:			
BM22460		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
Miscellaneous:			
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	295.31
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,431.66
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	See Parts
BM23080		Cutting Unit Top Shield Extension (Set of 3)	88.81
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	854.93
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	599.20
BTC10686		Dew Whip with end support bracket <i>Fits 2014 Gas and All Model Year Diesel.</i>	138.03
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	143.39
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	179.76
AMT2978		Height of Cut Gauge Bar	See Parts
TCB11165		Leak Detector Kit	1,456.27
BM19746		Light Kit, Front	255.73
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	55.64
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	160.50
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	148.73
TCB11167		Third Wheel Assist Kit	2,566.93
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	478.29
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	490.06

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	490.06
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	523.23
BTC10606		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	149.80
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Equipment for Base Machine

19.6 hp (14.6 kW) per SAE J1995
Engine hp is provided by the
engine manufacturer to be used
for comparison purposes only.
Actual operating hp will be
less. Refer to the engine
manufacturer's web site for
additional information.
Meets EPA Tier4
Foot Actuated Adjustable Tilt
Steering Wheel
Deluxe Seat
2-Post SAE J21294 Roll Over
Protection Structure with Seat
Belts
Command Arm Operator Controls
Four Function LED Warning
Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps

Power Steering
Hydrostatic Drive
Single Reel Pump
Electric Reel Motors
Offset Reel Design
Quik-Tatch Cutting Units with
Adjustable Shields
Quick Adjust QA5 Cutting Units
with Speed Link Height of Cut
System
Dual Point Adjustable Bed Knife
with Notch Adjustments
Double Upstops for
Front Cutting
Units
Machined Grooved Solid Front
Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter
Wide Tube/Hollow Smooth
Rear Rollers
Sit on Seat Diagnostics
White Box Controller

Micro-Lap Backlapping Valve and
Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth
Floatation Tires
Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1196TC	2500E E-Cut Hybrid Riding Greens Mower - Diesel	42,610.00
--------	---	-----------

DESTINATION CODE

001A	US/Canada	In Base Price
001B	Europe	70.00
001C	Aust/NZ	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

OPERATOR MANUALS - LANGUAGES

0443	All Other countries (English/Spanish)	No Charge
------	---------------------------------------	-----------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With Front AND Rear Rollers	-72.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	-252.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers	In Base Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNITS Continued...			
1290		Less Cutting Units	-6,840.00
REEL FRONT ROLLERS			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-195.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	510.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1318		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1320		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	348.00
1390		Less Front Rollers	-684.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	543.00
1690		Less Rear Rollers	-489.00
WHEELS WITH TIRES (THREE)			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10)	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10)	11.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10)	42.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	11.00
1149		Less Wheels with Tires	-447.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only Counter Weight Kit	228.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>			
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-180.00
<hr/>			
SEATS			
2010		Deluxe Suspension Seat with Armrest	781.00
2009		Standard Seat	431.00
2090		Less Seat	In Base Price
<hr/>			
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i>	778.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-113.00
3210		Less Cutting Yokes and Grass Catchers	-1,417.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
Cutting Units:			
9121		(3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	6,768.00
Miscellaneous:			
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	1,431.00
9743		(3) GTC/FTC Gear Drive <i>Requires order code 9738.</i>	3,681.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	414.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,131.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	600.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	828.00
9756		(3) Smooth Roller Scrapers	45.00
9763		(3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i>	27.00
9769		Greens Mower Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	78.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,361.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	600.00
9803		(3) 11 blade QA5 Cutting Units less front and rear rollers	6,840.00
9804		(3) 7 blade QA5 Cutting units less front and rear rollers	6,588.00
9805		Cutting Unit Top Shield Extension (Set of 3)	83.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	ET17532	Bedknife, 4.8mm Fairway	See Parts
	MT7351	Bedknife, 2.0mm Ultra Low Cut	See Parts
	ET17534	Bedknife, 2.5mm Tournament	See Parts
	ET17533	Bedknife, 3.2 mm	See Parts
	ET11066	Bedknife, 3.2 mm with Hardened Insert	See Parts
	ET17767	Bedknife, Hi-cut Fairway 7.6 mm	See Parts
		Cutting Units:	
	BM22460	(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
	BM24130	(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
	BM24129	(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
		Engine:	
	TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		Miscellaneous:	
	BM22671	(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	295.31
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	214.00
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,431.66
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	See Parts
BM23080		Cutting Unit Top Shield Extension (Set of 3)	88.81
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	854.93
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	599.20
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	65.27
BTC10686		Dew Whip with end support bracket <i>Fits 2014 Gas and All Model Year Diesel.</i>	138.03
BTC10655		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	587.43
BTC10630		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	69.56

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	143.39
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	179.76
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	83.46
AMT2978		Height of Cut Gauge Bar	See Parts
TCB11165		Leak Detector Kit	1,456.27
BM19746		Light Kit, Front	255.73
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	55.64
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	160.50
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	148.73
TCB11167		Third Wheel Assist Kit	2,566.93
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	478.29
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	490.06
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	490.06
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	523.23
BTC10606		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	149.80
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rollers:	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	243.96
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	174.41
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine**

19.6 HP* (14.6 kW) Gross Per SAE J1995 @ 3000 RPM (19.1, 14.2 kW) Liquid Cooled Three Cylinder IDI Diesel Engine 2 Post SAE J21294 Roll Over Protection Structure with Seat Belts 2 Pedal Foot Controlled Hydrostatic Drive Hydraulic Reel Motors Single Reel Pump Micro-Lap Backlapping Valve Oil Cooler	3WD GRIP AWD Traction System Power Steering 20x10-10.00 Front Turf Tires 20x10-8.00 Rear Turf Tires Hour Meter On Board Diagnostic White Box Controller Four Function LED Warning Monitor 7.4 Gallon (28 L) Fuel Capacity BCI Group 40 Maintenance Free Battery John Deere Golf Operator Videos	and All Products Safety Video DVD Set
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1224TC	2653B PrecisionCut Trim and Surrounds Mower	25,559.00
--------	---	-----------

DESTINATION

001A	US/Canada	In Base Price
001B	Europe	11.00
001C	Australia/NZ	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

OPERATORS MANUAL

0443	All Other Countries	No Charge
------	---------------------	-----------

REEL CUTTING UNITS

26 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1204	(3) QA7 Five Blade 26 In. Cutting Units	7,560.00
1206	(3) QA7 Eight Blade 26 In. Cutting Units with 6.3 mm bedknife	8,010.00

30 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1205	(3) QA7 Five Blade 30 In. Cutting Units	8,796.00
1207	(3) QA7 Eight Blade 30 In. Cutting Units	9,366.00
1290	Less Cutting Units, Front Lift Arms and Yokes	In Base Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS			
26 Inch Front Rollers:			
1315		(3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	969.00
1316		(3) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	1,119.00
1317		(3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	1,317.00
30 Inch Front Rollers:			
1318		(3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	1,377.00
1319		(3) 3 In. (7.6 cm) Diameter Heavy Duty Machined Grooved Disc Front Rollers	1,527.00
1329		(3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	1,725.00
1390		Less Front Rollers	In Base Price
SEATS			
2010		Deluxe Suspension Seat with Armrest	781.00
2009		Standard Seat	431.00
2090		Less Seat	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" Cutting Unit.</i>	In Base Price
1404		(3) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	228.00
1409		(3) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" cutting unit.</i>	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" Cutting Unit.</i>	-180.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9736		Grass Catchers with Mounting Hardware for 26 Inch Cutting Unit (Set of 3) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	1,223.00
9741		(3) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i>	1,527.00
9744		(3) QA7 FTC Gear Drive <i>Requires order code 9015.</i>	3,681.00
9747		(3) QA7 26 In. Rear Roller Power Brush <i>Requires order code 9018. NOT Compatible with Grass Catchers.</i>	516.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9749		(3) QA7 26 In. Rear Roller Power Brush Drive <i>Requires order code 9017. NOT Compatible with Grass Catchers.</i>	1,131.00
9759		(3) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	429.00
9757		26 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	138.00
9760		(3) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	396.00
9762		30 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i>	187.00
9807		(3) 8 Blade QA7 less front rollers	7,038.00
9808		(3) 30 In. 8 Blade QA7 less front rollers	8,085.00
		ATTACHMENTS FOR FIELD CONVERSION	
		CE Kit:	
BTC10256		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
		Cutting Units:	
BM24124		(1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife	2,510.21
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,883.66
BM24123		(1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife	2,349.71
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,680.36
		Miscellaneous:	
BM22759		(1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i>	335.99
BM23005		(1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	138.03
BM23004		(1) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper	149.80
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	73.83
BM22672		(1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	544.63
BM22669		(1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i>	180.83
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive	1,312.89

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	71.69
BM17683		26 In. Smooth Roller Scrapers (Set of 3)	144.46
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	195.81
AM117680		Arm Rest Kit	See Parts
ET17752		Bedknife Hi-Cut, 26-in 15.8 mm	See Parts
BM18185		Grass Catcher Orifice <i>1) Kit Required for installation of Grass Catchers on 2653B, Not required for 7200.</i>	36.39
TCU13823		Height of Cut Gauge Bar	See Parts
TCB11353		Lift Arms, Front (26 In. Right Hand and Left Hand)	415.16
TCB11355		Lift Arms, Front (30 In. Right Hand and Left Hand)	577.80
TCB11065		Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	90.96
BM19746		Light Kit, Front	255.73
BM22760		Mounting Hardware for 26 In Grass Catcher (set of 3)	256.80
TCB11107		Seat, Deluxe Suspension with Armrests	819.61
TCB11106		Seat, Standard	452.61
TCB11374		Yokes, Front (26 In. Right Hand and Left Hand)	604.56
TCB11373		Yokes, Front (30 In. Right Hand and Left Hand)	766.11
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
BM17670		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	406.60
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	352.03
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	469.73

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18438	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	544.63
	BM18439	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	491.13
	BM19819	(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	615.26

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7200A PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine**

Three Cylinder 21.2 HP (15.8 kw) Diesel Engine eHydro Electronic Controlled Hydrostatic Drive (3) Independent Wheel Motors GRIP All Wheel Drive Width On Demand 68-in (173 cm) ; 72-In (183 cm) Reach Trimming System with Maximum 14 In. (38cm) or 20 In. (50.8 cm) Shift outside front tire with 26-In (66 cm) or 30-In (76 cm) Power Steering with Straight Track Steering Cylinder Internal Wet Disc Brakes	(2) 24x12-12 Turf Trac Front Drive Tires (1) 24x12-12 Multi Trac Rear Drive Tire Deluxe Suspension Seat with Retractable Seatbelt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower Joystick Control Foot Activated Tilt Steering Column (3) Hydraulic Motors (3) QA7 26 In. Cutting Units	2-Post Roll Over Protection Structure Command Arm Operator Controls 12 U.S. Gallon Fuel Capacity John Deere Golf Operator Videos and All Products Safety Video DVD Set
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1760TC	7200A PrecisionCut Trim and Surrounds Mower	38,920.00
--------	---	-----------

DESTINATION

001A	US/Canada	In Base Price
001B	Europe	86.00
001C	Australia/NZ	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

OPERATORS MANUAL

0443	All Other Countries	No Charge
------	---------------------	-----------

REEL CUTTING UNITS

26 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1204	(3) QA7 Five Blade 26 In. Cutting Units	-450.00
1206	(3) QA7 Eight Blade 26 In. Cutting Units with 6.3 mm bedknife	In Base Price

30 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1205	(3) QA7 Five Blade 30 In. Cutting Units	801.00
1207	(3) QA7 Eight Blade 30 In. Cutting Units	1,371.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1290		REEL CUTTING UNITS Continued... Less Cutting Units, Front Lift Arms and Yokes	-8,106.00
REEL FRONT ROLLERS			
1315		26 Inch Front Rollers: (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	-150.00
1316		(3) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1317		(3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	198.00
1318		30 Inch Front Rollers: (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	258.00
1319		(3) 3 In. (7.6 cm) Diameter Heavy Duty Machined Grooved Disc Front Rollers	408.00
1320		(3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	606.00
1390		Less Front Rollers	-1,119.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" Cutting Unit.</i>	In Base Price
1404		(3) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	228.00
1409		(3) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" cutting unit.</i>	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" Cutting Unit.</i>	-180.00
ATTACHMENTS - ORDER AS DESIRED			
9736		Miscellaneous: Grass Catchers with Mounting Hardware for 26 Inch Cutting Unit (Set of 3) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	1,188.00
9741		(3) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i>	1,527.00
9744		(3) QA7 FTC Gear Drive <i>Requires order code 9015.</i>	3,681.00
9747		(3) QA7 26 In. Rear Roller Power Brush <i>Requires order code 9018. NOT Compatible with Grass Catchers.</i>	516.00
9749		(3) QA7 26 In. Rear Roller Power Brush Drive <i>Requires order code 9017. NOT Compatible with Grass Catchers.</i>	1,131.00
9759		(3) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	429.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9757		26 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	138.00
9760		(3) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	396.00
9762		30 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i>	187.00
9767		Joystick Kit	998.00
9766		Light Kit	281.00
9764		Canopy	550.00
 ATTACHMENTS FOR FIELD CONVERSION			
Cutting Units:			
BM24124		(1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife	2,510.21
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,883.66
BM24123		(1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife	2,349.71
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,680.36
Miscellaneous:			
BM22759		(1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i>	335.99
BM23005		(1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	138.03
BM23004		(1) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper	149.80
BM22672		(1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	544.63
BM22669		(1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i>	180.83
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive	1,312.89
BM17683		26 In. Smooth Roller Scrapers (Set of 3)	144.46
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	195.81
ET17752		Bedknife Hi-Cut, 26-in 15.8 mm	See Parts
BTC10338		Canopy	588.50
TCU13823		Height of Cut Gauge Bar	See Parts

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10393	Joystick Kit	1,067.86
	TCB11476	Lift Arms, Front (26 In. Right Hand and Left Hand)	515.74
	TCB11477	Lift Arms, Front (30 In. Right Hand and Left Hand)	694.43
	BTC10347	Light Kit	300.67
	BM22760	Mounting Hardware for 26 In Grass Catcher (set of 3)	256.80
	TCB11374	Yokes, Front (26 In. Right Hand and Left Hand)	604.56
	TCB11373	Yokes, Front (30 In. Right Hand and Left Hand)	766.11
		Reel Cutting Unit Counter Weights	
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
	BM22704	(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
	BM22721	(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
	BM17670	(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	406.60
	BM17671	(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	352.03
	BM19818	(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	469.73
	BM18438	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	544.63
	BM18439	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	491.13
	BM19819	(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	615.26

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7200 PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine**

*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only. Actual Operating HP will be Less. Refer to the engine manufacturer's web site for additional information.

Gross Engine HP* 26.4 (19.69 kW) @ 2600 rpm
 Net Engine HP* 25.0 (18.64 kW) @2600 rpm
 Three Cylinder Turbo Diesel Engine
 Hydrostatic Drive
 (3) Independent Wheel Motors
 GRIP All Wheel Drive
 Width On Demand 68-in (173 cm) ; 72-In (183 cm)
 Reach Trimming System with

Maximum 14 In. (38cm) or 20 In. (50.8 cm) Shift
 outside front tire with 26-In (66 cm) or 30-In (76 cm)
 Power Steering with Straight Track Steering Cylinder
 Dual Disc Brakes
 (2) 24x12-12 Turf Trac Front Drive Tires
 (1) 24x12-12 Multi Trac Rear Drive Tire
 Deluxe Suspension Seat with Retractable Seatbelt
 White Box Controller with On-Board Diagnostics
 One-Touch Lift/Lower Joystick Control
 Foot Activated Tilt Steering Column

(3) Hydraulic Motors
 (3) QA7 26 In. Cutting Units
 2-Post Roll Over Protection Structure
 6 LED Warning Light Instrument Cluster with Hour Meter
 Command Arm Operator Controls
 13 U.S. Gallon Fuel Capacity
 John Deere Golf Operator Videos and All Products Safety Video DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1702TC	7200 PrecisionCut Trim and Surrounds Mower	38,535.00
--------	--	-----------

REEL CUTTING UNITS

26 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1005	(3) QA7 Five Blade 26 In. Cutting Units with 6.3 mm bedknife	-450.00
1006	(3) QA7 Eight Blade 26 In. Cutting Units with 6.3 mm bedknife	In Base Price

30 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

1007	(3) QA7 Five Blade 30 In. Cutting Units	801.00
1008	(3) QA7 Eight Blade 30 In. Cutting Units	1,371.00
1010	Less Cutting Units, Front Lift Arms and Yokes	-8,106.00

REEL FRONT ROLLERS

26 Inch Front Rollers:

2001	(3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	-150.00
2002	(3) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200 PrecisionCut Trim and Surrounds Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2003		REEL FRONT ROLLERS Continued... (3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	198.00
2004		30 Inch Front Rollers: (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	258.00
2005		(3) 3 In. (7.6 cm) Diameter Heavy Duty Machined Grooved Disc Front Rollers	408.00
2006		(3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	606.00
2010		Less Front Rollers	-1,119.00
<hr/> REEL CUTTING UNIT COUNTER WEIGHTS <hr/>			
4001		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" Cutting Unit.</i>	In Base Price
4002		(3) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	228.00
4003		(3) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" cutting unit.</i>	Same Price
4010		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" Cutting Unit.</i>	-180.00
<hr/> ATTACHMENTS - ORDER AS DESIRED <hr/>			
9330		CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
9100		European CE Kit: European CE Conversion Kit for 7200 PrecisionCut Trim and Surrounds Mower <i>Must be Ordered to Receive a 7200 Surround Mower Which Meets CE Mark Requirements. Kit Includes Locking Hood Latch, Pictorial Decals and Operator's Manuals in English, French German, Spanish and Italian.</i>	50.00
9101		European CE Conversion Kit for 26 In. and 30 In. Cutting Units <i>Must be Ordered to Receive Decals that Convert (3) 26 In. or 30 In. Cutting Unit to Meet CE Mark Requirements.</i>	No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	105.00
9000		Miscellaneous: Grass Catchers with Mounting Hardware for 26 Inch Cutting Unit (Set of 3) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	1,182.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200 PrecisionCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9015		(3) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i>	1,527.00
9016		(3) QA7 FTC Gear Drive <i>Requires order code 9015.</i>	3,681.00
9017		(3) QA7 26 In. Rear Roller Power Brush <i>Requires order code 9018. NOT Compatible with Grass Catchers.</i>	516.00
9018		(3) QA7 26 In. Rear Roller Power Brush Drive <i>Requires order code 9017. NOT Compatible with Grass Catchers.</i>	1,131.00
9023		(3) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	429.00
9025		26 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i>	138.00
9026		(3) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	396.00
9325		30 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i>	187.00
9335		Joystick Kit	998.00
9345		Light Kit	239.00
9807		(3) 8 Blade QA7 less front rollers	7,038.00
9808		(3) 30 In. 8 Blade QA7 less front rollers	8,085.00
ATTACHMENTS FOR FIELD CONVERSION			
		CE Kit:	
BTC10256		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
		Cutting Units:	
BM24124		(1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife	2,510.21
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,883.66
BM24123		(1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife	2,349.71
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,680.36
		Miscellaneous:	
BM22759		(1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i>	335.99
BM23005		(1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	138.03
BM23004		(1) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper	149.80

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200 PrecisionCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22672		(1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	544.63
BM22669		(1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i>	180.83
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive	1,312.89
BM17683		26 In. Smooth Roller Scrapers (Set of 3)	144.46
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	195.81
ET17752		Bedknife Hi-Cut, 26-in 15.8 mm	See Parts
TCB11728		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	114.49
TCU13823		Height of Cut Gauge Bar	See Parts
TCB11296		Joystick Kit	1,067.86
TCB11476		Lift Arms, Front (26 In. Right Hand and Left Hand)	515.74
TCB11477		Lift Arms, Front (30 In. Right Hand and Left Hand)	694.43
TCB11462		Light Kit	255.73
BM22760		Mounting Hardware for 26 In Grass Catcher (set of 3)	256.80
TCB11374		Yokes, Front (26 In. Right Hand and Left Hand)	604.56
TCB11373		Yokes, Front (30 In. Right Hand and Left Hand)	766.11
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
BM17670		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	406.60
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	352.03
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	469.73

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200 PrecisionCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18438	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	544.63
	BM18439	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	491.13
	BM19819	(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	615.26

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A PrecisionCut Fairway Mower
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo
Tier 4 Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Two Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
100 In. (2.54 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Full Suspension Seat
with Armrest and Retractable
Seat Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics

One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt
Steering Column
On-Board Backlapping
with Adjustable Reel Speed
control
Five Hydraulic Reel Motors with
Quick Removal Feature
Quick-Tatch Cutting Units
Hydraulic Down Pressure with
mechanical On/Off adjustability
(5) QA5 7 Blade 22 In. (55.9 cm)
Cutting Units with SpeedLink
Height of Cut Adjustment System
5 In. (12.7 cm) Diameter Reels
with Heavy Section Reel Blades
Adjustable Bedknife with Notch

System
2 In. Diameter
Machined Grooved Solid Front
rollers
2 In. Diameter Hollow Smooth
Rear rollers
2-Post Roll Over
Protection Structure
3 Front Work Lights
Command Arm with Operator
Controls

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1511TC	7500A PrecisionCut Fairway Mower	63,377.00
--------	----------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	In Base Price
------	------------------------------	---------------

REEL CUTTING UNITS

1201	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers	In Base Price
1203	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers	420.00
1290	Less Cutting Units	-10,980.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	500.00
1304	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price
1303	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	295.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
1307		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	850.00
1318		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
1320		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
1302		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	-325.00
1390		Less Front Rollers	-1,140.00
REEL REAR ROLLERS			
1602		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1618		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
1620		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
1690		Less Rear Rollers	-815.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-300.00
ATTACHMENTS - ORDER AS DESIRED			
9122		(5) Vertical Cutting Units with Front and Rear Rollers Less Motors	11,280.00
9733		(5) Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units and Wing Latch Kit and grass catcher side plate inserts.	1,592.00
9737		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,385.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,135.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	690.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,885.00
9751		(5) 22 In. Front Rotary Turf Brush <i>Cannot be installed if using FTC/GTC Shaft and Blades Kit.</i>	1,000.00
9752		Hydraulic Down Pressure Kit <i>Increase down pressure weight added to cutting units.</i>	904.00
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9756		(5) 22 In. Smooth Roller Scrapers	75.00
9763		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	45.00
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	755.00
Miscellaneous:			
9803		(5) 11 blade QA5 cutting units less front and rear rollers	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	10,980.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts
ET17534		Bedknife, 2.5mm Tournament	See Parts
ET17533		Bedknife, 3.2 mm	See Parts
ET11066		Bedknife, 3.2 mm with Hardened Insert	See Parts
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
Cutting Units:			
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		Miscellaneous:	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10391		4WD Conversion Kit	4,840.69
BTC10392		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	807.86
BTC10338		Canopy	588.50
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10605		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	113.41
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
TCU13823		Height of Cut Gauge Bar	See Parts

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10346		Hydraulic Down Pressure Kit	967.29
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	66.34
BTC10194		Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	295.31
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM19821		(1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller	307.09
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A E-Cut Hybrid Fairway Mower Diesel
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Power Steering with Double acting steering cylinder Internal Wet Disc Brakes 100 In. (2.54 m) Cutting Width 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built	in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Rear Cutting Unit Attaching Point Foot Activated Tilt Steering Column On-Board Electric Backlapping with Adjustable Reel Speed Control Five Electric Reel Motors Quick-Tatch Cutting Units Adjustable Hydraulic Hydraulic Down Pressure with mechanical On/Off adjustability (5) QA5 7 Blade 22 In.(55.9 cm) Cutting Units with SpeedLink	Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades Adjustable Bedknife with Notch System 2 In. Diameter Machined Grooved Solid Front rollers
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1781TC	7500A E-Cut Hybrid Fairway Mower Diesel	66,599.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	In Base Price
------	------------------------------	---------------

REEL CUTTING UNITS

1201	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers	In Base Price
1203	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers	420.00
1290	Less Cutting Units	-10,980.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	500.00
1304	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price
1303	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	295.00
1307	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	850.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
<i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>			
1318		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
1320		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
1302		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	-325.00
1390		Less Front Rollers	-1,140.00
<hr/>			
REEL REAR ROLLERS			
1602		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1618		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
1620		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
1690		Less Rear Rollers	-815.00
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-300.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
9733		(5) Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units and Wing Latch Kit and grass catcher side plate inserts.	1,592.00
9737		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,385.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,135.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	690.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,885.00
9751		(5) 22 In. Front Rotary Turf Brush <i>Cannot be installed if using FTC/GTC Shaft and Blades Kit.</i>	1,000.00
9752		Hydraulic Down Pressure Kit <i>Increase down pressure weight added to cutting units.</i>	904.00
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9756		(5) 22 In. Smooth Roller Scrapers	75.00
9763		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	45.00
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	755.00
Miscellaneous:			
9803		(5) 11 blade QA5 cutting units less front and rear rollers	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	10,980.00
 ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts
ET17534		Bedknife, 2.5mm Tournament	See Parts
ET17533		Bedknife, 3.2 mm	See Parts
ET11066		Bedknife, 3.2 mm with Hardened Insert	See Parts
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
Cutting Units:			
BM22460		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		Miscellaneous:	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10391		4WD Conversion Kit	4,840.69
BTC10392		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	807.86
BTC10338		Canopy	588.50
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10605		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	113.41
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
TCU13823		Height of Cut Gauge Bar	See Parts

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10346		Hydraulic Down Pressure Kit	967.29
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	66.34
BTC10194		Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	295.31
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM19821		(1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller	307.09
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel
Continued

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7700A PrecisionCut Fairway Mower
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo
Tier 4 Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Two Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
100 In. (2.54 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Full Suspension Seat
with Armrest and Retractable
Seat Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics

One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt
Steering Column
On-Board Backlapping
with Adjustable Reel Speed
control
Five Hydraulic Reel Motors with
Quick Removal Feature
Quick-Tatch Cutting Units
Hydraulic Down Pressure with
mechanical On/Off adjustability
(5) QA7 8 Blade 22 In. (55.9 cm)
Cutting Units with SpeedLink
Height of Cut Adjustment System
7 In. (17.8 cm) Diameter Reels
with Reel to Bedknife with Notch
Adjustment

22 In. 3 In. (7.6 cm) Diameter
Heavy Duty Grooved Disc Roller
22 In. 3 In. (7.6 cm) Diameter
Smooth Rear Roller
2-Post Roll Over
Protection Structure
3 Front Work Lights
Command Arm with Operator
Controls

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1421TC	7700A PrecisionCut Fairway Mower	66,921.00
--------	----------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	In Base Price
------	------------------------------	---------------

REEL CUTTING UNITS

1208	(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm Bedknife Less Front Rollers, Motors and counter weight	In Base Price
1209	(5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm Bedknife, Less Front Rollers, Motors and counter weights	265.00
1290	Less Cutting Units	-13,340.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1307	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	350.00
1390	Less Front Rollers	-1,640.00

REEL CUTTING UNIT COUNTER WEIGHTS

1401	(5) QA7 Cutting Unit ONLY Counter Weight Kit	In Base Price
------	--	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>			
1403		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
1406		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-300.00
<hr/>			
DRIVE SYSTEM			
1190		2WD Traction Unit	In Base Price
1191		Factory Installed 4WD Traction Unit	4,566.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	9,245.00
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,279.00
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,595.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,135.00
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	690.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,885.00
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	207.00
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	715.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	755.00
Miscellaneous:			
9806		(5) 10 Blade QA7 cutting units less front roller	13,605.00
9807		(5) 8 Blade QA7 cutting units less front roller	13,340.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Cutting Units:	
BM22461		(1) QA7 Vertical Cutting Units with Front Rollers Less Motors	1,978.43
BM22463		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors	2,854.76
BM24121		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	2,854.76
BM22464		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units Less Front Rollers and Motors	2,911.47
BM24122		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	2,911.47
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		Miscellaneous:	
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	73.83
BM22693		(1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	555.33
BM22712		(1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i>	147.66
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i>	1,312.89
BM17684		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	221.49
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	71.69
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10391		4WD Conversion Kit	4,840.69
BTC10392		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	807.86
AMT663		Bar Gauge Kit	See Parts
MT1928		Bedknife, Low-Cut Fairway	See Parts
BTC10338		Canopy	588.50

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
TCB11414		Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	230.06
BM22756		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	214.00
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
TCU13823		Height of Cut Gauge Bar	See Parts
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	425.86

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8000A E-Cut Hybrid Fairway Mower Diesel
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo
Tier 4 Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Three Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
80 In. (2.03 m) Cutting Width
24x13 -12 Smooth Drive Tires
24x13 -12 Smooth Steer Tires
Full Suspension Seat
with Armrest and Retractable
Seat Belt
TechControl Display with built
in Machine Settings Controls and

Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt
Steering Column
On-Board Backlapping
with Adjustable Reel Speed
control
Five Electric Reel Motors WITH
Quick Removal Feature
Quick-Tatch Cutting Units
Hydraulic Down Pressure with
mechanical On/Off adjustability
(5) QA5 11 Blade 18 In. (45.7
cm) Cutting Units with SpeedLink
Height of Cut Adjustment System
2 In. Diameter

Machined Grooved Solid Front
Rollers
2 In. Diameter Hollow Smooth
Rear Rollers
2-Post Roll Over
Protection Structure
3 Front Work Lights
Command Arm with Operator
Controls

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1771TC	8000A E-Cut Hybrid Fairway Mower Diesel	61,879.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	In Base Price
------	------------------------------	---------------

REEL CUTTING UNITS

1200	(5) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8 mm Bedknife, Yokes, less Front and Rear Rollers, Motors and Counter Weights	-1,235.00
1202	(5) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0 mm Bedknife, Yokes, less Front and Rear Rollers, Motors and Counter Weight	In Base Price
1290	Less Cutting Units	-11,945.00

REEL FRONT ROLLERS

1312	(5) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	800.00
1309	(5) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	Same Price
1310	(5) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers	In Base Price
1311	(5) 18 In. 2 In. (5cm) Spiral Grooved Front Rollers with Spiral end Caps	815.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
1319		(5) 18 In. 2 In. (5 cm) MT Spiral Roller	450.00
1321		(5) 18 In. 2 In. (5 cm) MT Grooved Roller	815.00
1322		(5) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	-170.00
1390		Less Front Rollers	-985.00
REEL REAR ROLLERS			
1622		(5) 18 In 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1619		(5) 18 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	620.00
1621		(5) 18 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	985.00
1690		Less Rear Rollers	-815.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-300.00
ATTACHMENTS - ORDER AS DESIRED			
9735		(5) Grass Catchers with large paddle clip, shield extensions with Mounting Hardware for 18" QA5 Cutting Units and grass catcher side plate inserts.	1,565.00
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	2,385.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,135.00
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	690.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,885.00
9755		(5) 18 In. Smooth Roller Scrapers	75.00
9763		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	45.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	675.00
Miscellaneous:			
9803		(5) 11 blade QA5 cutting units less front and rear rollers	11,945.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	10,710.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
MT7350		Bedknife, 2.0 mm Ultra Low-Cut	See Parts
MT4846		Bedknife, 2.5 mm Tournament	See Parts
ET17751		Bedknife, Hi-cut Fairway 12 mm	See Parts
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
TCU252299		Bedknife, Lo-cut Fairway 4.8 mm	See Parts
MT3883		Bedknife, Ultra Lo-cut Fairway 6.3 mm	See Parts
Cutting Units:			
BM22479		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front Rollers, Motors and Counter Weight <i>Includes Rear Roller</i>	2,620.43
BM24128		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight	2,556.23
BM25125		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights	2,291.94
Miscellaneous:			
TCA19585		(1) 18 In 2 In Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	See Parts
BM23014		(1) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioner option 9015 (BM22670).</i>	134.81
BTC10717		(1) 18 In. Front Grass Catcher with large paddle clip	124.00
BTC10214		(1) 18 In. Rear Grass Catcher with large paddle clip	195.81
BM23015		(1) 18 In. Smooth Rear Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM22670		(1) QA5 18 In. Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires GTC/FTC Gear Drive (BM22469). Not compatible with 3 In roller option 2001 (BM23016).</i>	510.39

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22667		(1) QA5 18 In. Rear Roller Power Brushes <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
BTC10338		Canopy	588.50
BTC10605		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	113.41
TCU13823		Height of Cut Gauge Bar	See Parts
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	66.34
TCU25388		UltraTrac Fairway Mower Tire	See Parts
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24204		(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM20561		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	210.79
BM22868		(1) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers	210.79
BM22879		(1) 18 In. 2 In. (5cm) Spiral Grooved Front Roller with Spiral end Cap	385.20
TCA19509		(1) 18 In. 3 In (7.6 cm) Diameter Smooth Front or Rear Roller (Hollow) <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	See Parts
BM23016		(1) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	385.20

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10281	(1) 18 in. 2 in. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	385.20
	BM23567	(1) 2X18" MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	307.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8700A PrecisionCut Fairway Mower
Equipment for Base Machine**

Gross Engine HP 55.6 (41.6 kW)
Four Cylinder
Tier 4 Turbo Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Two Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
100 In. (2.54 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Full Suspension Seat
with Armrest and Retractable
Seat Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics

One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt
Steering Column
On-Board Backlapping
with Adjustable Reel Speed
control
Five Hydraulic Reel Motors with
Quick Removal Feature
Quick-Tatch Cutting Units
Hydraulic Down Pressure with
mechanical On/Off adjustability
(5) QA7 22 In. (55.9 cm) Eight
Blade Cutting Units 7 In. (17.8
cm) Diameter
Reel to Bedknife with Notch
Adjustments and SpeedLink Hieght
of Cut System

22 In. 3 In. (7.6 cm) Diameter
Heavy Duty Grooved Disc Roller
22 In. 3 In. (7.6 cm) Diameter
Smooth Rear Roller
2-Post Roll Over
Protection Structure
3 Front Work Lights
Command Arm with Operator
Controls

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1521TC	8700A PrecisionCut Fairway Mower	71,996.00
--------	----------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	In Base Price
------	------------------------------	---------------

REEL CUTTING UNITS

1208	(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm Bedknife Less Front Rollers, Motors and counter weight	In Base Price
1209	(5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm Bedknife, Less Front Rollers, Motors and counter weights	265.00
1290	Less Cutting Units	-13,340.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1307	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	350.00
1390	Less Front Rollers	-1,640.00

REEL CUTTING UNIT COUNTER WEIGHTS

1401	(5) QA7 Cutting Unit ONLY Counter Weight Kit	In Base Price
------	--	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>			
1403		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
1406		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-300.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,279.00
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,595.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,135.00
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	690.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,885.00
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	207.00
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	715.00
9806		Miscellaneous: (5) 10 Blade QA7 cutting units less front roller	13,605.00
9807		(5) 8 Blade QA7 cutting units less front roller	13,340.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17751		Bedknife, Hi-cut Fairway 12 mm	See Parts
MT3883		Bedknife, Ultra Lo-cut Fairway 6.3 mm	See Parts
Cutting Units:			
BM22461		(1) QA7 Vertical Cutting Units with Front Rollers Less Motors	1,978.43

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22463		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors	2,854.76
BM24121		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	2,854.76
BM22464		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units Less Front Rollers and Motors	2,911.47
BM24122		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	2,911.47
TCA19917		Engine: B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
BM22763		Miscellaneous: (1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	73.83
BM22693		(1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	555.33
BM22712		(1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i>	147.66
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i>	1,312.89
BM17684		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	221.49
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	71.69
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10391		4WD Conversion Kit	4,840.69
BTC10392		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	807.86
AMT663		Bar Gauge Kit	See Parts
MT1928		Bedknife, Low-Cut Fairway	See Parts
BTC10338		Canopy	588.50
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
TCB11414		Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	230.06
BM22756		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	214.00
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
TCU13823		Height of Cut Guage Bar	See Parts
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	425.86

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500 E-Cut Hybrid Fairway Mower Diesel
Equipment for Base Machine**

Gross Engine HP 37.1 (27.7 kW)	Reel Lift	Solid Front Rollers
Net Engine HP 35.7(26.55 kW)	Rear Cutting Unit	2-Post Roll Over Protection
@ 2600 RPM	Attaching Point	Structure
Three Cylinder Turbo Diesel	Foot Activated Tilt Steering	6 LED Warning Light Instrument
Engine	Column	Cluster with Hour Meter
Servo Controlled Hydrostatic	On-Board Electric Backlapping	Removable Rear Cutting Unit
Drive	with Adjustable Reel Speed	Upstops
Two Wheel Drive	Control	3 Front Work Lights
Power Steering with Straight	Five Electric Reel Motors	Command Arm Operator Controls
Track Steering Cylinder	Quick-Tatch Cutting Units	18 U.S. Gallon Fuel Capacity
Dual Disc Brakes	Adjustable Hydraulic	
100 In. (2.54 m) Cutting Width	Down Pressure	
26.5x14-12 Turf Drive Tires	(5)QA5 7 Blade 22 In.	
20x10-8 Turf Steer Tires	(55.9 cm)Cutting Units	
Deluxe Suspension Seat with	with Speed Link Height of	
Armrests and Retractable	Cut System	
Seatbelt	5 In. (12.7 cm) Diameter Reels	
White Box Controller with	Heavy Section Reel Blades with	
On-Board Diagnostics	Adjustable Bedknife with	
One-Touch Lift/Lower Reel Lever	Notch Adjustments	
Electric Over Hydraulic	2 In. Diameter Machined Grooved	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1742TC	7500 E-Cut Hybrid Fairway Mower Diesel	59,873.00
--------	--	-----------

REEL CUTTING UNITS

1004	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers	In Base Price
1005	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels, Less Front Rollers	420.00
1010	Less Cutting Units	-10,980.00

REEL FRONT ROLLERS

2001	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	500.00
2002	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price
2003	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	295.00
2004	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	850.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500 E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
2005		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
2006		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
2007		(5) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	-325.00
2010		Less Front Rollers, Roller Adjusters and Skid Shoes	-1,140.00
REEL REAR ROLLERS			
2501		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
2502		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
2503		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
2510		Less Rear Rollers	-815.00
REEL CUTTING UNIT COUNTER WEIGHTS			
4001		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
4002		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
4003		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
4010		Less Counter Weight kit	-295.00
ATTACHMENTS - ORDER AS DESIRED			
9330		CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
9100		European CE Kit European CE Conversion Kit, 8500 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	35.00
9102		European CE Reel Decal Kit for QA5 Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) QA5 Cutting Units to Meet CE Mark Requirements.</i>	No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	135.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500 E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
Miscellaneous:			
9733		(5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers w/handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	1,592.00
9015		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	2,385.00
9017		(5) 22 In. Rear Roller Power Brushes <i>Requires order code 9018 (BM22527).</i>	690.00
9018		(5) Rear Roller Power Brush Drive <i>Requires order code 9017 (BM22668).</i>	1,885.00
9019		(5) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9015. Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	1,000.00
9020		Hydraulic Down Pressure Kit	904.00
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9025		(5) 22 In. Smooth Roller Scrapers	75.00
9070		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	45.00
9803		(5) 11 blade QA5 cutting units less front and rear rollers	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	10,980.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	See Parts
MT7351		Bedknife, 2.0mm Ultra Low Cut	See Parts
ET17534		Bedknife, 2.5mm Tournament	See Parts
ET17533		Bedknife, 3.2 mm	See Parts
ET11066		Bedknife, 3.2 mm with Hardened Insert	See Parts
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	See Parts
Cutting Units:			
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500 E-Cut Hybrid Fairway Mower Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		European CE Kit:	
TCB11727		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	147.66
		Miscellaneous:	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10259		4WD Conversion Kit	4,840.69
TCB11460		Electronic Cruise Control Kit	268.57
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10605		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	113.41
BTC10216		Grass Catcher with large paddle clip (22 Low Profile)	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile)	179.76
TCU13823		Height of Cut Gauge Bar	See Parts
TCB11128		Hydraulic Down Pressure Kit	967.29
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500 E-Cut Hybrid Fairway Mower Diesel

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	66.34
BTC10501		Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i>	191.53
BTC10408		Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	148.73
BTC10194		Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	295.31
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM19821		(1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller	307.09
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500 E-Cut Hybrid Fairway Mower Diesel
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23566	(1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8500 PrecisionCut Fairway Mower
Equipment for Base Machine**

Gross Engine HP 43.1 (32.2 kW)	Reel Lift	Solid Front Rollers
Net Engine HP 41.7 (31.1 kW)	Rear Cutting Unit	2-Post Roll Over Protection
@ 2600 rpm	Attaching Point	Structure
Three Cylinder Turbo	Foot Activated Tilt Steering	6 LED Warning Light Instrument
Diesel Engine	Column	Cluster with Hour Meter
Servo Controlled Hydrostatic	On-Board Backlapping with	Removable Rear Cutting Unit
Drive	Adjustabel Reel Speed Control	Upstops
Two Wheel Drive	Five Standard Hydraulic Reel	3 Front Work Lights
Power Steering with Straight	Motors	Command Arm Operator Controls
Track Steering Cylinder	Quick-Tatch Cutting Units	18 U.S. Gallon Fuel Capacity
Dual Disc Brakes	Adjustable Hydraulic	
100 In. (2.54 m) Cutting Width	Down Pressure	
26.5x14-12 Turf Drive Tires	(5) QA5 7 Blade 22 In.	
20x10-8 Turf Steer Tires	(55.9 cm)Cutting Units	
Deluxe Suspension Seat with	with Speed Link Height of	
Armrests and Retractable	Cut System	
Seatbelt	5 In. (12.7 cm) Diameter Reels	
White Box Controller with	Heavy Section Reel Blades with	
On-Board Diagnostics	Adjustable Bedknife with Nocth	
One-Touch Lift/Lower Reel Lever	Adjustments	
Electric Over Hydraulic	2 In. Diameter Machined Grooved	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1473TC	8500 PrecisionCut Fairway Mower	60,299.00
--------	---------------------------------	-----------

REEL CUTTING UNITS

1004	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers	In Base Price
1005	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels, Less Front Rollers	420.00
1010	Less Cutting Units	-10,980.00

REEL FRONT ROLLERS

2001	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	500.00
2002	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price
2003	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	295.00
2004	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	850.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8500 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL FRONT ROLLERS Continued...			
2005		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	580.00
2006		(5) 22 In. 2 In. (5cm) MT Grooved Roller	580.00
2007		(5) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	-325.00
2010		Less Front Rollers, Roller Adjusters and Skid Shoes	-1,140.00
REEL REAR ROLLERS			
2501		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
2502		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
2503		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	905.00
2510		Less Rear Rollers	-815.00
REEL CUTTING UNIT COUNTER WEIGHTS			
4001		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
4002		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
4003		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
4010		Less Counter Weight kit	-295.00
ATTACHMENTS - ORDER AS DESIRED			
CE Kit:			
9330		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
Cutting Units:			
9010		(5) Vertical Cutting Units with Front Rollers Less Motors	11,280.00
European CE Kit			
9100		European CE Conversion Kit, 8500 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	35.00
9102		European CE Reel Decal Kit for Seven Blade Standard Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) Seven Blade Standard Cutting Units to Meet CE Mark Requirements.</i>	No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	135.00
Miscellaneous:			

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8500 PrecisionCut Fairway Mower

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9733		(5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers w/handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	1,592.00
9015		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	2,385.00
9016		(5) QA5 GTC/FTC Gear Drive <i>Requires order code 9015 (BM22670). 3" roller when used on the QA5 is not compatible with the FTC.</i>	6,135.00
9017		(5) 22 In. Rear Roller Power Brushes <i>Requires order code 9018 (BM22527).</i>	690.00
9018		(5) Rear Roller Power Brush Drive <i>Requires order code 9017 (BM22668).</i>	1,885.00
9019		(5) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9015. Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	1,000.00
9020		Hydraulic Down Pressure Kit	904.00
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9025		(5) 22 In. Smooth Roller Scrapers	75.00
9070		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	45.00
9400		Canopy	550.00
9803		(5) 11 blade QA5 cutting units less front and rear rollers	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	10,980.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	ET17532	Bedknife, 4.8mm Fairway	See Parts
	MT7351	Bedknife, 2.0mm Ultra Low Cut	See Parts
	ET17534	Bedknife, 2.5mm Tournament	See Parts
	ET17533	Bedknife, 3.2 mm	See Parts
	ET11066	Bedknife, 3.2 mm with Hardened Insert	See Parts
	ET17767	Bedknife, Hi-cut Fairway 7.6 mm	See Parts

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8500 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Cutting Units:	
BM22460		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,413.91
BM24130		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,439.60
BM24129		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,349.71
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		European CE Kit:	
TCB11727		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	147.66
		Miscellaneous:	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	510.39
BM22761		(1) 22 In. Front Rotary Turf Brush	214.00
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	147.66
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,339.64
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	403.39
TCA19547		2"x 22" Machine Grooved Roller Scraper	See Parts
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10259		4WD Conversion Kit	4,840.69
TCB11460		Electronic Cruise Control Kit	268.57
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10605		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	113.41

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8500 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10216		Grass Catcher with large paddle clip (22 Low Profile)	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile)	179.76
TCU13823		Height of Cut Guage Bar	See Parts
TCB11128		Hydraulic Down Pressure Kit	967.29
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	49.21
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	66.34
BTC10501		Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i>	191.53
BTC10408		Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	148.73
BTC10194		Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	295.31
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	145.51
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
		Rollers:	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	174.41
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	243.96
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	243.96
BM19821		(1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller	307.09
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8500 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	350.96
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	425.86
BM23566		(1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	368.09

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8700 PrecisionCut Fairway Mower
Equipment for Base Machine**

Gross Engine HP 43.1 (32.2 kW)
 Net Engine HP 41.7 (31.1 kW
 @ 2600 rpm
 Three Cylinder Turbo
 Diesel Engine
 Servo Controlled Hydrostatic
 Drive
 Two Wheel Drive
 Power Steering with Straight
 Track Steering Cylinder
 Dual Disc Brakes
 100 In. (2.54 m) Cutting Width
 26.5x14-12 Turf Drive Tires
 20x10-8 Turf Steer Tires
 Deluxe Suspension Seat with
 Armrests and Retractable
 Seatbelt
 White Box Controller with
 On-Board Diagnostics
 One-Touch Lift/Lower Reel Lever

Electric Over Hydraulic
 Reel Lift
 Rear Cutting Unit
 Attaching Point
 Foot Activated Tilt Steering
 Column
 On-Board Backlapping with
 Adjustable Reel Speed Control
 Five Hydraulic Quick-Tatch Reel
 Motors
 Quick-Tatch Cutting Units
 Adjustable Hydraulic
 Down Pressure
 (5) QA7 22 In. (55.9 cm) Cutting
 Units (Eight Blade)
 7 In. (17.8 cm) Diameter
 Reels with Reel to Bedknife
 with Notch Adjustments
 2 In. Diameter Machined Grooved
 Solid Front Rollers

2-Post Roll Over Protection
 Structure
 6 LED Warning Light Instrument
 Cluster with Hour Meter
 Removable Rear Cutting Unit
 Upstops
 3 Front Work Lights
 Command Arm Operator Controls
 18 U.S. Gallon Fuel Capacity

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1482TC	8700 PrecisionCut Fairway Mower	63,503.00
--------	---------------------------------	-----------

REEL CUTTING UNITS

1004	(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	In Base Price
1005	(5) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	265.00
1010	Less Cutting Units	-13,340.00

REEL FRONT ROLLERS

2001	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc	In Base Price
2002	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	350.00
2010	Less Front Rollers, Roller Adjusters and Skid Shoes	-1,640.00

TRACTION DRIVE UNIT

3000	2WD Traction Unit	In Base Price
3001	Factory Installed 4WD Traction Unit	4,566.00

REEL CUTTING UNIT COUNTER WEIGHTS

4001	(5) QA7 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush</i>	In Base Price
------	---	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued... <i>or GTC/FTC Kits.</i>			
4002		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	380.00
4003		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
4010		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-295.00

ATTACHMENTS - ORDER AS DESIRED

9330		CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
9010		Cutting Units: (5) QA7 Vertical Cutting Units with Front Rollers Less Motors	9,245.00
9100		European CE Kit European CE Conversion Kit, 7700 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	35.00
9102		European CE Reel Decal Kit for E.S.P. Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) E.S.P. Cutting Units to Meet CE Mark Requirements.</i>	No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	135.00
9000		Miscellaneous: (5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,279.00
9015		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i>	2,595.00
9017		(5) QA7 22" Rear Roller Power Brushes <i>Requires order code 9018.</i>	690.00
9018		(5) QA7 Rear Roller Power Brush Drive <i>Requires order code 9017.</i>	1,885.00
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,524.00
9022		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	715.00
9025		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	207.00
9400		Canopy	550.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9806		(5) 10 Blade QA7 cutting units less front roller	13,605.00
9807		(5) 8 Blade QA7 cutting units less front roller	13,340.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
ET17751		Bedknife, Hi-cut Fairway 12 mm	See Parts
MT3883		Bedknife, Ultra Lo-cut Fairway 6.3 mm	See Parts
		CE Kit:	
BTC10256		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
		Cutting Units:	
BM22461		(1) QA7 Vertical Cutting Units with Front Rollers Less Motors	1,978.43
BM22463		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors	2,854.76
BM24121		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	2,854.76
BM22464		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units Less Front Rollers and Motors	2,911.47
BM24122		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	2,911.47
		Engine:	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	See Parts
		European CE Kit:	
TCB11727		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	147.66
		Miscellaneous:	
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	73.83
BM22693		(1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	555.33
BM22712		(1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i>	147.66
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	403.39
BM22673		(1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i>	1,312.89
BM17684		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	221.49

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	71.69
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	153.01
BTC10259		4WD Conversion Kit	4,840.69
AMT663		Bar Gauge Kit	See Parts
MT1928		Bedknife, Low-Cut Fairway	See Parts
TCB11126		Canopy	476.16
TCB11460		Electronic Cruise Control Kit	268.57
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	188.31
TCB11414		Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	230.06
BM22756		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	214.00
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers 7700/8700. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers 7700/8700. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	179.76
TCU13823		Height of Cut Gauge Bar	See Parts
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	64.20
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	64.20
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	145.51
		Rollers:	
BM17668		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	350.96

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700 PrecisionCut Fairway Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19817	(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	425.86

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**7400A TerrainCut Trim and Surrounds Mower
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal# Power Steering with Double acting steering cylinder Internal Wet Disc Brakes (3) Independent Wheel Motors GRIP All Wheel Drive Width On Demand 74 In. (188cm) or 68 In. (173cm) Mowing Width Reach Trimming System with Maximum 15 In. (38cm) Shift Outside Front Tire (2) 24x12-12 Turf Trac Front Drive Tires	(1) 24x12-12 Multi Trac Rear Drive Tire Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column (3) Rotary Deck Hydraulic Motors (3) 27 In. (69cm) Floating Rotary Rear Discharge Decks 10 Gauge Steel Decks with Top Mounted Frame and Front Deck Bumper (1) 27 In., 3 In. Diameter	Rear Roller per Deck (2) Front Greasable Caster Wheels Per Deck 2-Post Roll Over Protection Structure Command Arm Operator Controls 12 U.S. Gallon Fuel Capacity John Deere Golf Operator Videos and All Products Safety Video DVD Set
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1431TC	7400A TerrainCut Trim and Surrounds Mower	46,897.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR MANUALS

0443	English United States/Canada	No Charge
------	------------------------------	-----------

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

9764	Canopy Kit	550.00
9765	(3) 27 In. Mulch Kits <i>Includes Deflectors and Baffles. Does not include mulch blades.</i>	417.00
9766	Light Kit	281.00
9767	Joystick Kit	998.00
9768	(3) 27 In. Rear Roller Scraper Kits	234.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

TCB11575	(1) 27 In. Mulch Kit <i>Does Not Include TCU27876 Mulch Blade, See Parts. (3) TCB11575 Must be ordered for complete machine.</i>	148.73
----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

7400A TerrainCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB11255	(1) 27 In. Rear Roller Scraper Kit	83.46
	BTC10338	Canopy	588.50
	BTC10393	Joystick Kit	1,067.86
	BTC10347	Light Kit	300.67
	TCU25388	UltraTrac Fairway Mower Tire	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**8800A TerrainCut Rough Mower
Equipment for Base Machine**

Gross Engine HP 55.6 (41.6 kW) Four Cylinder Tier 4 Turbo Diesel Engine B20 Compatible eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal GRIP All Wheel Drive Power Steering with Double acting steering cylinder Internal Wet Disc Brakes 88 In. (226cm) Cutting Width 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires Full Suspension Seat	with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics Diagnostics One-Touch Lift/Lower cutting unit Joystick control (5) Rotary Deck Hydraulic Motors (5) 21 In. (53.3cm) Floating Rotary Rear Discharge Decks (1) 21 In., 3 In. Diameter Rear Roller per Deck (2) 5 In., 4 In. Diameter Front Rollers Per Deck	2-Post Roll Over Protection Structure 3 Front Work Lights Command Arm with Operator Controls
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1501TC	8800A TerrainCut Rough Mower	68,341.00
--------	------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATORS MANUAL

0443	English United States/Canada	No Charge
------	------------------------------	-----------

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:		
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	550.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	755.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11463	(5) 22 In. Smooth Roller Scrapers <i>1 kit needed per machine.</i>	114.49
TCA19481	21" Deck Less Motor and Motor Base <i>See DTAC solution for additional required parts for installation.</i>	See Parts
BTC10392	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	807.86
BTC10338	Canopy	588.50

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

8800A TerrainCut Rough Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
TCB11461		Mulching Kit (1) <i>Does Not Include GC00344 Mulch Blade, See Parts. (5) TCB11461 Must be ordered for complete machine.</i>	77.04
TCU32775		New High Lift blade <i>Blade does not fit previous models of 8800 decks.</i>	See Parts
TCU32777		New Low Lift Blade - Standard blade on deck shipped from factory <i>Blade does not fit previous models of 8800 decks.</i>	See Parts
TCU32776		New Medium Lift blade <i>Blade does not fit previous models of 8800 decks.</i>	See Parts
TCU32778		New Mulch Blade <i>Blade does not fit previous models of 8800 decks.</i>	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**7400 TerrainCut Trim and Surrounds Mower
Equipment for Base Machine**

*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only. Actual Operating HP will be Less. Refer to the engine manufacturer's web site for additional information.
Gross Engine HP 37.1 (27.67 kW) Net Engine HP 36 (26.85 kW) @ 2600 RPM
Three Cylinder Turbo Diesel Engine
Hydrostatic Drive
(3) Independent Wheel Motors
GRIP All Wheel Drive
Width On Demand 74 In. (188cm) or 68 In. (173cm) Mowing Width
Reach Trimming System with Maximum 15 In. (38cm) Shift Outside Front Tire
Power Steering with Straight Track Steering Cylinder

Dual Disc Brakes
(2) 24x12-12 Turf Trac Front Drive Tires
(1) 24x12-12 Multi Trac Rear Drive Tire
Deluxe Suspension Seat with Retractable Seatbelt
White Box Controller with On-Board Diagnostics
One-Touch Lift/Lower Deck Lever
Electric Over Hydraulic Deck Lift
Foot Activated Tilt Steering Column
(3) Rotary Deck Hydraulic Motors
(3) 27 In. (69cm) Floating Rotary Rear Discharge Decks
10 Gauge Steel Decks with Top Mounted Frame and Front Deck Bumper
(1) 27 In., 3 In. Diameter Rear Roller per Deck

(2) Front Greasable Caster Wheels Per Deck
2-Post Roll Over Protection Structure
6 LED Warning Light Instrument Cluster with Hour Meter
Command Arm Operator Controls
13 U.S. Gallon Fuel Capacity
John Deere Golf Operator Videos and All Products Safety Video DVD Set

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1713TC	7400 TerrainCut Trim and Surrounds Mower	43,214.00
--------	--	-----------

ATTACHMENTS - ORDER AS DESIRED

9100	European CE Kit: European CE Conversion Kit 7400 TerrainCut Trim and Surrounds Mower <i>Must be Ordered to Receive a TerrainCut Trim and Surrounds Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Guard, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	154.00
9350	Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	107.00
9330	Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
9001	Miscellaneous: (3) 27 In. Mulch Kits <i>Includes Deflectors and Baffles. Does not include mulch blades.</i>	417.00
9002	Light Kit	239.00
9004	Joystick Kit	998.00
9023	(3) 27 In. Rear Roller Scraper Kits	234.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

7400 TerrainCut Trim and Surrounds Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		CE Kit:	
BTC10256		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
		Miscellaneous:	
TCB11575		(1) 27 In. Mulch Kit <i>Does Not Include TCU27876 Mulch Blade, See Parts.</i> <i>(3) TCB11575 Must be ordered for complete machine.</i>	148.73
TCB11255		(1) 27 In. Rear Roller Scraper Kit	83.46
TCB11728		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	114.49
TCB11296		Joystick Kit	1,067.86
TCB11462		Light Kit	255.73
TCU25388		UltraTrac Fairway Mower Tire	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**8800 TerrainCut Rough Mower
Equipment for Base Machine**

<p>*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only. Actual Operating HP will be Less. Refer to the engine manufacturer's web site for additional information. Gross Engine HP 43.1 (32.2 kW) Net Engine HP 42 (31.1 kW) @ 2600 rpm Three Cylinder Turbo Diesel Engine Servo Controlled Hydrostatic Drive Grip AWD Power Steering with Straight Track Steering Cylinder Dual Disc Brakes 88 In. (226cm) Cutting Width</p>	<p>26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires Deluxe Suspension Seat with Armrests and Retractable Seatbelt White Box Controller with On-Board Diagnostics One-Touch Lift/Lower Deck Lever Electric Over Hydraulic Deck Lift Foot Activated Tilt Steering Column (5) Rotary Deck Hydraulic Motors (5) 21 In. (53.3cm) Floating Rotary Rear Discharge Decks (10 Gauge Stamped Steel Decks) (1) 21 In., 3 In. Diameter Rear Roller Per Deck</p>	<p>(2) 5 In., 4 In. Diameter Front Rollers Per Deck 2-Post Roll Over Protection Structure 6 LED Warning Light Instrument Cluster with Hour Meter 3 Front Work Lights Command Arm Operator Controls 18 U.S. Gallon Fuel Capacity</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1492TC	8800 TerrainCut Rough Mower	61,786.00
--------	-----------------------------	-----------

ATTACHMENTS - ORDER AS DESIRED

9100	<p>European CE Kit: European CE Conversion Kit 8800 TerrainCut Rough Mower <i>Must be Ordered to Receive a TerrainCut Rough Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i></p>	36.00
9330	<p>Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i></p>	No Charge
9350	<p>Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i></p>	138.00
9400	<p>Miscellaneous: Canopy</p>	550.00

ATTACHMENTS FOR FIELD CONVERSION

BTC10256	<p>CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i></p>	No Charge
TCA19917	<p>Engine: B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i></p>	See Parts

European CE Kit:

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

8800 TerrainCut Rough Mower
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB11727		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	147.66
TCB11463		Miscellaneous: (5) 22 In. Smooth Roller Scrapers <i>1 kit needed per machine.</i>	114.49
TCA19481		21" Deck Less Motor and Motor Base <i>See DTAC solution for additional required parts for installation.</i>	See Parts
TCB11126		Canopy	476.16
TCB11460		Electronic Cruise Control Kit	268.57
GC00175		High Lift blade - standard with deck shipped from factory	See Parts
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	See Parts
GX22190		Low Lift Blade	See Parts
GC0034		Mulch Blade	See Parts
TCB11461		Mulching Kit (1) <i>Does Not Include GC00344 Mulch Blade, See Parts. (5) TCB11461 Must be ordered for complete machine.</i>	77.04

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

Current Attachments for Non-Current Special Application Mowers

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		3245C Independent Deck Mower Attachments:	
TCB11166		(1) 22 In. Smooth Roller Scraper	79.19
		(5) <i>TCB11166 Kits Must be Ordered for a Complete Machine.</i>	

**JOHN DEERE TURF & UTILITY PRODUCTS
AERATION**

**Aercore 800 Aerator
Equipment for Base Machine**

31.5 In. (80.0 cm) Coring
Width
4 Heavy Duty Tine Rams
5 Speed Transmission
1 Transport Speed
4 Coring Speeds
Heavy Duty Frame
Set of 4X Tine Holders for
Tines with 3/4 In. (19mm)
Mounting Diameter
Less Tines

Turf Guards
Core Deflector Shields
Chain Tensioners
25 HP (18.6 kW) Kohler
Command Engine
Electro-Hydraulic Lift System
Operator Presence System
Tire Scrapers
20 X 10 - 10.00 Tires
Drive Wheel Core Deflectors
Flexi-Link Adjustable Hole

Spacing
Meets Carb Standards

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

4567TC	Aercore 800 Aerator		19,718.00
--------	---------------------	--	-----------

DESTINATION

0202	US/Canada	In Base Price
0230	Australia/New Zealand	Same Price
0179	Europe	140.00
0250	All Other Countries	Same Price

ATTACHMENTS - ORDER AS DESIRED

9330	CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
9010	Miscellaneous: Windrow Attachment	339.00
9030	Mini Tine Kit <i>Includes 4 Mini Tine Holders, 2 Turf Guards and 24 1/4 In. Open Sided Mini Tines.</i>	709.00
9040	Needle Tine Kit <i>Includes 4 Needle Tine Holders, 2 Turf Guards and 24 (5mm) Needle Tines.</i>	554.00
9050	Verticutter	3,859.00

ATTACHMENTS FOR FIELD CONVERSION

BTC10256	CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>	No Charge
----------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 800 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		European CE Kit:	
TCB11746		European CE Conversion Kit for Aercore 800 <i>Must be Ordered to Receive an Aercore 800 Aerator Which meets CE Requirements. Kit Includes Tine Guard (CE), Latch Cover, Parking Brake Lever, Hardware, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	See Parts
		Miscellaneous:	
BM19666		Mini Tine Kit <i>Includes 4 Mini Tine Holders, 2 Turf Guards and 24 1/4 In. Open Sided Mini Tines.</i>	758.63
TCB10525		Needle Tine Kit <i>Includes 4 Needle Tine Holders, 2 Turf Guards and 24 (5mm) Needle Tines.</i>	592.79
TCB11072		Verticutter	4,129.13
BM19073		Windrow Attachment	362.73
		Tine Holders:	
AMT1831		4X Tine Holder, Less Tines, and Core Deflector	See Parts
TCA51330		4X Tine Holder, Less Tines, and Core Deflector	See Parts
AMT1832		Mini Tine Holder, Less Tines & Core Deflector	See Parts
TCA51345		Needle Tine Holder, Less Tines & Core Deflector	See Parts
		Tines:	
TCU17331		1 In. HD Side-Eject	See Parts
TCU17333		1 In. HD Tubular Top-Eject	See Parts
TCU17332		1 In. HDT Side-Eject	See Parts
TCU17334		1 In. HDT Tubular Top-Eject	See Parts
TCU17450		1/2 In. (12.7 mm) Tubular Tine	See Parts
TCU17343		1/2 In. HD Tubular	See Parts
TCU17345		1/2 In. HDT Side-Eject	See Parts
TCU17344		1/2 In. HDT Tubular	See Parts
TCU17452		1/4 In. (6 mm) Open Sided Mini Tine	See Parts
TCU17456		13/16 In. HD Side-Eject	See Parts
TCU17457		13/16 In. HDT Side-Eject	See Parts
TCU18638		3/4 In. (19mm) Tubular Tine	See Parts
TCU17454		3/4 In. HD Tubular	See Parts
TCU17341		3/4 In. HDT Side-Eject	See Parts
TCU17340		3/4 In. HDT Tubular	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 800 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
TCU17449		3/8 In. (9.5 mm) Tubular Tine	See Parts
TCU17346		3/8 In. Solid HD x 5 In.	See Parts
TCU15712		5 mm Needle Tine	See Parts
TCU17451		5/8 In. (16 mm) Tubular Tine	See Parts
TCU17338		5/8 In. HD Solid	See Parts
TCU17339		5/8 In. HD Solid	See Parts
TCU17335		5/8 In. HD Tubular	See Parts
TCU17337		5/8 In. HDT Side-Eject	See Parts
TCU17336		5/8 In. HDT Tubular	See Parts
TCU17342		7/8 In. HD Side-Eject	See Parts
TCU15726		8 mm Needle Tine	See Parts
TCU17352		Bayonet Tine with 3/4 In. Rib HD	See Parts
TCU17349		Cross with 1/2 In. Rib HD	See Parts
TCU17350		Cross with 1/2 In. Rib HDT	See Parts
TCU17453		Quad Tine HDT	See Parts
TCU17351		Super Cross with 3/4 In. Rib HD	See Parts
TCU17347		Super Quad HD	See Parts
TCU17348		Super Quad HDT	See Parts
Turf Guards:			
MT4886		Left Hand Turf Guard for 4X Tine Holder	See Parts
MT4941		Left Hand Turf Guard for Mini Tines	See Parts
MT4885		Right Hand Turf Guard for 4X Tine Holder	See Parts
MT4942		Right Hand Turf Guard for Mini Tines	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
AERATION**

**Aercore 1000 Aerator
Equipment for Base Machine**

37.5 In. (95.3 cm) Coring
Width
Cat. 1 3-Point Hitch
Heavy Duty Frame
Turf Guard
Less Tines
Tine Holders
Parking Stand

4 Heavy Duty Tine Rams
540 RPM PTO Shaft
Flexi-Link Adjustable Hole
Spacing
Core Deflector Shields

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

4523M	Aercore 1000 Aerator	10,655.00
-------	----------------------	-----------

DESTINATION

0202	US/Canada	In Base Price
0230	Australia/New Zealand	Same Price
0179	Europe	242.00
0195	Mexico	Same Price
0250	All Other Countries	Same Price

TINE HOLDERS

1010	4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>Set of 4.</i>	In Base Price
1020	4X Tine Holders for Tines with 7/8 In. (22.2 mm) Mounting Diameter <i>Set of 4.</i>	Same Price
1030	3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>Set of 4.</i>	Same Price
1040	Mini Tine Holders for Tines with 3/8 In. (9.5mm) Mounting Diameter <i>Set of 4.</i>	-88.00
1050	Needle Tine Holders for 5 mm and 8 mm Needle Tines <i>Set of 4.</i>	-148.00

TURF GUARDS

2010	Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	In Base Price
2020	Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	16.00

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 1000 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2030		TURF GUARDS Continued... Turf Guards for Mini Tine and Needle Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	21.00
PTO SHAFT			
3010		Category I Double Telescoping PTO Shaft <i>For most tractors equipped with Category I 3-pt. hitches.</i>	In Base Price
3020		Category II Double Telescoping PTO Shaft <i>For most tractors equipped with Category II 3-pt. hitches.</i>	Same Price
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9010		Windrow Attachment	339.00
9020		Set of 4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>(Set of 4) Does not include Tines or Turf Guards</i>	538.00
9040		Set of 3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 4) Does not include Tines or Turf Guards.</i>	538.00
9050		Set of Mini Tine Holders for Tines with 3/8 In. (9.5mm) Mounting Diameter <i>(Set of 4) Does not include Tines or Turf Guards.</i>	450.00
9060		Set of Needle Tine Holders for 5mm and 8mm Needle Tines <i>(Set of 4) Does not include Tines or Turf Guards.</i>	390.00
9070		Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	126.00
9080		Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	142.00
9090		Turf Guards for Mini Tine and Needle Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	147.00
ATTACHMENTS FOR FIELD CONVERSION			
Tine Holders:			
BTC10182		Set of (2) 3X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter	287.83
BTC10180		Set of (2) 4X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter	287.83
BTC10184		Set of (2) Mini Tine Holders for Tines with 3/8 In. (9.5 mm) Mounting Diameter	208.66
BTC10187		Turf Guard Base Kit for all 4X Tine Holders	134.81

**JOHN DEERE TURF & UTILITY PRODUCTS
AERATION**

**Aercore 1500 Aerator
Equipment for Base Machine**

57.5 In. (146.1 cm) Coring
Width
Cat. 1 3-Point Hitch
Heavy Duty Frame
Turf Guard
Less Tines
Tine Holders
Parking Stand

6 Heavy Duty Tine Rams
540 RPM PTO Shaft
Flexi-Link Adjustable Hole
Spacing
Core Deflector Shields

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

4553M	Aercore 1500 Aerator		30,771.00
-------	----------------------	--	-----------

DESTINATION

0202	US/Canada		In Base Price
0230	Australia/New Zealand		Same Price
0179	Europe		242.00
0195	Mexico		Same Price
0250	All Other Countries		Same Price

TINE HOLDERS

1010	4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>Set of 6.</i>		Same Price
1020	4X Tine Holders for Tines with 7/8 In. (22.2 mm) Mounting Diameter <i>Set of 6.</i>		In Base Price
1030	3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>Set of 6.</i>		Same Price
1040	Mini Tine Holders for Tines with 3/8 In. (9.5mm) Mounting Diameter <i>Set of 6.</i>		-132.00
1050	Needle Tine Holders for 5 mm and 8 mm Needle Tines <i>Set of 6.</i>		-222.00

TURF GUARDS

2010	Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>		In Base Price
2020	Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>		26.00

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 1500 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TURF GUARDS Continued...			
2030		Turf Guards for Mini Tine and Needle Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	31.00
PTO SHAFT			
3010		Category I Double Telescoping PTO Shaft <i>For most tractors equipped with Category I 3-pt. hitches.</i>	In Base Price
3020		Category II Double Telescoping PTO Shaft <i>For most tractors equipped with Category II 3-pt. hitches.</i>	Same Price
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9010		Windrow Attachment	388.00
9020		Set of 4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>(Set Of 6) Does not include Tines or Turf Guards.</i>	807.00
9030		Set of 4X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 6) Does not include Tines or Turf Guards.</i>	807.00
9040		Set of 3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 6) Does not include Tines or Turf Guards.</i>	807.00
9050		Set of Mini Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 6) Does not Include Tines or Turf Guards.</i>	675.00
9060		Set of Needle Tine Holders for 5mm and 8mm Needle Tines <i>(Set of 6) Does not include Tines or Turf Guards.</i>	585.00
9070		Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	189.00
9080		Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	215.00
9090		Turf Guards for Mini Tine and Needle Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	220.00
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous:			
BM18886		Windrow Attachment	415.16
Tine Holders:			
BTC10182		Set of (2) 3X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83
BTC10183		Set of (2) 3X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	240.76
BTC10180		Set of (2) 4X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 1500 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10181		Set of (2) 4X Tine Holders for Tines with 7/8 In. (22.2 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83
BTC10184		Set of (2) Mini Tine Holders for Tines with 3/8 In. (9.5 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	208.66
BTC10186		Turf Guard Add Kit for all 3X Tine Holders <i>Complete set of 3X Turf Guards for Aercore 1500 requires (1) BTC10185 and (1) BTC10186.</i>	78.11
BTC10188		Turf Guard Add Kit for all 4X Tine Holders <i>Complete set of 4X Turf Guards for Aercore 1500 requires (1) BTC10185 and (1) BTC10186.</i>	67.41
BTC10190		Turf Guard Add Kit for all Mini and Needle Tine Holders <i>Complete set of Mini / Needle Tine Turf Guards for Aercore 1500 requires (1) BTC10189 and (1) BTC10190.</i>	78.11
BTC10185		Turf Guard Base Kit for all 3X Tine Holders <i>Complete set of 3X Turf Guards for Aercore 1500 requires (1) BTC10185 and (1) BTC10186.</i>	151.94
BTC10187		Turf Guard Base Kit for all 4X Tine Holders <i>Complete set of 4X Turf Guards for Aercore 1500 requires (1) BTC10185 and (1) BTC10186.</i>	134.81
BTC10189		Turf Guard Base Kit for all Mini and Needle Tine Holders <i>Complete set of Mini / Needle Tine Turf Guards for Aercore 1500 requires (1) BTC10189 and (1) BTC10190.</i>	157.29
		Tines:	
TCU17331		1 In. HD Side-Eject	See Parts
TCU17333		1 In. HD Tubular Top-Eject	See Parts
TCU17332		1 In. HDT Side-Eject	See Parts
TCU17334		1 In. HDT Tubular Top-Eject	See Parts
TCU17343		1/2 In. HD Tubular	See Parts
TCU17345		1/2 In. HDT Side-Eject	See Parts
TCU17344		1/2 In. HDT Tubular	See Parts
TCU17452		1/4 In. (6 mm) Open Sided Mini Tine	See Parts
TCU17456		13/16 In. HD Side-Eject	See Parts
TCU17457		13/16 In. HDT Side-Eject	See Parts
TCU18638		3/4 In. (19mm) Tubular Tine	See Parts
TCU17454		3/4 In. HD Tubular	See Parts
TCU17341		3/4 In. HDT Side-Eject	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 1500 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
TCU17340		3/4 In. HDT Tubular	See Parts
TCU17346		3/8 In. Solid HD x 5 In.	See Parts
TCU15712		5 mm Needle Tine <i>Aercore 1500 with Needle Tine Holders Requires 42.</i>	See Parts
TCU17338		5/8 In. HD Solid	See Parts
TCU17339		5/8 In. HD Solid	See Parts
TCU17335		5/8 In. HD Tubular	See Parts
TCU17337		5/8 In. HDT Side-Eject	See Parts
TCU17336		5/8 In. HDT Tubular	See Parts
TCU17342		7/8 In. HD Side-Eject	See Parts
TCU15726		8 mm Needle Tine <i>Aercore 1500 with Needle Tine Holders Requires 42.</i>	See Parts
TCU17352		Bayonet Tine with 3/4 In. Rib HD	See Parts
TCU17349		Cross with 1/2 In. Rib HD	See Parts
TCU17350		Cross with 1/2 In. Rib HDT	See Parts
TCU17453		Quad Tine HDT	See Parts
TCU17351		Super Cross with 3/4 In. Rib HD	See Parts
TCU17347		Super Quad HD	See Parts
TCU17348		Super Quad HDT	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
AERATION**

**Aercore 2000 Aerator
Equipment for Base Machine**

77.5 In. (190.6 cm) Coring
Width
Cat. 1 3-Point Hitch
Heavy Duty Frame
Turf Guards
Less Tines
Tine Holders
Parking Stand

8 Heavy Duty Tine Rams
540 RPM PTO Shaft
Flexi-Link Adjustable Hole
Spacing
Core Deflector Shields

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0402TC	Aercore 2000 Aerator	35,130.00
--------	----------------------	-----------

DESTINATION

0202	US/Canada	In Base Price
0230	Australia/New Zealand	Same Price
0179	Europe	242.00
0195	Mexico	Same Price
0250	All Other Countries	Same Price

TINE HOLDERS

1010	4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>Set of 8. Tines are not included.</i>	Same Price
1020	4X Tine Holders for Tines with 7/8 In. (22.2 mm) Mounting Diameter <i>Set of 8. Tines are not included.</i>	In Base Price
1030	3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>Set of 8. Tines are not included.</i>	Same Price

TURF GUARDS

2010	Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	In Base Price
2020	Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	36.00

PTO SHAFT

3010	Category I Double Telescoping PTO Shaft <i>For most tractors equipped with Category I 3-pt. hitches.</i>	In Base Price
------	---	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 2000 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3020		PTO SHAFT Continued... Category II Double Telescoping PTO Shaft <i>For most tractors equipped with Category II 3-pt. hitches.</i>	Same Price
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9020		Set of 4X Tine Holders for Tines with 3/4 In. (19mm) Mounting Diameter <i>(Set of 8) Does not Include Tines or Turf Guards.</i>	1,076.00
9030		Set of 4X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 8) Does not Include Tines or Turf Guards.</i>	1,076.00
9040		Set of 3X Tine Holders for Tines with 7/8 In. (22.2mm) Mounting Diameter <i>(Set of 8) Does not Include Tines or Turf Guards.</i>	1,076.00
9070		Turf Guards for all 4X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	252.00
9080		Turf Guards for 3X Tine Holders <i>Complete Set of Turf Guards. Tines and Tine Holders not included.</i>	288.00
ATTACHMENTS FOR FIELD CONVERSION			
Tine Holders:			
BTC10182		Set of (2) 3X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83
BTC10180		Set of (2) 4X Tine Holders for Tines with 3/4 In. (19 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83
BTC10181		Set of (2) 4X Tine Holders for Tines with 7/8 In. (22.2 mm) Mounting Diameter <i>Does not include Tines or Turf Guards.</i>	287.83
BTC10186		Turf Guard Add Kit for all 3X Tine Holders <i>Complete set of 3X Turf Guards for Aercore 2000 requires (1) BTC10185 and (2) BTC10186.</i>	78.11
BTC10188		Turf Guard Add Kit for all 4X Tine Holders <i>Complete set of 4X Turf Guards for Aercore 2000 requires (1) BTC10187 and (2) BTC10188.</i>	67.41
BTC10190		Turf Guard Add Kit for all Mini and Needle Tine Holders	78.11
BTC10185		Turf Guard Base Kit for all 3X Tine Holders <i>Complete set of 3X Turf Guards for Aercore 2000 requires (1) BTC10185 and (2) BTC10186.</i>	151.94
BTC10187		Turf Guard Base Kit for all 4X Tine Holders <i>Complete set of 4X Turf Guards for Aercore 2000 requires (1) BTC10187 and (2) BTC10188.</i>	134.81
BTC10189		Turf Guard Base Kit for all Mini and Needle Tine Holders	157.29
Tines:			
TCU17331		1 In. HD Side-Eject	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
AERATION

Aercore 2000 Aerator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
TCU17333		1 In. HD Tubular Top-Eject	See Parts
TCU17332		1 In. HDT Side-Eject	See Parts
TCU17334		1 In. HDT Tubular Top-Eject	See Parts
TCU17343		1/2 In. HD Tubular	See Parts
TCU17345		1/2 In. HDT Side-Eject	See Parts
TCU17344		1/2 In. HDT Tubular	See Parts
TCU17452		1/4 In. (6 mm) Open Sided Mini Tine	See Parts
TCU17456		13/16 In. HD Side-Eject	See Parts
TCU17457		13/16 In. HDT Side-Eject	See Parts
TCU18638		3/4 In. (19mm) Tubular Tine	See Parts
TCU17454		3/4 In. HD Tubular	See Parts
TCU17341		3/4 In. HDT Side-Eject	See Parts
TCU17340		3/4 In. HDT Tubular	See Parts
TCU17346		3/8 In. Solid HD x 5 In.	See Parts
TCU17338		5/8 In. HD Solid	See Parts
TCU17339		5/8 In. HD Solid	See Parts
TCU17335		5/8 In. HD Tubular	See Parts
TCU17337		5/8 In. HDT Side-Eject	See Parts
TCU17336		5/8 In. HDT Tubular	See Parts
TCU17342		7/8 In. HD Side-Eject	See Parts
TCU17352		Bayonet Tine with 3/4 In. Rib HD	See Parts
TCU17349		Cross with 1/2 In. Rib HD	See Parts
TCU17350		Cross with 1/2 In. Rib HDT	See Parts
TCU17453		Quad Tine HDT	See Parts
TCU17351		Super Cross with 3/4 In. Rib HD	See Parts
TCU17347		Super Quad HD	See Parts
TCU17348		Super Quad HDT	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
DEBRIS MAINTENANCE**

**TC125 Turf Collection System
Equipment for Base Machine**

Hydraulic Requirements: 6 gpm, 2000 psi (Minimum Continuous) 48 In. (121.9 cm) Gathering Width 25 Cu. Ft. (0.71 cu. m) Hopper Capacity Attaches With Standard 3/4 In. (19 mm) Hitch Pin Offset Towing Feature Allows the Unit to be Towed Either Directly Behind or Offset to the Left Side of the Towing Vehicle	3 (1/2 In.) Quick Connect Couplers (2 Rotary Brush, 1 Lift Cylinder) Long Hose Kit for use with Compact Utility Tractors with 1/2 In. Forward Couplers 49 In. (124.5 cm) Dump Height Clearance Hydraulic Lift Cylinder Hydraulic Powered Rotary Brush 500 - 600 RPM Brush Speed 6 In. (15.24 cm) Diameter	Full Width Roller Clears Cores of an Average Green in 15 Minutes with One Person Operation Two 26.5x14-12 Tires
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0132TC	TC125 Turf Collection System <i>Vehicle Requirements: Powered by a Compact Utility Tractor with a Selective Control Valve (SCV) or a ProGator With Auxiliary Hydraulics. Use with ProGator may Require Quick Connect Kit (VGB10058), See Sales Manual for Serial Number Breaks.</i>	12,474.00
--------	--	-----------

DESTINATION

0202	US/Canada	In Base Price
0230	Australia/New Zealand	Same Price
0179	Europe	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

Hydraulic Hose Kits

If 3/8 In. Hydraulic Adapters and Couplers on 90 Degree Fittings are Required, See Sales Manual for Required Service Parts.

1000	Less Hose Kit	-500.00
1001	Long Hose Kit <i>For Tractor with 1/2 In. Forward Couplers.</i>	In Base Price
1002	Short Hose Kit <i>For ProGator or Tractor with 1/2 In. Rear Couplers.</i>	-72.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
DEBRIS MAINTENANCE

TC125 Turf Collection System
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulics:	
TCB11078		Auxiliary Hydraulic Kit <i>For MY2011 and prior 2020A and 2030A ProGators. Refer to DTAC Solution 80643 for Installation on 2020 and 2030 ProGators.</i>	941.60
		Miscellaneous:	
TCB10032		Hose Kit, Long <i>For Tractor with 1/2 In. Forward Couplers.</i>	535.00
TCB10033		Hose Kit, Short <i>For ProGator or Tractor with 1/2 In. Rear Couplers.</i>	457.96
VGB10058		Quick Connect Kit <i>ProGator may Require Quick Connect Kit. See Sales Manual for Serial Number Breaks.</i>	73.83
TCA13146		Roller Scraper <i>For Serial Numbers 015001 and below, the Following Brackets need to be Ordered (Machines above Serial Number 015001 will have the Brackets Installed), (2) MT 6430 and (2) MT 6682.</i>	See Parts
BM19955		Throttle/Governor Control Kit <i>Recommended for Use with ProGators.</i>	416.23