

SECTION "L"
24' 15 Passenger Metal Bus
RESPONSE SHEET

BASE
VEHICLE

COST PER
UNIT

Transit Bus (gas engine)

\$ 63,511.00 / ea.

CHASSIS SPECIFICATIONS

Specify Overall Vehicle Length (outside of front bumper to outside of Rear bumper): 294"

Overall vehicle length: 282" minimum
307" maximum 294"

Width: Exterior 95" minimum 92 1/4"
Interior 91" minimum 92"

Height Exterior 105" minimum
124" maximum
Interior 76" minimum 78"

Wheelbase: 176" minimum
190" maximum 176"

AIR CONDITIONING

Make and Model of Rear A/C Unit and Cooling Capacity of rear Unit BTU's/Hr.
Include literature on unit being proposed.

MAKE/MODEL MCC/AC833

BTU/HR of Rear Unit only 75,000BTU

HEATING

BTU/HR of Rear Unit only 65,000BTU

OPTIONAL ITEMS**COST**

- | | | |
|-----|------------------------------------|---|
| 1. | CNG Conversion Ford Chassis | \$ <u>23,765.00</u> /ea. |
| 1. | CNG Bifuel Conversion Ford Chassis | \$ <u>n/a</u> /ea. |
| 2. | Propane Dedicated Conversion | \$ <u>16,525.00</u> /ea. |
| 3. | Propane Dual Fuel Conversion | \$ <u>n/a</u> /ea. |
| 5. | Back-Up Monitor System | \$ <u>1,200.00</u> /ea. |
| 6. | Two-way radio (UHF) | \$ <u>820.00</u> /ea. |
| 7. | Two-way radio (VHF) | \$ <u>980.0</u> /ea. |
| 8. | Two-way radio (800 MHZ) | \$ <u>1,210.00</u> /ea. |
| 9. | Driver's Shield | \$ <u>75.00</u> /ea. |
| 10. | Painted lower skirts | \$ <u>1,200.00</u> /ea. |
| 11. | Outside Passenger Door Switch | \$ <u>110.00</u> /ea. |
| 12. | Bus Camera System: | \$ <u>3,425.00</u> /ea. |
| 13. | Fabric Insert on Ceiling | \$ <u>550.00</u> /ea. |
| 14. | Street Side Exhaust | \$ <u>185.00</u> /ea. |
| 15. | Integrated Child Seats | <u>\$896(1position)1,291(2position)/ea.</u> |
| 16. | Vinyl Seats (Price Deduction) | \$ <u>-(32.00)</u> /ea. |
| 17. | Public Address System | \$ <u>350.00</u> /ea. |
| 18. | Passenger Signal System Pull Cord | \$ <u>875.00</u> /ea. |
| 19. | Passenger Stop request Signs | \$ <u>1,486.00</u> /ea. |

20.	Fare Collection Box	\$ <u>11,280.00</u> /ea.
21.	Destination Signs	\$ <u>13,995.00</u> /ea.
22.	Bicycle Racks	\$ <u>2,121.00</u> /ea.
23.	Delete B pillar and copilot seat (Price Deduction)	\$ <u>-(186.00)</u> /ea.
24.	Delete Altro Chroma Flooring (Price Deduction)	\$ <u>0.00</u> /ea.
25.	Delete Yellow Powder Coating on Handrails, Grab Rails and Stanchions. (Price Deduction)	\$ <u>-(64.00)</u> /ea.
1.	100% Nida-Core [®] structure	\$ <u>n/a</u> /ea.
27.	Composite floor	\$ <u>775.00</u> /ea.
28.	Side Door Slide Out Battery Box	\$ <u>375.00</u> /ea.
29.	Diesel Engine:	\$ <u>n/a</u> /ea.
30.	Rear Spare Tire Holder:	\$ <u>n/a</u> /ea.
31.	Adjustable Rear Suspension System:	\$ <u>895.00</u> /ea.

A list of optional equipment and/or accessories shall be provided. The list must contain:

- Item
- Description and functionality detail
- Cost of item installed in final delivery of vehicle
- Any changes to listed specifications as outlined above to accommodate options

RFP EXCEPTIONS:

Supplier must list any exceptions here to be used as a part of the Proposal evaluation and analysis. Please list the roman numerical on the standard specs or the number for the options when listing any Proposal exceptions.
