



Current Date 22May2017

## 324E SKID STEER

## 324E SKID STEER

## Equipment for Base Machine

## Engine:

Electronic Injection System

Auto Idle

Glow Plugs

Automatic Engine Shutdown  
with Alarm

V-Plenum Cooling

Hydraulic Cool-on-Demand

Variable Speed Fan

Dual Element Air Cleaner

Fan Belt Tensioner

John Deere "Cool Gard II"

Extended Life Anti-Freeze

John Deere Plus 50 10w30  
engine oil

5 Micron fuel filter with

Water Separator

100 Micron secondary fuel  
filter

21 Gallon (79 L) Fuel Tank

Final Drive System and

Brakes:

Four Wheel Drive

Hydrostatic-Manual Pumps

Four 80 HD continuous loop  
chain drive

Integral Automatic Wet-Disk

Brake Spring Applied

Hydraulic Release

Gauges and Instruments:

Fuel Gauge

Engine Coolant Temperature

Operator Selectable LCD

Digital Readout:

Hourmeter

Engine RPM

Battery Voltage

Engine Coolant Temp.

Hydraulic Oil Temp.

Job Clock

Service Codes

Diagnostic Codes

2-Speed Engaged

Air Filter Restriction

Hydraulic Oil Filter

Restriction

Lap Bar Switch

Seat Switch

Door Open Switch

Engine Preheat

Low Engine Oil Pressure

Automatic Engine Preheat

Includes Counterweights -  
Single Set

Electrical:

12-Volt Electrical Battery  
750cca

Alternator 70 Amp

Halogen Work Lights, 2 Front  
and 1 RearProgrammable courtesy  
lighting shutoff system

Hydraulics:

3-Spool Open Center Valve

20 gpm (76 L/m) Pump

5 Micron Hydraulic Filter

10w30 Engine Oil

John Deere Boom and

Bucket Cylinders with

Cushioned Boom

Connect-under-pressure  
auxiliary hydraulic couplersLoader Arm, Bucket, &  
Auxiliary Hydraulic Lockout

System

Auxiliary Hydraulics Lock-out

Override

Boom Float

Performance Characteristics:

Rated Operating Capacity

2,690 lbs. (1,221 kg)

Tipping Load 5,380 lbs.

(2,443 kg)

Hydraulic Pump Flow 79 L/m

(21 gpm)

Travel Speed 6.9 mph (11.1

km/h)

Boom Breakout Force w/  
Foundry Bucket 5,500lbs.  
(2,497 kg)Boom Breakout Force w/  
Construction Bucket  
5,200lbs. (2,361 kg)Width without Attachment  
69.2 in. (1.76m)Length without Attachment  
112 in. (2.85m)Height to Top of ROPS 79.4  
in. (2.02m)Height to Hinge Pin 125.5 in.  
(3.19m)

Operator

Protection/Comfort:

FOPS / ROPS Roll-Guard with  
Side ScreensIn-Cab Boom Lockout  
System

Adjustable Lap Bar

Operator Presence System

Interlocking Lap Bar and

Retractable Seat Belt system

Seat Switch &amp; Lap Bar

Interlocks for Loader Arm,

Bucket, &amp; Auxiliary Circuits

Deluxe Headliner

12V power port

Cell Phone cargo net storage

Interior Dome Lighting

Cup Holder

Grab Handles for Easy

Entry / Exit

Top and Rear Windows

Water Shedding Deluxe

Seating

Convenient Tie Downs

Attachment Coupler:

John Deere patented Quik-  
Tatch system (no grease

required)

Warranty (US and Canada):

Configuration Codes	Bucket Breakout Force w/	John Deere Standard
Indicator Warning Lights:	Foundry Bucket 8,750lbs.	Warranty 1 Year Unlimited
Battery Not Charging	(3,973 kg)	Hours Full Machine
Hydraulics Locked Out	Bucket Breakout Force w/	Warranty Followed by a 2nd
Park Brake Illumination	Construction Bucket	Year / 2,000 hour Powertrain
Hydraulic Oil Over Temp	6,000lbs. (2,724 kg)	plus Hydraulic Coverage

Required - *You must select one from each category*



#### BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
324E SKID STEER	0BG0T	\$41,475.00



#### SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
324E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0846	(\$467.00)
------------------------------------	------	------------

Package includes:  
 Foot Controls (0900)  
 Two-Speed (1050)  
 Turbocharged Engine (1301)  
 English Operator's Manual & Decals (1501)  
 12x16.5 10 PR Titan HD2000-III (2070)  
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)  
 Less Ride Control (3101)  
 2 in. Seat Belt (4000)  
 Manual Quik-Tatch (5000)  
 Canopy - ROPS / FOPS (5200)  
 Mechanical Suspension Seat (Vinyl) (6001)  
 Standard Fan Drive (6500)  
 Horn (6800)  
 Less EH Joystick Performance Package (7101)  
 Backup Alarm (8040)  
 Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0856	(\$1,156.00)
---	------	--------------

Package includes:  
 EH (ISO Pattern) Joystick Controls (0950)  
 Two-Speed (1050)  
 Turbocharged Engine (1301)  
 English Operator's Manual & Decals (1501)  
 12x16.5 12 PR Galaxy Hulk (2440)  
 Standard Hydraulics (3000)  
 Ride Control (3100)  
 2 in. Seat Belt (4000)  
 Power Quik-Tatch (5001)  
 Canopy - ROPS / FOPS (5200)  
 Vinyl Air-Ride Seat (6003)  
 Reversing Fan Drive (6501)

Horn (6800)  
 EH Joystick Performance Package (7100)  
 Backup Alarm (8040)  
 Rear View Mirror (Interior Cab Mount) (8350)  
 Foot Rest with Floormat (8380)  
 Switchable Accelerator/Decelerator (8392)  
 Keyless Start (Sealed Switch Module) (8395)

---

Deluxe Cab Package with Foot Controls	0861	(\$1,156.00)
---------------------------------------	------	--------------

---

Package includes:  
 Foot Controls (0900)  
 Two-Speed (1050)  
 Turbocharged Engine (1301)  
 English Operator's Manual & Decals (1501)  
 12x16.5 10 PR Titan HD2000-III (2070)  
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)  
 Less Ride Control (3101)  
 3 in. Seat Belt with Shoulder Harness (4003)  
 Power Quik-Tatch (5001)  
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)  
 Air Suspension Seat (Cloth) (6002)  
 Standard Fan Drive (6500)  
 Horn (6800)  
 Less EH Joystick Performance Package (7101)  
 Backup Alarm (8040)  
 Chrome Exhaust (8225)  
 Radio, AM/FM/WB with Aux Input (8340)  
 Rear View Mirror (Interior Cab Mount) (8350)

---

Deluxe Cab Package with ISO Pattern EH Joystick Controls	0866	(\$1,728.00)
--	------	--------------

---

Package includes:  
 EH (ISO Pattern) Joystick Controls (0950)  
 Two-Speed (1050)  
 Turbocharged Engine (1301)  
 English Operator's Manual & Decals (1501)  
 12x16.5 12 PR Galaxy Hulk (2440)  
 Standard Hydraulics (3000)  
 Ride Control (3100)  
 3 in. Seat Belt with Shoulder Harness (4003)  
 Power Quik-Tatch (5001)  
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)  
 Air Suspension Seat (Cloth) (6002)  
 Reversing Fan Drive (6501)  
 Horn (6800)  
 EH Joystick Performance Package (7100)  
 Backup Alarm (8040)  
 Chrome Exhaust (8225)  
 Radio, AM/FM/WB with Aux Input (8340)  
 Rear View Mirror (interior cab mount) (8350)  
 Foot Rest with Floormat (8380)  
 Switchable Accelerator/Decelerator (8392)  
 Keyless Start (Sealed Switch Module) (8395)



## ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,613.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L  
 4 Cylinder Turbo-Charged  
 74 Gross hp (54.8 kW)  
 70 Net hp (52.5 kW)

---

## OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
Polycarbonate Front Door w/ Wiper and Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		

## SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205).		
Vinyl, Air-Ride Seat	6003	\$452.00

## SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

## CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	\$796.00
E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
EH (H Pattern) Joystick Controls	0975	\$2,778.00
High Spring Efforts		

EH Foot and Joystick Controls	0980	\$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

#### ▼ JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)		
Selectable propel aggressiveness		
Creeper Mode		
Boom and Bucket speed settings		
12V 3 Pin and 14 Pin Attachment Control Harness		
Less EH Joystick Performance Package	7101	In Base Price

#### ▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	\$1,608.00

#### ▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 21 gpm		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
Pump Flow = 21 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
High Flow Hydraulics	3002	\$1,830.00
Pump Flow = 29 gpm		
Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
Pump Flow = 29 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		

Includes 1/2 in Auxiliary coupler sizes.

## RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

## QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$724.00
------------------	------	----------

## COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price

Reversing Fan Drive	6501	\$830.00
---------------------	------	----------

## HORN

Description	Code	Price
Horn	6800	\$140.00

Less Horn	6801	In Base Price
-----------	------	---------------

## WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	\$1,826.00

Gives 62.4 in. Skid Steer width at narrow setting  
 Gives 68.4 in. Skid Steer width at wide setting

12x16.5 10 PR Titan HD2000-III	2070	\$2,147.00
--------------------------------	------	------------

Gives 70.3 in. Skid Steer width at narrow setting  
 Gives 73.2 in. Skid Steer width at wide setting

10x16.5 8 PR SKS Extra-Wall Heavy Duty	2280	\$1,321.00
--	------	------------

For use primarily in dirt applications  
 Gives 62.9 in. Skid Steer width at narrow setting  
 Gives 69.0 in. Skid Steer width at wide setting

12x16.5 10 PR SKS Extra-Wall	2310	\$1,636.00
------------------------------	------	------------

Gives 70.0 in. Skid Steer width at narrow setting  
 Gives 73.3 in. Skid Steer width at wide setting

10x16.5 Brawler Treaded SolidFlex	2400	\$3,600.00
-----------------------------------	------	------------

Gives 67.4 in. Skid Steer width at wide setting  
Not Compatible with Tracks

12x16.5 Treaded Brawler SolidFlex	2410	\$4,300.00
-----------------------------------	------	------------

Gives 73.3 in. Skid Steer width at wide setting  
Not Compatible with Tracks

10x16.5 10 PR Galaxy Hulk	2430	\$2,031.00
---------------------------	------	------------

12x16.5 12 PR Galaxy Hulk	2440	\$2,470.00
---------------------------	------	------------

#### ▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge

For use with FT4 Engine

French Operator's Manual & Decals for Canada	1511	No Charge
--	------	-----------

Canada only  
For use with IT4/Stage IIIB Engine

French Operator's Manual & No Text Decals	1512	No Charge
---	------	-----------

Not for Canada  
For use with IT4/Stage IIIB Engine

Spanish Operator's Manual & Decals	1515	No Charge
------------------------------------	------	-----------

For use with FT4 Engine

Spanish Operator's Manual & No Text Decals	1516	No Charge
--	------	-----------

Not for Canada  
For use with IT4/Stage IIIB Engine

Optional - *Select as desired*

#### ▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00

Battery, Heavy Duty, 925cca	8045	\$55.00
-----------------------------	------	---------

NOTE: Not for use with Cold Start Package (8050)

Cold Start Package	8050	\$303.00
--------------------	------	----------

Includes Hydraulic Bypass, and Block Heater. (110 volt)

Engine Air Precleaner	8060	\$455.00
-----------------------	------	----------

Hazard Warning Lights	8075	\$159.00
-----------------------	------	----------

Chrome Exhaust	8225	\$328.00
----------------	------	----------

Counterweight, Stackable (Second Set)	8305	\$349.00
---------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	\$349.00
--------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)  
Requires Second Set Counterweight (8305)

Radio, AM/FM with Aux Input	8340	\$540.00
-----------------------------	------	----------

For use with enclosed cab only: codes 5204 &amp; 5205

Rear View Mirror (Interior cab mount)	8350	\$90.00
---------------------------------------	------	---------

HD Rear Grille	8370	\$486.00
----------------	------	----------

Provides protection to cooling package

Foot Rest with Floormat	8380	\$144.00
-------------------------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Floormat	8390	\$122.00
----------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Switchable Accelerator / Decelerator	8392	\$237.00
--------------------------------------	------	----------

Turns existing foot throttle in to a decelerating pedal.

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

Includes: programmable machine security code system

**BUCKETS:**

See Attachments for Multi-Purpose Buckets

Description	Code	Price
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	\$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,099.00



66 in. Utility Bucket (20.6 cu. ft.)	9310	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00



## EXPORT CODES

Description	Code	Price
-------------	------	-------



## SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.



## DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

Buckets:

66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$889.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00

72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
<u>Cutting Edges:</u>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$314.00
3-pin connector		
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	\$883.00
Attachment Control Kit	AT454477	\$721.00
For E series (models 318, 319, 320, 323, 324 and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.		
Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Mirrors	BYT10168	\$75.00
Counterweight, Stackable (Single Set)	AT348835	\$356.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness		

Creeper Mode  
Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425361	\$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Field Kit, Reversing Fan	AT448244	\$834.00
Kit is compatible with E series models (320E, 323E, 324E, 328E, 329E, 332E, 333E).		
Foot Throttle Removal Kit	AT374642	\$52.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT348484	\$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	\$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio Field Kit	BYT10062	\$510.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,076.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,540.00
Standard Door, Field Kit	AT446335	\$1,030.00
S/N 269402 and above.		
<u>Miscellaneous:</u>		
66 in. Bolt-On Cutting Edge	U16748	View Price
Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)		

72 in. Bolt-On Cutting Edge	T32742	View Price
<a href="#">Operator Environment:</a>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<a href="#">Tooth Bars:</a>		
66 in. Tooth Bar - 7 Teeth	KV12294	\$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
<a href="#">Wheels and Tires, Four:</a>		
12x16.5 10 PR SKS Extra-Wall	KV21876	\$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	\$1,817.00
<a href="#">Wheels and Tires, Single (Left Hand Only):</a>		
12x16.5 12PR Galaxy Hulk, Left	AT446726	\$598.00
<a href="#">Wheels and Tires, Single (Right Hand Only):</a>		
10x16.5 10 PR Galaxy "Beefy Baby II" HD	AT466913	\$396.00
For 60 In. machine width		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	\$371.00
For 63 In. machine width		
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	\$322.00
12x16.5 10 PR SKS Extra-Wall	KV23687	\$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	\$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	\$598.00



## REFERRAL ATTACHMENTS

Description	Code	Price
<a href="#">G.R. Mfg.:</a>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		

Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		