



Current Date 07Jul2017

## 333G COMPACT TRACK LOADER

## 333G Base Equipment

Engine:	Job Clock	Travel Speed 8 mph (12.9 km/h)
4 Cylinder Turbo-Charged	Service Codes	Construction Bucket
Electronic Injection System	Diagnostic Codes	Breakout Force 9,250 lbs. (4,196 kg)
Auto Idle	Configuration Codes	Boom Breakout Force 7,750 lbs. (3,515 kg)
Glow Plugs	Indicator Warning Lights:	Tractive Effort - 11,500 lbf (5227 kgf)
Automatic Engine Shutdown with Alarm	Battery Not Charging	Width without Attachment 80.7 in. (2.05 m)
Tri-Cool Engine and Hydraulic cooling package	Hydraulics Locked Out	Length without Attachment 122 in. (3.10 m)
Hydraulic Cool-on-Demand	Park Brake Illumination	Height to Top of ROPS 86.7 in. (2.20 m)
Variable Speed Fan	Hydraulic Oil Over Temp	Height to Hinge Pin 132 in. (3.35 m)
Dual Element Air Cleaner	2-Speed Engaged	Height to Hinge Pin 132 in. (3.35 m)
Auto Fan Belt Tensioner	Air Filter Restriction	Machine Operating Weight 12,100 lbs. (5493 kg)
John Deere "Cool Gard II" Extended Life Anti-Freeze	Hydraulic Oil Filter Restriction	Operator Protection/Comfort:
John Deere Plus 50 10w30 engine oil	Lap Bar Switch	FOPS / ROPS Roll-Guard with Side Screens
5 Micron fuel filter with Water Separator	Seat Switch	In-Cab Boom Lockout System
100 Micron secondary fuel filter	Door Open Switch	Adjustable Interlocking Operator Presence Lap Bar System
30 Gallon (114 L) Fuel Tank	Engine Preheat	Retractable Seat Belt
Final Drive System and Undercarriage:	Low Engine Oil Pressure	Rearview Mirror
2-Speed Transmission	Automatic Engine Preheat	Back-up Alarm
Servo Axial Piston	Electrical:	Horn
Hydrostatic Pumps	12-Volt Electrical Battery	Deluxe Headliner
Radial Piston Hydrostatic Motors	925 cca w/150 minute reserve capacity	12V power port
High Drive Planetary Reduction Gear Box	Alternator 70 Amp	Cell Phone cargo net storage
Grease Cylinder Track Tensioner	Halogen Work Lights, 2 Front and 1 Rear	Interior Dome Lighting Cup Holder
Patented Smooth Ride Undercarriage	Programmable courtesy lighting shutoff system	Itrigal Grab Handles for Easy Entry / Exit
2 duel flanged idlers & 5 triple flanged rollers	Hydraulics:	Top and Rear Windows
Heavy Duty 15.8 in (400 mm) Rubber Tracks	3-Spool Open Center Valve System Pressure 3450 psi	
Spring applied, hydraulically released wet-disk park brake	5 Micron Hydraulic Filter	
Gauges and Instruments:	John Deere Boom & Bucket Cylinders w/Cushioned Boom	
	Connect-under-pressure auxiliary hydraulic couplers	
	Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system	
	Auxiliary Hydraulics Lock-out Override	
	Boom Float	

Keyless Start Sealed Switch Module	Performance Characteristics:	Water Shedding Deluxe Seating
Fuel Gauge	Gross Horsepower 100 Hp (75 Kw)	Convenient Tie Downs
Engine Coolant Temperature	Rated Operating Capacity 3,700 lbs. (1,678 kg)	Attachment Coupler:
Operator Selectable LCD Digital Readout:	Tipping Load 10,566 lbs. (4,793 kg)	John Deere patented Quik-Tatch system (no grease required)
Hourmeter	Hydraulic Pump Flow 25 gpm (95 L/m)	Warranty:
Engine RPM	Travel Speed 6 mph (9.7 km/h)	John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours
Battery Voltage		
Engine Coolant Temp.		
Hydraulic Oil Temp.		

**Required** - You must select one from each category



#### BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
333G COMPACT TRACK LOADER	0BF0T	\$76,731.00



#### COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
333G Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	(\$255.00)
--	------	------------

Package includes:

- \* EH (ISO Pattern) Joystick Controls (0950)
- \* Less JDLINK (1741)
- \* English Operator's Manual & Decals (1501)
- \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
- \* Standard Base Hydraulics (3000)
- \* Ride Control (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Canopy - ROPS / FOPS (5200)
- \* Standard Lighting Package (5500)
- \* Mechanical Suspension Seat (Vinyl) (6001)
- \* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	(\$1,108.00)
---	------	--------------

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLINK (1741)
- \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
- \* Standard Base Hydraulics (3000)
- \* Ride Control and Hydraulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)

- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Standard Fan Drive (6500)
- \* Rear View Camera (8042)
- \* Radio, AM/FM with Bluetooth (8342)
- \* Foot Rest with Floormat (8380)

---

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	(\$1,468.00)
---	------	--------------

---

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLINK (1741)
- \* Wide Zig-Zag Bar Track - 17.7 in. (2650)
- \* High Flow Hydraulics (3002)
- \* Ride Control and Hydraulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Reversing Fan Drive (6501)
- \* Rear View Camera (8042)
- \* Engine Air Precleaner (8060)
- \* Radio, AM/FM with Bluetooth (8342)
- \* HD Rear Grille (8370)
- \* Foot Rest with Floormat (8380)

---

Australian Package 1	0891	(\$1,186.00)
----------------------	------	--------------

---

Package includes:

- ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- Two-Speed (1050)
- Turbocharged Engine (1310)
- English Operator's Manual & No Text Decals (1503)
- Less JDLINK (1741)
- Wide Offset Block Lug Rubber Tracks - 17.7 in. (2605)
- High Flow Hydraulics (3002)
- Ride Control and Hydraulic Self-Level Up (3100)
- 2-Inch Seat Belt with Shoulder Harness (4001)
- Power Quik-Tatch (5001)
- Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- Standard Lighting Package (5500)
- Vinyl Air-Ride Seat (6003)
- Reversing Fan Drive (6501)
- Engine Air Precleaner (8060)
- Radio, AM/FM with Bluetooth (8342)
- Australian Compliance Certificate and Hearing Protection Caution Label (9280)

## JDLINK

Description	Code	Price
<b>JDLINK Ultimate Cellular for the Americas, excluding Costa Rica</b>	1700	\$1,200.00
Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLINK Ultimate activation		
JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality.		
Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to <a href="http://www.StellarSupport.com">www.StellarSupport.com</a> to renew or update JDLINK subscriptions.		
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at <a href="http://www.JohnDeere.com/Agreements">www.JohnDeere.com/Agreements</a> . If these terms and conditions are not		

agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge
-------------	------	-----------

#### ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$3,875.00
Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.		
Yamnar 4TNV94FHT 3.1L 4 Cylinder Turbo-Charged 100 Gross hp (75.0 kW) 97 Net hp (72.3 kW)		

#### OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

#### LIGHTING





Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	\$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

#### SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	\$452.00
Air Ride Seat (Cloth with Heat)	6006	\$625.00

#### SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00

3-Inch Seat Belt with Shoulder Harness		4003	\$279.00
 CONTROLS			
<b>Description</b>		<b>Code</b>	<b>Price</b>
E-H (ISO Pattern) Joystick Controls		0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package		0953	\$1,035.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Joystick handles fully populated with all buttons.  Switchable Accelerator/Decelerator foot throttle.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function Rocker Switch			
3-Way Switchable Controls and EH Joystick Performance Package		0993	\$2,185.00
Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes.  Includes Switchable Accelerator/Decelerator with right side foot pedal throttle when operating in ISO or H-Pattern Joystick Control mode.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function Rocker Switch			
 HYDRAULIC OPTIONS			
<b>Description</b>		<b>Code</b>	<b>Price</b>
Standard Hydraulics		3000	In Base Price
Pump Flow = 25 gpm			
High Flow Hydraulics		3002	\$1,830.00
Pump Flow = 41 gpm  Includes 1/2 in Auxiliary coupler sizes.			
 RIDE CONTROL			
<b>Description</b>		<b>Code</b>	<b>Price</b>
Ride Control and Hydraulic Self-Level Up		3100	\$1,250.00
Less Ride Control and Self-Level Up		3101	In Base Price
 QUIK-TATCH			
<b>Description</b>		<b>Code</b>	<b>Price</b>
Manual Quik-Tatch		5000	In Base Price
Power Quik-Tatch		5001	\$724.00

**COOLING FAN**

<b>Description</b>	<b>Code</b>	<b>Price</b>
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00

**TRACKS**

<b>Description</b>	<b>Code</b>	<b>Price</b>
Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 78.9 inch CTL width.	2505	(\$257.00)
Wide Offset Block Lug Rubber Tracks - 17.7 in. Gives 80.7 inch CTL width.	2605	In Base Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	\$200.00

**OPERATOR MANUAL & DECALS**

<b>Description</b>	<b>Code</b>	<b>Price</b>
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

**Optional - Select as desired****KITS AND ACCESSORIES - FACTORY INSTALLED**

<b>Description</b>	<b>Code</b>	<b>Price</b>
Rear View Camera Includes 5" LCD monitor.	8042	\$850.00
Cold Start Package Includes Block Heater and XR Hydraulic Oil.	8050	\$303.00
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00

Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Radio, AM/FM with Bluetooth	8342	\$600.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

#### BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
90 in. Light Material Bucket with Edge	9245	\$2,500.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9410	\$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	\$2,434.00

#### EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

#### SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.

## DEALER-INSTALLED KITS

### Description

### Code

### Price

#### BUCKETS

See Attachments for Multi-Purpose Buckets

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	\$2,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	\$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	\$2,434.00
<b>Buckets</b>		
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
<b>Cutting Edges</b>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
78 in. Bolt-On Cutting Edge	KV12758	View Price
Requires additional hardware; see Parts.		
84 in. Bolt-On Cutting Edge	KV12471	View Price
Requires additional hardware; see Parts.		



**Kits and Accessories**

Attachment Control	BYT10040	\$415.00
Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.		
Backhoe Attachment Mounting Kit	AT466358	\$119.00
Battery Disconnect Field Kit	BYT10056	\$125.00
Quick release battery power disconnect for long term machine storage.		
Beacon Warning Light	BYT10048	\$320.00
Block Heater Kit	AT439115	\$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed.		
Counterweight, Stackable (Single Set)	AT348835	\$356.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10041	\$1,200.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$593.00
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT439117	\$457.00
Field Kit, Reversing Fan	BYT10356	\$834.00
Kit is compatible with G series models (331G, 333G, 330G & 332G).		
Foot Throttle Removal Kit	AT410246	\$52.00
HD Rear Grille	BYT10058	\$593.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
JDLink Hardware Kit	BYT10060	\$100.00
Joystick Pod Mounted Throttle	AT419446	\$152.00
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$575.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10051	\$850.00
Includes 5" LCD monitor.		
SMV Sign	BYT10059	\$77.00

Severe Duty Door	AT438266	\$3,076.00
Includes windshield wiper. Required to meet ISO 8084 Forestry Applications.		
Severe Duty Door Hardware Kit	BYT10085	\$170.00
Single Point Lift System	AT469520	\$1,540.00
Standard Door, Field Kit	AT438268	\$1,030.00
<b>Tooth Bars</b>		
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00

REFERRAL ATTACHMENTS

Description	Code	Price
<b>G.R. Mfg.</b>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205) 655-8005		
Bucket Cylinder Rod Guard	AT397454	\$320.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	\$280.00
Guard, Cab Roof Debris	BYT10263	\$102.00
Guard, Chassis Bottom Cover Plates	BYT10262	\$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	\$218.00
Guard, Rear Bumper	BYT10261	\$1,402.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Rear Window/Side Window Cab Guards	BYT10258	\$680.00
Severe Duty Forestry Package	BYT10264	\$4,420.00

Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe  
Duty Door.  
Requires factory code 8370 - HD Rear Grille.

---

Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

---

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |