



Current Date 15Feb2017

744K-II LOADER

POWERTRAIN:

5 Speed Transmission with Lock-Up Torque Converter
Electronically Controlled Fully Automated Shift System
Quick Shift Button on Loader Control Lever with 2 Selectable Modes
Automatic / Manual Shift Modes
Programmable Maximum High Gear
Transmission Clutch Disconnect with 3 Selectable Settings
Clutch Calibration Engaged from Monitor
100% Locking Front and Conventional Rear Differentials with Inboard
Mounted Heavy Duty Planetary Gears
Heavy Duty Self Adjusting Front and Rear Power Brakes
Electrically Actuated Automatic Spring
Applied, Hydraulically Released, Wet Multi-Disc Park Brake
Transmission Fill Tube and Sight Gauge
2000 Hour Transmission Filter
Wheel Spin Control System
COOLING:
Quad-Cool System: Heavy Duty, Trash Resistant High Ambient Cooling Package
2 Side access to all Coolers
Cooling System isolated

24 Volt Electrical System
Solid State Electrical Power Distribution System
100 Amp Alternator
(2) Heavy Duty Batteries - each 1400 Cold Cranking amps/440 minute
Reserve Capacity
Lockable Master Electrical Disconnect Switch
Battery Terminal Safety Covers
By-Pass Start Safety Cover at Starter
Starting Switch with Electric Fuel Shut Off
Pre-wired for Beacon/Strobe Light
Lights:
(1) Engine Compartment Light
(2) Halogen Driving Lights with Guards
(4) Front, (2) Rear Cab and 2-Rear Grille mounted Work Lights
Turn Signals and Flashers
LED Stop and Tail Lights
Horn, Electric
Reverse Warning Alarm
Voltage Converter for 24V to 12V / 8 Amps
Multi-Function LCD Color Monitor includes:
DIGITAL INSTRUMENTS
ANALOG Display:
Hydraulic Oil Temperature
Engine Coolant Temperature
Transmission Oil Temperature

Suspension for Weight/Height with Fore-Aft Adjustment, and Adjustable Arm Rests
Hydraulic Controls Integrated to Seat
3 Inch High Visibility Blaze Orange Seat Belt with Retractor
(2) Cup Holders
Lunch box (Cooler) Holder
Dome and Reading Light
12 Volt Power Port
Sun Visor
Radio Ready
Rubber Floor Mat
Tilt Steering Column
Textured Steering Wheel with Spinner Knob
Operator's Manual Storage Compartment
(2) Outside and (2) Inside Rear View Mirrors
Front and Rear Intermittent Windshield Wiper and Washers
Left and Right Side Cab Access
Slip-Resistant Steps and Ergonomically Located Handholds
OVERALL VEHICLE:
Level 1 Sound Package
NeverGrease
Rear Axle Oscillation
Steering Cylinders optional
Lift Eyes
Front and Rear Tie Downs
Full Coverage Front Fenders
Bumper with Rear Hitch and Locking Pin
Articulation Locking Bar
Boom Locking Bar
40 Degree Steering Articulation to Each Side with Rubber Cushion Stops on Frame
Vandal Protection With Lockable Engine Enclosures, Right Counterweight
Compartment, Battery Box, Filler Access for
Radiator/Fuel/Hydraulic/Transmission

from Engine Compartment Engine Radiator Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Charge Air Cooler (Air to Air) Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan Enclosed Fan Safety Guard Front and Rear Axle Coolers with Axle Oil Filtration HYDRAULICS: Load Sensing Hydraulic System 2 Function -- 2-Lever Fingertip Control and Steering Column FNR Ride Control, Automatic with Monitor Adjustable Speed Settings Automatic Return to Dig In Cab Adjustable Automatic Boom Height Kickout / Return To Carry Hydraulic Function Enable/ Disable Hydraulic Reservoir with Sight Gauge and Fill Strainer Hydraulic Diagnostic Ports 4000 Hour In-Tank Filter ELECTRICAL:	Engine Oil Pressure DIGITAL Display: Engine RPM Transmission Gear / Direction Indicator Hour Meter Fuel Level DEF Level (FT4 Only) Speedometer Odometer Outside Temperature Fuel Consumption Rate Integrated Cycle Counter with 5 Categories INDICATOR LIGHTS for Standard and Selected Options INDICATOR LIGHTS for Amber Caution and Red Stop OPERATOR WARNING MESSAGES BUILT-IN DIAGNOSTICS: Diagnostic Code Details Sensor Values Calibrations Individual Circuit Tester MENU DISPLAY: Codes Machine Settings Diagnostics Monitor Settings Clock OPERATOR'S STATION: Isolation Mounted ROPS/FOPS Quiet Cab with: Air Conditioning, Heater, Defroster and Pressurizer Keyless Start with Multiple Security Modes Sealed Switch Module with Function Indicators Seat with Back Rest Extension, Deep Foam, Fabric Cover, Adjustable Air	Right and Left Handrails, Platforms and Steps Fluid Sampling Ports for Engine, Transmission, Hydraulic, Axles Oils and Engine Coolant Environmental Drains with Hoses for Engine, Transmission, Hydraulic Oils and Engine Coolant Engine Compartment Light Ground Level Fueling (and DEF - FT4 Only) Fuel Tank Fill Strainer Left and Right Engine Frame Service Steps and Handholds Storage Compartment Heavy Duty Fuel Tank Guard Less Tires and Wheels
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Required - *You must select one from each category*



BASE MACHINE

FOB Davenport, Ia. "As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order"

Description	Code	Price
744K-II LOADER	7680T	\$395,686.00

▼ GATHERING GROUP CONFIGURATIONS

Description	Code	Price
Standard Gathering Group	0810	In Base Price

▼ LANGUAGE DECALS

Description	Code	Price
English Labels and Decals	2605	No Charge
Spanish Labels and Decals	2610	No Charge
French Labels and Decals	2615	No Charge

▼ MACHINE CONFIGURATION

Description	Code	Price
744K or 844K II Loader	1010	In Base Price

Standard or High Lift Linkage can be selected within the Linkage Configuration section

744K-II FT4 Standard Waste Handler with Standard Z-Bar Linkage & Hi-Lift Boom	1025	No Charge
-------------------------------------------------------------------------------	------	-----------

Requires codes:
 0810 744K Standard Gathering Group
 0924 FT4 Engine
 1110 4-Speed transmission without Lockup Torque Converter
 1520 Automatic Reversing Hydraulic Fan
 1430 Air Intake System with Centrifugal Precleaner
 2020 High Lift Loader Boom with Grease Pin Joints
 3056 or 3059 Wide Heavy Duty Axles
 3120 Manual Axle Differential Lock
 5570 No Fenders
 7120 Heavy Duty LED Turn Signal & Marker Lights
 9540 Less hitch and counterweights

Cannot order code 9125 Beacon Bracket
 Cannot order code 9045 Quick Fluid Service

Requires AT455535 FT4 Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).

The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.

744K-II FT4 Waste Handler with Standard Z-Bar Linkage & Boom	1045	No Charge
--------------------------------------------------------------	------	-----------

Requires codes:
 0810 744K Standard Gathering Group
 0924 FT4 Engine
 1110 4-Speed transmission without Lockup Torque Converter
 1430 Air Intake System with Centrifugal Precleaner
 1520 Automatic Reversing Hydraulic Fan

2010 Z-Bar with Standard Grease Pin Joints
 3056 or 3059 Wide Heavy Duty Axles
 3120 Manual Axle Differential Lock
 5570 No Fenders
 7120 Heavy Duty LED Turn Signal & Marker Lights
 9540 Less hitch and counterweights

Cannot order code 9125 Beacon Bracket
 Cannot order code 9045 Quick Fluid Service

Requires AT455535 FT4 Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).

The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.

ENGINE

Description	Code	Price
John Deere PowerTech PSS	0924	\$48,084.00

For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Turbocharged, Charge Air Cooled
 Wet Sleeve Cylinder Liners
 Programmable Auto-Idle and Auto-Shutdown
 Selected Idle Adjustment from 900-1250 RPM
 Starter Protection
 4 Valves / Cylinder
 Cooled Exhaust Gas Recirculation
 Automatic Derating for Exceeded System Temperatures
 Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible
 Electrical Fuel Priming System
 Serpentine Drive Belt with Automatic Tensioner
 Under Hood Dual Element Air Cleaner with Restriction Indicator
 Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack
 Automatic Exhaust Filter Regeneration
 Dual-Stage Fuel Filter and Water Separator
 500 Hour Vertical Spin-on Oil Filter
 Oil crankcase filter, Lifetime
 Engine Compartment Light
 Remote Jump Starting Lugs
 Automatic Engine Cool-down Timer
 9.0L meets EPA FT4 and EU Stage IV Emissions (303 Net Peak hp)

ENGINE FAN DRIVE

Description	Code	Price
Standard Fan Drive	1510	In Base Price
Automatic Reversing Hydraulic Fan	1520	\$1,755.00

Requires code 1430 Air Intake System with Centrifugal Precleaner Engine

AIR INTAKE

Description	Code	Price
Air Intake system without Precleaner Engine	1410	In Base Price
Air Intake System with Centrifugal Precleaner Engine	1430	\$617.00

ENGINE EXHAUST

Description	Code	Price
-------------	------	-------

Engine Exhaust with Flat Black Curved Stack	1310	In Base Price
Engine Exhaust with Chrome Curved Stack	1330	\$344.00

▼ ALTERNATOR

Description	Code	Price
100 amp Alternator - FT4	1211	\$497.00
For use with Engine option code 0924 For use with Power Converter Code 2708		
130 amp Alternator	1215	\$751.00
For use with FT4 Engine code 0924.		

▼ 12V POWER CONVERTER

Description	Code	Price
24 Volt to 12 Volt - 8 Amp Converter	2708	In Base Price
24 Volt to 12 Volt - 15 Amp Converter	2715	\$115.00
24 Volt to 12 Volt - 30 Amp Converter	2730	\$265.00

▼ FUEL FILTERS

Description	Code	Price
Standard Fuel Filter & Water Separator	1610	In Base Price
Standard Fuel Filters and Water Separator with Fast Fill	1630	\$830.00

▼ TRANSMISSION

Description	Code	Price
4-Speed Transmission	1110	(\$3,123.00)
5-Speed Transmission with Lock-up Torque Converter	1120	In Base Price

▼ AXLES

Description	Code	Price
Front Hydraulic Locking Differential and Rear Conventional Differential Axles	3056	In Base Price
High Traction Hydraulic Locking Front & Rear Differential Axles	3059	\$3,092.00

▼ DIFFERENTIAL LOCK ACTUATION

Description	Code	Price
Automatic Differential Lock	3110	\$1,429.00
Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions. Minimizing tire spin. Requires Transmission & Bottom guard code 9410.		

Manual Axle Differential Lock

3120 In Base Price

▼ WHEELS AND TIRES (FOUR)

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4. Tire chain use requires Axle Stops.
 NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order. See DMAC Solution 108681 for additional tire option codes.

Description	Code	Price
<u>LESS TIRES:</u>		
Less Wheels and Tires with 8 Degree Axle Stops	4000	In Base Price
If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.		
26.5x25 5pc. Rims Less Tires	4013	\$12,857.00
<u>26.5R25 L3 RADIAL TIRES WITH 5 PIECE RIMS:</u>		
No Brand Preference	4920	\$25,380.00
Michelin XHA2 Two Star	4811	\$36,967.00
<u>OTHER TIRE OPTIONS:</u>		
26.5-25 20PR L3 SRG Firestone Bias Tires with 5 pc. Rims	4712	\$26,911.00
26.5-25 20PR L5 Firestone Bias Tires with 5 pc. Rims	4722	\$33,250.00

▼ TIRE FENDERS

Description	Code	Price
Fenders	5540	In Base Price
Full Coverage Front Fenders		
Fenders	5550	\$3,489.00
Full Front and Rear Fenders For Muddy Applications		
No Front Fenders Waste Handler	5570	In Base Price

▼ TIRE PRESSURE MONITORING

Description	Code	Price
Tire Pressure Monitoring System	5310	\$1,700.00
Not for use with codes 4000, 4013 and 4014.		
Less Tire Pressure Monitoring System	5320	In Base Price

▼ LINKAGE CONFIGURATION

Description	Code	Price
	2010	In Base Price

Standard Z-BAR

Z-BAR with Standard Greased Pin Joints

High Lift Z-BAR	2020	\$8,148.00
-----------------	------	------------

Adds 13.40 inches (341mm) height to bucket hinge pin, fully raised.
Z-BAR High Lift Linkage with Standard Greased Pin Joints



WORK TOOLS

Capacity rating is with auxiliary cutting edge or teeth with segments installed.

Description	Code	Price
Bucket Pins Less Bucket	8550	\$1,195.00

When installing attachments that are heavier than 6350lbs (standard z-bar) or 5225lbs (high lift), it is strongly recommended field kit AT367140 be installed. This field kit allows control over the dump speed and protects the linkage components from damage with large attachments.

BUCKETS

Capacity rating is with auxiliary cutting edge or teeth with segments installed.

5.25 Cu. Yd. (4.0 Cu. M.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge	8864	\$15,616.00
-------------------------------------------------------------------------------------------	------	-------------

Straight side cutters. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector, replaceable bushed static joints, nor provisions for side cutter protection guards.

5.25 Cu. Yd. (4.0 Cu. M.) General Purpose Bucket with Skid Shoes, Teeth and Segmented Cutting Edge between Teeth	8866	\$17,017.00
------------------------------------------------------------------------------------------------------------------	------	-------------

Straight side cutters. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector, replaceable bushed static joints, nor provisions for side cutter protection guards.

5.25 Cu. Yd. (4.0 Cu. M.) Loose Material Bucket with Wear Strip with JAGZ(TM) Edges	8869	\$18,287.00
-------------------------------------------------------------------------------------	------	-------------

Straight side cutters. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector, replaceable bushed static joints, nor provisions for side cutter protection guards.

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Bolt-on Cutting Edge without Wear Plates	8872	\$15,362.00
------------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Teeth and Segments without Wear Plates	8873	\$16,862.00
----------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated

spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with JAGZ(TM) Cutting Edge without Wear Plates	8874	\$15,712.00
-------------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.85 Cu. Yd (4.5 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates	8878	\$16,518.00
---------------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.85 Cu. Yd (4.5 Cu. M.) Enhanced Production Material Handling Bucket with JAGZ(TM) Cutting Edge without Wear Plates	8879	\$16,868.00
----------------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

WEAR PLATED BUCKETS

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates and Bolt-on Cutting Edge	8875	\$16,612.00
--------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates and Teeth and Segments	8876	\$18,112.00
------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.5 Cu. Yd (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates and JAGZ(TM) Cutting Edge	8877	\$16,962.00
---------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

	8880	\$17,768.00
--	------	-------------

5.85 Cu. Yd (4.5 Cu. M.) Enhanced Production Material Handling Bucket with Wear Plates and Bolt-on Cutting Edge

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

5.85 Cu. Yd (4.5 Cu. M.) Enhanced Production Material Handling Bucket with Wear Plates and JAGZ(TM) Cutting Edge	8881	\$18,118.00
------------------------------------------------------------------------------------------------------------------	------	-------------

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

PAYLOAD SCALE

Description	Code	Price
Loadrite L2180 Payload Scale	2810	In Referral Price

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

Loadrite L2180 Payload Scale with Printer	2815	In Referral Price
-------------------------------------------	------	-------------------

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

Provides onboard ticket printing capability for Loadrite 2180 Payload Scale.

No Payload Scale	2890	In Base Price
------------------	------	---------------

Z-Bar and High Lift Linkage models will be shipped Loadrite ready.

HYDRAULIC CONTROLS

Description	Code	Price
2 Function -- Joystick with FNR	2422	\$571.00

1 lever controls boom and bucket.
Requires code 2120 Conventional Steering.

2 Function -- Joystick with Steering Column FNR	2424	\$571.00
-------------------------------------------------	------	----------

1 lever controls boom and bucket.

2 Function -- 2-Lever Fingertip Control and Steering Column FNR	2426	In Base Price
-----------------------------------------------------------------	------	---------------

1 lever controls boom and 2nd lever controls bucket functions.

3 Function -- Joystick with FNR and 3rd Function Auxiliary Control Lever	2432	\$5,081.00
--------------------------------------------------------------------------	------	------------

1 lever controls both boom and bucket and 2nd lever controls auxiliary functions.
Includes auxiliary hydraulic lines to boom cross tube.

3 Function -- Joystick with 3rd Function Auxiliary Control Lever and Steering Column FNR	2434	\$5,081.00
---------------------------------------------------------------------------------------------	------	------------

1 lever controls boom and bucket, 2nd lever controls auxiliary functions.
Includes auxiliary hydraulic lines to boom cross tube.

3 Function -- 3-Lever Fingertip Controls with Steering Column FNR	2436	\$4,531.00
----------------------------------------------------------------------	------	------------

1 Lever controls boom, 2nd Lever for bucket and 3rd Lever controls auxiliary
functions.
Includes auxiliary hydraulic lines to boom cross tube.

A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	In Base Price

SEAT

Description	Code	Price
Premium Heated Leather/Fabric, High-Wide Back w/ Head Rest Extension, Air Suspension Seat w/ Left Hand Joystick Steering	2210	No Charge

Seat included in code 2110 Joystick Steering with full adjustment, Lumbar, Air
Suspension with full damping capability.

Standard Fabric, Back Rest Extension, Air Suspension Seat	2220	In Base Price
-----------------------------------------------------------	------	---------------

Fabric Covered Seat with Back Rest Extension includes full adjustment, Lumbar,
and Air Suspension with full damping capability.

Premium Heated, Leather/Fabric, High-Wide Back w/ Head Rest Extension, Air Suspension Seat w/ Conventional Left Arm Rest	2230	\$829.00
--------------------------------------------------------------------------------------------------------------------------------	------	----------

Requires order code 2120 (Conventional Wheel).

Seat includes full adjustment, Lumbar and Air Suspension with full damping
capability.

STEERING SYSTEMS

Description	Code	Price
Joystick Steering	2110	\$7,025.00

Provides 2 Steering Systems with Steering Wheel and Left Hand Joystick with FNR
Switch.

Requires code 2210 Seat

Requires code 8419 or 8422 Cab

Requires code 2424, 2426, 2434, or 2436 Steering Column FNR

Steering Wheel Only	2120	In Base Price
---------------------	------	---------------

Steering Wheel remains without Joystick Steering.
Requires code 2220 or 2230 Seat.

STEERING CYLINDERS

Description	Code	Price
Greased Steering Cylinder Joints	1910	In Base Price
NeverGrease Steering Cylinder Joints	1915	No Charge

LIGHTING

Description	Code	Price
Halogen Work and Drive Lights	7110	In Base Price
Incandescent Front Turn and Marker Lights LED Rear Turn and Marker Lights		
Halogen Work and Drive Lights	7120	\$257.00
LED Front Turn/Marker & Rear Turn/Brake Lights		
Premium LED Work and Drive Lights	7140	\$2,114.00
All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		

OUTSIDE MIRRORS

Description	Code	Price
Standard Outside Mirrors	8310	In Base Price
Heated Outside Mirrors	8320	\$624.00

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	In Base Price
Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements . If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite - 5 Years	170J	\$2,074.00

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Optional - *Select as desired*



OPTIONAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
<u>NO BRAND PREFERRED TIRES</u>		
26.5R25 1 STAR L3 NO BRAND PREFERRED WITH 5 PC RIMS	9701	No Charge
<u>POWERTRAIN & COOLING</u>		
Automatic Ether Starting Aid	9010	\$338.00
Recommended below 10 degrees F (-12 degrees C). Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C). Ether can not included.		
Engine Block Heater	9015	\$243.00
Recommend with ether system for cold starts below -10 degrees F (-23 C)		
Quick Fluid Service w/Environmental Drains	9045	\$850.00
Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.		
Electrical Corrosion Prevention Package	9210	\$1,425.00
Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.		
<u>OPERATOR STATION</u>		
AM/FM/Weather Band (WB) Radio with Remote AUX Port	9106	\$576.00
Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	9111	\$850.00
Powered Cab Air Pre-Cleaner	9115	\$945.00
Extends cab air filter change intervals.		
Single Beacon Bracket	9125	\$189.00

Bracket has fold down position for transport.

Cannot be ordered with code 9126.

Dual Beacon Bracket	9126	\$378.00
---------------------	------	----------

Cannot be ordered with code 0820 or 9125.

Rear Camera and Radar Object Detection System	9130	\$4,589.00
-----------------------------------------------	------	------------

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Rear Camera Only	9131	\$1,285.00
------------------	------	------------

Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System).

5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9140	\$139.00
-------------------------------------------------------------	------	----------

Secondary Steering	9305	\$3,208.00
--------------------	------	------------

BUCKET SPILLGUARDS

Spillguards adds 0.4 cubic yards to Bucket Capacity.

Bolt-On Bucket Spillguard	9790	\$1,609.00
---------------------------	------	------------

For 5.25 cu. yd. Buckets - Requires Code 8864, 8866 or 8869 bucket. This does not fit Enhanced Production Buckets.

OVERALL VEHICLE

Hydraulic Control System for Attachment Coupler Locking Pins	9310	\$1,452.00
--------------------------------------------------------------	------	------------

For use with field installed Attachment couplers.
Includes hydraulic lines from control valve to loader boom cross tube, electric switch and solenoid valve.

Transmission and Bottom Guards with Level 2 Sound Package Included	9410	\$2,428.00
--------------------------------------------------------------------	------	------------

Recommended in applications where underside is vulnerable.

License Plate Bracket and Light	9520	\$177.00
---------------------------------	------	----------

Slow Moving Vehicle (SMV) Emblem	9525	\$157.00
----------------------------------	------	----------

Less Hitch and Rear Counterweights	9540	(\$5,111.00)
------------------------------------	------	--------------

Finish Paint - Decals Not Installed	9800	No Charge
-------------------------------------	------	-----------

For custom paint.
Paintable cab roof.
Decals packaged with machine.
Safety decals installed.

Non-Export Rust Preventive Coating	9909	\$235.00
------------------------------------	------	----------

Coating protects exposed unpainted surfaces from road salt during shipment.

	9316	\$370.00
--	------	----------

Hydraulic Fluid - Hydrau XR

Optional factory fill.

Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F).

Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).



ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits. All attachments are sold as a quantity of one.

Description	Code	Price
Bucket Hardware & Accessories:		
Auxiliary Spillguard Weld-on for Non-Clipped Corner Buckets	AT206671	\$1,132.00
Spillguards add 0.4 cubic yards to Bucket Capacity.		
Auxiliary Spillguard for Bucket	AT309138	\$1,716.00
For use on 5.25/6 Cu. Yd. clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.		
Teeth with Segments	AT400169	\$6,130.00
For use on 5.25, 5.5, 6.0, and 6.25 Cu. Yd. Buckets (including Enhanced Production Buckets).		
Buckets and Bucket Wear Components:		
3.6 Cu. M. Spade Nose Rock Bucket	AT456475	\$27,980.00
5.25 Cu. Yd. (4.0 Cu. M.) General Purpose Bucket with Skid Shoes Without Bolt-on Cutting Edge for S/N 616708 and above	AT346219	\$13,800.00
5.5 Cu. Yd. (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed.	BYT10107	\$13,717.00
Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.		
5.5 Cu. Yd. (4.2 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed.	BYT10106	\$12,467.00
Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.		

5.75 Cu. Yd. (4.4 Cu. M.) Light Material Bucket with Skid Shoes without Bolt-on Cutting Edge for S/N 616708 and above	AT346240	\$14,974.00
5.85 Cu. Yd. (4.5 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed.	BYT10109	\$14,873.00
5.85 Cu. Yd. (4.5 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed.	BYT10108	\$13,623.00
Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.		
Auxiliary Spill Guard	AT347010	\$1,842.00
For use on 4.5/5.75 Cu. Yd. clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.		
Bolt On Cutting Edge for 5.25, 5.5, 5.85, 6.0, 6.25, and 6.75 Cu. Yd. Buckets (including Enhanced Production Buckets)	AT314301	\$2,895.00
Wear Plates for 5.5 & 5.85 Cu. Yd. Enhanced Production Buckets	BYT10122	\$3,890.00
<u>HYDRAULICS</u>		
2-Lever Fingertip Control to Joystick Control w/FNR Conversion Kit	AT337445	\$1,826.00
For use when equipped with Two Function hydraulics and 2-Lever Fingertip Control.		
3-Lever Fingertip Controls to Joystick with 3rd Function Auxiliary Control Lever and Steering Column FNR	AT337447	\$2,640.00
For use when equipped with 3 Function Valve and 3- Lever Fingertip controls.		
3rd Function Hydraulics For Fingertip Controls on Z-Bar Linkage Units	AT337697	\$4,531.00
For S/N 662428 and above. For use when equipped with Two Spool Valve with 2 Lever Control. Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.		
3rd Function Hydraulics For Fingertip Controls on Z-Bar Linkage Units	AT447380	\$4,531.00
For S/N 662427 and below. For use when equipped with Two Spool Valve with 2 Lever Control. Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.		
3rd Function Hydraulics For Joystick Control on Z-Bar Linkage	AT337483	\$5,081.00

For use with Stage 2/Tier 3/IT4 Engines.
When Equipped with Two Function Valve with Joystick Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.

3rd Function Hydraulics For Joystick Control on Z-Bar Linkage	AT364243	\$2,758.00
---------------------------------------------------------------	----------	------------

For S/N 642428 and above.
When Equipped with Two Function Valve with Joystick Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.

3rd Function Hydraulics For Joystick Control on Z-Bar Linkage	AT447081	\$2,758.00
---------------------------------------------------------------	----------	------------

For S/N 642427 and below.
When Equipped with Two Function Valve with Joystick Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.

Bucket Linkage Dump Speed Control	AT367140	\$802.00
-----------------------------------	----------	----------

Allows control over the dump speed and protects the linkage components from damage with large attachments.

Detent kit for 3rd Function	AT337443	\$344.00
-----------------------------	----------	----------

FNR from Steering Column to Joystick Conversion kit	AT337704	\$456.00
-----------------------------------------------------	----------	----------

High Lift NeverGrease to Greased Linkage Conversion Kit	AT457037	\$3,227.00
---------------------------------------------------------	----------	------------

This kit converts units ordered with NeverGrease boom and bucket cylinders to a standard greased linkage system with traditional grease zerks.

High-Altitude Hydraulic Kit	AT364679	\$606.00
-----------------------------	----------	----------

For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.
For use with Stage 2, Tier 3, or IT4 Engines.

Hydraulic Control System for Quick Coupler Locking Pins on Z-Bar linkage units	AT337419	\$1,355.00
--------------------------------------------------------------------------------	----------	------------

For Stage 2/Tier 3/IT4 Engines.

Hydraulic Control System for Quick Coupler Locking Pins on Z-Bar linkage units	AT445968	\$1,355.00
--------------------------------------------------------------------------------	----------	------------

For use with FT4 Engines.

Hydraulic Warm Up Circuit Kit	AT364337	\$1,047.00
-------------------------------	----------	------------

For units with S/N 662427 and below.

Hydraulic Warm Up Circuit Kit	AT447098	\$1,047.00
-------------------------------	----------	------------

For units with S/N 662428 and above.

Joystick Control Conversion to 2-Lever Fingertip Controls	AT337444	\$1,821.00
-----------------------------------------------------------	----------	------------

To convert from Joystick to 2-Lever Fingertip Controls

Joystick Control with Auxiliary Lever Conversion to 3-Lever Fingertip Controls AT337446 \$2,280.00

To convert from Joystick with Auxiliary Lever to 3-Lever Fingertip Controls.

Z-Bar NeverGrease to Greased Linkage Conversion Kit AT457036 \$3,227.00

This kit converts units ordered with NeverGrease boom and bucket cylinders to a standard greased linkage system with traditional grease zerks.

Operator Environment:

24 Volt to 12 Volt - 15 Amp Converter AT418212 \$315.00

444K - S/N 670313 and above
524K - S/N 670311 and above
544K - S/N 670309 and above
624K - S/N 658065 and above
644K - S/N 658218 and above
724K - S/N 658297 and above
744K/824K/844K - S/N 663886 and above

24 Volt to 12 Volt - 30 Amp Converter AT418533 \$465.00

444K - S/N 670313 and above
524K - S/N 670311 and above
544K - S/N 670309 and above
624K - S/N 658065 and above
644K - S/N 658218 and above
724K - S/N 658297 and above
744K/824K/844K - S/N 663886 and above

AM/FM/WB Radio AT337114 \$590.00

Includes speakers, wiring, 24 Volt to 12 Volt - 8 Amp Converter and antenna.
444K - S/N - 670312 and below
524K - S/N - 670310 and below
544K - S/N - 670308 and below
624K - S/N - 658064 and below
644K - S/N - 658217 and below
724K - S/N - 658296 and below
744K/824K/844K S/N - 663885 and below
Works on all 644K Hybrid models

AM/FM/WB Radio with CD Player AT337116 \$672.00

Includes speakers, wiring, 24 Volt to 12 Volt - 8 Amp Converter and antenna.
This kit works for all 444K - 724K and 744K/824K/844K S/N 663885 and below.
444K - S/N - 670312 and below
524K - S/N - 670310 and below
544K - S/N - 670308 and below
624K - S/N - 658064 and below
644K - S/N - 658217 and below
724K - S/N - 658296 and below
744K/824K/844K S/N - 663885 and below
Works on all 644K Hybrid models

Joystick Steering AT362290 \$4,943.00

For Stage 2/Tier 3/IT4 Engines.

Joystick Steering AT445741 \$4,943.00

For FT4 Engines.

AT349372 \$154.00

MP3/iPod/Sat Radio/Cell Phone holder w/ 2 Power Ports and Cargo Net

kit includes a cargo net, bracket/holder, wire harness, 2 power ports, plastic holder, and instructions.

Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	AT446321	\$875.00
------------------------------------------------------------------------------------------------	----------	----------

444K - S/N 670313 and above
 524K - S/N 670311 and above
 544K - S/N 670309 and above
 624K - S/N 658065 and above
 644K - S/N 658218 and above
 724K - S/N 658297 and above
 744K/824K/844K S/N 663886 and above.

Rear Camera and Radar Object Detection System	AT444523	\$4,344.00
-----------------------------------------------	----------	------------

744K - Stage 2/Tier 3/FT4 - S/N 663886 and above.
 824K/844K - Stage 2/Tier 3 - S/N 663886 and above.

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode).

Please Order AT410941 in JD Point.

Rear Camera and Radar Object Detection System (IT4)	AT368955	\$4,344.00
-----------------------------------------------------	----------	------------

For use with Stage 2 or Tier 3 Engines.
 Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode).

Please Order AT410941 in JD Point.

Rear Camera and Radar Object Detection System (ST2/T3)	AT363291	\$4,344.00
--------------------------------------------------------	----------	------------

For use with IT4 Engines.
 Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode).

Please Order AT410941 in JD Point.

Right Hand Window Assembly with Exterior Openable Latch	AT441264	View Price
---------------------------------------------------------	----------	------------

Meets Worksafe BC Occupational Health and Safety Regulation Part 16, Mobile Equipment, Section 16.17
 Includes typical interior latch, and also adds a lockable exterior opening mechanism.

Secondary Steering	AT439851	\$3,208.00
--------------------	----------	------------

This kit works on S/N 632968 and above.

	AT445740	\$3,208.00
--	----------	------------

Secondary Steering

For FT4 engines.

Secondary Steering System	AT337267	\$3,208.00
---------------------------	----------	------------

This kit works on the following machines:
744K - S/N 632967 and below
824K - S/N 641969 and below

Single LED work light with high beam lens	AT399788	\$415.00
-------------------------------------------	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Single LED work light with symmetric lens	AT399789	\$415.00
-------------------------------------------	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Overall Vehicle:

Dual Beacon Wiring Harness and Switch Kit	AT377291	\$178.00
-------------------------------------------	----------	----------

Fold-Down Beacon Bracket	AT366856	\$189.00
--------------------------	----------	----------

Full Rear Fenders For Muddy Applications	AT338781	\$2,825.00
------------------------------------------	----------	------------

License Plate Bracket with Light	AT345202	\$183.00
----------------------------------	----------	----------

For units with Stage 2 or T3 Engines.

License Plate Bracket with Light	AT368296	\$184.00
----------------------------------	----------	----------

For units with iT4 or FT4 Engines

SMV Emblem and Bracket	AT345200	\$190.00
------------------------	----------	----------

For use with Stage 2 or Tier 3 engines.

Slow Moving Vehicle (SMV) Emblem and Bracket	AT368286	\$116.00
----------------------------------------------	----------	----------

For use with IT4/FT4 engines.

Powertrain & Cooling:

Automatic Axle Differential Lock (Auto-Diff/Lock)	AT362998	\$1,534.00
---------------------------------------------------	----------	------------

Centrifugal Pre-Cleaner	AT373707	\$858.00
-------------------------	----------	----------

For use with FT4 Engines.

Diesel Fuel-Fired Engine Coolant Heater Kit	AT369895	\$4,080.00
---------------------------------------------	----------	------------

For Tier 3 engine only.
Includes igniter, timer and coolant circulation pump.
Recommended for temperatures below -13°F (-25°C).
Average installation, 6 hours.

Engine Air Intake Centrifugal Pre-Cleaner	AT369986	\$605.00
-------------------------------------------	----------	----------

For units with IT4 engines.

	AT424400	\$341.00
--	----------	----------

Engine Ether Starting Aid

For use with FT4 Engines.

Engine Ether Starting Aid	AT370953	\$341.00
---------------------------	----------	----------

For use with IT4 Engines.

Ether Starting Aid	AT338246	\$250.00
--------------------	----------	----------

For Stage 2/Tier 3 Engines

Kit does not include Ether canister.

Recommended below 10 degrees F (-12 degrees C).

Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C).

Fast Fill Fuel System	AT338447	\$2,346.00
-----------------------	----------	------------

For Stage 2/Tier 3 Engines

Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.

150 gpm fill rate.

Fast Fill Fuel System	AT370121	\$2,382.00
-----------------------	----------	------------

For iT4 Engines.

Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.

150 gpm fill rate.

Fast Fill Fuel System	AT424841	\$2,382.00
-----------------------	----------	------------

For FT4 Engines.

Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.

150 gpm fill rate.

Quick Fluid Service w/Environmental Drains and Sampling ports	AT339007	\$679.00
---------------------------------------------------------------	----------	----------

For use on Stage 2 or T3 engines.

Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

Quick Fluid Service w/Environmental Drains and Sampling ports	AT445739	\$679.00
---------------------------------------------------------------	----------	----------

For use with FT4 engines.

Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

Reversing Engine Fan Drive	AT367298	\$1,759.00
----------------------------	----------	------------

For use with IT4 Engines.

Reversible Fan is automatic with adjustable timer.

Requires Centrifugal Pre-Cleaner.

Reversing Engine Fan Drive	AT445738	\$1,759.00
----------------------------	----------	------------

For use with FT4 Engines.

Reversible Fan is automatic with adjustable timer.

Requires Centrifugal Pre-Cleaner.

	AT371241	\$966.00
--	----------	----------

Severe Duty Fuel filters & Water Separator with Heater

For use with Stage 2 or T3 engines.

Tire Pressure Monitoring System (TPMS); 25 Inch Rim	AT373932	\$1,693.00
-----------------------------------------------------	----------	------------

Powertrain:

Centrifugal Engine Air Precleaner	AT359146	\$798.00
-----------------------------------	----------	----------

For units with Stage 2 or Tier 3 engines.

Diesel Fuel-Fired Engine Coolant Heater Kit - Installed	AT397971	\$4,142.00
---------------------------------------------------------	----------	------------

For Stage 2 or Tier 3 Engines.
Includes igniter, timer and coolant circulation pump.
Recommended for temperatures below -13 deg. F (-25 deg. C).

Reversing Engine Fan Drive	AT338312	\$1,803.00
----------------------------	----------	------------

For use with Stage 2 or T3 engines.



REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

G.R. Mfg.:

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Access Platform Extensions	AT366132	\$480.00
----------------------------	----------	----------

T3 engines only.
Requires AT366130 Rear Access Platforms with Steps & Hand Holds.
Required when 31.5 X 25 solid tires are installed.

Amber Strobe Light	AT301703	\$512.00
--------------------	----------	----------

Cab roof mounted, gel filled and double flash. Kit includes bracket for installation.

For Tier 3, IT4 and FT4.

Articulation Joint Guard Kit	AT455536	\$1,761.00
------------------------------	----------	------------

Serial Number 409701 and above, FT4 engine only.

Articulation Joint Guard Kit	AT460337	\$1,761.00
------------------------------	----------	------------

Serial Number 409701 & above, T3 engine only.

Axle Seal Guards	AT366125	\$1,677.00
------------------	----------	------------

For all engine emissions.

Boom Cylinder Hydraulic Line & Cavity Guards	AT366127	\$2,954.00
----------------------------------------------	----------	------------

S/N 409700 and below, all engine emissions.

Boom Cylinder Hydraulic Line & Cavity Guards	AT455537	\$2,954.00
S/N 409701 and above, FT4 machines only.		
Cab Sides and Rear Screen Package	AT429197	\$3,590.00
All engine emissions.		
Extensions, Rear Access Platforms	AT460338	\$368.00
S/N 409701 and above, FT4 engines only.		
FT4 Waste Handler Package, Installed	AT455535	\$26,784.00
Recommended for use in waste, scrap, or recycling applications.		
FOB Davenport, Iowa, dealer is responsible for freight of unit from factory to Trussville, Alabama, and freight from Trussville to final destination.		
Package includes the following:		
Axle Seal Guards Boom Cylinder Hydraulic Line & Cavity Guards Bucket Cylinder Hydraulic Line/Rod/Sensor Guard Articulation Joint Guards Hydraulic Tank and Cab Entry Step Guard Extreme Service Transmission Side Guards Extreme Service Loader Frame Front Cover Extreme Service Guards for Loader Drive, Work, & Turn Lights Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard) Rear Loader Frame Guard 4th Gear Disabled Strobe Light Right Rear Cab Roof Mounted, Fold Down Lower Boom & Bucket Grease Fitting Guards Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs Battery Disconnect Switch Compartment Guard Precleaner Prescreen Kit		
Front Screen for Canopy or Cab	AT407942	\$2,303.00
444K-844K Z-BAR, HI-LIFT, POWERLLEL, and Tool Carrier Front Screen will fully open to facilitate cleaning. ISO 8084 CERTIFIED		
Heavy Duty Rear Grille Guard	AT460342	\$3,780.00
For use with FT4 engines. Requires Rear Access Deflectors.		
Hyd Operated Extreme Service Bottom Guards	AT455538	\$6,869.00
S/N 409701 and above, FT4 engine only.		
Hydraulic Operated Extreme Service Bottom Guards	AT366129	\$6,869.00
S/N 409700 and below, all engine emissions. Can not be used with code 3110 Axle Auto Diff Lock. Can not be ordered with code 9410 Transmission and Bottom Guards with Level 2 Sound Package.		
Rear Access Platform with Steps & Hand Holds	AT366130	\$8,484.00
T3 and IT4 engines only. Required for rear axle when equipped with foam filled or solid tires. Monitor to be		

reprogrammed to block 4th gear. Requires code 9540 to deduct main counterweight and rear hitch.

Rear Access Platform with Steps & Hand Holds	AT394204	\$7,206.00
----------------------------------------------	----------	------------

IT4 engines only.

Required for Rear Axle when equipped with foam-filled or solid tires.

Monitor to be reprogrammed to block 4th gear.

Rear Access Platforms (FT4)	AT455539	\$7,606.00
-----------------------------	----------	------------

S/N 409701 and above, FT4 engine only.

Requires code 9540 to deduct main counterweight and rear hitch.

T3 Waste Handler Package, Installed	AT460339	\$26,784.00
-------------------------------------	----------	-------------

Recommended for use in waste, scrap, or recycling applications.

FOB Davenport, Iowa, dealer is responsible for freight of unit from factory to Trussville, Alabama, and freight from Trussville to final destination.

Package includes the following:

Axle Seal Guards

Boom Cylinder Hydraulic Line & Cavity Guards

Bucket Cylinder Hydraulic Line/Rod/Sensor Guard

Articulation Joint Guards

Hydraulic Tank and Cab Entry Step Guard

Extreme Service Transmission Side Guards

Extreme Service Loader Frame Front Cover

Extreme Service Guards for Loader Drive, Work, & Turn Lights

Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard)

Rear Loader Frame Guard

4th Gear Disabled

Strobe Light Right Rear Cab Roof Mounted, Fold Down


Lower Boom & Bucket Grease Fitting Guards

Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs

Battery Disconnect Switch Compartment Guard

Precleaner Prescreen Kit

LOADRITE WEIGHING SYSTEMS:

Kits are ordered through John Deere. Loadrite must be contacted to install, activate and calibrate. Prices include set up, activation and calibration. This option may be subject to a different price structure than the base machine. Contact your Territory Sales Manager or WorkSight Solutions Consultant for details. Contact number: 1-800-528-5623  nationwide call in

Loadrite L2180 Payload Scale Referral Kit	AT439718	\$10,500.00
-------------------------------------------	----------	-------------

For use with Z-Bar and High Lift Z-Bar Loadrite ready machines. Loadrite must be contacted to install, activate and calibrate this scale.

Independent field kit for 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above that are Loadrite Ready and ordered with No Payload Scale code 2890.

If this kit is installed on 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above with an active JDLink subscription, Loadrite Payload Scale reports will show on JDLink web site.

Loadrite L2180 Payload Scale Referral Kit for Code 2810	AT439716	\$10,500.00
---------------------------------------------------------	----------	-------------

This is not an independent kit, it is part of the factory option code 2810 and should be ordered with that code.

Loadrite must be contacted to install, activate and calibrate this scale.

AT458264	\$12,000.00
----------	-------------

Loadrite L2180 Payload Scale Referral Kit for Code 2815

This is not an independent kit, it is part of the factory option code 2815 and should be ordered with that code.

Loadrite must be contacted to install, activate and calibrate this scale.

Loadrite L2180 Payload Scale with Printer Referral Kit	AT458263	\$12,000.00
--------------------------------------------------------	----------	-------------

For use with Z-Bar and High Lift Z-Bar Loadrite ready machines. Loadrite must be contacted to install, activate and calibrate this scale.

Independent field kit for 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above that are Loadrite Ready and ordered with No Payload Scale code 2890.

If this kit is installed on 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above with an active JDLink subscription, Loadrite Payload Scale reports will show on JDLink web site.
