



Fire Apparatus Quotation for:  
SUNBELT FIRE, INC



4-door Commercial Rescue

Quotation Number: 77434 Rev: 4

Unit Description: REHN-COMM

Quote Description: Heavy Rescue Non-Walk, Commercial Chassis

Salesperson:

DRHODES

Salescode	Extended Description	Qty
TESTING COMPLIANCE STANDARD		
1001-0065	The E-ONE supplied components of the vehicle shall meet the requirements of NFPA 1901, 2016 edition.	1
CHASSIS PREP		
1020-0010	Comm Chassis Prep E-1 Supp-FL.	1
FRAME ASSEMBLY		
1250-0011	Rear underbody support frame.	1
AXLE OPTIONS		
1025-0042	Front axle for commercial chassis 12,000 lb. rating.	1
1025-0046	Rear axle for commercial chassis 23,000lb rating	1
TIRE OPTIONS		
1060-0117	RWC AirGuard LED tire pressure monitoring valve stem caps (6) for single rear axle applications.	1
AIR SYSTEM OPTIONS		
1110-0010-277	Air inlet. To charge brake system. Commercial chassis only. Location: driver's door step area.	1
1110-0076	Dual Stutertone hood mounted air horns with driver and officer foot switches to be supplied and installed by Freightliner.	1
ENGINES & TRANSMISSIONS		
1200-0247	Freightliner Cummins ISL 300 HP engine.	1
CHASSIS OPTIONS		
1680-0011	Tow eyes rear below body, painted.	1
1680-0078	Tow hooks front OEM. Not available with extended E-ONE installed front bumper.	1

Salescode	Extended Description	Qty	
CHASSIS OPTIONS			
	Tow hooks are OEM supplied with chassis.		
1680-0104	OEM chassis step package for Freightliner M2 series. Includes mounting plate for the battery charger receptacle and air inlet.	1	
1680-0235-R01	The batteries to be located under left hand side of cab.	1	
CAB MODEL			
1500-0009	Four door Freightliner M2 106 4x2.	1	
CAB DOOR OPTIONS			
1550-0059-000-G6	Reflective Red/Lemon Yellow printed striping positioned in the "A" formation located on the cab door panels.	1	
MISC EXTERIOR CAB OPTIONS			
1675-0007	Diesel fuel only label.	1	
SEATS			
1685-0032	Seating capacity tag of five occupants.	1	
CAB ELECTRICAL OPTIONS			
1750-0059-277-04	Receptacle inlet 20 amp with a Yellow cover. Location: driver's door step area.	1	
1750-0343	Battery charger E-ONE LPC 20. 120 volt inlet, 20 amp output.	1	
BODY SPEC			
3090-0009	Non Walk-in Rescue Body Spec EA	1	
RESCUE BODY LOWER			
3092-0010-027	Extend diamond plate floors out to door opening. Location is B1. Extruded aluminum.	1	
3092-0011	16' Non Walkin Rescue Body 3/3/5/3 EA	1	
RESCUE BODY UPPER			
3094-0002	Diamond plate flat roof. Extruded aluminum.	1	
3094-0003	Upper body height 15". Extruded aluminum.	1	
RESCUE BODY REAR			
3096-0003	Rescue rear body full height compartment with 3 compartments above the full height compartment.	1	
3096-0004	10" Tailboard Bolt-On With Bracing Rescue Style.	1	
BODY COMPT REAR			



Salescode	Extended Description	Qty	
<b>BODY COMPT REAR</b>			
3110-0028	Rear body panels to be painted smooth plate.	1	
<b>RESCUE BODY OPTIONS</b>			
3360-0020	Front body panels to be diamond plate.	1	
<b>DOORS</b>			
3300-0082-003	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in L1.	1	
3300-0082-004	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in L2.	1	
3300-0082-006	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in L4.	1	
3300-0082-015	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in R1.	1	
3300-0082-016	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in R2.	1	
3300-0082-018	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in R4.	1	
3300-0082-027	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in B1.	1	
3300-0089-005	Roll-up door over wheel well, 5' wide, ROM door. Satin finish. Locate in L3.	1	
3300-0089-017	Roll-up door over wheel well, 5' wide, ROM door. Satin finish. Locate in R3.	1	
<b>MISC BODY OPTIONS</b>			
3090-0002	OAH. Unit has no overall height restrictions.	1	
3090-0004	OAL. Unit has no overall length restrictions.	1	
3340-0093	Mud flaps, rear, black with E-ONE logo.	1	
<b>ELECTRICAL SYSTEMS</b>			
5010-0014-G97	Vehicle data recorder for commercial cab - 2009 NFPA compliant. Includes occupant detection with display. Display location: cab dash above transmission shift panel.	1	
5010-0036	V-MUX Electrical system for pumper / tanker / rescue.	1	
5010-0059-339	VFD Text display for V-MUX electrical system. Location: center of dash.	1	
<b>LIGHT BARS</b>			
5300-0021	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with clear domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	1	
<b>WARNING LIGHT PACKAGES</b>			
5550-0055-B38	Federal Signal QuadraFlare LED lower level warning light package. Includes (10) QL64XF-R LED light heads with bezels. Locate side facing lights: at forward most position, in rear wheelwell offset to front, and on tailboard mounted light box	1	



Salescode	Extended Description	Qty	
<b>WARNING LIGHT PACKAGES</b>			
	above rear tailboard.		
5550-0067	Flash rate for Federal QuadraFlare LED lower level warning lights to be set at pattern 4, (75 QPPM).	1	
<b>WARNING LIGHTS</b>			
5600-0034-479-09	Federal model SY12FS Sentry (PR) with driver amber, officer red domes. Location: rear upper body on aerial style brackets.	1	
5600-0105-170	Hazard (door ajar) light 2" LED. Location: center overhead.	1	
<b>DIRECTIONAL LIGHT BARS</b>			
5310-0025	Directional light circuit wiring through upper level warning.	1	
<b>SIRENS</b>			
5500-0009	Federal PA300 electronic siren recessed mounted.	1	
5500-0024-170	The electronic siren control is to be located on the center overhead.	1	
<b>SPEAKERS</b>			
5510-0029-209	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: driver side front bumper.	1	
<b>DOT LIGHTING</b>			
5150-0017	License plate light LED with chrome housing located at the rear of the body.	1	
5150-0024	Marker light LED body package. Commercial rescue bodies only.	1	
5150-0059	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 3 housing and weatherproof connectors.	1	
<b>LIGHTS - COMPARTMENT, STEP &amp; GROUND</b>			
5380-0013	Compartment light package Truck-Lite LED for large bodies.	1	
5380-0027	Ground light package for cab and body - small.	1	
5380-0033	Step light package body - small.	1	
<b>LIGHTS - DECK AND SCENE</b>			
5390-0008-457	Federal Signal GH scene lights (PR). Switch in cab (driver and officer side facing lights switched separately). Locate (1) each side of body rear facing up high.	1	
<b>LIGHTS - NON-WARNING</b>			
5400-0003	Engine compartment light (EA).	1	
5400-0031	Pair of Cab Dome Large Lights mounted driver and officer side front. N/A on	1	



Salescode	Extended Description	Qty	
<b>LIGHTS - NON-WARNING</b>			
5400-0032	E-One Chassis. Required on Comm Chassis. Pair of Cab Dome Large Lights mounted driver and officer side Rear. N/A on E-One Chassis or two door commercial chassis. Required on Comm Chassis.	1	
<b>CONTROLS / SWITCHES</b>			
5100-0000-198	Foot switch to control air horns located driver's side.	1	
5100-0000-199	Foot switch to control air horns located officer's side.	1	
<b>MISC ELECTRICAL</b>			
5110-0017	Back-up alarm 97 dB.	1	
5110-0035	All 12 Volt electrical components and Multiplex box will be located in lower L1 back wall. The compartment depth will be limited by approximately 6".	1	
<b>MISC LOOSE EQUIPMENT</b>			
7900-0014	DOT Required Drive Away Kit - Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.	1	
<b>EXTERIOR PAINT</b>			
8100-0183-000-17	Paint Body - Large - For Aerials, T/A Tankers/Westides, Rear Mounts and Rescues. Sikkens paint. Color: FLNA3225E-1 Red.	1	
8100-0443-000-17	Freightliner cab paint (by chassis OEM). Paint to match FLNA3225E-1 Red.	1	
<b>LETTERING</b>			
8200-0022	Shade and outline for lettering.	60	
8200-0023	Lettering Instructions:	1	Instructions for 4 inch Scotchlite White TBD;
8200-0036-000-12	Scotchlite Letter (Each) - 4". Color White.	60	
<b>STRIPING</b>			
8300-0002-859-12	NFPA Scotchlite Stripe - 4" wide and straight on front/sides of cab and sides/rear of body. Color: White. Location: bottom of stripe flush with bottom of cab and straight back.	1	
8300-0042	White rubrail scotchlite insert.	1	
8300-0084-000-72	Chevron "A" style 6" printed sheet Scotchlite striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be Yellow/Red.	1	
8300-0313	Yellow line to indicate designated standing / walking areas above 48" high in compliance with 2016 NFPA 1901. Line to be 1" wide. Steps, ladders and areas with a railing or structure at least 12" high are excluded from requiring the line.	1	
<b>WARRANTY / STANDARD &amp; EXTENDED</b>			

Salescode	Extended Description	Qty	
<b>WARRANTY / STANDARD &amp; EXTENDED</b>			
9100-0000	Standard 1 Year Warranty.	1	
9100-0004	10 Year/100,000 Mile Structural Warranty for Alum Cab / Body - Statement of Warranty.	1	
9100-0019	10 Year Limited Paint and Perforation Warranty - For Silkkens Paint.	1	
<b>SUPPORT, DELIVERY, INSPECTIONS AND MANUALS</b>			
9300-0009	Manuals, Operator and Service CD-ROM.	1	
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	1	
<b>Dealer Supplied Equipment</b>			