



Fire Apparatus Quotation for:
SUNBELT FIRE, INC
100' Rear Mount Aerial



Quotation Number: 77431 Rev: 8

Unit Description: AERM-CYC2-100L

Quote Description: Aerial Rear Mount, Cydone II, 100 Foot Ladder

Salesperson: DRHODES

Salescode	Extended Description	Qty	
TESTING COMPLIANCE STANDARD			
1001-0065	The E-ONE supplied components of the vehicle shall meet the requirements of NFPA 1901, 2016 edition.	1	
BUMPERS			
1160-0000	Bumper 10" stainless steel.	1	
1160-0011	4" Front Bumper Extension.	1	
FRAME ASSEMBLY			
1250-0005	Frame - Torque box for tandem axle RM aerial.	1	
AXLE OPTIONS			
1025-0012	Meritor FL-943 front axle 21,000 lb.	1	
1025-0021	Meritor RT-46-160 rear tandem axle 48,000 lb. capacity.	1	
1025-0028	Koni shock absorbers for front axle - adjustable.	1	
SUSPENSIONS			
1070-0002	Rear suspension springs rated equal to the capacity of the axles.	1	
WHEEL OPTIONS			
1050-0007	Front axle wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	1	
1050-0009	Rear axle (tandem) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center caps with E-ONE logo. E-ONE custom chassis w/steel wheels will have chrome plated plastic lug covers.	1	
1050-0044	Accuride aluminum wheels for front axle (2).	1	
1050-0046	Accuride aluminum wheels for rear axles (8).	1	

Salescode	Extended Description	Qty	
TIRE OPTIONS			
1060-0007	Eight Michelin 11R tires model XZE2 for rear axles.	1	
1060-0046	Two Michelin 425 tires model XFE for front axle.	1	
1060-0119	RWC AirGuard LED tire pressure monitoring valve stem caps (10) for tandem rear axle applications.	1	
BRAKE SYSTEMS			
1100-0000	16-1/2" x 6" S-cam brakes with ArvinMeritor automatic slack adjusters for front axle.	1	
1100-0006	Parking brake release mounted on the driver's side lower dash.	1	
1100-0008	Brake system air 6X4.	1	
1100-0014	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a tandem rear axle.	1	
AIR SYSTEM OPTIONS			
1110-0000-001	Inlet for air system. Location: driver door jamb.	1	
1110-0002	Air dryer Bendix AD-9.	1	
1110-0006	Air lines nylon.	1	
1110-0041	Air horns Grover recessed in bumper (PR).	1	
ENGINES & TRANSMISSIONS			
1200-0017	Push-button transmission shift selector.	1	
1200-0021	TransSynd synthetic transmission fluid for EVS 4000.	1	
1200-0096	Electronic speed limiting set at 60 MPH.	1	
1200-0316	Eng/Trans Cummins ISX12 450HP with EVS4000 transmission. 2016 EPA Compliant.	1	
SECONDARY BRAKING			
1125-0002	Jacobs engine compression brake.	1	
1125-0023	Transmission to seek second gear when Jacobs engine brake or Telma retarder is engaged. N/A with Trans retarder.	1	
COOLING PACKAGE			
1800-0013	Cooling system for use with Cyclone II X, Typhoon X, and Quest chassis. For use with 2010 / 2013 / 2016 EPA engines. Includes coolant recovery system.	1	
FUEL SYSTEMS			
1350-0003	Fuel system 50 gallon.	1	

Salescode	Extended Description	Qty	
FUEL SYSTEMS			
1350-0022	Fuel line hose rubber.	1	
ALTERNATOR			
1700-0019	Alternator Niehoff 360 amp (360 amp SAE/320 NFPA rating). Available only on ISX12 and ISX15.	1	
BATTERIES			
1400-0002	Battery four group 31 1000 CCA.	1	
CHASSIS OPTIONS			
1680-0005	Thermatic fan clutch.	1	
1680-0007	Drivelines 1810. Required on 1550 lb/ft torque or greater engines.	1	
1680-0008	Tow eyes front painted below bumper/cab (PR).	1	
1680-0012	Tow eyes rear frame painted.	1	
1680-0051	Aerial hydraulic activation system.	1	
1680-0250-M58	Diesel Exhaust Fluid (DEF) 5 gallon tank for 2013 / 2016 EPA engines. Location: left side below rear of cab.	1	
CAB MODEL			
1520-0008	Cyclone II X medium cab with 58" CA	1	
CAB ROOF TYPE			
1615-0004	Cab roof to be "flat" with trough for waterway. Required with HM100 (with waterway), HP100 (all), CR100/92 Plfrm (SdStckr and W/O/P) or HP100 Plfrm (all).	1	
CAB BADGE PACKAGE			
1610-0000	Cab and body to have applicable E-ONE logos.	1	
CAB DOOR OPTIONS			
1550-0003	Rear crew cab doors in the medium position.	1	
1550-0006	Driver and officer cab door windows. Include rear fixed window.	1	
1550-0011	Rear crew cab door windows. Includes manual roll-down actuation. Not available on Typhoon or CII with paddle style door latching.	1	
1550-0016	Cab door panels ABS.	1	
1550-0025	All cab doors shall have "L" style exterior latches.	1	
1550-0027	Front cab door windows to have manual actuation.	1	

Salescode	Extended Description	Qty	
CAB DOOR OPTIONS			
1550-0038-659	(4) LED cab step area lighting. Locate each light on each cab door in the inboard position. Lights to be switched with door ajar.	1	
1550-0044	All cab door kick plates to be made from diamond plate aluminum.	1	
1550-0059-000-G6	Reflective Red/Lemon Yellow printed striping positioned in the "A" formation located on the cab door panels.	1	
1550-0077	Interior cab door locks - manual. Will have manual actuation from each respective door. Includes barrel style key lock on each exterior cab door.	1	
1550-0083	All cab exterior access doors to have CH751 keyed locks.	1	
MIRRORS			
1670-0003	Velvac 2010 mirrors. Door mounted west coast style with remote control and heat.	1	
MISC EXTERIOR CAB OPTIONS			
1550-0020	Windows cab side fixed driver's side.	1	
1550-0033	Windows cab side fixed officer's side.	1	
1675-0022	Pair of 18" handrails located just behind driver and officer front door one each side.	1	
1675-0023	Pair of 18" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	1	
1675-0030	Mud flaps, front, black with E-ONE logo.	1	
1675-0047	Rear cab wall to be 3/16" aluminum diamond plate.	1	
1675-0201	Large radius cab wheel well. Includes bolt-on adjustable wheel well trim.	1	
1675-0202	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable brushed stainless steel.	1	
HVAC			
1515-0018	Air conditioning for the Typhoon X, CII X and Quest with roof top mounted condenser.	1	
1515-0053	Controls for heating and air conditioning shall be located in the center dash area. (Lower area on Typhoon and CII with severe duty dash)	1	
SEATS			
1510-0003	Seats, Inc. brand 911 cab seats.	1	
1510-0008	Seat color gray.	1	
1510-0035-147	Universal air pack bottle bracket (EA). Location: officer's seat.	1	
1510-0035-148	Universal air pack bottle bracket (EA). Location: rear facing driver's side.	1	

Salescode	Extended Description	Qty	
SEATS			
1510-0035-151	Universal air pack bottle bracket (EA). Location: inboard driver's side rear wall.	1	
1510-0035-152	Universal air pack bottle bracket (EA). Location: inboard officer's side rear wall.	1	
1510-0035-215	Universal air pack bottle bracket (EA). Location: rear facing officer's side.	1	
1510-0038	Driver seat 911 air ride.	1	
1510-0042	Officer seat to be 911 fixed SCBA.	1	
1510-0050	Rear facing 911 seat with SCBA driver's side.	1	
1510-0053	Rear facing 911 seat with SCBA officer's side.	1	
1510-0062	Two man bench centered on rear wall with 911 SCBA backs. Includes angled corners.	1	
1510-0234	Seat cover material Turnout Tuff.	1	
1685-0033	Seating capacity tag of six occupants.	1	
MISC INTERIOR CAB OPTIONS			
1685-0000	Cab interior gray. Does not include engine cover or seat color.	1	
1685-0006	Padded sun visors, driver and officer's side overhead.	1	
1685-0168	ABS Dash package. Includes center and officer side dash, lower kick panels and "A" post covers.	1	
1685-0187	Severe duty engine cover, molded polyurethane.	1	
CAB ELECTRICAL OPTIONS			
1750-0046-195	Cab Headlights. Position: lower.	1	
1750-0059-179-04	Receptacle inlet 20 amp with a Yellow cover. Location: outside driver's door next to handrail.	1	
1750-0072-592	12 VDC (or 24VDC) electrical outlet in the cab wired battery hot. Location: driver side dash.	1	
1750-0075	English dominant main cab gauge cluster.	1	
1750-0083-172	Turn signal Federal Signal QuadraFlare QL64Z-ARROW LED amber pair located upper headlight bezel.	1	
1750-0158	Dome Lts Red/White LED. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	1	
1750-0198-A31	Battery charger to be located behind driver's seat.	1	
1750-0343	Battery charger E-ONE LPC 20. 120 volt inlet, 20 amp output.	1	
1750-0435	Halogen cab headlights. TyphoonX, CIIIX and QST2 only.	1	

Salescode	Extended Description	Qty	
CAB ELECTRICAL OPTIONS			
1750-0449	Momentary DPF regeneration override switch.	1	
BODY SPEC			
3090-0000	Body Specs - SideStacker aerial with tandem axle. Includes left rear staircase with pocket style drop down step.	1	
BODY COMPT REAR			
3110-0360	Rear of body to have un-painted smooth plate overlay style body panels to facilitate rear body striping.	1	
AERIAL BODY OPTIONS			
3310-0000	Compartments driver side tandem axle HP SideStacker. Includes rescue style compartments.	1	
3310-0007	Compartments officer side tandem axle HP SideStacker. Includes rescue style compartments ahead of wheel well with standard hosebed.	1	
3310-0032	Recessed tubes for (6) pike poles. Not available on HP75 SideStacker.	1	
3310-0051	Crosslay double to hold up to 200' of 2.0" DJ (each). Includes storage pan to rear of crosslays.	1	
3310-0069	Rear ladder tunnel doors. Vertically hinged smooth plate to match rear body finish.	1	
3310-0162	Jack leg opening covers diamond plate (4) sets. Includes diamond plate outrigger covers and fixed diamond plate filler panels. HM100/110 requires surface mount warning lights.	1	
3310-0303	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (4) mounting brackets.	1	
DOORS			
3300-0007-017	Door single vertical hinged painted. Location(s): R3	1	
3300-0007-018	Door single vertical hinged painted. Location(s): R4	1	
3300-0011-005	Door single horizontal hinged lift-up box pan configuration painted. Location(s): L3	1	
3300-0011-006	Door single horizontal hinged lift-up box pan configuration painted. Location(s): L4	1	
3300-0019-003	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L1.	1	
3300-0019-004	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L2.	1	
3300-0019-007	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L5.	1	
3300-0019-008	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L6.	1	

Salescode	Extended Description	Qty	
DOORS			
3300-0019-015	Door roll up tall (greater than 45") with satin finish ROM. Location(s): R1.	1	
3300-0019-016	Door roll up tall (greater than 45") with satin finish ROM. Location(s): R2.	1	
COVERS			
3305-0007-000-13	Vinyl Black hose bed cover with attached rear flap(s).	1	
3305-0008-000-13	Vinyl Black crosslay cover with attached side flaps.	1	
PUMP PANELS			
3134-0016	Stainless steel driver and officer side pump panels.	1	
3134-0055	Officer side upper pump access panel to be horizontal hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	1	
MISC PUMP PANEL OPTIONS			
4460-0003	Pump panel tags color coded per NFPA compliance.	1	
WATER TANK			
4010-0198	500 gallon "T" water tank. UPF Poly III blue fill tower.	1	
TANK PLUMBING			
4450-0010	2" tank fill Akron manual valve.	1	
4450-0022	3" tank to pump Akron manual valve.	1	
LADDER STORAGE / RACKS			
3365-0037-614	Center mounted ladder tunnel. Ladder rack to hold: PEL3-35, PEL-24, PRL-16, PRL-14, AEL-12 and FL-10. Requires roof ladder option on base section of aerial to meet 115' NFPA requirement.	1	
HANDRAILS / STEPS			
3330-0002-050	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located below driver side pump panel.	1	
MISC BODY OPTIONS			
3090-0001	Hosebed hoseload allowance on the apparatus shall be 1000 lbs.	1	
3090-0002	OAH. Unit has no overall height restrictions.	1	
3090-0004	OAL. Unit has no overall length restrictions.	1	
3340-0093	Mud flaps, rear, black with E-ONE logo.	1	
3340-0107	Diamond plate tandem axle wheel well. Includes bolt-on composite wheel well	1	

Salescode	Extended Description	Qty	
MISC BODY OPTIONS			
	liners and fenderettes.		
3340-0270	The painted aerial body side panels shall be smooth / flush. Applies to SideStacker HB side, panels next to water tank on MM, and upper body sides on RLP.	1	
3340-1137-12C	Equipment allowance on the apparatus shall be 2500 lbs. This allowance is in addition to the weight of the hoses and ground ladders listed in the shop order as applicable.	1	
PUMPS			
4005-0031	Rating 1500 GPM.	1	
4005-0196	Hale QMAX 1000-2250 GPM single stage pump. Requires primer option.	1	
PUMP CERTIFICATION			
4475-0000	Pump certification 750-2250 GPM	1	
PUMP OPTIONS			
4015-0029	Hale pressure relief valve.	1	
4015-0037	Engine throttle, vernier.	1	
4015-0038	Pump seal packing for Hale pump.	1	
4015-0053-198	Steamers to be Flush + 1". Location: driver's side.	1	
4015-0053-199	Steamers to be Flush + 1". Location: officer's side.	1	
4015-0073	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location below running board on driver side or L1 compartment.	1	
4015-0210	Pump cooler with Innovative Control 1/4 turn valve with "T" handle and label.	1	
4015-0238	Hale electric primer (oil-less).	1	
INTAKES			
4440-0005	2.5" Left Intake Akron Manual Valve.	1	
INTAKE OPTIONS			
4445-0009	Intake relief valve, Akron.	1	
DISCHARGES AND PRECONNECTS			
4415-0012-654	1.5" Crosslay with Akron manual valve. Location: crosslay 1 & 2.	2	
4415-0051	4" Watertway Discharge with 3" Akron Manual Valve.	1	
4415-0161-581	2.5" Left Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop.	1	

Salescode	Extended Description	Qty	
DISCHARGES AND PRECONNECTS			
	Location: left side discharge 1.		
4415-0161-582	2.5" Left Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: left side discharge 2.	1	
4415-0164-583	2.5" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: right side discharge 1.	1	
4415-0164-584	2.5" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: right side discharge 2.	1	
DISCHARGE OPTIONS			
4417-0175	Innovative Controls push/pull valve controls with locking T handles.	1	
4417-0176	Innovative Controls 3/4" bleeder/drain valve include lift lever with ergonomic grip.	7	
4417-0185	Innovative Controls discharge and intake bezels with integral color code and verbiage for side mount pump panel.	1	
GAUGES			
4435-0069	Class 1 ENFO IV system on pump operator's panel.	1	
4435-0083	Innovative Controls 10 LED SL series water tank level gauge. On pump panel.	1	
4435-0246	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel.	7	
4435-0247	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400.	1	
ELECTRICAL SYSTEMS			
5010-0013-Y83	Vehicle data recorder - 2009 / 2016 NFPA compliant. Includes occupant detection with display. Display location: inboard on driver's side overhead console.	1	
5010-0039	V-MUX Electrical system for aerials.	1	
5010-0059-339	VFD Text display for V-MUX electrical system. Location: center of dash.	1	
LIGHT BARS			
5300-0023-035	Light bars Federal Signal 221 (PR). Location: front cab corners at 20 degree angle.	1	
WARNING LIGHT PACKAGES			
5550-0067	Flash rate for Federal QuadraFlare LED lower level warning lights to be set at pattern 4, (75 QFPM).	1	
5550-0192-538	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: at forward most position, in rear wheel well	1	

Salescode	Extended Description	Qty	
WARNING LIGHT PACKAGES			
	offset to front, and side facing at rear of body in rubrail if equipped.		
WARNING LIGHTS			
5600-0034-479-09	Federal model SY12FS Sentry (PR) with driver amber, officer red domes. Location: rear upper body on aerial style brackets.	1	
5600-0105-170	Hazard (door ajar) light 2" LED. Location: center overhead.	1	
DIRECTIONAL LIGHT BARS			
5310-0025	Directional light circuit wiring through upper level warning.	1	
SIRENS			
5500-0009	Federal PA300 electronic siren recessed mounted.	1	
5500-0024-170	The electronic siren control is to be located on the center overhead.	1	
SPEAKERS			
5510-0029-209	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: driver side front bumper.	1	
DOT LIGHTING			
5150-0017	License plate light LED with chrome housing located at the rear of the body.	1	
5150-0026	Marker light LED body/cab package. E-ONE custom cab with aerial ladder, Mid-Mount platform or Bronto bodies only.	1	
5150-0058	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 4 housing and weatherproof connectors.	1	
LIGHTS - COMPARTMENT, STEP & GROUND			
5380-0010	Compartment light package incandescent for large bodies.	1	
5380-0027	Ground light package for cab and body - small.	1	
5380-0033	Step light package body - small.	1	
LIGHTS - DECK AND SCENE			
5390-0000-444	Deck light - Unity 12 volt (PR). Location: (1) each side over rear ladder tunnel.	1	
5390-0001	Hose bed light Unity. Locate at front area of hose bed. Switched with work light switch in cab.	1	
5390-0005	Crosslay light deck Unity. Locate to rear of crosslay (SM) or forward of crosslay (TM).	1	
LIGHTS - NON-WARNING			

Salescode	Extended Description	Qty	
LIGHTS - NON-WARNING			
5400-0003	Engine compartment light (EA).	1	
5400-0010	Incandescent pump compartment light (EA).	1	
5400-0047	Pump panel light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	1	
CONTROLS / SWITCHES			
5100-0000-198	Foot switch to control air horns located driver's side.	1	
5100-0000-199	Foot switch to control air horns located officer's side.	1	
CAMERAS / INTERCOM			
5350-0156	FRC ACT 2-way aerial intercom.	1	
MISC ELECTRICAL			
5110-0017	Back-up alarm 97 dB.	1	
AERIAL MODEL			
6100-0009	Ladder HP100 SideStacker. Includes pinned waterway, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	1	
AERIAL HYDRAULIC SYSTEM OPTIONS			
6150-0003-216	Gauge aerial hydraulic oil level. Electronic display to be located on pump operator's panel.	1	
AERIAL CONTROLS			
6850-0026	Direct hydraulic aerial control system.	1	
MONITORS			
6300-0016	Monitor TFT electric 1000 GPM for ladder with a powder coated silver finish. Includes tip and base controls.	1	
AERIAL WARNING LIGHTS			
6550-0002	Outtrigger warning lights (4) LED. Truck-Lite model 91R.	1	
AERIAL LIGHTING			
6560-0004-231	Collins light FX-12 located left side tip.	1	
6560-0041	Whelen LED model PFBP12C at base (PR).	1	
WATERWAY OPTIONS			
6350-0005	Rear 4" NST waterway inlet for rear mounted aerials. Includes chrome cap.	1	

Salescode	Extended Description	Qty	
WATERWAY OPTIONS			
6350-0010	Flowrinder with single readout and totalizer for the aerial waterway to be located at the aerial control station.	1	
6350-0067	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	1	
AERIAL LADDER BRACKETS			
6600-0002-248	Roof ladder bracket J style mount. Locate outside base section for a PRL-14 on left side of base section. Available on HP75/78, HP100, and HP95.	1	
SIGN PLATES			
6750-0000-000-39	Aerial sign plates 10 x 144 (PR). Available on Booms, HP75 and HP100 only. Does not include lettering. Color: Job Color.	1	
AERIAL TESTING			
6900-0000	Aerial flow test - 3rd party.	1	
6900-0007	Aerial 2016 NFPA Certification.	1	
GROUND LADDERS			
7800-0002	Alco-Lite FL-10, 10' folding ladder without shoes.	1	
7800-0007	Alco-Lite PRL-14' roof ladder.	2	
7800-0010	Alco-Lite PRL-16' roof ladder.	1	
7800-0013	Alco-Lite AEL-12 Attic Extension Ladder	1	
7800-0016	Alco-Lite PEL-24 2-section extension ladder.	1	
7800-0023	Alco-Lite PEL3-35' 3-section extension ladder.	1	
MISC LOOSE EQUIPMENT			
7900-0014	DOT Required Drive Away Kit - Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.	1	
EXTERIOR PAINT			
8100-0084	All applicable pump/pre-connect application modules are to have a job color finish. Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	1	
8100-0116	Rear body surface to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	1	
8100-0176-000-17	Paint E-ONE chassis cab - Sikkens paint. Color: FLNA3225E-1 Red.	1	
8100-0183-000-17	Paint Body - Large - For Aerials, T/A Tankers/Wetsides, Rear Mounts and	1	

Salescode	Extended Description	Qty	
EXTERIOR PAINT			
8100-0354	Rescues. Sikkens paint. Color: FLNA3225E-1 Red. Paint lift cylinders, extension cylinders and upper turntable steelwork primary job color (does not apply to TT deck).	1	
INTERIOR PAINT			
8150-0011	The interior of the cab to be painted Zolotone gray.	1	
STRIPING			
8200-0016	White reflective tape on (4) outriggers.	1	
8300-0003-334-12	NFPA Scotchlite Stripe - 6" wide and straight on front/sides of cab and sides/rear of body. Color: White. Location: bottom of stripe flush with top of bumper and straight back.	1	
8300-0042	White rubrail scotchlite insert.	1	
8300-0123-000-72	Chevron "A" style 6" printed pattern NFPA Scotchlite striping. Provided to driver and officer rear compartment face, smooth plate panels and/or doors outboard and above the center rear compartment opening and the vertical hosebed extrusions (terminate just above the upper hand rail stanchion). The vertical and horizontal extrusions inboard of the vertical hose bed extrusions shall remain visible with a sanded finish. Colors to be Yellow/Red.	1	
8300-0313	Yellow line to indicate designated standing / walking areas above 48" high in compliance with 2016 NFPA 1901. Line to be 1" wide. Steps, ladders and areas with a railing or structure at least 12" high are excluded from requiring the line.	1	
GRAPHICS			
8400-0022	Logo E-ONE (PR) on aerial lift cylinder. Logo to be black and white reflective material approx 14" long located midway along outward surface of cylinder.	1	
WARRANTY / STANDARD & EXTENDED			
9100-0000	Standard 1 Year Warranty.	1	
9100-0003	Lifetime Frame Warranty.	1	
9100-0004	10 Year/100,000 Mile Structural Warranty for Alum Cab / Body - Statement of Warranty.	1	
9100-0005	10 Year Stainless Steel Plumbing Warranty - Statement of Warranty.	1	
9100-0007	20 Year Aerial Device Structural Warranty - Integrity Limited Warranty.	1	
9100-0019	10 Year Limited Paint and Perforation Warranty - For Sikkens Paint.	1	
SUPPORT, DELIVERY, INSPECTIONS AND MANUALS			
9300-0000	Vehicle familiarization aerial (Domestic).	1	

Salescode	Extended Description	Qty	
SUPPORT, DELIVERY, INSPECTIONS AND MANUALS			
9300-0009	Manuals, Operator and Service CD-ROM.	1	
9300-0016	Approval Drawings-Standard.	1	
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	1	
Dealer Supplied Equipment			