



Fire Apparatus Quotation for:
 SUNBELT FIRE, INC
 75' Rear Mount Aerial



Quotation Number: 77432 Rev: 9
 Unit Description: AERM-TYPH-075L
 Quote Description: Aerial Rear Mount, Typhoon, HP75 Ladder
 Salesperson: DRHODES

Salescode	Extended Description	Qty
TESTING COMPLIANCE STANDARD		
1001-0065	The E-ONE supplied components of the vehicle shall meet the requirements of NFPA 1901, 2016 edition.	1
BUMPERS		
1160-0000	Bumper 10" stainless steel.	1
1160-0011	4" Front Bumper Extension.	1
FRAME ASSEMBLY		
1250-0003	Frame 10.25 x 3.5 x .375 chassis.	1
1250-0006	Frame liner 9.375 x 3.125 x .375.	1
AXLE OPTIONS		
1025-0005	Mentor FL-941 front axle 18,700 lb.	1
1025-0018	Mentor RS-30-185 single rear axle 31,000 lb. capacity.	1
1025-0028	Koni shock absorbers for front axle - adjustable.	1
SUSPENSIONS		
1070-0012	Reyco rear suspension springs rated equal to the capacity of the axle.	1
WHEEL OPTIONS		
1050-0000	Steel wheels for front axle (2).	1
1050-0002	Steel wheels for rear axle (4).	1
1050-0007	Front axle wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	1
1050-0008	Rear axle (single) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. E-ONE custom	1

Salecode	Extended Description	Qty
WHEEL OPTIONS		
	chassis w/steel wheels will have chrome plated plastic lug covers.	
TIRE OPTIONS		
1060-0006	Four Michelin 315 tires model XZA-1 for rear axle	1
1060-0047	Two Michelin 385 tires model XFE for front axle.	1
1060-0117	RWC AirGuard LED tire pressure monitoring valve stem caps (6) for single rear axle applications.	1
BRAKE SYSTEMS		
1100-0000	16-1/2" x 6" S-cam brakes with ArvinMeritor automatic slack adjusters for front axle.	1
1100-0002	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a single rear axle.	1
1100-0005	Brake system air 4X2/4X4.	1
1100-0006	Parking brake release mounted on the driver's side lower dash.	1
AIR SYSTEM OPTIONS		
1110-0000-001	Inlet for air system. Location: driver door jamb.	1
1110-0002	Air dryer Bendix AD-9.	1
1110-0006	Air lines nylon.	1
1110-0041	Air horns Grover recessed in bumper (PR).	1
ENGINES & TRANSMISSIONS		
1200-0017	Push-button transmission shift selector.	1
1200-0020	Transsynd synthetic transmission fluid for EVS3000.	1
1200-0097	Electronic limiting of speed to 68 MPH maximum. Note: Max speed may be set at 65 MPH due to tire rating.	1
1200-0313	Eng/Trans Cummins ISL 450HP/EVS3000 2016 EPA compliant engine.	1
SECONDARY BRAKING		
1125-0002	Jacobs engine compression brake.	1
1125-0023	Transmission to seek second gear when Jacobs engine brake or Telma retarder is engaged. N/A with Trans retarder.	1
COOLING PACKAGE		
1800-0013	Cooling system for use with Cyclone II X, Typhoon X, and Quest chassis. For use with 2010 / 2013 / 2016 EPA engines. Includes coolant recovery system.	1

Salescode	Extended Description	Qty
FUEL SYSTEMS		
1350-0003	Fuel system 50 gallon.	1
1350-0022	Fuel line hose rubber.	1
ALTERNATOR		
1700-0005	Alternator Leece Neville 320 amp. 320 amp SAE/275 amp NFPA.	1
BATTERIES		
1400-0002	Battery four group 31 1000 CCA.	1
CHASSIS OPTIONS		
1680-0005	Thermatic fan clutch.	1
1680-0006	Drivelines 1710.	1
1680-0008	Tow eyes front painted below bumper/cab (PR).	1
1680-0012	Tow eyes rear frame painted.	1
1680-0051	Aerial hydraulic activation system.	1
1680-0250-M58	Diesel Exhaust Fluid (DEF) 5 gallon tank for 2013 / 2016 EPA engines. Location: left side below rear of cab.	1
CAB MODEL		
1520-0013	Typhoon X medium cab with 58" CA	1
CAB ROOF TYPE		
1615-0010	Cab roof to be "Flat" (non-vista).	1
CAB BADGE PACKAGE		
1610-0000	Cab and body to have applicable E-ONE logos.	1
GRILLE		
1620-0004	ABS chrome plated grille.	1
CAB DOOR OPTIONS		
1550-0003	Rear crew cab doors in the medium position.	1
1550-0006	Driver and officer cab door windows. Include rear fixed window.	1
1550-0011	Rear crew cab door windows. Includes manual roll-down actuation. Not available on Typhoon or CII with paddle style door latching.	1
1550-0016	Cab door panels ABS.	1
1550-0025	All cab doors shall have "L" style exterior latches.	1

Salescode	Extended Description	Qty
CAB DOOR OPTIONS		
1550-0027	Front cab door windows to have manual actuation.	1
1550-0038-659	(4) LED cab step area lighting. Locate each light on each cab door in the inboard position. Lights to be switched with door ajar.	1
1550-0044	All cab door kick plates to be made from diamond plate aluminum.	1
1550-0059-000-G6	Reflective Red/Lemon Yellow printed striping positioned in the "A" formation located on the cab door panels.	1
1550-0077	Interior cab door locks - manual. Will have manual actuation from each respective door. Includes barrel style key lock on each exterior cab door.	1
1550-0083	All cab exterior access doors to have CH751 keyed locks.	1
MIRRORS		
1670-0003	Velvac 2010 mirrors. Door mounted west coast style with remote control and heat.	1
MISC EXTERIOR CAB OPTIONS		
1550-0020	Windows cab side fixed driver's side.	1
1550-0033	Windows cab side fixed officer's side.	1
1675-0022	Pair of 18" handrails located just behind driver and officer front door one each side.	1
1675-0023	Pair of 18" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	1
1675-0030	Mud flaps, front, black with E-ONE logo.	1
1675-0047	Rear cab wall to be 3/16" aluminum diamond plate.	1
1675-0202	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable brushed stainless steel.	1
HVAC		
1515-0017	Air conditioning for the Typhoon X, CII X and Quest with Cummins ISC/ISL engine and radiator mounted condenser.	1
1515-0053	Controls for heating and air conditioning shall be located in the center dash area. (Lower area on Typhoon and CII with severe duty dash)	1
SEATS		
1510-0003	Seats, Inc. brand 911 cab seats.	1
1510-0008	Seat color gray.	1
1510-0035-147	Universal air pack bottle bracket (EA). Location: officer's seat.	1
1510-0035-148	Universal air pack bottle bracket (EA). Location: rear facing driver's side.	1

Salescode	Extended Description	Qty
SEATS		
1510-0035-151	Universal air pack bottle bracket (EA). Location: Inboard driver's side rear wall.	1
1510-0035-152	Universal air pack bottle bracket (EA). Location: Inboard officer's side rear wall.	1
1510-0035-215	Universal air pack bottle bracket (EA). Location: rear facing officer's side.	1
1510-0038	Driver seat 911 air ride.	1
1510-0042	Officer seat to be 911 fixed SCBA.	1
1510-0050	Rear facing 911 seat with SCBA driver's side.	1
1510-0053	Rear facing 911 seat with SCBA officer's side.	1
1510-0062	Two man bench centered on rear wall with 911 SCBA backs. Includes angled corners.	1
1510-0234	Seat cover material Turnout Tuff.	1
1685-0033	Seating capacity tag of six occupants.	1
MISC INTERIOR CAB OPTIONS		
1685-0000	Cab interior gray. Does not include engine cover or seat color.	1
1685-0005	Lexan sun visors, driver and officer's side overhead.	1
1685-0168	ABS Dash package. Includes center and officer side dash, lower kick panels and "A" post covers.	1
1685-0187	Severe duty engine cover, molded polyurethane.	1
CAB ELECTRICAL OPTIONS		
1750-0046-195	Cab Headlights. Position: lower.	1
1750-0059-179-04	Receptacle inlet 20 amp with a Yellow cover. Location: outside driver's door next to handrail.	1
1750-0072-592	12 VDC (or 24VDC) electrical outlet in the cab wired battery hot. Location: driver side dash.	1
1750-0075	English dominant main cab gauge cluster.	1
1750-0083-172	Turn signal Federal Signal QuadraFlare QL64Z-ARROW LED amber pair located upper headlight bezel.	1
1750-0198-A31	Battery charger to be located behind driver's seat.	1
1750-0343	Battery charger E-ONE LPC 20. 120 volt inlet, 20 amp output.	1
1750-0435	Halogen cab headlights. TyphoonX, CLIX and QST2 only.	1
1750-0449	Momentary DPF regeneration override switch.	1
5400-0037	Dome Lts Red/White Incandescent. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wire through door and	1

Salescode	Extended Description	Qty
CAB ELECTRICAL OPTIONS		
	light assembly mounted switch. Red light through light assembly mounted switch.	
BODY MODEL		
3080-0010	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	1
BODY COMPT REAR		
3110-0360	Rear of body to have un-painted smooth plate overlay style body panels to facilitate rear body striping.	1
AERIAL BODY OPTIONS		
3310-0033	Pike pole/ladder storage. Available on HP75 SideStacker only. The access door to match the rear body finish.	1
3310-0051	Crosslay double to hold up to 200' of 2.0" DJ (each). Includes storage pan to rear of crosslays.	1
3310-0090	Hose bed depth 18" HP75 / HP78 SideStacker. Will hold up to 1200' of 5" LDH. Capacity will be reduced with diamond plate covers.	1
3310-0161	Jack leg opening covers diamond plate (2) sets. Includes diamond plate outrigger covers and fixed diamond plate filler panels.	1
3310-0314	Auxiliary jack pad 24X24 (2) with 20 degree formed handle. Includes mounting brackets.	1
DOORS		
3300-0017-004	Door roll up short (up to 45") with satin finish ROM. Location(s): L2.	1
3300-0017-005	Door roll up short (up to 45") with satin finish ROM. Location(s): L3.	1
3300-0017-015	Door roll up short (up to 45") with satin finish ROM. Location(s): R1.	1
3300-0019-003	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L1.	1
3300-0019-006	Door roll up tall (greater than 45") with satin finish ROM. Location(s): L4.	1
3300-0164-016	Door double vertical hinged w/rotary latches - painted . Location(s): R2	1
COVERS		
3305-0007-000-13	Vinyl Black hose bed cover with attached rear flap(s).	1
3305-0008-000-13	Vinyl Black crosslay cover with attached side flaps.	1
PUMP MODULE		
3130-0076	Pump panel opening is 47" wide.	1

Salescode	Extended Description	Qty
PUMP PANELS		
3134-0016	Stainless steel driver and officer side pump panels.	1
3134-0055	Officer side upper pump access panel to be horizontal hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	1
MISC PUMP PANEL OPTIONS		
4460-0003	Pump panel tags color coded per NFPA compliance.	1
WATER TANK		
4010-0198	500 gallon "T" water tank. UPF Poly III blue fill tower.	1
TANK PLUMBING		
4450-0010	2" tank fill Akron manual valve.	1
4450-0022	3" tank to pump Akron manual valve.	1
LADDER STORAGE / RACKS		
3365-0014-610	Dual ladder tunnel for HP75 / HP78 SideStacker. Ladder rack to hold: PEL3-35, PEL-24 and (2) PRL-16. Requires roof ladder option on base section of aerial to meet 115' NFPA requirement.	1
HANDRAILS / STEPS		
3330-0001	Slide-out platform, integral driver side running board (includes hand rail as applicable).	1
MISC BODY OPTIONS		
3090-0001	Hosebed hoseload allowance on the apparatus shall be 1000 lbs.	1
3090-0002	OAH. Unit has no overall height restrictions.	1
3090-0004	OAL. Unit has no overall length restrictions.	1
3340-0015	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and aluminum trim fenderettes.	1
3340-0035	Divider Long. To run full length of hose bed (front to rear).	1
3340-0093	Mud flaps, rear, black with E-ONE logo.	1
3340-0110	The rear of each hose bed divider to have a hand hold cut-out(s).	1
3340-0270	The painted aerial body side panels shall be smooth / flush. Applies to SideStacker HB side, panels next to water tank on MM, and upper body sides on RLP.	1
3340-1137-12C	Equipment allowance on the apparatus shall be 2500 lbs. This allowance is in addition to the weight of the hoses and ground ladders listed in the shop order as applicable.	1

Salescode	Extended Description	Qty
PUMPS		
4005-0031	Rating 1500 GPM.	1
4005-0196	Hale QMAX 1000-2250 GPM single stage pump. Requires primer option.	1
PUMP CERTIFICATION		
4475-0000	Pump certification 750-2250 GPM	1
PUMP OPTIONS		
4015-0029	Hale pressure relief valve.	1
4015-0037	Engine throttle, vernier.	1
4015-0038	Pump seal packing for Hale pump.	1
4015-0053-198	Steamers to be Flush + 1". Location: driver's side.	1
4015-0053-199	Steamers to be Flush + 1". Location: officer's side.	1
4015-0073	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location below running board on driver side or L1 compartment.	1
4015-0210	Pump cooler with Innovative Control 1/4 turn valve with "T" handle and label.	1
4015-0238	Hale electric primer (oil-less).	1
INTAKES		
4440-0005	2.5" Left Intake Akron Manual Valve.	1
INTAKE OPTIONS		
4445-0009	Intake relief valve, Akron.	1
DISCHARGES AND PRECONNECTS		
4415-0012-654	1.5" Crosslay with Akron manual valve. Location: crosslay 1 & 2.	2
4415-0051	4" Waterway Discharge with 3" Akron Manual Valve.	1
4415-0161-581	2.5" Left Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: left side discharge 1.	1
4415-0161-582	2.5" Left Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: left side discharge 2.	1
4415-0164-583	2.5" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: right side discharge 1.	1
4415-0164-584	2.5" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: right side discharge 2.	1
DISCHARGE OPTIONS		

Salescode	Extended Description	Qty
DISCHARGE OPTIONS		
4417-0175	Innovative Controls push/pull valve controls with locking T handles.	1
4417-0176	Innovative Controls 3/4" bleeder/drain valve include lift lever with ergonomic grip.	7
4417-0185	Innovative Controls discharge and intake bezels with integral color code and verbiage for side mount pump panel.	1
GAUGES		
4435-0069	Class 1 ENFO IV system on pump operator's panel.	1
4435-0083	Innovative Controls 10 LED SL series water tank level gauge. On pump panel.	1
4435-0246	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel.	7
4435-0247	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400.	1
ELECTRICAL SYSTEMS		
5010-0013-Y83	Vehicle data recorder - 2009 / 2016 NFPA compliant. Includes occupant detection with display. Display location: inboard on driver's side overhead console.	1
5010-0039	V-MUX Electrical system for aeriats.	1
5010-0059-339	VFD Text display for V-MUX electrical system. Location: center of dash.	1
LIGHT BARS		
5300-0023-035	Light bars Federal Signal 22I (PR). Location: front cab corners at 20 degree angle.	1
WARNING LIGHT PACKAGES		
5550-0054-537	Whelen 600 series Super LED lower level warning light package. Includes (10) red LED light heads w/chrome flanges. Locate side facing lights: at forward most position, on side of cab down low just ahead of rear door, and on rear fixed outrigger cover.	1
WARNING LIGHTS		
5600-0034-268-09	Federal model SY12FS Sentry (PR) with driver amber, officer red domes. Location: each side of pump module offset to the rear.	1
5600-0034-479-09	Federal model SY12FS Sentry (PR) with driver amber, officer red domes. Location: rear upper body on aerial style brackets.	1
5600-0105-170	Hazard (door ajar) light 2" LED. Location: center overhead.	1
DIRECTIONAL LIGHT BARS		
5310-0025	Directional light circuit wiring through upper level warning.	1

Salescode	Extended Description	Qty
SIRENS		
5500-0009	Federal PA300 electronic siren recessed mounted.	1
5500-0024-170	The electronic siren control is to be located on the center overhead.	1
SPEAKERS		
5510-0029-209	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: driver side front bumper.	1
DOT LIGHTING		
5150-0017	License plate light LED with chrome housing located at the rear of the body.	1
5150-0026	Marker light LED body/cab package. E-ONE custom cab with aerial ladder, Mid-Mount platform or Bronco bodies only.	1
5150-0062	Federal Signal QuadraFlare LED horizontal mount taillights. Includes LED stop/tail, arrow turn and backup lights with horizontal Cast 3 housing and weatherproof connectors.	1
LIGHTS - COMPARTMENT, STEP & GROUND		
5380-0009	Compartment light package incandescent for medium bodies.	1
5380-0027	Ground light package for cab and body - small.	1
5380-0033	Step light package body - small.	1
LIGHTS - DECK AND SCENE		
5390-0001	Hose bed light Unity. Locate at front area of hose bed. Switched with work light switch in cab.	1
5390-0005	Crosslay light deck Unity. Locate to rear of crosslay (SM) or forward of crosslay (TM).	1
5390-0018-445	Whelen 600 series 26 degree scenelights (PR) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate up high on rear access door.	1
LIGHTS - NON-WARNING		
5400-0003	Engine compartment light (EA).	1
5400-0010	Incandescent pump compartment light (EA).	1
5400-0047	Pump panel light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	1
CONTROLS / SWITCHES		
5100-0000-198	Foot switch to control air horns located driver's side.	1
5100-0000-199	Foot switch to control air horns located officer's side.	1

Salecode	Extended Description	Qty
CAMERAS / INTERCOM		
5350-0156	FRC ACT 2-way aerial intercom.	1
MISC ELECTRICAL		
5110-0017	Back-up alarm 97 dB.	1
AERIAL MODEL		
6100-0005	Ladder HP75 with waterway. Includes left side console with cover, split steps at tip and jack leg flood lights.	1
AERIAL HYDRAULIC SYSTEM OPTIONS		
6150-0003-216	Gauge aerial hydraulic oil level. Electronic display to be located on pump operator's panel.	1
AERIAL CONTROLS		
6850-0026	Direct hydraulic aerial control system.	1
MONITORS		
6300-0016	Monitor TFT electric 1000 GPM for ladder with a powder coated silver finish. Includes tip and base controls.	1
AERIAL WARNING LIGHTS		
6550-0001	Outrigger warning lights (PR) LED. Truck-Lite model 91R.	1
AERIAL LIGHTING		
6560-0004-231	Collins light FX-12 located left side tip.	1
6560-0041	Whelen LED model PFBP12C at base (PR).	1
WATERWAY OPTIONS		
6350-0005	Rear 4" NST waterway inlet for rear mounted aeriels. Includes chrome cap.	1
6350-0010	Flowrinder with single readout and totalizer for the aerial waterway to be located at the aerial control station.	1
6350-0067	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	1
AERIAL LADDER BRACKETS		
6600-0002-250	Roof ladder bracket J style mount. Locate outside base section for a PRL-16 on left side of base section. Available on HP75/78, HP100, and HP95.	1
SIGN PLATES		
6750-0000-000-39	Aerial sign plates 10 x 144 (PR). Available on Booms, HP75 and HP100 only. Does	1

Salescode	Extended Description	Qty
SIGN PLATES		
	not include lettering. Color: Job Color.	
AERIAL TESTING		
6900-0000	Aerial flow test - 3rd party.	1
6900-0007	Aerial 2016 NFPA Certification.	1
ELBOWS		
7400-0005	Chrome discharge elbow 2.5", 45 degree.	3
GROUND LADDERS		
7800-0002	Alco-Lite FL-10, 10' folding ladder without shoes.	1
7800-0010	Alco-Lite PRL-16' roof ladder.	3
7800-0016	Alco-Lite PEL-24' 2-section extension ladder.	1
7800-0023	Alco-Lite PEL3-35' 3-section extension ladder.	1
MISC LOOSE EQUIPMENT		
7900-0014	DOT Required Drive Away Kit - Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.	1
EXTERIOR PAINT		
8100-0089	All applicable pump/pre-connect application modules are to have a sanded finish (not painted job color). Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	1
8100-0116	Rear body surface to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	1
8100-0176-000-17	Paint E-ONE chassis cab - Sikkens paint. Color: FLNA3225E-1 Red.	1
8100-0183-000-17	Paint Body - Large - For Aerials, T/A Tankers/Wetsides, Rear Mounts and Rescues. Sikkens paint. Color: FLNA3225E-1 Red.	1
8100-0186-000-39	Paint exterior surface of outer steel wheels. Sikkens paint. Color: Job Color.	1
8100-0354	Paint lift cylinders, extension cylinders and upper turntable steelwork primary job color (does not apply to TT deck).	1
INTERIOR PAINT		
8150-0011	The interior of the cab to be painted Zolatone gray.	1
STRIPING		
8200-0015	White reflective tape on (2) outriggers.	1

Salescode	Extended Description	Qty	
STRIPING			
8300-0002-334-12	NFPA Scotchlite Stripe - 4" wide and straight on front/sides of cab and sides/rear of body. Color: White. Location: bottom of stripe flush with top of bumper and straight back.	1	
8300-0042	White rubrail scotchlite insert.	1	
8300-0084-000-72	Chevron "A" style 6" printed sheet Scotchlite striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be Yellow/Red.	1	
8300-0313	Yellow line to indicate designated standing / walking areas above 48" high in compliance with 2016 NFPA 1901. Line to be 1" wide. Steps, ladders and areas with a railing or structure at least 12" high are excluded from requiring the line.	1	
GRAPHICS			
8400-0022	Logo E-ONE (PR) on aerial lift cylinder. Logo to be black and white reflective material approx 14" long located midway along outward surface of cylinder.	1	
WARRANTY / STANDARD & EXTENDED			
9100-0000	Standard 1 Year Warranty.	1	
9100-0003	Lifetime Frame Warranty.	1	
9100-0004	10 Year/100,000 Mile Structural Warranty for Alum Cab / Body - Statement of Warranty.	1	
9100-0005	10 Year Stainless Steel Plumbing Warranty - Statement of Warranty.	1	
9100-0007	20 Year Aerial Device Structural Warranty - Integrity Limited Warranty.	1	
9100-0019	10 Year Limited Paint and Perforation Warranty - For Sikks Paint.	1	
SUPPORT, DELIVERY, INSPECTIONS AND MANUALS			
9300-0000	Vehicle familiarization aerial (Domestic).	1	
9300-0009	Manuals, Operator and Service CD-ROM.	1	
9300-0016	Approval Drawings-Standard.	1	
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	1	
Dealer Supplied Equipment			
		1	