



Awarded Supplier Information

Supplier Name: CTEC Holding LLC dba
Custom Truck & Equipment

Supplier ID #: 0000465620

Supplier Address: 6725 SW 44th Street

City: Oklahoma City

State: OK

Zip Code: 73179 -

Contact Person Name: Kimberly Haggy

Phone #: 1-405-445-4110

Title:

Fax #: 1-405-322-5850

Email: khaggy@customtruck.com

Website:

Authorized Location: ☐ Locations list attached as *(attachment title)*

☐ **Address:**

City:

State:

Zip Code:

Contract ID #: 5232

Delivery: n/a

Minimum Order: n/a

P/Card Accepted: ☒ Yes

☐ No

Other:



CONTRACT

State of Oklahoma

Dispatch via Print

Supplier 0000465620
CTE SALES & RENTAL LLC
6725 SW 44TH STREET
OKLAHOMA CITY OK 73179
USA

Contract ID 0000000000000000000000005232			Page 1 of 1	
Contract Dates 05/01/2018 to 04/30/2019		Currency USD	Rate Type CRRNT	Rate Date PO Date
Description: SW196-Agriculture Equipment			Contract Maximum 0.00	
Allow Open Item Reference				
TYPE: STATEWIDE				

Tax Exempt? Y Tax Exempt ID:736017987

Contract Lines:

Line #	Cat CD / Item ID / Item Desc	UOM	Minimum Order		Maximum / Open	
			Qty	Amt	Qty	Amt
1	23231800 / WOOD CHIPPER: Wood Chippers & Parts	EA	1.00	0.00	0.00	0.00
Contract Base Pricing			0.01000	EA	0001	

COMMENTS:

Term of Contract: 5/1/18-4/30/19

Contract Agreement Period: 5/1/18-4/30/21

Final = The price is final after adjustments
Hard = Apply adjustments regardless of other adjustments
Skip = Skip adjustments if any other adjustments have been applied

Authorized Signature

ATTACHMENT C

Forestry and Brush Cutting and Maintenance Equipment. This is for equipment used to trim, cut down and grind trees, and collect wood chippers, shredders, large equipment used to cut thick brush such as grinders, chippers, forestry mowers.

[illegible]

Trade-in allowed? ☐ Yes ☐ No. Depends on Equipment

Multiple Unit discount of _____% Based on quantity purchased? X Yes _____ No. Based on dollar amount spent? _____ Yes
X No.

If dollar amount how much? \$ _____

OEM Repair Parts discount is 5 % After Market Parts discount is 5 %

Standard warranty is one year.

Guts warranty (workmanship of cutter drum/disc and slide box feed system) is five years.

Engine warranties vary from two to five years.

**Bandit**
INDUSTRIES, INC.[≡ MENU](#)

Intimidator™ 12XPC

» Hand-Fed Chippers » Drum-Style » Intimidator™ 12XPC »



Intimidator™ 12XPC

The Intimidator 12XPC is for professionals focused on trimming, yet is rugged enough to chip 12" diameter material. It's particularly popular with rental companies, utilities and tree care companies because of its maneuverability and cost-effective performance. Its compact design makes the 12XPC easy to tow and

position, and its feed rate of 120 feet per minute quickly converts large quantities of brush into dimensional chips. Gasoline and diesel engine options up to 89 horsepower will keep the crew busy feeding and Bandit’s solid construction will provide years of dependable service.

Key Features

- Large 17-½” wide chipper opening easily processes large material
- Powerful dual-wheel feed system crushes and compresses limbs, reducing trimming time
- Compact and maneuverable with high production capacity is ideal for rental companies serving both homeowners and contractors

- A High Performance Entry-Level Chipper
- Oversized Drum
- Dual-Feed Wheel System
- Outperform All Other 12-Inch Drum Chippers
- Heavy-Duty Chipper
- 4-Chipping Knives
- Rugged Components
- Powerful Chip Discharge System
- Amazing Fuel Efficiency
- Powerful Dual Feed Wheels
- Power Options
- Wide Infeed Openings

SPECIFICATIONS

INTIMIDATOR™ 12XPC COMPARISONS

Bandit Intimidator™ 12XPC	
	Vermeer BC1000
	Morbark 12RX

Bandit Intimidator™ 12XPC

Capacity: 12" diameter

Throat Opening: 17" wide x 14.25" tall

Feed Rate (FPM): 120

Dimensions

Length: 16'

Width: 6' 6"

Height: 8' 1"

Weight: 4,900 lbs.

Engine

Horsepower: 49.4 - 89 HP

Chassis

Frame: 2" x 4" channel

Suspension: 5,200 lb.

Fenders: Aluminum / 12 Gauge

Hitch: 2.5" Pintle

Axle/Undercarriage: (1) 6,000 lb. Axle

Tires/Tracks: 2 ST225/75R 15 Tires

Tongue Jack: 8,000 lbs.

Feed System

Type: Slide Box

Down Pressure Springs: (2) 17" Adjustable Springs

Feed Wheels: (2) Horizontal 7.5" diameter

Hydraulic Motors: 2

Displacement: 15.9 CID

Infeed Hopper Dimensions: 30.75" height x 54" width

Bottom Clean Out Door: Standard

Cutting System

Style: Drum

Drum Dimensions: 24" diameter x 18.75" width

RPM: 1,530

Knife Pockets: 4

Knives: .625" thick x 5.5" wide x 9" long

Chipper Shaft Diameter: 3"

Bearings: (2) 2.4375" Bore

Discharge

Swivel: 360°

Deflector: 3 Position / Manual

Tanks

Fuel Tank Capacity: 25 Gallons

Hydraulic Tank Capacity: 12 Gallons

[See Something Wrong?](#)

•

[A](#) [A](#) [A](#)



Custom Truck & Equipment

A UTILITY  SOURCE COMPANY

CTEC Holding Co., LLC
Custom Truck & Equipment
6725 SW 44th Street
OKC, OK 73179

QUOTATION

Quote #	Quote Created	Last Updated	Salesperson
74776			

INTIMIDATOR 12XPC (12" DRUM STYLE) BRUSH BANDIT

Qty	Part #	Description
1	MODEL-12XPC	Intimidator 12XPC - (12" Drum Style) Brush Bandit

STANDARD EQUIPMENT

Qty	Part #	Description
1	STANDARD	Spring loaded slide box type feed system with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 hydraulic motors (Provides approximately 1,687 lbs of pulling power for each feed wheel) Also includes 10 knife edge teeth on top feed wheel and 16 on bottom feed wheel.
1	STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)
1	STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed tray and heavy-duty taillight covers
1	STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector
1	STANDARD	Clean out and inspection door on discharge
1	STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives
1	STANDARD	Pressure check kit for Intimidator 12XP - Gauge is NOT included
1	STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge
1	STANDARD	24 1/2 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge
1	STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.
1	STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad
1	STANDARD	Frame / Fender supports
1	STANDARD	3/16" x 2" x 4" rectangular tubing with a 1/4" x 3" x 4" tubular tongue
1	STANDARD	Banded chipper belts
1	STANDARD	Safety control bar controls forward / neutral / reverse
1	STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place
1	STANDARD	Wooden pusher tool with mount on infeed hopper
1	STANDARD	(2) Last chance safety pull cables
1	STANDARD	Weather resistant manual container
1	STANDARD	Safety DVD, (2) 6" wide x 9" tall Bandit operator's manuals (one paper copy and one waterproof copy tethered to machine) and (1) engine operator's manual
1	STANDARD	Spanish & English combination safety decals

PAINT

Qty	Part #	Description
1	333-32273	Standard Imron Industrial Urethane Bandit Yellow (For Whole Tree Chippers/Beast please specify Chipper Guard paint color or Bolt on parts color)

ENGINE

Qty	Part #	Description
1	990-RC1015-581	GM 3.0L, 89 horsepower GAS engine with 13" PGL Auto clutch (Includes 3 year / 3,500 hour engine warranty)

CLUTCH

Qty	Part #	Description
-----	--------	-------------

1 990-100962 Auto Clutch

AXLE

Qty	Part #	Description
1	990-1014-86	Single 6,000 pound Torflex EZ lube axle with electric brakes

TIRES/RIMS

Qty	Part #	Description
1	990-1014-87	(2) 225/75R 15" tires mounted on 6-bolt white modular rims

FENDERS

Qty	Part #	Description
1	990-100415	Aluminum bolt on fenders (Approximately 1/8" thick)

HITCH

Qty	Part #	Description
1	OPTION-980-5000-	2 5/16" Wallace Forge ball hitch

ADD-ON OPTIONS

Engine Related Options

Qty	Part #	Description
1	990-1011-70	Reversing Auto Feed with digital tach/hour meter for drum-style chipper (Unit with standard feed system)

Hydraulic Options

Qty	Part #	Description
1	990-1011-71	Hydraulic lift cylinder for top feed wheel (controlled manually unless wireless radio remote option is selected)

CUSTOMER TOTALS

Customer Total: \$ 33,141.25

COMMENTS

12% Discount 3976.95
Total= \$29,164.30

Pricing is subject to change
based on supplier.

SIGNATURE

The Buyer, whose name and address appears above, agrees to purchase from the Seller, whose name and address appears above, the above equipment at the prices stated and upon the terms and conditions of this agreement.

X

Signature

Date