



Amendment of Solicitation

Date of Issuance: May 17, 2019

Solicitation No. 6700000036 REBID

Requisition No. 6700000401

Amendment No. 1

Hour and date specified for receipt of offers is changed: No Yes, to: _____ CST

Pursuant to OAC 260:115-7-30(d), this document shall serve as official notice of amendment to the solicitation identified above. Such notice is being provided to all suppliers to which the original solicitation was sent. Suppliers submitting bids or quotations shall acknowledge receipt of this solicitation amendment prior to the hour and date specified in the solicitation as follows:

- (1) Sign and return a copy of this amendment with the solicitation response being submitted; or,
- (2) If the supplier has already submitted a response, this acknowledgement must be signed and returned prior to the solicitation deadline. All amendment acknowledgements submitted separately shall have the solicitation number and bid opening date printed clearly on the front of the envelope.

ISSUED BY and RETURN TO:

U.S. Postal Delivery:

5005 N. Lincoln Blvd. Ste. 300
Oklahoma City, OK 73105

or

Personal or Common Carrier Delivery:

5005 N. Lincoln Blvd. Ste. 300
Oklahoma City, OK 73105

Stephanie Beshears
Contracting Officer

405 - 522 - 1037
Phone Number

Stephanie.Beshears@omes.ok.gov
E-Mail Address

Description of Amendment:

a. This is to incorporate the following:

Q.1. Can you clarify what is meant by "Stool Panels (for C-diff, giardia, etc.)" in Section C.3.15?
 A.1. **We would need industry standard stool cultures that test for Clostridium difficile toxin, giardia, and an ovum and parasite exam.**

Q.2. Would this Stool Panel instead be a standard stool culture and O&P?
 A.2. **See above answer.**

b. All other terms and conditions remain unchanged.

Supplier Company Name (**PRINT**)

Date

Authorized Representative Name (**PRINT**)

Title

Authorized Representative Signature