

---

**Price list Series H270**

## H 5i - 7i Compactors of weight class 5–7 t

### Scope of supply – basic machine

Diesel engine  
Manufacturer:  
KUBOTA  
Type:  
V3307-CR-T  
Power rat. ISO 14396, kW/PS/rpm:  
55,4/75,3/2200  
Emission standard:  
EU Stage V / EPA Tier 4  
Exhaust gas after-treatment:  
DOC-DPF  
Operating voltage:  
12 V  
Machine equipment  
12 V outlets (double)  
2 large working and rear view mirrors  
3-point articulation  
Tray behind the driver's seat  
Storage bin under the driver's seat  
Trays  
Anti-slip control  
Dashboard with displays, indicator lights and switches  
Fixture for cooler  
ECO mode  
Spring-mounted driver's seat with armrest and safety belt  
Cup holder  
Large angle of driving slope at front and rear  
Hose protection on front vehicle  
Vibration-isolated operator's platform  
Maintenance points, central on one machine side

---

<b>H 5i H270</b>	<b>99,002.00 USD</b>
<b>H 5i P H270</b>	<b>105,314.00 USD</b>
<b>H 7i H270</b>	<b>124,098.00 USD</b>
<b>H 7i P H270</b>	<b>134,414.00 USD</b>
<b>H 7i VIO H270</b>	<b>145,962.00 USD</b>

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

H 5i	H 5i P	H 7i	H 7i P	H 7i VIO
------	--------	------	--------	----------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,448.00 USD

Special painting (RAL... + RAL ...)

8,222.00 USD

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### Displayed unit of speed

Displayed unit of speed is mph

### Displayed unit of frequency

Displayed unit of frequency is rpm

### Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum

### Drive lever

Drive lever

Drive lever with additional functions

339.00 USD

### Construction

ROPS, rigid

ROPS cabin with heating and door to the left, FOPS-approved (level I)

10,085.00 USD

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

15,274.00 USD

### adjustable steering column

Steering column, tiltable

### Driver seat

Driver seat, black imitation leather

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Protective roof

Protective roof, plastic, on ROPS

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

554.00 USD

### padfoot segments

Padfoot shells with metal scraper, not installed

11,825.00 USD

Padfoot shells with metal scraper, not installed

15,458.00 USD

### Dozer blade

Leveling blade

19,138.00 USD

### Automatic motor stop

Automatic motor stop	185.00 USD	Δ	Δ	Δ	Δ	Δ
<b>Back-up alarm</b>		●	●	●	●	●
Back-up alarm, with volume adjustment						
<b>Automatic vibration system</b>						
Automatic vibration system	246.00 USD	○	○	○	○	○
<b>Lighting package as per road traffic regulations</b>						
Lighting package as per road traffic regulations	801.00 USD	○	○	○	○	○
<b>working lights</b>		●	●	●	●	●
Working lights on plastic protective roof, 4-fold, LED						
<b>rotating beacon light</b>						
Rotating beacon on cabin, halogen	631.00 USD	○	○	○	○	○
Rotating beacon on ROPS, halogen	631.00 USD	○	○	○	○	○
<b>Battery isolation switch</b>						
Battery isolation switch, electronic	708.00 USD	○	○	○	○	○
<b>Documentation</b>						
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD	○	○	○	○	○



## Price list Series H235

### H 11i - 12i Compactors of weight class 10–12 t

#### Scope of supply – basic machine

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power rat. ISO 14396, kW/PS/rpm:

85,0/115,6/2300

Emission standard:

EU Stage IV / EPA Tier 4

Exhaust gas after-treatment:

DOC-SCR

Operating voltage:

12 V

Machine equipment

2 large working and rear view mirrors

2 multiply-adjustable armrests

3-point articulation

Storage bin, lockable

Dashboard with displays, indicator lights and function key

Automatic traction control and anti-slip control

Operating concept Easy Drive

ECO mode

Spring-mounted driver's seat with armrests and safety belt

Speed preselect

Cup holder

Hammtronic—electronic machine management

Hose protection on front vehicle

Vibration-isolated operator's platform

Space for cooler

Stepless hydrostatic all-wheel drive

Automatic vibration system

<b>H 10i H235</b>	<b>151,813.00</b>	<b>USD</b>
<b>H 10i P H235</b>	<b>166,286.00</b>	<b>USD</b>
<b>H 12i H235</b>	<b>164,284.00</b>	<b>USD</b>
<b>H 12i P H235</b>	<b>178,757.00</b>	<b>USD</b>

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

H 10i	H 10i P	H 12i	H 12i P
-------	---------	-------	---------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,448.00 USD

Special painting (RAL... + RAL ...)

8,222.00 USD

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### System of units

Display of the units of measurement, US units

### Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum (2-fold, V-shape)

### Construction

ROPS, rigid

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

18,738.00 USD

### Driver seat

Driver seat, black imitation leather

### adjustable steering column

Steering column with comfort exit and tiltable dashboard

### Rotating seat adapter

Rotating seat adapter

### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

### Hydraulic oil

Hydraulic oil

### Technical documentation

Technical documentation – country-specific version for North America (US)

### Service documentation

English spare parts and application documentation (EN)

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

### Armrest

Armrest comfort setting, left

400.00 USD

Armrest comfort setting, left, at driver's seat with high backrest

400.00 USD

### HCQ navigator

Preparation for HCQ Navigator, at cabin

13,164.00 USD

Preparation for HCQ Navigator, at ROPS

13,164.00 USD

### dashboard cover

Dashboard cover, lockable

447.00 USD

### Protective roof

Protective roof, plastic, on ROPS	-554.00	USD	●	●	○	○
Plastic protective roof on ROPS with integrated FOPS-approved (level I)			○	○	●	●
<b>Dozer blade</b>						
Leveling blade	31,825.00	USD	-	○	○	○
<b>padfoot segments</b>						
Padfoot shells with metal scraper, not installed	18,291.00	USD	○	-	○	-
<b>Frequency control</b>						
Frequency control	308.00	USD	○	○	○	○
<b>HCQ compaction meter</b>						
HAMM Compaction Meter (HCM)	8,853.00	USD	○	○	○	○
<b>Automatic motor stop</b>						
Automatic motor stop			○	○	●	●
<b>Back-up alarm</b>						
Back-up alarm, with volume adjustment			●	●	●	●
<b>Telematics system</b>						
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization			○	○	●	●
<b>working lights, ready</b>						
Preparation for working lights or rotating beacon, for ROPS	308.00	USD	○	○	○	○
Preparation for working lights or rotating beacon, at protective roof			○	○	●	●
<b>working lights</b>						
Working lights on cabin, 4-fold, halogen	-1,432.00	USD	○	○	○	○
Working lights on cabin, 4-fold, LED	0.00	USD	○	○	○	○
Working lights on plastic protective roof, 4-fold, halogen	-1,232.00	USD	○	○	○	○
Working lights on plastic protective roof, 4-fold, LED	0.00	USD	○	○	●	●
<b>rotating beacon light</b>						
Rotating beacon on cabin, halogen	631.00	USD	○	○	○	○
Rotating beacon on ROPS with protective roof, halogen	631.00	USD	○	○	○	○
<b>lunchbox holder</b>						
lunchbox holder			●	●	●	●
<b>Hood release mechanism, convenience</b>						
Hood release mechanism, convenience			○	○	●	●
<b>Documentation</b>						
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00	USD	○	○	○	○

## Price list Series H267

# H 13i - 16i Compactors of weight class 13–16 t

### Scope of supply – basic machine

Diesel engine  
 Manufacturer:  
 DEUTZ  
 Type:  
 TCD 4.1 L4  
 Power rat. ISO 14396, kW/PS/rpm:  
 115,0/156,4/2300  
 Emission standard:  
 EU Stage V / EPA Tier 4  
 Exhaust gas after-treatment:  
 DOC-DPF-SCR  
 Operating voltage:  
 12 V  
 Machine equipment  
 2 large working and rear view mirrors  
 2 multiply-adjustable armrests  
 3-point articulation  
 Storage bin, lockable  
 Dashboard with displays, indicator lights and function key  
 Automatic traction control and anti-slip control  
 Operating concept Easy Drive  
 ECO mode  
 Spring-mounted driver's seat with armrests and safety belt  
 Speed preselect  
 Cup holder  
 Hammtronic—electronic machine management  
 Hose protection on front vehicle  
 Vibration-isolated operator's platform  
 Space for cooler  
 Stepless hydrostatic all-wheel drive  
 Automatic vibration system

<b>H 13i C H267</b>	<b>197,079.00</b>	<b>USD</b>
<b>H 13i C P H267</b>	<b>211,860.00</b>	<b>USD</b>
<b>H 13i VIO H267</b>	<b>216,633.00</b>	<b>USD</b>
<b>H 14i H267</b>	<b>194,616.00</b>	<b>USD</b>
<b>H 14i P H267</b>	<b>209,551.00</b>	<b>USD</b>
<b>H 16i H267</b>	<b>212,476.00</b>	<b>USD</b>
<b>H 16i P H267</b>	<b>226,641.00</b>	<b>USD</b>

- Standard
- Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

H 13i C	H 13i C P	H 13i VIO	H 14i	H 14i P	H 16i	H 16i P
---------	-----------	-----------	-------	---------	-------	---------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### System of units

Display of the units of measurement, US units

### Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum (2-fold, V-shape)

### Construction

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

ROPS, rigid

### Driver seat

Driver seat, black imitation leather

### adjustable steering column

Steering column with comfort exit and tiltable dashboard

### Rotating seat adapter

Rotating seat adapter

### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

2,448.00 USD

8,222.00 USD

18,153.00 USD

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

### Armrest

Armrest comfort setting, left

Armrest comfort setting, left, at driver's seat with high backrest

### HCQ navigator

Preparation for HCQ Navigator, at cabin

Preparation for HCQ Navigator, at cabin and VIO

Preparation for HCQ Navigator, at ROPS

400.00 USD

400.00 USD

13,164.00 USD

13,164.00 USD

13,164.00 USD



Preparation for HCQ Navigator, at ROPS and VIO

### dashboard cover

Dashboard cover, lockable

### Protective roof

Protective roof, plastic, on ROPS

Plastic protective roof. FOPS-approved (level I)

### Dozer blade

Leveling blade

### Levelling blade modular extension

Modular extension from leveling blade to dozer blade, installed

### padfoot segments

Padfoot shells with metal scraper, not installed

### Plate compactor attachment

Preparation for vibration plate

Vibration plate, complete

### Frequency control

Frequency control

### HCQ compaction meter

HAMM Compaction Meter (HCM)

HAMM Compaction Meter (HCM), VIO

### Automatic motor stop

Automatic motor stop

### Back-up alarm

Back-up alarm, with volume adjustment

### Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

### working lights, ready

Preparation for working lights or rotating beacon, at protective roof

### working lights

Working lights on cabin, 4-fold, halogen

Working lights on cabin, 4-fold, LED

Working lights on plastic protective roof, 4-fold, halogen

Working lights on plastic protective roof, 4-fold, LED

### rotating beacon light

Rotating beacon on cabin, halogen

Rotating beacon on ROPS with protective roof, halogen

### lunchbox holder

lunchbox holder

### Hood release mechanism, convenience

Hood release mechanism, convenience

13,164.00	USD	-	-	○	-	-	-	-
447.00	USD	○	○	○	○	○	○	○
-554.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
31,825.00	USD	○	○	○	○	○	○	○
8,930.00	USD	Δ	Δ	Δ	Δ	Δ	Δ	Δ
18,291.00	USD	○	-	○	○	-	○	-
33,319.00	USD	○	-	○	○	-	○	-
107,916.00	USD	○	-	○	○	-	○	-
308.00	USD	○	○	○	○	○	○	○
8,853.00	USD	○	○	-	○	○	○	○
8,853.00	USD	-	-	○	-	-	-	-
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
-1,432.00	USD	○	○	○	○	○	○	○
		○	○	○	○	○	○	○
-1,232.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
631.00	USD	○	○	○	○	○	○	○
631.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●

## Documentation

**Technical documentation for additional set –  
country-specific version for North America (US)**

477.00 USD

○	○	○	○	○	○	○
---	---	---	---	---	---	---

## Price list Series H268

# H 18i - H25i Compactors of weight class 18–25 t

### Scope of supply – basic machine

Diesel engine  
 Manufacturer:  
 DEUTZ  
 Type:  
 TCD 6.1 L6  
 Power rat. ISO 14396, kW/PS/rpm:  
 160,0/217,6/2300  
 Emission standard:  
 EU Stage IV / EPA Tier 4  
 Exhaust gas after-treatment:  
 DOC-DPF-SCR  
 Operating voltage:  
 12 V  
 Machine equipment  
 2 large working and rear view mirrors  
 2 multiply-adjustable armrests  
 3-point articulation  
 Storage bin, lockable  
 Dashboard with displays, indicator lights and function key  
 Automatic traction control and anti-slip control  
 Operating concept Easy Drive  
 ECO mode  
 Spring-mounted driver's seat with armrests and safety belt  
 Speed preselect  
 Cup holder  
 Hammtronic—electronic machine management  
 Hose protection on front vehicle  
 Vibration-isolated operator's platform  
 Space for cooler  
 Steppless hydrostatic all-wheel drive  
 Automatic vibration system

<b>H 18i H268</b>	<b>272,570.00 USD</b>
<b>H 18i P H268</b>	<b>290,122.00 USD</b>
<b>H 20i H268</b>	<b>289,969.00 USD</b>
<b>H 20i P H268</b>	<b>307,367.00 USD</b>
<b>H 25i H268</b>	<b>374,605.00 USD</b>
<b>H 25i VC H268</b>	<b>444,660.00 USD</b>
<b>H 20i C H268</b>	<b>302,594.00 USD</b>
<b>H 20i C P H268</b>	<b>319,376.00 USD</b>
<b>H 25i C P H268</b>	<b>398,008.00 USD</b>

- |           |
|-----------|
| H 18i     |
| H 18i P   |
| H 20i     |
| H 20i P   |
| H 25i     |
| H 25i VC  |
| H 20i C   |
| H 20i C P |
| H 25i C P |

## Paintwork

Special painting (RAL... + RAL 7015)

2.448.00 USD

8.222.00 USD

## Version with CE conformity

### Warning labels according to ANSI

Display of the units of measurement, US units

Plastic scraper, for smooth drum (2-fold, V-shape)

Metal scraper, for padfoot drum (2-fold, V-shape)

Steel scraper, for vibration crusher drum (2x)

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

Driver seat, black imitation leather

Driver's seat with high backrest, black imitation leather

1.062.00 USD

## Steering column with comfort exit and tiltable dashboard

### Rotating seat adapter

Lighting package as per road traffic regulations

Version without lighting package

-1,524.00 USD

Tool set, for stone, not installed

Hydraulic oil

## English spare parts and application documentation (EN)

Technical documentation – country-specific version for North America (US)

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Armrest comfort setting, left

Armrest comfort setting, left, at driver's seat with high backrest

## Safety belt monitoring

## Vehicle heater

## Vehicle heater

Vehicle heater	9,546.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>HCQ navigator</b>									
Process data interface for third-party systems, earth work	1,940.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Dozer blade</b>									
Dozer blade	40,740.00 USD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>padfoot segments</b>									
Padfoot shells with metal scraper, not installed	23,696.00 USD	<input type="radio"/>	<input type="checkbox"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Frequency control</b>									
Frequency control	308.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>HCQ compaction meter</b>									
HAMM Compaction Meter (HCM)	8,853.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Automatic motor stop</b>									
Automatic motor stop		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Camera system</b>									
Rear camera system, in case of cabin		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Back-up alarm</b>									
Back-up alarm, with volume adjustment		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Telematics system</b>									
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>working lights</b>									
Working lights on cabin, 4-fold, halogen	-1,432.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Working lights on cabin, 4-fold, LED		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>rotating beacon light</b>									
Rotating beacon on cabin, halogen	631.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Hood release mechanism, convenience</b>									
Hood release mechanism, convenience		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Coming home function</b>									
Coming home function	431.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Battery isolation switch</b>									
Battery isolation switch, electronic	1,201.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Documentation</b>									
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD								

---

**Price list Series H263**

# HD 8 - 10C Tandem rollers of weight class 1.5 t

**Scope of supply – basic machine**

Diesel engine

Manufacturer:

KUBOTA

Type:

D1105-E4B

Power ISO 14396, kW/PS/rpm:

16,1/21,9/2600

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

-

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Clear Side

Compressed water sprinkling system

Operator's platform with entry from both sides

V-belt protection

Automatic vibration system

Water filtering (triple)

Central lifting bracket

---

<b>HD 8 VV H263</b>	<b>42,341.00 USD</b>
<b>HD 10C VV H263</b>	<b>44,497.00 USD</b>
<b>HD 10C VT H263</b>	<b>50,810.00 USD</b>

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD 8 VV	HD 10C VV	HD 10C VT
---------	-----------	-----------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,355.00 USD

Special painting (RAL... + RAL ...)

4,835.00 USD

### CE conformity

Version without CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### Wiper

Plastic scraper, foldable

### Construction

ROPS foldable

### Driver seat

Driver seat, black imitation leather

### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Safety belt monitoring

Safety belt monitoring

1,124.00 USD

### Drive lever

Additional drive lever, left

662.00 USD

### Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

2,079.00 USD

### Anti-freeze protection injection

Anti-freeze protection injection

231.00 USD

### Automatic motor stop

Automatic motor stop

385.00 USD

### Back-up alarm

Back-up alarm

### working lights

Working lights on ROPS, 2-fold, halogen

508.00 USD

Working lights on ROPS, 2-fold, LED

893.00 USD

Working lights on metal protective roof, 4-fold, LED

1,909.00 USD

### rotating beacon light

Rotating beacon, halogen

662.00 USD

Rotating beacon, LED	785.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rotating beacon on ROPS with metal protective roof, LED	939.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Cup holder</b>				
Cup holder	246.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Battery isolation switch</b>				
Battery isolation switch with cable operation	308.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Hydraulic oil tank cover, lockable</b>				
Hydraulic oil tank cover, lockable	185.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Water tank cover, lockable</b>				
Water tank cover, lockable	154.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Drain cock valve</b>				
Drain cock valve	185.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Documentation</b>				
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

**Price list Series H230**

## HD 10 - 12 Tandem rollers of weight class 2.5 t

**Scope of supply – basic machine**

Diesel engine

Manufacturer:

KUBOTA

Type:

D1703

Power rat. ISO 14396, kW/PS/rpm:

18,5/25,2/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

-

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Handrails

Battery isolation switch

Pressure water sprinkling with interval switch

Operator's platform with entry from both sides

Hydrostatic steering

Vibration-isolated operator's platform

Track offset

Vibration front and rear, switchable single and doubled

Central lifting bracket

---

<b>HD 10 VV H230</b>	<b>52,349.00 USD</b>
<b>HD 10 VT H230</b>	<b>56,352.00 USD</b>
<b>HD 12 VV H230</b>	<b>54,351.00 USD</b>
<b>HD 12 VT H230</b>	<b>58,662.00 USD</b>
<b>HD 10 VO H230</b>	<b>63,127.00 USD</b>
<b>HD 12 VO H230</b>	<b>65,590.00 USD</b>





Working lights on ROPS, 4-fold, LED	1,709.00 USD						
Working lights on metal protective roof, 4-fold, LED	1,909.00 USD						
<b>rotating beacon light</b>							
Rotating beacon, halogen	662.00 USD						
Rotating beacon, LED	785.00 USD						
Rotating beacon on ROPS with protective roof, LED	908.00 USD						
Rotating beacon on ROPS with metal protective roof, LED	939.00 USD						
<b>Drum edge lighting</b>							
Drum edge lighting, LED	1,355.00 USD		-		-		
Drum edge lighting, LED	600.00 USD	-		-		-	
<b>Cup holder</b>							
Cup holder	246.00 USD						
<b>Battery isolation switch</b>							
Battery isolation switch with cable operation	308.00 USD						
<b>V-belt protection</b>							
V-belt protection							
<b>Documentation</b>							
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD						

---

**Price list Series H251**

## HD 12i Tandem rollers of weight class 2.5 t

### Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

D1803-CR

Power ISO 14396, kW/PS/rpm:

24.0/32,6/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Compressed water sprinkling system

Operator's platform with entry from both sides

Left and right drive lever

V-belt protection

Mechanical battery isolation switch

Mechanical track offset

Automatic vibration system

Water filtering (triple)

Central lifting bracket

Central water drain

---

<b>HD 12i VV H251</b>	<b>62,203.00 USD</b>
-----------------------	----------------------

<b>HD 12i VT H251</b>	<b>66,668.00 USD</b>
-----------------------	----------------------

<b>HD 12i VO H251</b>	<b>73,751.00 USD</b>
-----------------------	----------------------

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

HD 12i VV	HD 12i VT	HD 12i VO
-----------	-----------	-----------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)	USD	•	•	•
Special painting (RAL... + RAL 7015)	1,355.00 USD	o	o	o
Special painting (RAL... + RAL ...)	4,835.00 USD	o	o	o

### CE conformity

Version with CE conformity	USD	•	•	•
----------------------------	-----	---	---	---

### Warning marker

Warning labels according to ANSI	USD	•	•	•
----------------------------------	-----	---	---	---

### Wiper

Plastic scraper, rigid	-508.00 USD	o	o	o
Plastic scraper, foldable	USD	•	•	•

### Construction

ROPS foldable	USD	•	•	•
---------------	-----	---	---	---

### Driver seat

Driver seat, black imitation leather	USD	•	•	•
Driver seat, black imitation leather; comfort version	539.00 USD	o	o	o

### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations	USD	•	•	•
--	-----	---	---	---

### Hydraulic oil

Hydraulic oil	USD	•	•	•
---------------	-----	---	---	---

### Technical documentation

Technical documentation – country-specific version for North America (US)	USD	•	•	•
---	-----	---	---	---

### Service documentation

English spare parts and application documentation (EN)	USD	•	•	•
--	-----	---	---	---

## Equipment Options

### Safety belt monitoring

Safety belt monitoring	1,124.00 USD	o	o	o
------------------------	--------------	---	---	---

### thermal aprons

thermal aprons	5,096.00 USD	-	o	-
----------------	--------------	---	---	---

### all-wheel lock

all-wheel lock	1,878.00 USD	o	o	o
----------------	--------------	---	---	---

### Anti-freeze protection injection

Anti-freeze protection injection	231.00 USD	o	o	o
----------------------------------	------------	---	---	---

### HCQ compaction meter

HAMM Compaction Meter (HCM)	4,927.00 USD	o	o	o
-----------------------------	--------------	---	---	---

### HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front	2,356.00 USD	o	o	o
-------------------------------------	--------------	---	---	---

### Back-up alarm

Back-up alarm	USD	•	•	•
---------------	-----	---	---	---

### working lights

Working lights on ROPS, 2-fold, halogen	508.00 USD	o	o	o
Working lights on ROPS, 4-fold, halogen	1,155.00 USD	o	o	o



---

**Price list Series H285**

## HD 13i - 14i Tandem rollers of weight class 4.5 t

**Scope of supply – basic machine**

Diesel engine

Manufacturer:

KUBOTA

Type:

V2403-CR

Power ISO 14396, kW/PS/rpm:

37.4/50,9/2700

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Compressed water sprinkling system

Operator's platform with entry from both sides

Left and right drive lever

V-belt protection

Mechanical battery isolation switch

Mechanical track offset

Automatic vibration system

Water filtering (triple)

Central water drain

---

<b>HD 13i VV H285</b>	<b>79,910.00 USD</b>
<b>HD 14i VV H285</b>	<b>84,375.00 USD</b>
<b>HD 13i VT H285</b>	<b>85,298.00 USD</b>
<b>HD 14i VT H285</b>	<b>90,071.00 USD</b>
<b>HD 13i VO H285</b>	<b>94,383.00 USD</b>
<b>HD 14i VO H285</b>	<b>99,156.00 USD</b>

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

HD 13i VV	HD 14i VV	HD 13i VT	HD 14i VT	HD 13i VO	HD 14i VO
-----------	-----------	-----------	-----------	-----------	-----------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,355.00 USD

Special painting (RAL... + RAL ...)

4,835.00 USD

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### Displayed unit of temperature

Displayed unit of temperature is °F

### Wiper

Plastic scraper, foldable

### Construction

ROPS cab with heating

24,758.00 USD

ROPS foldable

### Driver seat

Driver seat, black imitation leather; comfort version

### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Safety belt monitoring

Safety belt monitoring

1,124.00 USD

### radio

Radio system, complete

1,032.00 USD

### Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

2,771.00 USD

### Grit spreader

Preparation for chip spreader attachment

4,250.00 USD

Preparation for chip spreader attachment and adapter bracket, rigid

5,789.00 USD

HAMM line spreader HLS 120, complete, rigid version

21,217.00 USD

### Grit spreader, canvas cover

Grit spreader, canvas cover

1,155.00 USD

### Spreading quantity adjustment, electrical

Spreading quantity adjustment, electrical

939.00 USD

### thermal aprons

thermal aprons	5,096.00 USD	-	-	○	○	-	-
<b>all-wheel lock</b>							
all-wheel lock	3,480.00 USD	○	○	○	○	○	○
<b>Anti-freeze protection injection</b>							
Anti-freeze protection injection	231.00 USD	○	○	○	○	○	○
<b>HCQ compaction meter</b>							
HAMM Compaction Meter (HCM)	4,096.00 USD	○	○	○	○	○	○
<b>Automatic motor stop</b>							
Automatic motor stop	185.00 USD	Δ	Δ	Δ	Δ	Δ	Δ
<b>HAMM Temperature Meter (HTM)</b>							
HAMM Temperature Meter (HTM), front	2,463.00 USD	○	○	○	○	○	○
<b>Back-up alarm</b>							
Back-up alarm		●	●	●	●	●	●
<b>working lights</b>							
Working lights on ROPS, 2-fold, halogen	508.00 USD	○	○	○	○	○	○
Working lights on ROPS, 4-fold, halogen	1,155.00 USD	○	○	○	○	○	○
Working lights on ROPS, 2-fold, LED	893.00 USD	○	○	○	○	○	○
Working lights on ROPS, 4-fold, LED	1,709.00 USD	○	○	○	○	○	○
<b>rotating beacon light</b>							
Rotating beacon on ROPS with protective roof, LED	908.00 USD	○	○	○	○	○	○
Rotating beacon on ROPS with metal protective roof, LED	939.00 USD	○	○	○	○	○	○
<b>Drum edge lighting</b>							
Drum edge lighting, LED	1,355.00 USD	○	○	-	-	○	○
Drum edge lighting, LED	600.00 USD	-	-	○	○	-	-
<b>Battery isolation switch</b>							
Battery isolation switch, electronic	724.00 USD	○	○	○	○	○	○
<b>Documentation</b>							
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD	○	○	○	○	○	○





# HAMM

A WIRTGEN GROUP COMPANY

---

## Price list Series H264

# HD 14i TT Pneumatic tire rollers for weight class 3.5 t

### Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

V2403-CR

Power ISO 14396, kW/PS/rpm:

37.4/50,9/2700

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Handrails

Battery isolation switch

Compressed water sprinkling system

Operator's platform with entry from both sides

Hydrostatic steering

Vibration-isolated operator's platform

CompactLine front suspension eyelet

---

**HD 14i TT H264**

**99,310.00 USD**

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD 14i TT

## Mandatory Options

### Tire

1 set of wheels with smooth tires

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,355.00 USD

Special painting (RAL... + RAL ...)

4,835.00 USD

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### Construction

ROPS foldable

ROPS cab with heating

24,758.00 USD

### Driver seat

Driver seat, black imitation leather; comfort version

## Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Safety belt monitoring

Safety belt monitoring

1,124.00 USD

### radio

Radio system, complete

1,032.00 USD

### fire extinguisher

fire extinguisher

370.00 USD

### Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

2,771.00 USD

### Additional load

Steel ballasting (617 lb), installed

3,172.00 USD

### thermal aprons

thermal aprons

4,788.00 USD

### Additive sprinkling

Additive sprinkling

1,971.00 USD

### all-wheel lock

all-wheel lock

3,480.00 USD

### Anti-freeze protection injection

Anti-freeze protection injection

231.00 USD

## HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

2,463.00 USD



## Displayed unit of temperature

Displayed unit of temperature is °F



## Automatic motor stop

Automatic motor stop

185.00 USD



## Back-up alarm

Back-up alarm



## working lights

Working lights on ROPS, 2-fold, halogen

508.00 USD



Working lights on ROPS, 4-fold, halogen

1,155.00 USD



Working lights on ROPS, 2-fold, LED

893.00 USD



Working lights on ROPS, 4-fold, LED

1,709.00 USD



Working lights on metal protective roof, 4-fold, LED

1,909.00 USD



## rotating beacon light

Rotating beacon, halogen

662.00 USD



Rotating beacon, LED

785.00 USD



Rotating beacon on ROPS with protective roof, LED

908.00 USD



Rotating beacon on ROPS with metal protective roof, LED

939.00 USD



## Battery isolation switch

Battery isolation switch, electronic

724.00 USD



## Documentation

## Technical documentation for additional set – country-specific version for North America (US)

477.00 USD



## Price list Series H186

# HD+ 70i - 80i Tandem rollers of weight class 7–8 t

### Scope of supply – basic machine

Diesel engine  
 Manufacturer:  
 DEUTZ  
 Type:  
 TCD 2.9 L4  
 Power rat. ISO 14396, kW/PS/rpm:  
 55,4/75,3/2500  
 Emission standard:  
 EU Stage IIIB/EPA Tier 4  
 Exhaust gas after-treatment:  
 DOC  
 Operating voltage:  
 12 V  
 Machine equipment  
 2 water pumps  
 Foldable scraper  
 Dashboard with displays, indicator lights and switches  
 Tilttable dashboard  
 Spring-mounted driver's seat with armrests and safety belt  
 Hammtronic—electronic machine management  
 Seat-operating unit, adjustable sideways and rotatable  
 Track offset  
 Vibration front, rear, and double switchable  
 Spray system with spray bars front and rear  
 Water filtering (triple)  
 Water tank front and rear, can be filled from both sides  
 Central water drain

<b>HD+ 70i VV H186</b>	<b>150,119.00 USD</b>
<b>HD+ 70i VV-HF H186</b>	<b>153,968.00 USD</b>
<b>HD+ 70i VO H186</b>	<b>171,059.00 USD</b>
<b>HD+ 70i VT H186</b>	<b>159,511.00 USD</b>
<b>HD+ 80i VV H186</b>	<b>160,127.00 USD</b>
<b>HD+ 80i VV-HF H186</b>	<b>164,438.00 USD</b>
<b>HD+ 80i VO H186</b>	<b>184,146.00 USD</b>
<b>HD+ 80i VT H186</b>	<b>172,598.00 USD</b>
<b>HD+ 80i VV-S H186</b>	<b>195,078.00 USD</b>
<b>HD+ 80i VO-S H186</b>	<b>205,856.00 USD</b>
<b>HD+ 80i VT-S H186</b>	<b>191,229.00 USD</b>
<b>HD+ 80i OT H186</b>	<b>196,617.00 USD</b>

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

[illegible]

[illegible]

## Price list Series H242

# HD+ 90i - 110i Tandem rollers of weight class 9–11 t

### Scope of supply – basic machine

Diesel engine  
 Manufacturer:  
 DEUTZ  
 Type:  
 TCD 3.6 L4  
 Power rat. ISO 14396, kW/PS/rpm:  
 85,0/115,6/2300  
 Emission standard:  
 EU Stage IV / EPA Tier 4  
 Exhaust gas after-treatment:  
 DOC-SCR  
 Operating voltage:  
 12 V  
 Machine equipment  
 2 water pumps  
 Foldable scraper  
 Tiltable dashboard  
 Operating concept Easy Drive  
 Spring-mounted driver's seat with armrests and safety belt  
 Hammtronic—electronic machine management  
 Seat-operating unit, adjustable sideways and rotatable  
 Track offset  
 Vibration parameters, adjustable individually  
 Spray system with spray bars front and rear  
 Water filtering (triple)  
 Water tank front and rear, can be filled from both sides  
 Central water drain

<b>HD+ 90i VV H242</b>	<b>176,910.00 USD</b>
<b>HD+ 90i VV-HF H242</b>	<b>182,144.00 USD</b>
<b>HD+ 90i VO H242</b>	<b>200,005.00 USD</b>
<b>HD+ 90i VV-S H242</b>	<b>222,022.00 USD</b>
<b>HD+ 90i VO-S H242</b>	<b>241,730.00 USD</b>
<b>HD+ 90i VT H242</b>	<b>192,460.00 USD</b>
<b>HD+ 90i VT-S H242</b>	<b>209,243.00 USD</b>
<b>HD+ 110i VV H242</b>	<b>185,686.00 USD</b>
<b>HD+ 110i VV-HF H242</b>	<b>191,075.00 USD</b>
<b>HD+ 110i VO H242</b>	<b>210,321.00 USD</b>
<b>HD+ 110i VT H242</b>	<b>202,776.00 USD</b>

- |               |
|---------------|
| HD+ 90i VV    |
| HD+ 90i VV-HF |
| HD+ 90i VO    |
| HD+ 90i VV-S  |
| HD+ 90i VO-S  |
| HD+ 90i VT    |
| HD+ 90i VT-S  |
| HD+ 110i VV   |
| HD+ 110i VV-H |
| HD+ 110i VO   |
| HD+ 110i VT   |

## Paintwork

2,263.00 USD

7,529.00 USD

10,116.00 USD

12,995.00 USD

15,027.00 USD

-246.00 USD

3,156.00 USD

## 431.00 USD

## 185.00 USD

13,164.00 USD

13,164.00 USD

1,925.00 USD

## 447.00 USD



[illegible]

[illegible]

## Price list Series H274

# HD+ 120i - 140i Tandem rollers of weight class 12–14 t

### Scope of supply – basic machine

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 4.1 L4

Power rat. ISO 14396, kW/PS/rpm:

115,0/156,4/2300

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF-SCR

Operating voltage:

12 V

Machine equipment

2 water pumps

Foldable scraper

Tiltable dashboard

Operating concept Easy Drive

Spring-mounted driver's seat with armrests and safety belt

Hammtronic—electronic machine management

Seat-operating unit, adjustable sideways and rotatable

Track offset

Axially adjustable compaction parameters

Spray system with spray bars front and rear

Water filtering (triple)

Water tank front and rear, can be filled from both sides

Central water drain

<b>HD+ 120i VV H274</b>	<b>201,852.00 USD</b>
<b>HD+ 140i VV H274</b>	<b>226,795.00 USD</b>
<b>HD+ 120i VV-HF H274</b>	<b>208,627.00 USD</b>
<b>HD+ 140i VV-HF H274</b>	<b>233,416.00 USD</b>
<b>HD+ 120i VO H274</b>	<b>235,263.00 USD</b>
<b>HD+ 140i VO H274</b>	<b>265,287.00 USD</b>

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD+ 120i VV	HD+ 140i VV	HD+ 120i VV-H	HD+ 140i VV-H	HD+ 120i VO	HD+ 140i VO
-------------	-------------	---------------	---------------	-------------	-------------

### Mandatory Options

#### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

#### CE conformity

Version with CE conformity

#### Warning marker

Warning labels according to ANSI

#### System of units

Display of the units of measurement, US units

#### Construction

ROPS cabin with non-split doors, FOPS-approved (level I)

ROPS cab with split doors, FOPS-tested (Level I)

ROPS, rigid

#### Air conditioning

heating and airconditioning

#### Driver seat

Driver seat, black imitation leather

#### Steering

Steering unit, standard

#### Armrest

Multifunction armrest, right, foldable

#### adjustable steering column

Steering column with comfort exit and tiltable dashboard

#### Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

#### Hydraulic oil

Hydraulic oil

#### Service documentation

English spare parts and application documentation (EN)

#### Technical documentation

Technical documentation – country-specific version for North America (US)

2,263.00 USD

7,529.00 USD

10,547.00 USD

13,580.00 USD

15,027.00 USD

### Equipment Options

#### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

#### Safety belt monitoring

Safety belt monitoring

#### Drive lever

Armrest comfort setting, left

#### HCQ navigator

Preparation for HCQ Navigator, at cabin

Preparation for HCQ Navigator, at ROPS

Process data interface for third-party systems, asphalt construction

431.00 USD

185.00 USD

13,164.00 USD

13,164.00 USD

1,925.00 USD

**dashboard cover**

Dashboard cover, lockable

447.00 USD ○ ○ ○ ○ ○ ○

**Protective roof**

Protective roof, plastic, on ROPS

● ● ● ● ● ●

**edge pressing equipment**

Edge pressing and cutting equipment with track indicator, front left

10,039.00 USD ○ ○ ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front right

10,039.00 USD ○ ○ ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front left and right

20,093.00 USD ○ ○ ○ ○ ○ ○

**Cutting wheel**

pressing roll 45 degrees, 1 3/16 in layer

847.00 USD ○ ○ ○ ○ ○ ○

pressing roll 45 degrees, 1 31/32 in layer

493.00 USD ○ ○ ○ ○ ○ ○

pressing roll 45 degrees, 3 5/32 in layer

554.00 USD ○ ○ ○ ○ ○ ○

pressing roll 45 degrees, 4 23/32 in layer

631.00 USD ○ ○ ○ ○ ○ ○

pressing roll 60 degrees, 1 3/16 in layer

831.00 USD ○ ○ ○ ○ ○ ○

pressing roll 60 degrees, 1 31/32 in layer

631.00 USD ○ ○ ○ ○ ○ ○

pressing roll 60 degrees, 3 5/32 in layer

724.00 USD ○ ○ ○ ○ ○ ○

pressing roll 60 degrees, 4 23/32 in layer

801.00 USD ○ ○ ○ ○ ○ ○

1,216.00 USD ○ ○ ○ ○ ○ ○

**Anti-freeze protection injection**

Anti-freeze protection injection

● ● ● ● ● ●

**Frequency control**

Frequency control

● ● ● ● ● ●

**Automatic motor stop**

Automatic motor stop

● ● ● ● ● ●

**HAMM Temperature Meter (HTM)**

HAMM Temperature Meter (HTM), front

2,402.00 USD ○ ○ ○ ○ ○ ○

HAMM Temperature Meter (HTM), rear

2,402.00 USD ○ ○ ○ ○ ○ ○

HAMM Temperature Meter (HTM), front and rear

4,804.00 USD ○ ○ ○ ○ ○ ○

**Track offset display**

Track offset display

● ● ● ● ● ●

**Camera system**

Rear camera system, (cabin only)

5,343.00 USD ○ ○ ○ ○ ○ ○

**Back-up alarm**

Back-up alarm

● ● ● ● ● ●

**Telematics system**

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

● ● ● ● ● ●

**working lights, ready**

Preparation for working lights or rotating beacon, at ROPS/protective roof

USD ● ● ● ● ● ●

**working lights**

Working lights on plastic protective roof, 4-fold, LED

● ● ● ● ● ●

**Coming home function**

Coming home function

● ● ● ● ● ●

**rotating beacon light**

Rotating beacon on cabin, halogen

693.00 USD ○ ○ ○ ○ ○ ○

Rotating beacon on plastic protective roof, halogen

785.00 USD ○ ○ ○ ○ ○ ○

Rotating beacon on cabin, LED

924.00 USD ○ ○ ○ ○ ○ ○

Rotating beacon on ROPS with protective roof, plastic, LED

924.00 USD ○ ○ ○ ○ ○ ○

**Drum edge lighting**

Drum edge lighting, LED

● ● ● ● ● ●

**lunchbox holder**

lunchbox holder						
<b>Cup holder</b>						
Cup holder	354.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Mobile cooling box</b>						
Mobile cooling box	1,601.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Battery isolation switch</b>						
Battery isolation switch, electronic	939.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Documentation</b>						
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



# HAMM

A WIRTGEN GROUP COMPANY

## Price list Series H277

### DV+ 70i Tandem rollers of weight class 7 t

#### Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

V3307-CR-T

Power rat. ISO 14396, kW/PS/rpm:

55,4/75,3/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlets (double)

2 large working and rear view mirrors

2 water pumps

Foldable scraper

Operating concept Easy Drive

Lighting package as per road traffic regulations

Pressurized refilling of water tanks from below

ECO mode

Spring-mounted driver's seat with armrests and safety belt

Cup holder

Hammtronic—electronic machine management

Cabin floor window, front and rear

Seat-operating unit, adjustable sideways and rotatable

Spray system with spray bar front and rear

Water filtering (triple)

Water tank front and rear, can be filled from both sides

Central water drain

<b>DV+ 70i VV-S H277</b>	<b>212,168.00</b>	<b>USD</b>
<b>DV+ 70i VT-S H277</b>	<b>220,944.00</b>	<b>USD</b>
<b>DV+ 70i VO-S H277</b>	<b>225,717.00</b>	<b>USD</b>
<b>DV+ 70i VS-OS H277</b>	<b>254,202.00</b>	<b>USD</b>

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

DV+ 70i VV-S	DV+ 70i VT-S	DV+ 70i VO-S	DV+ 70i VS-OS
--------------	--------------	--------------	---------------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,140.00 USD Δ Δ Δ Δ

Special painting (RAL... + RAL ...)

7,160.00 USD Δ Δ Δ Δ

### CE conformity

Version with CE conformity

• • • •

### Warning marker

Warning labels according to ANSI

• • • •

### System of units

Display of the units of measurement, US units

• • • •

### Construction

ROPS cabin with split doors

6,590.00 USD o o o o

ROPS with metal protective roof

• • • •

### Air conditioning

heating and airconditioning

14,858.00 USD o o o o

### Driver seat

Driver seat, black imitation leather

• • • •

### Armrest

Multifunction armrest, rigid

• • • •

Multifunction armrest, right, foldable

308.00 USD o o o o

### Seat adjustment

Mechanical adjustment of seat-operating unit

• • • •

### Lighting package as per road traffic regulations

Lighting package, halogen, as per road traffic regulations

• • • •

### Camera system

Camera system, front and rear

• • • •

Camera system—front, rear and chip spreader

2,864.00 USD o o o o

Camera system, front, rear and and preparation for chip spreader

1,478.00 USD o o o o

### Hydraulic oil

Hydraulic oil

• • • •

### Technical documentation

Technical documentation – country-specific version for North America (US)

• • • •

### Service documentation

English spare parts and application documentation (EN)

• • • •

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

• • • •

### Armrest folding mechanism

Armrest comfort setting, left

216.00 USD o o o o

### Safety belt monitoring

Safety belt monitoring

431.00 USD o o o o

### HCQ navigator



Preparation for HCQ Navigator	13,164.00	USD	○	○	○	○
Process data interface for third-party systems, asphalt construction	1,940.00	USD	○	○	○	○
<b>dashboard cover</b>						
Dashboard cover, lockable			●	●	●	●
<b>edge pressing equipment</b>						
Edge pressing and cutting equipment with track indicator, front left	10,177.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, front right	10,177.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, rear left	10,177.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, rear right	10,177.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, front left and right	20,355.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, front right and rear left	20,355.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, front right and rear right	20,355.00	USD	○	○	○	○
<b>Cutting wheel</b>	847.00	USD	○	○	○	○
<b>pressing roll 45 degrees, 1 3/16 in layer</b>	493.00	USD	○	○	○	○
<b>pressing roll 45 degrees, 1 31/32 in layer</b>	554.00	USD	○	○	○	○
<b>pressing roll 45 degrees, 3 5/32 in layer</b>	631.00	USD	○	○	○	○
<b>pressing roll 45 degrees, 4 23/32 in layer</b>	831.00	USD	○	○	○	○
<b>pressing roll 60 degrees, 1 3/16 in layer</b>	631.00	USD	○	○	○	○
<b>pressing roll 60 degrees, 1 31/32 in layer</b>	724.00	USD	○	○	○	○
<b>pressing roll 60 degrees, 3 5/32 in layer</b>	801.00	USD	○	○	○	○
<b>pressing roll 60 degrees, 4 23/32 in layer</b>	1,216.00	USD	○	○	○	○
<b>Pressing roll, diameter 200 mm, 180 mm wide</b>	1,216.00	USD	○	○	○	○
<b>Chip spreader accessories</b>						
Parking device for chip spreader, foldable	2,648.00	USD	○	○	○	○
<b>thermal aprons</b>						
thermal aprons	4,604.00	USD	-	○	-	-
<b>Anti-freeze protection injection</b>						
Anti-freeze protection injection			●	●	●	●
<b>central lubrication system</b>						
Central grease points	2,186.00	USD	○	○	○	○
<b>bypass filter system</b>						
bypass filter system	2,371.00	USD	○	○	○	○
<b>HCQ compaction meter</b>						
HAMM Compaction Meter (HCM)	9,069.00	USD	○	○	○	○
<b>Automatic motor stop</b>						
Automatic motor stop			●	●	●	●
<b>speedometer</b>						
speedometer	647.00	USD	○	○	○	○
<b>HAMM Temperature Meter (HTM)</b>						
HAMM Temperature Meter (HTM), front	2,202.00	USD	○	○	○	○
HAMM Temperature Meter (HTM), front and rear	4,465.00	USD	○	○	○	○
<b>Back-up alarm</b>						
Back-up alarm			●	●	●	●
<b>Telematics system</b>						
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization			●	●	●	●
<b>working lights</b>						

Working lights, 4-fold, halogen	-970.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Working lights, 4-fold, LED		USD	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>rotating beacon light</b>						
Rotating beacon, halogen	616.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rotating beacon, LED	708.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>drum lighting</b>						
Drum lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Drum edge lighting</b>						
Drum edge lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Sun blind</b>						
Sun blind, front and rear	554.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Coming home function</b>						
Coming home function			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Documentation</b>						
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Price list Series H278

# DV+ 90i Tandem rollers of weight class 9 t

### Scope of supply – basic machine

Diesel engine  
 Manufacturer:  
 DEUTZ  
 Type:  
 TCD 3.6 L4  
 Power ISO 14396, kW/PS/rpm:  
 74,4/101,2/2200  
 Emission standard:  
 EU Stage V / EPA Tier 4  
 Exhaust gas after-treatment:  
 DOC-DPF-SCR  
 Operating voltage:  
 12 V  
 Machine equipment  
 12 V outlets (double)  
 2 large working and rear view mirrors  
 2 water pumps  
 Foldable scraper  
 Operating concept Easy Drive  
 Lighting package as per road traffic regulations  
 Pressurized refilling of water tanks from below  
 ECO mode  
 Spring-mounted driver's seat with armrests and safety belt  
 Cup holder  
 Hammtronic—electronic machine management  
 Cabin floor window, front and rear  
 Seat-operating unit, adjustable sideways and rotatable  
 Spray system with spray bar front and rear  
 Water filtering (triple)  
 Water tank front and rear, can be filled from both sides  
 Central water drain

<b>DV+ 90i VV-S H278</b>	<b>245,117.00</b>	<b>USD</b>
<b>DV+ 90i VT-S H278</b>	<b>250,968.00</b>	<b>USD</b>
<b>DV+ 90i VO-S H278</b>	<b>269,444.00</b>	<b>USD</b>
<b>DV+ 90i VS-OS H278</b>	<b>289,922.00</b>	<b>USD</b>

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

DV+ 90i VV-S	DV+ 90i VT-S	DV+ 90i VO-S	DV+ 90i VS-OS
--------------	--------------	--------------	---------------

## Mandatory Options

### Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,140.00

USD

Special painting (RAL... + RAL ...)

7,160.00

USD

### CE conformity

Version with CE conformity

### Warning marker

Warning labels according to ANSI

### System of units

Display of the units of measurement, US units

### Construction

ROPS cabin with split doors

6,590.00

USD

ROPS with metal protective roof

### Air conditioning

heating and airconditioning

14,858.00

USD

### Driver seat

Driver seat, black imitation leather

### Armrest

Multifunction armrest, right, foldable

### Seat adjustment

Mechanical adjustment of seat-operating unit

### Lighting package as per road traffic regulations

Lighting package, halogen, as per road traffic regulations

### Camera system

Camera system, front and rear

Camera system—front, rear and chip spreader

2,864.00

USD

Camera system, front, rear and and preparation for chip spreader

1,478.00

USD

### Hydraulic oil

Hydraulic oil

### Service documentation

English spare parts and application documentation (EN)

### Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

### Safety belt monitoring

Safety belt monitoring

431.00

USD

### Armrest folding mechanism

Armrest comfort setting, left

216.00

USD

Armrest comfort setting, left, at driver's seat with high backrest

216.00

USD

## HCQ navigator

Preparation for HCQ Navigator

13,164.00 USD ○ ○ ○ ○

Process data interface for third-party systems, asphalt construction

1,940.00 USD ○ ○ ○ ○

## fire extinguisher

fire extinguisher

370.00 USD ○ ○ ○ ○

## dashboard cover

Dashboard cover, lockable

● ● ● ●

## Spray bar wind deflector

Spray bar wind deflector

985.00 USD ○ - ○ ○

## edge pressing equipment

Edge pressing and cutting equipment with track indicator, front left

10,177.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front right

10,177.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, rear right

10,177.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, rear left

10,177.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, front left and right

20,355.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front right and rear left

20,355.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, front right and rear right

20,355.00 USD ○ - ○ ○

## Cutting wheel

847.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 1 3/16 in layer

493.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 1 31/32 in layer

554.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 3 5/32 in layer

631.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 4 23/32 in layer

831.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 1 3/16 in layer

631.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 1 31/32 in layer

724.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 3 5/32 in layer

801.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 4 23/32 in layer

1,216.00 USD ○ ○ ○ ○

Pressing roll, diameter 200 mm, 180 mm wide

1,216.00 USD ○ ○ ○ ○

## thermal aprons

thermal aprons

4,604.00 USD - ○ - -

## Anti-freeze protection injection

Anti-freeze protection injection

● ● ● ●

## speedometer

speedometer

647.00 USD ○ ○ ○ ○

## Automatic motor stop

Automatic motor stop

● ● ● ●

## HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

2,202.00 USD ○ ○ ○ ○

HAMM Temperature Meter (HTM), front and rear

4,465.00 USD ○ ○ ○ ○

## Back-up alarm

Back-up alarm, sound-modulating (White Sound®)

● ● ● ●

## Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

● ● ● ●

## working lights

Working lights, 4-fold, LED

● ● ● ●

## rotating beacon light

Rotating beacon, halogen

616.00 USD ○ ○ ○ ○

Rotating beacon, LED	708.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Drum edge lighting</b>						
Drum edge lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>drum lighting</b>						
Drum lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Sun blind</b>						
Sun blind, front and rear	554.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Coming home function</b>						
Coming home function			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Battery isolation switch</b>						
Battery isolation switch, electronic	708.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Documentation</b>						
<b>Technical documentation for additional set – country-specific version for North America (US)</b>	477.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

## Price list Series H250

# HP 180i Pneumatic tire roller

### Scope of supply – basic machine

#### Operating data

Operating weight, identification plate:

18.776 lbs

Operating weight, max.:

37.882 lbs

Max. working width:

82 in

Min. wheel load per tire, front/rear:

2.205/2.489 lbs

Max. wheel load per tire, front/rear:

4.763/4.342 in

Water tank, capacity:

171,7 Gal

Additive tank, capacity:

7,4 Gal

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power ISO 14396, kW/PS/rpm:

55,4/75,3/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Drive

Speed, infinitely variable:

0 - 9,3 mph

Climbing ability, with/no ballast:

25/35 %

Steering

Steering angle +/-:

30 °

Oscillation angle +/-:

2 °

Level compensation, front +/-:

2,6 in

Machine equipment  
 12 V outlets (double)  
 2 large working and rear view mirrors  
 Dashboard with displays, indicator lights and function key  
 Tilttable dashboard  
 Operating concept Easy Drive  
 Compressed water sprinkling system  
 ECO mode  
 Operator's platform with entry from both sides  
 Speed-controlled water sprinkling system  
 Leveling of front wheelset  
 Maintenance platform  
 Spray system with spray bars front and rear  
 Water filtering (triple)  
 Water tank at front  
 Central water drain

**HP 180i H250**

**164,592.00 USD**

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

**HP 180i**

#### **Mandatory Options**

#### **Variant**

Machine with 10 sh. tn. (US) operating weight, upon delivery		●
Machine with 15 sh. tn. operating weight, upon delivery	15,582.00 USD	○
Machine with 20 sh. tn. (US) operating weight, upon delivery	30,855.00 USD	○

#### **Pump**

Hydraulics package, standard		●
------------------------------	--	---

#### **Tire**

1 set of wheels with smooth tires, Michelin	12,641.00 USD	○
1 set of wheels with smooth tires		●

#### **Wiper**

Brush scraper, foldable		●
Scraper made of brushes with coconut fiber insert, foldable	216.00 USD	○
Plastic scraper, foldable	1,263.00 USD	○

#### **Paintwork**

standard color (RAL 2004 + RAL 7015)		●
Special painting (RAL... + RAL 7015)	2,510.00 USD	○
Special painting (RAL... + RAL ...)	7,514.00 USD	○

#### **CE conformity**

Version without CE conformity		○
Version with CE conformity		●

#### **Warning marker**

Warning labels according to ANSI		●
----------------------------------	--	---

#### **System of units**

Display of the units of measurement, US units		●
---	--	---



## Electrics package for options

Electrics package for options 801.00 USD ○

Electrics package standard ●

## Construction

ROPS cabin with non-split doors 14,196.00 USD ○

ROPS cabin with split doors 15,428.00 USD ○

ROPS, rigid ●

## Air conditioning

heating and airconditioning 13,164.00 USD ○

## Driver seat

Driver seat, black imitation leather ●

## Steering

Steering unit, standard ●

## Armrest

Multifunction armrest, rigid -308.00 USD ○

Multifunction armrest, right, foldable ●

## adjustable steering column

Steering column with tiltable dashboard -246.00 USD ○

Steering column with comfort exit and tiltable dashboard ●

## Seat adjustment

Seat operating unit, adjustable sideways -2,818.00 USD ○

Seat-operating unit, adjustable sideways and rotatable ●

## Lighting package as per road traffic regulations

Lighting package as per road traffic regulations ●

Version without lighting package -862.00 USD ○

## Driving mode

Version with anti-slip control 1,647.00 USD ○

Version without anti-slip control ●

## Hydraulic oil

Hydraulic oil ●

## Service documentation

English spare parts and application documentation (EN) ●

## Technical documentation

Technical documentation – country-specific version for North America (US) ●

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather ●

### Safety belt monitoring

Safety belt monitoring 431.00 USD ○

### Armrest comfort setting, left

Armrest comfort setting, left ●

### HCQ navigator

Preparation for HCQ Navigator, at cabin 14,889.00 USD ○

Preparation for HCQ Navigator, at ROPS 14,889.00 USD ○

### fire extinguisher

fire extinguisher 370.00 USD ○

### dashboard cover

Dashboard cover, lockable ●

## Protective roof

Protective roof, plastic, on ROPS

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

908.00 USD

## edge pressing equipment

Edge pressing and cutting device, right rear

10,177.00 USD

## Reserve complete wheel

1 spare wheel with smooth tire, Michelin

3,895.00 USD

1 spare wheel with smooth tire

2,310.00 USD

## Mounting device for spare wheel

Mounting device for spare wheel

2,525.00 USD

## thermal aprons

thermal aprons

8,838.00 USD

## tire heating

Tire heating with thermal apron

73,397.00 USD

## Additive sprinkling

Additive sprinkling

3,865.00 USD

## Anti-freeze protection injection

Anti-freeze protection injection

493.00 USD

## water filling for C-pipe connection

Pressurized water tank filling

2,109.00 USD

## tire inflation system

tire inflation system

6,728.00 USD

## Automatic motor stop

Automatic motor stop

## HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), rear

2,048.00 USD

## Camera system

Rear camera system, in case of cabin

5,312.00 USD

## Back-up alarm

Back-up alarm

## Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

## working lights, ready

Preparation for working lights or rotating beacon

## working lights

Working lights on ROPS, 4-fold, halogen

1,463.00 USD

Working lights on plastic protective roof, 4-fold, halogen

1,463.00 USD

Working lights on cabin, 4-fold, LED

1,601.00 USD

Working lights on ROPS, 4-fold, LED

1,601.00 USD

Working lights on plastic protective roof, 4-fold, LED

1,601.00 USD

## rotating beacon light

Rotating beacon on cabin, halogen

693.00 USD

Rotating beacon on ROPS, halogen

693.00 USD

Rotating beacon on plastic protective roof, halogen

693.00 USD

## License plate holder, illuminated

License plate holder, illuminated

431.00 USD

## Tire lighting, LED

Tire lighting, LED

693.00 USD

## lunchbox holder

lunchbox holder

**Guard rail on maintenance platform**

Guard rail on maintenance platform

**Seat longitudinal adjustment**

Seat longitudinal adjustment

**Cup holder**

Cup holder

354.00 USD

**Mobile cooling box**

Mobile cooling box

1,601.00 USD

**Coming home function**

Coming home function

431.00 USD

**Battery isolation switch**

Battery isolation switch, electronic

955.00 USD

**Water tank outlet**

Filling access to water tank, fold-out

**Documentation****Technical documentation for additional set –  
country-specific version for North America (US)**

477.00 USD

---

**Price list Series H271**

## HP 280i Pneumatic tire roller

### Scope of supply – basic machine

**Operating data**

Operating weight, identification plate:

20.959 lbs

Operating weight, max.:

59.469 lbs

Max. working width:

82 in

Min. wheel load per tire, front/rear:

2.359/2.880 lbs

Max. wheel load per tire, front/rear:

7.731/6.769 in

Water tank, capacity:

171,7 Gal

Additive tank, capacity:

7,4 Gal

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power ISO 14396, kW/PS/rpm:

85,0/115,6/2000

Emission standard:

EU Stage IV / EPA Tier 4

Exhaust gas after-treatment:

DOC-SCR

Operating voltage:

12 V

Drive

Speed, infinitely variable:

0 - 11,8 mph

Climbing ability, with/no ballast:

25/35 %

Steering

Steering angle +/-:

30 °

Oscillation angle +/-:

2 °

Level compensation, front +/-:

2,6 in

- Machine equipment
- 12 V outlets (double)
- 2 large working and rear view mirrors
- Dashboard with displays, indicator lights and function keys
- Tiltable dashboard
- Operating concept Easy Drive
- Compressed water sprinkling system
- ECO mode
- Operator's platform with entry from both sides
- Speed-controlled water sprinkling system
- Leveling of front wheelset
- Maintenance platform
- Spray system with spray bars front and rear
- Water filtering (triple)
- Water tank at front
- Central water drain

HP 280i H271

**239,421.00 USD**

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HP 280i

## Mandatory Options

### Variant

Machine with 25 sh. tn. (US) operating weight, upon delivery

Machine with 30 sh. tn. (US) operating weight, upon delivery

## Pump

Hydraulics package, standard

Hydraulics package for hydraulically-driven options

## Braking system

Rear and front axle brake

## Tire

1 set of wheels with smooth tires, Michelin

1 set of wheels with smooth tires

## Wiper

Brush scraper, foldable

Scraper made of brushes with coconut fiber insert, foldable

Plastic scraper, foldable

## Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

## CE conformity

Version with CE conformity

## Warning marker

### Warning labels according to ANSI

17,029.00 USD

-816.00 USD

216.00 USD

1,263.00 USD

2,510.00 USD

7,514.00 USD

## System of units

Display of the units of measurement, US units

## Electrics package for options

Electrics package for options

801.00 USD

Electrics package standard

## Construction

ROPS cabin with non-split doors

14,196.00 USD

ROPS cabin with split doors

15,428.00 USD

ROPS, rigid

## Air conditioning

heating and airconditioning

13,164.00 USD

## Driver seat

Driver seat, black imitation leather

Driver seat, anthracite fabric

385.00 USD

## Steering

Steering unit, standard

Steering unit with emergency steering function

1,493.00 USD

## Armrest

Multifunction armrest, right, foldable

## adjustable steering column

Steering column with comfort exit and tiltable dashboard

## Seat adjustment

Seat-operating unit, adjustable sideways and rotatable

## Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

## Driving mode

Version without anti-slip control

## Hydraulic oil

Hydraulic oil

## Service documentation

English spare parts and application documentation (EN)

## Technical documentation

Technical documentation – country-specific version for North America (US)

## Equipment Options

### Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

### Safety belt monitoring

Safety belt monitoring

431.00 USD

### Armrest comfort setting, left

Armrest comfort setting, left

### HCQ navigator

Preparation for HCQ Navigator, at cabin

14,889.00 USD

Preparation for HCQ Navigator, at ROPS

14,889.00 USD

### dashboard cover

Dashboard cover, lockable

**Protective roof**

Protective roof, plastic, on ROPS

●

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

908.00 USD

○

**edge pressing equipment**

Edge pressing and cutting device, right rear

10,177.00 USD

○

**Reserve complete wheel**

1 spare wheel with smooth tire, Michelin

3,895.00 USD

○

1 spare wheel with smooth tire

2,310.00 USD

○

**Mounting device for spare wheel**

Mounting device for spare wheel

2,525.00 USD

○

**thermal aprons**

thermal aprons

8,838.00 USD

○

**tire heating**

Tire heating with thermal apron

73,397.00 USD

○

**Additive sprinkling**

Additive sprinkling

3,865.00 USD

○

**Anti-freeze protection injection**

Anti-freeze protection injection

493.00 USD

○

**water filling for C-pipe connection**

Pressurized water tank filling

2,109.00 USD

○

**tire inflation system**

tire inflation system

6,728.00 USD

○

**bypass filter system**

bypass filter system

2,771.00 USD

○

**Automatic motor stop**

Automatic motor stop

●

**HAMM Temperature Meter (HTM)**

HAMM Temperature Meter (HTM), rear

2,048.00 USD

○

**Camera system**

Rear camera system, (cabin only)

5,312.00 USD

○

**Back-up alarm**

Back-up alarm

●

**Telematics system**

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

●

**working lights, ready**

Preparation for working lights or rotating beacon

●

**working lights**

Working lights on ROPS, 4-fold, halogen

1,463.00 USD

○

Working lights on plastic protective roof, 4-fold, halogen

1,463.00 USD

○

Working lights on cabin, 4-fold, LED

1,601.00 USD

○

Working lights on ROPS, 4-fold, LED

1,601.00 USD

○

Working lights on plastic protective roof, 4-fold, LED

1,601.00 USD

○

**rotating beacon light**

Rotating beacon on cabin, halogen

693.00 USD

○

Rotating beacon on ROPS, halogen

693.00 USD

○

Rotating beacon on plastic protective roof, halogen

693.00 USD

○

**Tire lighting, LED**

Tire lighting, LED

693.00 USD

○

**lunchbox holder**

lunchbox holder

**Guard rail on maintenance platform**

Guard rail on maintenance platform

**Seat longitudinal adjustment**

Seat longitudinal adjustment

**Coming home function**

Coming home function

**Battery isolation switch**

Battery isolation switch, electronic

**Water tank outlet**

Filling access to water tank, fold-out

☐

☐

☐

☐

☐

☐

☐

**Documentation**

**Technical documentation for additional set –  
country-specific version for North America (US)**

431.00 USD

955.00 USD

477.00 USD

☐