



2022

**LIFT & PLACE TELEHANDLERS
All Models**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.

Please refer to the product manager for updates



2022

**JCB Loadall
506-36**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

506-36 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control and componentized driveline.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 36' 4", hydraulic parallel lift, max lift capacity of 6,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hour full coverage warranty (see the machine warranty certificate for details).



506-36 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	2021	LIST PRICE
5BAA	506-36, 4W Steer, 74HP Engine, Powershift Transmission	\$114,051
TIRES & WHEELS		
500A039	13.00-24/14PR Galaxy	\$10,718
500A055	13.00 x 24 Semi-Solid, Airless Tires - Solideal	\$19,533
500A057	13.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$24,117
CONTROLS		
500B064	Dual Joysticks - One Auxilliary Service	\$4,536
OPERATORS COMPARTMENT		
500C111	Canopy with right side and rear glass	\$3,367
500C047	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,092
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,092
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0



506-36 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitation if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G018	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,051
500G024	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$1,050
500G188	Work Lights - Front T4F	\$210
500G189	Work Lights - Front and Rear T4F	\$339
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H560	Engine Sump Drain Kit	\$114
500HB22	Oil Evac System P90 (74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500K296	White Noise Alarm	\$297
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K080	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K478	Face Level Fan	\$300
500T464	Wheel Nut Indicators	\$96



U.S. Dollar Price Page

506-36 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
507-42**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

507-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control and componentized driveline.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 7,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hour full coverage warranty (see the machine warranty certificate for details).



507-42 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5BAB	507-42, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$124,381
TIRES & WHEELS		
500A031	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A057	13.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$24,117
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A563	370/75-28 Solidboss Low Profile - Foam Filled Tire	\$15,663
500A058	18 x 22.5 Turf Tires	\$12,464
CONTROLS		
500B250	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$3,367
500C048	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0



U.S. Dollar Price Page

507-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Selection Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G028	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,050
500G030	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H560	Engine Sump Drain Kit	\$114
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H841	Positive Air Shut Off - 74HP	\$6,418
500HB22	Oil Evac System P90 (74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500k296	White Noise Alarm	\$297
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K083	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K479	Face Level Fan	\$300
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

507-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
509-42**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

509-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
#N/A	
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



509-42 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	LIST PRICE
50AQ	509-42, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$125,446
500A03I	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500B250	Single Joystick - One Auxilliary Service	\$6,301
500C048	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower	\$5,002
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500E02I	Quickhitch Coupler - Required to mount Carriage	\$952
500F213	Operator Manual - English	\$0
500G130	Work Lights - Front and Rear	\$339
500G402	Beacon - Strobe	\$196
500H09I	Engine Block Heater	\$218
500K083	Air Conditioning	\$4,629
500K479	Face Level Fan	\$300

LIST PRICE

\$156,380



509-42 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
50AQ	509-42, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$125,446
TIRES & WHEELS		
500A031	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A057	13.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$24,117
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A563	370/75-28 Solidboss Low Profile - Foam Filled Tire	\$15,663
500A058	18 x 22.5 Turf Tires	\$12,464
CONTROLS		
500B250	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$3,367
500C048	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

509-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, withing limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G028	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,050
500G030	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
#N/A		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H841	Positive Air Shut Off - 74HP	\$6,418
500HB22	Oil Evac System P90 (74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500K296	White Noise Alarm	\$297
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K083	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K479	Face Level Fan	\$300
500R305	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

509-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES

#N/A



2023

**JCB Loadall
509-42S**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

509-42S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION I - STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
#N/A	
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



509-42S Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5BAC	509-42S, 4W Steer, RAS, 109HP Engine, Powershift Transmission	\$132,371
TIRES & WHEELS		
500A031	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A057	13.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$24,117
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A563	370/75-28 Solidboss Low Profile - Foam Filled Tire	\$15,663
500A058	18 x 22.5 Turf Tires	\$12,464
CONTROLS		
500B250	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C130	Cab fully glazed, front, roof and rear wipers; includes heater; glass lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

509-42S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G028	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,050
500G030	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G213	Boom Lights - LED	\$1,363
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H091	Engine Block Heater	\$218
500H700	Fuel Tank Protection	\$675
500H829	Arctic Kit - Line Fit - 109HP*	\$14,112
500H840	Positive Air Shut Off - 109HP	\$6,418
500HB24	Oil Evac System P90 (109HP/ 81KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K081	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K296	White Noise Alarm	\$297
500K479	Face Level Fan	\$300
500R305	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

509-42S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES

#N/A



2023

**JCB Loadall
510-42**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

510-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



510-42 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Section 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5AGQ	510-42, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$161,575
TIRES & WHEELS		
500A031	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A563	370/75-28 Solidboss Low Profile - Foam Filled Tire	\$15,663
500A058	18 x 22.5 Turf Tires	\$12,464
CONTROLS		
500B250	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$3,367
500C048	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

510-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G028	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,050
500G030	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H841	Positive Air Shut Off - 74HP	\$6,418
500HB22	Oil Evac System P90 (74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K083	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K296	White Noise Alarm	\$297
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

510-42 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
510-42S**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

510-42S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



510-42S Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5AGS	510-42S, 4W Steer, RAS, 109HP Engine, Powershift Transmission	\$166,408
TIRES & WHEELS		
500A031	14 x 24 16 PR Galaxy Industrial tread	\$12,073
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A563	370/75-28 Solidboss Low Profile - Foam Filled Tire	\$15,663
500A058	18 x 22.5 Turf Tires	\$12,464
CONTROLS		
500B250	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C131	Cab fully glazed, front, roof and rear wipers; includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



510-42S Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G028	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,050
500G030	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H840	Positive Air Shut Off - 109HP	\$6,418
500HB24	Oil Evac System P90 (109HP/ 81KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K081	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K296	White Noise Alarm	\$297
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

510-42S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
510-56**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

510-56 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



509-42 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
50AR	510-56, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$173,327
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500B251	Single Joystick - One Auxilliary Service	\$6,301
500C048	Cab fully glazed, front, roof and rear wipers. Includes heater; steel lower doc	\$5,002
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
500F213	Operator Manual - English	\$0
500G130	Work Lights - Front and Rear	\$339
500G402	Beacon - Strobe	\$196
500H091	Engine Block Heater	\$218
500K083	Air Conditioning	\$4,629
500K479	Face Level Fan	\$300

LIST PRICE

\$206,764



510-56 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5OAR	510-56, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$173,327
TIRES & WHEELS		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A564	400/75-28 Solidboss Low Profile - Foam Filled Tire	\$18,866
CONTROLS		
500B251	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$3,367
500C131	Cab fully glazed, front, roof and rear wipers; includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

**510-56
Loadall**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G020	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,051
500G026	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H841	Positive Air Shut Off - 74HP	\$6,418
500HB22	Oil Evac System P90 (74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K083	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K296	White Noise Alarm	\$297
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

510-56 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
510-56S**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

510-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



U.S. Dollar Price Page

510-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5BAD	510-56S, 4W Steer, RAS, 109HP Engine, Powershift Transmission	\$180,197
TIRES & WHEELS		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A564	400/75-28 Solidboss Low Profile - Foam Filled Tire	\$18,866
CONTROLS		
500B251	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C131	Cab fully glazed, front, roof and rear wipers; includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
500D111	Suspension seat: fabric adjustable back	\$980
QUICK COUPLER		
500E021	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

510-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, withing limitations as indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G020	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,051
500G026	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G214	Boom Lights - LED	\$1,363
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H700	Fuel Tank Protection	\$675
500H091	Engine Block Heater	\$218
500H829	Arctic Kit - Line Fit - 109HP*	\$14,112
500H840	Positive Air Shut Off - 109HP	\$6,418
500HB24	Oil Evac System P90 (109HP/ 81KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K081	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K296	White Noise Alarm	\$297
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

510-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
512-56**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

512-56 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



512-56 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5ALI	512-56, 4W Steer, RAS, 74HP Engine, Powershift Transmission	\$190,437
TIRES & WHEELS		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A564	400/75-28 Solidboss Low Profile - Foam Filled Tire	\$18,866
CONTROLS		
500B251	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C131	Cab fully glazed, front, roof and rear wipers; includes heater; steel lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
500D111	Suspension seat: fabric adjustable back	\$980
QUICK COUPLER		
500E023	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



512-56 Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G020	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,051
500G026	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G398	Green Beacon without Seatbelt Start Logic	\$0
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H083	Fuel Tank Protection	\$676
500H091	Engine Block Heater	\$218
500H828	Arctic Kit - Line Fit - 74HP*	\$14,112
500H841	Positive Air Shut Off - 74HP	\$6,418
500HB23	Oil Evac System 512-56 (5ALI 74HP/ 55KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K081	Air Conditioning	\$4,629
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K296	White Noise Alarm	\$297
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

512-56 Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
512-56S**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

512-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



512-56S Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5BAE	512-56S, 4W Steer, RAS, 109HP Engine, Powershift Transmission	\$195,104
TIRES & WHEELS		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A046	17.5-25 XLW 16PR Galaxy Tread B	\$14,576
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
500A564	400/75-28 Solidboss Low Profile - Foam Filled Tire	\$18,866
CONTROLS		
500B251	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C130	Cab fully glazed, front, roof and rear wipers; includes heater; glass lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E023	Quickhitch Coupler - Required to mount Carriage	\$952
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



U.S. Dollar Price Page

512-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	ELECTRICAL OPTIONS	List Price
500G020	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Cab Builds	\$1,051
500G026	Road Light Kit: includes turn signals, stop, tail and reverse Lights - Canopy	\$1,050
500G129	Work Lights - Front only	\$211
500G130	Work Lights - Front and Rear	\$339
500G207	Work Lights - Front and Rear - LED	\$1,925
500G214	Boom Lights - LED	\$1,363
500G401	Rotating Beacon, Magnetic Base	\$190
500G402	Beacon - Strobe	\$196
ENGINE OPTIONS		
500H700	Fuel Tank Protection	\$675
500H091	Engine Block Heater	\$218
500H829	Arctic Kit - Line Fit - 109HP*	\$14,112
500H840	Positive Air Shut Off - 109HP	\$6,418
500HB24	Oil Evac System P90 (109HP/ 81KW)	\$692
OPERATORS AREA OPTIONS		
500K041	Radio Ready - Speakers, antenna, wiring; radio not included	\$741
500K042	Sun shade	\$342
500K047	Roof Glass with Wiper (For Canopy)	\$276
500K050	Front screen guard	\$726
500K051	Front screen and roof guard	\$1,247
500K081	Air Conditioning	\$4,629
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear)	\$1,029
500K263	Level 1 Camera - Rear Only, includes Display	\$1,086
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,331
500K296	White Noise Alarm	\$297
500K479	Face Level Fan	\$300
500R300	Pintle Hitch - 6,000 lb Capacity	\$704
500T464	Wheel Nut Indicators	\$96

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel



U.S. Dollar Price Page

512-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

FOR ALL ATTACHMENTS - SEE LOCAL FIT SECTION IN JDS
OR DEALER FIT PAGES



2023

**JCB Loadall
514-56S**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

514-56S Loadall

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, componentized driveline, and automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph.
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years or 2000 hours full coverage warranty (see the machine warranty certificate for details).



514-56S Loadall



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
5BAF	514-56S, 4W Steer, RAS, 109HP Engine, Powershift Transmission	\$219,215
TIRES & WHEELS		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$24,950
500A042	17.5 x 25 Titan 20ply	\$14,486
500A561	14.00 x 24 Non-Marking (Grey) Semi-Solid, Airless Tires - Solideal	\$27,144
CONTROLS		
500B251	Single Joystick - One Auxilliary Service	\$6,301
OPERATORS COMPARTMENT		
500C044	Canopy with right hand side and rear glass	\$3,367
500C130	Cab fully glazed, front, roof and rear wipers; includes heater; glass lower door	\$5,002
SEATS		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$923
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$923
QUICK COUPLER		
500E400	Quickhitch Coupler - Required to mount Carriage - 514-56	\$0
LANGUAGE PACK		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0