



2023

**JCB Compact Excavator
18Z-1**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



18Z-1 Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|---------------------|--|
| ENGINE | 1.13 litre Perkins Tier IV Final engine , 21.9 net hp, centrifugal dry type air cleaner. Water separator, spin - on oil filter, thermostart assist, anti-freeze protection to -35 degrees F. 500 hour service interval - twice as long as previous models. |
| TRANSMISSION | Independent track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel - 1.5 mph in low and 2.5 mph in high. Auto kickdown feature allows machine to automatically change from high to low when needed, maximizing power and productivity. |
| TRACKS | Rubber or steel track options hydraulically adjusted. Under carriage rollers 3 per side. Track width 9". Ground pressure 4.7 lbs per square inch. Ground clearance 6". Hydraulically actuated expanding undercarriage providing a machine width of 3'3" retracted and 4'4" expanded. Track tension is maintained through a grease cylinder. |
| ELECTRICAL | 12 volt, 60 Ah battery, with 40 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. |
| EXCAVATOR | Max. dig depth with standard 43" dipper is 8'5". New tubular boom design provides increased strength, visibility and improved hose and tube protection vs. conventional steel box structure design. Dual Pattern Controls (DPC) easily changes controls from ISO (Excavator) to SAE (Backhoe). Auxiliary circuit provides 8.4 GPM for JCB hydraulic breakers and other approved attachments. Boom swing left 55 degrees, right 75 degrees. Bucket rotation 201 degrees. Less excavator bucket. |
| CAB/CANOPY | Meets SAE TOPS/FOPS/FOGS, left side entry. 24% larger cab with increased leg and shoulder room for the operator. Vinyl adjustable operators seat. Removable floor mat that is easy to clean. Excavator controls are servo operated (hydraulic) . Redesigned track levers with T bar handles. All models equipped with safety 2 go system. |



U.S. Dollar Price Page

18Z-I Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|-------------------|---|-----------------|
| 8016 | 18Z-I ZERO TAILSWING TRACKED | \$33,841 |
| 830A103 | 4 POST CANOPY ROP S/TOPS/FOPS CERTIFIED | \$0 |
| 830B101 | RUBBER TRACKS SHORT PITCH | \$1,835 |
| 830C111 | ISO/SAE CONTROL PATTERN: HIGHFLOW; DOUBLE ACTING AUX:RETRACTABLE U/C | \$3,528 |
| 830D101 | STATIC VINYL SEAT | \$0 |
| 830E145 | ENGLISH (US) LANGUAGE PACK | \$1,099 |
| 830F104 | DIPPER 1100MM | \$478 |
| 830G101 | STANDARD DOZER WITH SWING OUTEXTENSIONS | \$0 |
| 830J117 | HALOGEN WORKLIGHTS KIT FOR 4PCAN: 2 FRONT / 1 REAR & BOOM /INTERIOR LIGHT STD | \$415 |
| 830J124 | LED AMBER BEACON | \$376 |
| 830L116 | DIPPER THUMB BRACKET ONLY | \$162 |
| 830M104 | BUCKET GP 450mm WITH TEETHNO PIVOT PINS SUPPLIED | \$689 |
| 830M111 | QUICKHITCH MECHANICAL:FOR 30MMPIN SIZE BUCKETS | \$1,434 |
| LIST PRICE | | \$43,857 |



U.S. Dollar Price Page

18Z-1 Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|---|------------|
| 8016 | 18Z-1 ZERO TAILSWING TRACKED | \$33,841 |
| OPERATORS COMPARTMENT | | |
| 830A103 | 4 POST CANOPY ROP S/TOPS/FOPS CERTIFIED | \$0 |
| UNDERCARRIAGE | | |
| 830B101 | RUBBER TRACKS SHORT PITCH | \$1,835 |
| CONTROLS | | |
| 830C111 | ISO/SAE CONTROL PATTERN: HIGHFLOW; DOUBLE ACTING AUX:RETRACTABLE U/C | \$3,528 |
| UNDERCARRIAGE | | |
| 830D101 | STATIC VINYL SEAT | \$0 |
| LANGUAGE PACK | | |
| 830E129 | FRENCH (CANADA) LANGUAGE PACK | \$1,099 |
| 830E145 | ENGLISH (US) LANGUAGE PACK | \$1,099 |
| DIPPER | | |
| 830F104 | DIPPER 1100MM | \$478 |
| DOZER | | |
| 830G101 | STANDARD DOZER WITH SWING OUTEXTENSIONS | \$0 |



U.S. Dollar Price Page

18Z-1 Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | OPERATORS COMPARTMENT OPTIONS | LIST PRICE |
|-----------------------------|---|------------|
| 830J117 | HALOGEN WORKLIGHTS KIT FOR 4PCAN: 2 FRONT / 1 REAR & BOOM /INTERIOR LIGHT STD | \$415 |
| 830J124 | LED AMBER BEACON | \$376 |
| BUCKET OPTIONS | | |
| 830M100 | BUCKET GP 150mm WITH TEETHNO PIVOT PINS SUPPLIED | \$516 |
| 830M101 | BUCKET GP 230mm WITH TEETHNO PIVOT PINS SUPPLIED | \$559 |
| 830M102 | BUCKET GP 300mm WITH TEETHNO PIVOT PINS SUPPLIED | \$588 |
| 830M103 | BUCKET GP 400mm WITH TEETHNO PIVOT PINS SUPPLIED | \$689 |
| 830M104 | BUCKET GP 450mm WITH TEETHNO PIVOT PINS SUPPLIED | \$689 |
| 830M105 | BUCKET GP 600mm WITH TEETHNO PIVOT PINS SUPPLIED | \$727 |
| 830M106 | BUCKET DITCHING 750mm NO PIVOTPINS SUPPLIED | \$308 |
| 830M107 | BUCKET DITCHING 1000mm NO PIVOT PINS SUPPLIED | \$476 |
| 830M108 | 1 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$106 |
| 830M109 | 2 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$201 |
| 830M110 | 3 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$299 |
| OTHER OPTIONS | | |
| 830L116 | DIPPER THUMB BRACKET ONLY | \$162 |
| EXCAVATOR QUICKHITCH | | |
| 830M111 | QUICKHITCH MECHANICAL:FOR 30MMPIN SIZE BUCKETS | \$1,434 |
| 830M112 | QUICKHITCH - MECHANICAL:TO CONVERT TO 25MM PIN SIZE | \$1,216 |



2023

**JCB Compact Excavator
19C-1**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



I9C-I Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|---------------------|--|
| ENGINE | 1.13 litre Perkins Tier IV Final engine , 21.9 net hp, centrifugal dry type air cleaner. Water separator, spin - on oil filter, thermostart assist, anti-freeze protection to -35 degrees F. 500 hour service interval - twice as long as previous models. |
| TRANSMISSION | Independent track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel - 1.5 mph in low and 2.5 mph in high. Auto kickdown feature allows machine to automatically change from high to low when needed, maximizing power and productivity. |
| TRACKS | Rubber or steel track options hydraulically adjusted. Under carriage rollers 3 per side. Track width 9". Ground pressure 5.1 lbs per square inch. Ground clearance 6". Hydraulically actuated expanding undercarriage providing a machine width of 3'3" retracted and 4'4" expanded. Track tension is maintained through a grease cylinder. |
| ELECTRICAL | 12 volt, 60 Ah battery, with 40 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. |
| EXCAVATOR | Max. dig depth with standard 43" dipper is 8'5". New tubular boom design provides increased strength, visibility and improved hose and tube protection vs. conventional steel box structure design. Dual Pattern Controls (DPC) easily changes controls from ISO (Excavator) to SAE (Backhoe). Auxiliary circuit provides 8.4 GPM for JCB hydraulic breakers and other approved attachments. Boom swing left 55 degrees, right 75 degrees. Bucket rotation 201 degrees. Less excavator bucket. |
| CAB/CANOPY | Meets SAE TOPS/FOPS/FOGS, left side entry. 24% larger cab with increased leg and shoulder room for the operator. Cloth adjustable operators seat. Removable floor mat that is easy to clean. Excavator controls are servo operated (hydraulic) . Redesigned track levers with T bar handles. All models equipped with safety 2 go system. |



U.S. Dollar Price Page

19C-I Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|--|-----------------|
| 8196 | 19C-I CONVENTIONAL TAILSWING TRACKED | \$34,665 |
| 830A122 | CAB WITH HEATER : WITH TOUGHENED GLASS/ STEEL LOWER DOOR | \$4,645 |
| 830B101 | JCB Trackmaster PLUS Rubber Tracks 230mm (9 INCHES) SP (C) 18Z/19C | \$1,835 |
| 830C107 | ISO/SAE CONTROL PATTERN: HIGHFLOW; DOUBLE ACTING AUX:RETRACTABLE U/C | \$3,528 |
| 830D100 | STATIC FABRIC SEAT | \$0 |
| 830E117 | ENGLISH (US) LANGUAGE PACK | \$1,099 |
| 830F103 | DIPPER 1100MM | \$478 |
| 830G101 | STANDARD DOZER WITH SWING OUTEXTENSIONS | \$0 |
| 830H106 | AUXILLARY EXTENSION OPTION: 1100mm DIPPER (AUX 1 HIGH FLOW ONLY) EXTENDING THE AUXILLARY | \$300 |
| 830J109 | HALOGEN WORKLIGHTS KIT FOR CABBUILDS :2 FRONT / 1 REAR & BOOM / INTERIOR LIGHT STD | \$415 |
| 830L103 | BATTERY ISOLATOR | \$151 |
| 830L112 | FULL RADIO KIT | \$488 |
| 830L116 | DIPPER THUMB BRACKET ONLY | \$162 |
| 830M104 | BUCKET GP 450mm WITH TEETHNO PIVOT PINS SUPPLIED | \$689 |
| 830M111 | QUICKHITCH - MECHANICAL:FOR 30MMPIN SIZE BUCKETS | \$1,434 |
| | LIST PRICE | \$49,888 |



U.S. Dollar Price Page

I9C-I Compact Excavator

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 8196 | I9C-I CONVENTIONAL TAILSWING TRACKED | \$34,665 |
| OPERATORS COMPARTMENT | | |
| 830A120 | CAB WITH HEATER : WITH TOUGHENED GLASS/ GLASS LOWER DOOR | \$4,645 |
| UNDERCARRIAGE | | |
| 830B101 | JCB Trackmaster PLUS Rubber Tracks 230mm (9 INCHES) SP (C) I8Z/ | \$1,835 |
| CONTROLS | | |
| 830C107 | ISO/SAE CONTROL PATTERN: HIGHFLOW; DOUBLE ACTING AUX:RETRACTABLE U/C | \$3,528 |
| SEATS | | |
| 830D100 | STATIC FABRIC SEAT | \$0 |
| 830D101 | STATIC VINYL SEAT | \$0 |
| 830D102 | FABRIC SUSPENSION SEAT | \$569 |
| LANGUAGE PACK | | |
| 830E117 | ENGLISH (US) LANGUAGE PACK | \$1,099 |
| 830E129 | FRENCH (CANADA) LANGUAGE PACK | \$1,319 |
| DIPPER | | |
| 830F103 | DIPPER 1100MM | \$478 |
| DOZER | | |
| 830G101 | STANDARD DOZER WITH SWING OUTEXTENSIONS | \$0 |



I9C-I

Compact Excavator



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | TRACK MOTOR OPTIONS | LIST PRICE |
|--------------------------------------|---|------------|
| 830H106 | AUXILLARY EXTENSION OPTION: 1100mm DIPPER (AUX 1 HIGH F | \$300 |
| OPERATORS COMPARTMENT OPTIONS | | |
| 830J109 | HALOGEN WORKLIGHTS KIT FOR CABBUILDS :2 FRONT / 1 REAR & BOOM / INTERIOR LIGHT STD | \$415 |
| OTHER OPTIONS | | |
| 830L103 | BATTERY ISOLATOR | \$151 |
| 830L112 | FULL RADIO KIT | \$488 |
| 830L116 | DIPPER THUMB BRACKET ONLY | \$162 |
| BUCKET OPTIONS | | |
| 830M100 | BUCKET GP 150mm WITH TEETHNO PIVOT PINS SUPPLIED | \$516 |
| 830M101 | BUCKET GP 230mm WITH TEETHNO PIVOT PINS SUPPLIED | \$559 |
| 830M102 | BUCKET GP 300mm WITH TEETHNO PIVOT PINS SUPPLIED | \$588 |
| 830M103 | BUCKET GP 400mm WITH TEETHNO PIVOT PINS SUPPLIED | \$646 |
| 830M104 | BUCKET GP 450mm WITH TEETHNO PIVOT PINS SUPPLIED | \$689 |
| 830M105 | BUCKET GP 600mm WITH TEETHNO PIVOT PINS SUPPLIED | \$727 |
| 830M106 | BUCKET DITCHING 750mm NO PIVOTPINS SUPPLIED | \$308 |
| 830M107 | BUCKET DITCHING 1000mm NO PIVOT PINS SUPPLIED | \$476 |
| 830M108 | 1 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$106 |
| 830M109 | 2 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$201 |
| 830M110 | 3 ADDITIONAL SET OF PIVOT PINSFOR ATTACHMENTS | \$299 |
| 830M111 | QUICKHITCH - MECHANICAL:FOR 30MMPIN SIZE BUCKETS | \$1,434 |
| 830M112 | QUICKHITCH - MECHANICAL:TO CONVERT TO 25MM PIN SIZE B | \$1,216 |



2023

**JCB Compact Excavator
I9C-IETECH**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



I9C-IETECH Compact Excavator



STANDARD EQUIPMENT

| | |
|---------------------|---|
| POWER SOURCE | 20kWh in a 4 unit configuration. System voltage 48 volts, delivering 5 hours continuous runtime |
| TRANSMISSION | Independent track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel - 1.5 mph in low and 2.5 mph in high. Auto kickdown feature allows machine to automatically change from high to low when needed, maximizing power and productivity. |
| TRACKS | Rubber track options hydraulically adjusted. Under carriage rollers 3 per side. Track width 9". Ground pressure 5.1 lbs per square inch. Ground clearance 6". Hydraulically actuated expanding undercarriage providing a machine width of 3'3" retracted and 4'4" expanded. Track tension is maintained through a grease cylinder. |
| ELECTRICAL | 12 volt, 60 Ah battery, with 40 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. Additional electric componentry include the power source listed above. <i>*Please adhere to all safety warnings when working with electrical components. Additional training is required before servicing this machine.</i> |
| EXCAVATOR | Max. dig depth with standard 43" dipper is 8' 5". New tubular boom design provides increased strength, visibility and improved hose and tube protection vs. conventional steel box structure design. Dual Pattern Controls (DPC) easily changes controls from ISO (Excavator) to SAE (Backhoe). Auxiliary circuit provides 8.4 GPM for JCB hydraulic breakers and other approved attachments. Boom swing left 75 degrees, right 55 degrees. Bucket rotation 201 degrees. Less excavator bucket. |
| CAB/CANOPY | Meets SAE TOPS/FOPS/FOGS, left side entry. 24% larger cab with increased leg and shoulder room for the operator. Vinyl operators seat, Removable floor mat that is easy to clean. Excavator controls are servo operated (hydraulic) . Redesigned track levers with T bar handles. All models equipped with safety 2 go system |



I9C-I ETECH Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|---|-----------------|
| 8087 | I9C-I Etech 4 Battery: Canopy Plus | \$80,434 |
| 830A139 | 4 Post Canopy:Rops/Tops/Fops Certified | \$0 |
| 830B101 | Jcb Trackmaster Plus Rubber Track 230mm (9 Inches) SP | \$1,835 |
| 830C127 | ISO/SAE Control Pattern: High Flow; Double Acting Aux | \$3,528 |
| 830D101 | Static Vinyl Seat | \$0 |
| 830E179 | English (US) Language Pack | \$1,358 |
| 830F103 | Dipper 1100mm | \$478 |
| 830G101 | Standard Dozer With Swing Out Extensions | \$0 |
| 830H106 | Auxillary Extension Option : 1100mm Dipper (Aux 1 High Flow Only) | \$300 |
| 830I004 | 110V Charge Lead | \$0 |
| 830J124 | LED Amber Beacon | \$376 |
| 830J128 | LED Worklight Kit For 4P Can: 2 Front/ 1 Rear / Led Boom Light | \$416 |
| 830L116 | Dipper Thumb Bracket | \$162 |
| 830M104 | Fire Extinguisher | \$689 |
| 830M111 | Exterior Mirror Kit (Left And Right For 4 Post Can Only) | \$1,434 |
| | LIST PRICE | \$91,010 |



I9C-I ETECH Compact Excavator



U.S. Dollar Price Page

Dipper Thumb Bracket

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES



I9C-I ETECH Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 8087 | I9C-I Etech 4 Battery: Canopy Plus | \$80,434 |
| 819E | I9C-I Etech 4 Battery: Cab Plus | \$88,372 |
| OPERATORS COMPARTMENT | | |
| 830A139 | 4 Post Canopy:Rops/Tops/Fops Certified | \$0 |
| 830AE01 | Cab with Heater: Toughened Glass and Glass Lower Door | \$4,645 |
| UNDERCARRIAGE | | |
| 830B101 | Jcb Trackmaster Plus Rubber Track 230mm (9 Inches) SP | \$1,835 |
| CONTROLS | | |
| 830C127 | ISO/SAE Control Pattern: High Flow; Double Acting Aux | \$3,528 |
| SEATS | | |
| 830D100 | STATIC FABRIC SEAT MIDBACK INC SEATBELT | \$0 |
| 830D101 | Static Vinyl Seat | \$0 |
| LANGUAGE PACK | | |
| 830E179 | English (US) Language Pack | \$1,358 |
| 830E189 | ENGLISH (US) LANGUAGE PACK FOR CAB BUILDS ONLY:INCLUDE | \$1,358 |
| DIPPER | | |
| 830F103 | Dipper 1100mm | \$478 |
| DOZER BLADE | | |
| 830G101 | Standard Dozer With Swing Out Extensions | \$0 |



I9C-I ETECH Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | HYDRAULIC OPTIONS | LIST PRICE |
|-------------------------------------|---|------------|
| 830H106 | Auxillary Extension Option : 1100mm Dipper (Aux 1 High Flow Only) | \$300 |
| CHARGING OPTIONS | | |
| 830I004 | 110V Charge Lead | \$0 |
| OPERATOR COMPARTMENT OPTIONS | | |
| 830J124 | LED Amber Beacon | \$376 |
| 830J128 | LED Worklight Kit For 4P Can: 2 Front/ 1 Rear / Led Boom Light | \$416 |
| 830L116 | Dipper Thumb Bracket | \$162 |
| SPECIAL OPTIONS | | |
| 830S003 | I9C-I Etec Sunbelt Green | \$2,077 |
| EXCAVATOR QUICKHITCH | | |
| 830M101 | Bucket GP 9" (230mm) With Teeth No Pivot Pins Supplied | \$559 |
| 830M102 | Bucket GP 12" (300mm) With Teeth No Pivot Pins Supplied | \$588 |
| 830M104 | Bucket GP 18" (450mm) With Teeth No Pivot Pins Supplied | \$689 |
| 830M105 | Bucket GP 24" (600mm) With Teeth No Pivot Pins Supplied | \$727 |
| 830M107 | Bucket Ditching 39" (1000mm) No Pivot Pins Supplied | \$476 |
| 830M108 | 1x 30mm Pivot Pins For Attachments (Not For Use With 25mm Hitch) | \$106 |
| 830M110 | 3x 30mm Pivot Pins For Attachments (Not For Use With 25mm Hitch) | \$299 |
| 830M111 | Quickhitch Mechanical:For 1.2" (30mm) Pin Size Buckets | \$1,434 |
| 830M112 | Quickhitch - Mechanical:To Convert To 1" (25mm) Pin Size Buckets | \$1,216 |
| 830M128 | Adaptor Plate For Jcb 1" (25mm) Bucket Pins | \$169 |
| SPECIAL OPTIONS | | |
| 830S003 | I9C-I Etec Sunbelt Green | \$2,077 |



2023

**JCB Compact Excavator
35Z-I**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 01, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

35Z-1 Compact Excavator

Effective: January 01, 2023

F.O.B. Savannah, GA



STANDARD EQUIPMENT

| | |
|---------------------|---|
| ENGINE | 24.7 HP, EPA Tier 4 Final Perkins 403J-17 Engine with 67.8lbf of torque. NO DPF, or after treatment required |
| TRANSMISSION | Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.74 mph and 2.8 mph. |
| TRACKS | 12" rubber tracks (optional steel tracks) with 4 bottom rollers per side result in 4.5 psi ground pressure. 11" of ground clearance |
| ELECTRICAL | 12 volt, with 85 amp alternator, 475 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | 10' 6" Max. dig depth with standard 4'3" dipper. Servo controls, with ISO and SAE electric toggle switch on right hand POD Auxiliary circuit provides 18.5 GPM |
| CAB/CANOPY | Fully glazed ROPS & TOPS certified cab with programmable Intermittent wiper with wash/wipe, 3 speed heater/demister with adjustable air vents, LCD display, Digital clock, Internal lockable toolbox, Cup holder & bottle holder, Coat hook, bluetooth radio, 12V accessory socket, Interior light, Full audio/visual warning systems, Auto idle throttle, 8 power bands, ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 programmable auxiliary flow rates, Joystick mounted hammer switch, Neutral start, and Full control isolation |



U.S. Dollar Price Page

35Z-I Compact Excavator

Effective: January 01, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|---|------------|
| 8355 | 35Z-I MINI PLUS CAB PRIMARY BUILD | \$50,338 |
| 800A802 | CAB WITH AIR CON & FAN GUARD: WITH TOUGHENED GLASS (INCLUDES LED WORKLIGHTS AND FULL RADIO) | \$8,500 |
| 800B800 | JCB TRACKMASTER PLUS RUBBER TRACKS 300MM (12 INCHES) | \$0 |
| 800C800 | ISO CONTROL PATTERN:HIGH FLOW DOUBLE ACTING ELECPROP THUMB CONTROLLED AUX FOR 2 WAY DOZER | \$1,572 |
| 800D800 | HIGHBACK FABRIC SEAT WITH BLACK RETRACTABLE SEATBELT | \$431 |
| 800E811 | AMERICAN ENGLISH LANGUAGE PACK: INCLUDES BATTERY ISOLATOR, TRAVEL ALARM | \$1,781 |
| 800F800 | 1300MM STD HIGH FLOW ONLY | \$0 |
| 800G800 | STANDARD 2-WAY DOZER | \$0 |
| 800H005 | ISO/SAE CHANGEOVER CONTROL PATTERN FOR CAB | \$672 |
| 800H800 | DOZER FLOAT FOR STANDARD 2-WAY DOZER | \$595 |
| 800J802 | LED AMBER BEACON | \$261 |
| 800Q128 | LIVELINK (INCLUDES HARDWARE AND 5 YEARS SUBSCRIPTION) | \$807 |

LIST PRICE \$64,957



U.S. Dollar Price Page

35Z-I Compact Excavator

Effective: January 01, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|--|-----------------|
| 8357 | 35Z-1 MINI PLUS CANOPY PRIMARY BUILD | \$50,338 |
| 800A800 | CANOPY OPTION ROPS/FOPS/TOPS CERTIFIED (includes FOPS | \$0 |
| 800B800 | JCB TRACKMASTER PLUS RUBBER TRACKS 300MM (12 | \$0 |
| 800C800 | ISO CONTROL PATTERN:HIGH FLOW DOUBLE ACTING | \$1,572 |
| 800D801 | HIGHBACK VINYL SEAT WITH BLACK RETRACTABLE | \$0 |
| 800E811 | AMERICAN ENGLISH LANGUAGE PACK: INCLUDES BATTERY | \$1,781 |
| 800F800 | 1300MM STD HIGH FLOW ONLY | \$0 |
| 800G800 | STANDARD 2-WAY DOZER | \$0 |
| 800H800 | DOZER FLOAT FOR STANDARD 2-WAY DOZER | \$595 |
| 800H806 | ISO/SAE CHANGEOVER CONTROL PATTERN FOR CANOPY | \$672 |
| 800J802 | LED AMBER BEACON | \$261 |
| 800M800 | MECHANICAL QUICKHITCH | \$1,758 |
| 800M806 | 24in (600MM) GENERAL PURPOSE BUCKET WITH BUCKET PINS | \$1,106 |
| 800M814 | DIPPER THUMB KIT FOR QH MOUNTED BUCKETS (NON CE REGIONS) INCLUDES C/OVER VALVE:HF ONLY | \$2,987 |
| 800M815 | HYDRAULIC QUICKHITCH PIPEWORK ONLY FOR CANOPY MACHINES (1300MM DIPPER) | \$1,372 |
| 800Q127 | LIVELINK CANOPY | \$807 |
| 800Y800 | HIGH SPEC CODE FOR CANOPY BUILDS | \$1,220 |
| | LIST PRICE | \$64,469 |



35Z-I

Compact Excavator



U.S. Dollar Price Page

Effective: January 01, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 8355 | 35Z-I MINI PLUS CAB PRIMARY BUILD | \$50,338 |
| 8357 | 35Z-I MINI PLUS CANOPY PRIMARY BUILD | \$50,338 |
| OPERATORS COMPARTMENT | | |
| 800A800 | CANOPY OPTION ROPS/FOPS/TOPS CERTIFIED (includes FOPS | \$0 |
| 800A802 | CAB WITH AIR CON & FAN GUARD: WITH TOUGHENED GLASS (INCLUDES LED WORKLIGHTS AND FULL RADIO) | \$8,500 |
| UNDERCARRIAGE | | |
| 800B800 | JCB TRACKMASTER PLUS RUBBER TRACKS 300MM (12 INCHES) | \$0 |
| CONTROLS | | |
| 800C800 | ISO CONTROL PATTERN:HIGH FLOW DOUBLE ACTING | \$1,572 |
| 800C802 | ISO CONTROL PATTERN:HIGH FLOW DOUBLE ACTING | \$1,572 |
| 800C803 | ISO CONTROL PATTERN:HIGH AND LOW FLOW DOUBLE ACTING ELECPROP THUMB CONTROLLED AUX FOR 4 WAY DOZER | \$3,344 |
| SEATS | | |
| 800D800 | HIGHBACK FABRIC SEAT WITH BLACK RETRACTABLE SEATBELT | \$431 |
| 800D801 | HIGHBACK VINYL SEAT WITH BLACK RETRACTABLE SEATBELT | \$0 |
| LANGUAGE PACK | | |
| 800E804 | SPANISH LANGUAGE PACK | \$1,781 |
| 800E811 | AMERICAN ENGLISH LANGUAGE PACK: INCLUDES BATTERY | \$1,781 |
| 800E812 | FRENCH CANADIAN LANGUAGE PACK: INCLUDES BATTERY | \$1,781 |
| DIPPER | | |
| 800F800 | 1300MM STD HIGH FLOW ONLY | \$0 |
| 800F802 | 1300MM DIPPER FOR HIGH AND LOW FLOW | \$431 |
| 800F804 | 1600MM DIPPER FOR MACHINES WITH HIGH FLOW AUX ONLY: INC | \$929 |
| 800F805 | 1600MM DIPPER FOR MACHINES WITH HIGH AND LOW FLOW AUX | \$958 |
| DOZER BLADE | | |
| 800G800 | STANDARD 2-WAY DOZER | \$0 |
| 800G801 | 4-WAY DOZER | \$2,707 |



35Z-I

Compact Excavator



U.S. Dollar Price Page

Effective: January 01, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | HYDRAULIC OPTIONS | LIST PRICE |
|-------------------------------------|--|------------|
| 800H005 | ISO/SAE CHANGEOVER CONTROL PATTERN FOR CAB | \$672 |
| 800H800 | DOZER FLOAT FOR STANDARD 2-WAY DOZER | \$595 |
| 800H801 | DOZER FLOAT FOR 4-WAY DOZER | \$595 |
| 800H802 | HOT CLIMATE HYDRAULIC OIL (800Q106) | \$187 |
| 800H806 | ISO/SAE CHANGEOVER CONTROL PATTERN FOR CANOPY | \$672 |
| 800Q106 | HOT CLIMATE HYDRAULIC OIL WITH THE TEMPRETURE RANGING FROM -5 TO +55 oC | \$188 |
| 800Q107 | COLD CLIMATE HYDRAULIC OIL WIT H THE TEMPRATURE RANGING FROM -20 TO +35 oC | \$188 |
| LIGHT OPTIONS | | |
| 800J802 | LED AMBER BEACON | \$261 |
| OPERATOR COMPARTMENT OPTIONS | | |
| 800Q127 | LIVELINK CANOPY | \$807 |
| 800Q128 | LIVELINK (INCLUDES HARDWARE AND 5 YEARS SUBSCRIPTION) | \$807 |
| SPECIAL OPTIONS | | |
| 800Y800 | HIGH SPEC CODE FOR CANOPY BUILDS | \$1,220 |
| 800Y801 | HIGH SPEC CODE FOR CAB BUILDS | \$1,220 |
| QUICK HITCH OPTIONS | | |
| 800M800 | MECHANICAL QUICKHITCH | \$1,758 |
| 800M801 | MECHANICAL QUICKHITCH (CONVERSION PICKS UP CURRENT | \$1,705 |
| 800M802 | HYDRAULIC QUICKHITCH PIPEWORK ONLY FOR CAB MACHINES | \$1,372 |
| 800M803 | HYDRAULIC QUICKHITCH UNIT ONLY NO PIPEWORK INCLUDED | \$3,639 |
| 800M809 | HYDRAULIC QUICKHITCH PIPEWORK ONLY FOR 1600mm DIPPER | \$1,331 |
| 800M815 | HYDRAULIC QUICKHITCH PIPEWORK ONLY FOR CANOPY | \$1,372 |
| BUCKET OPTIONS | | |
| 800M804 | 12in (300MM) GENERAL PURPOSE BUCKET WITH BUCKET PINS | \$844 |
| 800M805 | 18in (450MM) GENERAL PURPOSE BUCKET WITH BUCKET PINS | \$1,044 |
| 800M806 | 24in (600MM) GENERAL PURPOSE BUCKET WITH BUCKET PINS | \$1,106 |
| 800M807 | 30in (750MM) GENERAL PURPOSE BUCKET WITH BUCKET PINS | \$1,147 |
| 800M808 | 1000MM (39IN) DITCHING BUCKET: FOR QUICKHITCH ONLY: | \$994 |
| THUMB OPTIONS | | |
| 800M810 | DIPPER THUMB (BRACKET ONLY) | \$0 |
| 800M811 | DIPPER THUMB KIT FOR DIRECT MOUNT BUCKETS; (THUMB, VALVE AND BRACKET) | \$2,987 |
| 800M813 | THUMB CHANGEOVER VALVE (NO THUMB OR BRACKET | \$311 |
| 800M814 | DIPPER THUMB KIT FOR QH MOUNTE D BUCKETS (NON CE | \$2,987 |



2023

**JCB Compact Excavator
55Z-I**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

55Z-1 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|---------------------|--|
| ENGINE | Tier IV Final compliant 48.3 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F. |
| TRANSMISSION | Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 15.75". Ground pressure 4.7 lbs per square inch. Ground clearance 12inch. |
| ELECTRICAL | 12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard dipper 12' 7". Servo controls, SAE and ISO patterns both available on 55Z Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM for JCB hydraulic breakers and other approved attachments. Dozer Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics optional fit. |
| CAB/CANOPY | Meets SAE TOPS/FOPS/FOGS requirements, left side entry Cab equipped with fabric suspension seat and is adjustable forward and aft comes equipped with heater, wiper, front and side opening windows. 55Z-1 is available as ZTS with zero tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment. |



55Z-I Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|-------------------|---|------------------|
| 855J | 55Z-I Compact Base Machine | \$77,318 |
| 850A663 | Cab with Air Condition (Standard Glass) | \$8,676 |
| 850B600 | 15.7" (400mm) Rubber Tracks | \$0 |
| 850C665 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux: T4 (for 4 Way Blade) | \$4,750 |
| 850D603 | Fabric Suspension Seat (High Back) | \$179 |
| 850E820 | American operator handbook Incl Travel Alarm and Immobilizer | \$2,003 |
| 850F621 | 57" (1570mm) Dipper: for High & Low flow Aux | \$0 |
| 850G602 | 4 Way Dozer Blade: for 15.7" (400mm) Wide Tracks | \$4,346 |
| 850H677 | Dozer Float for Machines without Hydraulic Quick Hitch and 4 way Blade | \$779 |
| 850J604 | Halogen Work Lights: 2 Front and 1 Rear (Boom Light Fitted ASSTD) | \$320 |
| 850J056 | Rotating Beacon | \$355 |
| 850L664 | Full Radio Kit | \$485 |
| 850M649 | Thumb Ready Dipper | \$355 |
| 850M672 | 600MM GP BUCKET | \$1,241 |
| LIST PRICE | | \$100,807 |



55Z-I Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 855J | 55Z-I Compact Base Machine | \$77,318 |
| OPERATORS COMPARTMENT | | |
| 850A663 | Cab with Air Condition (Standard Glass) | \$8,676 |
| UNDERCARRIAGE | | |
| 850B600 | 15.7" (400mm) Rubber Tracks | \$0 |
| CONTROLS | | |
| 850C665 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux: T4 (for 4 Way Blade) | \$4,750 |
| SEATS | | |
| 850D603 | Fabric Suspension Seat (High Back) | \$179 |
| LANGUAGE PACK | | |
| 850E820 | American operator handbook Incl Travel Alarm and Immobilizer | \$2,003 |
| DIPPER | | |
| 850F621 | 57" (1570mm) Dipper: for High & Low flow Aux | \$0 |
| DOZER BLADE | | |
| 850G602 | 4 Way Dozer Blade: for 15.7" (400mm) Wide Tracks | \$4,346 |



55Z-I

Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | HYDRAULIC CIRCUIT AND PIPEWORK OPTIONS | LIST PRICE |
|-------------------------------------|--|------------|
| 850H625 | Dozer Float for Machines with Hydraulic Quick Hitch and 4 way Blade | \$763 |
| 850H677 | Dozer Float for Machines without Hydraulic Quick Hitch and 4 way Blade | \$779 |
| OPERATOR COMPARTMENT OPTIONS | | |
| 850J056 | Rotating Beacon | \$355 |
| 850J604 | Halogen Work Lights: 2 Front and 1 Rear (Boom Light Fitted ASSTD) | \$320 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 850M649 | Thumb Ready Dipper | \$355 |
| 850M655 | Grading Bucket: 47.2" (1200mm) Wide: No Pivot Pins Supplied | \$1,731 |
| 850M662 | 1 Additional Set Of Pivot pins. | \$160 |
| 850M672 | 600MM GP BUCKET | \$1,241 |
| EXCAVATOR QUICKHITCH | | |
| 850M647 | Mechanical Quick Hitch: for Non Hbcv Machines | \$1,972 |
| 850M741 | HYDRAULIC HITCH: FOR HIGH & LOW AUX WITHOUT HBCV T4 (1 | \$5,566 |
| OTHER OPTIONS | | |
| 850L619 | Cold Climate Kit: HD Battery, Grid Heater and Cold Climate | \$869 |
| 850L664 | Full Radio Kit | \$485 |
| 850L665 | Speaker Kit (excludes Radio) | \$313 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



2023

**JCB Compact Excavator
85Z-2**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

85Z-2 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|-------------------|---|
| ENGINE | JCB by Kohler Tier IV Final KDI 2504 - 60.8 SAE net hp (64.4). rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, control system and diesel-oxygenated catalyst (DOC). |
| HYDRAULICS | A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph. |
| ELECTRICAL | 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard 6'11" dipper 12' 2", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE ISO patterns both available on 85Z-2 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer Boom swing left 50 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit. |
| CAB/CANOPY | Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork. |



85Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|---|------------------|
| 8284 | 85Z-2 Mini Excavator:Primary Build (64.4 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$109,393 |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850C857 | ISO/SAE Control Pattern: High & Low Flow | \$4,833 |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850E863 | American English Language Pack | \$2,044 |
| 850F856 | 83" (2100mm) Dipper: (for High And Low Flow Aux) | \$1,416 |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850H850 | Dozer Float System | \$861 |
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| 850Y850 | Code Needed For High Specification Machines | \$0 |
| | LIST PRICE | \$128,597 |



85Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|---|------------|
| 8284 | 85Z-2 Mini Excavator:Primary Build (64.4 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$109,393 |
| OPERATORS COMPARTMENT | | |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| UNDERCARRIAGE | | |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850B556 | 450mm (18In) Steel Tracks | \$1,203 |
| 850B557 | 18" (450mm) Geogrip Tracks (Bridgestone) | \$11,738 |
| CONTROLS | | |
| 850C857 | ISO/SAE Control Pattern: High & Low Flow | \$4,833 |
| SEATS | | |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850D323 | Heated Fabric Suspension Seat (High Back) | \$932 |
| LANGUAGE PACK | | |
| 850E863 | American English Language Pack | \$2,044 |
| 850E881 | Canadian Language Pack | \$2,044 |
| DIPPER | | |
| 850F856 | 83" (2100mm) Dipper: (for High And Low Flow Aux) | \$1,416 |
| DOZER BLADE | | |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850G853 | 4 Way Dozer (91" (2320mm) Wide):for use with 18" (450mm) Tracks (H+L) | \$4,540 |
| 850H850 | Dozer Float System | \$861 |
| 850H851 | Dozer Float System for 4 Way | \$861 |



85Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | OPERATOR COMPARTMENT OPTIONS | LIST PRICE |
|-------------------------------------|---|------------|
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850Q034 | REAR CAMERA INCREASED ON SCREEN REAR VISABILITY | \$2,407 |
| 850Q071 | LED Light Kit for A/C / FOPS I Build Inc. Cab Front X2/Rear X1/Boom Light X1 & Interior | \$1,446 |
| 850Q074 | Block Heater 110V Includes Cold Climate Kit (Grid Heater And Cc Fluids & Fuel) | \$363 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 850M115 | 18" (460mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,655 |
| 850M116 | 24" (600mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,393 |
| 850M117 | 32" (800mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$2,126 |
| 850M204 | 18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped | \$1,364 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M206 | 36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped | \$1,253 |
| 850M207 | 60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped | \$1,502 |
| 850M273 | 12" (300mm) Heavy Duty Ribbed Bucket: for 1.5" (45mm) Bucket Pins | \$1,418 |
| 850M278 | 72" (1830mm) Ditching Bucket for 1.5" (45mm) Bucket Pins | \$1,724 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| EXCAVATOR QUICKHITCH | | |
| 850M211 | Pivot Pins Kit for use with Quick Hitch (1 additional set) | \$196 |
| 850M271 | Mechanical Quick Hitch for Dipper mounted attachments (pin set not | \$2,505 |
| 850M851 | Pipework for Hydraulic Hitch : for 83" (2100mm) Dipper | \$2,019 |
| 850M862 | HYDRAULIC QUICKHITCH ONLY (LIFT FOR HBCV) NO QUICKHITCH PIPEWORK | \$3,639 |
| 850M863 | HYDRAULIC QUICKHITCH ONLY (NON LIFT) NO QUICKHITCH PIPEWORK | \$3,639 |
| SPECIAL OPTIONS | | |
| 850S001 | 85Z-1 SUNBELT GREEN | \$1,824 |
| 850Y850 | Code Needed For High Specification Machines | \$0 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



2023

**JCB Compact Excavator
50Z-I**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

50Z-1 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|---------------------|--|
| ENGINE | Tier IV Final compliant 48.3 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F. |
| TRANSMISSION | Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 15.75". Ground pressure 4.7 lbs per square inch. Ground clearance 12in. |
| ELECTRICAL | 12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard dipper 12' 7". Servo controls, SAE and ISO patterns both available on 50Z-1 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM on high flow for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics Standard fit. |
| CAB | Meets SAE TOPS/FOPS/FOGS requirements, left side entry Cab equipped with fabric suspension seat and is adjustable forward and aft comes equipped with heater, wiper, front and side opening windows. 50Z-1 is available as ZTS with zero tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment. |



U.S. Dollar Price Page

50Z-I Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|-------------------|--|-----------------|
| 850J | 50Z-I Compact Base Machine | \$65,312 |
| 840A663 | Cab With Air Condition (Toughened Glass) | \$8,676 |
| 840B600 | 15.7" (400mm) Rubber Tracks | \$0 |
| 840C665 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux T4 (for 4 way blade) | \$4,455 |
| 840D603 | Fabric Suspension Seat (High Back) | \$168 |
| 840E820 | American Language Pack: Including Battery Isolator and Travel Alarm | \$2,003 |
| 840F623 | 57" (1570mm) Dipper: for High & Low flow Aux | \$0 |
| 840G602 | 4 Way Dozer Blade: For 57" (400mm) Wide Tracks | \$3,782 |
| 840H658 | Dozer Float: For Machines Without Hydraulic Quick Hitch & 4 Way Blade | \$729 |
| 840J056 | Rotating Beacon | \$258 |
| 840J604 | Halogen Worklights: 2 Front & 1 Rear (Boom Light Fitted As Std) | \$301 |
| 840L564 | Full Radio Kit: | \$453 |
| 840M647 | Mechanical Quick Hitch: For Non Hbcv Machines | \$1,840 |
| 840M649 | Thumb Ready Dipper | \$334 |
| 840M672 | 600MM GP BUCKET | \$831 |
| LIST PRICE | | \$89,142 |



U.S. Dollar Price Page

50Z-I Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 850J | 50Z-I Compact Base Machine | \$65,312 |
| OPERATORS COMPARTMENT | | |
| 840A663 | Cab With Air Condition (Toughened Glass) | \$8,676 |
| 840A675 | CANOPY (NON EU) | \$4,113 |
| UNDERCARRIAGE | | |
| 840B600 | 15.7" (400mm) Rubber Tracks | \$0 |
| CONTROLS | | |
| 840C661 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux T4 (for 2 way blade) | \$4,455 |
| 840C665 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux T4 (for 4 way blade) | \$4,455 |
| SEATS | | |
| 840D600 | Vinyl Suspension Seat (Mid-Back) | \$0 |
| 840D603 | Fabric Suspension Seat (High Back) | \$168 |
| 840D604 | Fabric Air Suspension Heated Seat (High Back) With Headrest | \$798 |
| LANGUAGE PACK | | |
| 840E820 | American Language Pack: Including Battery Isolator and Travel Alarm | \$2,003 |
| DIPPER | | |
| 840F621 | 5'7" (1450mm) Dipper: For High & Low flow Aux | \$0 |
| 840F623 | 57" (1570mm) Dipper: for High & Low flow Aux | \$0 |
| DOZER BLADE | | |
| 840G602 | 4 Way Dozer Blade: For 57" (400mm) Wide Tracks | \$3,782 |
| 840G610 | Standard Dozer Blade | \$0 |



U.S. Dollar Price Page

50Z-1 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | HYDRAULIC CIRCUIT AND PIPEWORK OPTIONS | LIST PRICE |
|-------------------------------------|---|------------|
| 840H603 | Dozer Float: For Machines With Hydraulic Quick Hitch & 2 Wayblade | \$729 |
| 840H606 | Dozer Float: For Machines With Hydraulic Quick Hitch & 4 Way Blade | \$729 |
| 840H658 | Dozer Float: For Machines Without Hydraulic Quick Hitch & 4 Way Blade | \$729 |
| 840H663 | Dozer Float: For Machines Without Hydraulic Quick Hitch & 2 Way Blade | \$729 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 840M649 | Thumb Ready Dipper | \$334 |
| 840M655 | Grading Bucket: 1200Mm Wide: No Pivot Pins Supplied | \$1,726 |
| 840M662 | 1 Additional Set Of Pivot pins | \$149 |
| 840M672 | 600MM GP BUCKET | \$831 |
| EXCAVATOR QUICKHITCH | | |
| 840M647 | Mechanical Quick Hitch: For Non Hbcv Machines | \$1,840 |
| 840M741 | Hydraulic Hitch: For High & Low Flow Aux Without Hbcv T4 (245mm Pin centers) Inc pipework | \$5,540 |
| OTHER OPTIONS | | |
| 840L564 | Full Radio Kit: | \$453 |
| 840L565 | Speaker Kit: Excludes Radio | \$287 |
| 840L604 | Block Heater 110V: Inc Grid Heater & Cold Climate Fluids/Fuel | \$311 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



2023

**JCB Compact Excavator
86C-2**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

86C-2 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|-------------------|---|
| ENGINE | JCB by Kohler Tier IV Final KDI 2504 - 60.8 SAE net hp (64.4). rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, control system and diesel-oxygenated catalyst (DOC). |
| HYDRAULICS | A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs Per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph. |
| ELECTRICAL | 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard 7' 5" dipper 14' 10", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE ISO patterns both available on 86C-2 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer Boom swing left 50 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit. |
| CAB/CANOPY | Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, , Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork. |



86C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|---|------------------|
| 8283 | 86C-2 Mini Excavator:Primary Build (64.4 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$106,509 |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850C858 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850E863 | American English Language Pack | \$2,044 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850H852 | Dozer Floar System for 2 Way | \$861 |
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| 850Y850 | Code Needed For High Specification Machines | \$0 |
| | LIST PRICE | \$125,713 |



86C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|---|------------|
| 8283 | 86C-2 Mini Excavator:Primary Build (64.4 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$106,509 |
| OPERATORS COMPARTMENT | | |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| UNDERCARRIAGE | | |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850B556 | 450mm (18In) Steel Tracks | \$1,203 |
| 850B557 | 18" (450mm) Geogrip Tracks (Bridgestone) | \$11,738 |
| CONTROLS | | |
| 850C858 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| SEATS | | |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850D323 | Heated Fabric Suspension Seat (High Back) | \$932 |
| LANGUAGE PACK | | |
| 850E863 | American English Language Pack | \$2,044 |
| 850E881 | Canadian Language Pack | \$2,044 |
| DIPPER | | |
| 850F851 | 65" (1650mm) Dipper: (for High And Low Flow Aux) | \$1,404 |
| 850F856 | 83" (2100mm) Dipper: (for High And Low Flow Aux) | \$1,416 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| DOZER BLADE | | |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850G854 | 4 Way Dozer (91" (2320mm) Wide):for use with 18" (450mm) Tracks (H+L) | \$4,540 |
| 850H852 | Dozer Floar System for 2 Way | \$861 |
| 850H853 | Dozer Float System for 4 Way | \$861 |



86C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | OPERATOR COMPARTMENT OPTIONS | LIST PRICE |
|-------------------------------------|--|------------|
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850Q034 | REAR CAMERA INCREASED ON SCREEN REAR VISABILITY | \$2,407 |
| 850Q074 | Block Heater 110V Includes Cold Climate Kit (Grid Heater And Cc Fluid | \$363 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 850M115 | 18" (460mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,655 |
| 850M116 | 24" (600mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,393 |
| 850M117 | 32" (800mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$2,126 |
| 850M204 | 18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped | \$1,364 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M206 | 36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped | \$1,253 |
| 850M207 | 60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped | \$1,502 |
| 850M208 | 32" (800mm) Bucket: for 1.5" (45mm) Bucket Pins | \$1,917 |
| 850M273 | 12" (300mm) Heavy Duty Ribbed Bucket: for 1.5" (45mm) Bucket Pins | \$1,418 |
| 850M278 | 72" (1830mm) Ditching Bucket for 1.5" (45mm) Bucket Pins | \$1,724 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| EXCAVATOR QUICKHITCH | | |
| 850M211 | Pivot Pins Kit for use with Quick Hitch (1 additional set) | \$196 |
| 850M271 | Mechanical Quick Hitch for Dipper mounted attachments (pin set not included) | \$2,505 |
| 850M853 | PIPEWORK FOR HYDRAULIC HITCH: FOR 65" (1650MM) DIPPER | \$2,008 |
| 850M854 | Pipework for Hydraulic Hitch: for 83" (2100mm) Dipper | \$2,019 |
| 850M855 | Pipework for Hydraulic Hitch: for 89" (2250mm) Dipper | \$2,019 |
| 850M862 | HYDRAULIC QUICKHITCH ONLY (LIFT FOR HBCV) NO QUICKHITCH PIPEWORK | \$3,639 |
| 850M863 | HYDRAULIC QUICKHITCH ONLY (NON LIFT) NO QUICKHITCH PIPEWORK | \$3,639 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



2023

**JCB Compact Excavator
90Z-2**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

90Z-2 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|-------------------|---|
| ENGINE | JCB by Kohler Tier IV Final KDI 2504 - 70.2 SAE net hp. Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, control system and diesel-oxygenated catalyst (DOC). |
| HYDRAULICS | A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph. |
| ELECTRICAL | 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard 7' 5" dipper 15' 10", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 90-1 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit. |
| CAB/CANOPY | Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, , Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork. |



90Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|---|------------------|
| 8289 | 90Z-2 Mini Excavator:Primary Build (73.8 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$112,127 |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850C859 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850E863 | American English Language Pack | \$2,044 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850H850 | Dozer Float System | \$861 |
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| 850L853 | Travel Alarm Kit | \$0 |
| | LIST PRICE | \$131,331 |



90Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|---|------------|
| 8289 | 90Z-2 Mini Excavator:Primary Build (73.8 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$112,127 |
| OPERATORS COMPARTMENT | | |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| UNDERCARRIAGE | | |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850B556 | 450mm (18In) Steel Tracks | \$1,203 |
| CONTROLS | | |
| 850C859 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| SEATS | | |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850D323 | Heated Fabric Suspension Seat (High Back) | \$932 |
| LANGUAGE PACK | | |
| 850E863 | American English Language Pack | \$2,044 |
| 850E881 | Canadian Language Pack | \$2,044 |
| DIPPER | | |
| 850F851 | 65" (1650mm) Dipper: (for High And Low Flow Aux) | \$1,404 |
| 850F856 | 83" (2100mm) Dipper: (for High And Low Flow Aux) | \$1,416 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| DOZER BLADE | | |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850G853 | 4 Way Dozer (91" (2320mm) Wide):for use with 18" (450mm) Tracks (H+L) | \$4,540 |
| 850H850 | Dozer Float System | \$861 |
| 850H851 | Dozer Float System for 4 Way | \$861 |



90Z-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | OPERATOR COMPARTMENT OPTIONS | LIST PRICE |
|------------------------------|--|------------|
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850Q034 | REAR CAMERA INCREASED ON SCREEN REAR VISABILITY | \$2,407 |
| 850Q071 | LED Light Kit for A/C / FOPS I Build Inc. Cab Front X2/Rear X1/Boom | \$1,446 |
| 850Q074 | Block Heater 110V Includes Cold Climate Kit (Grid Heater And Cc Fluids & Fuel) | \$363 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 850M115 | 18" (460mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,655 |
| 850M116 | 24" (600mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,393 |
| 850M117 | 32" (800mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$2,126 |
| 850M204 | 18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped | \$1,364 |
| 850M205 | 24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped | \$1,482 |
| 850M206 | 36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped | \$1,253 |
| 850M207 | 60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped | \$1,502 |
| 850M208 | 32" (800mm) Bucket: for 1.5" (45mm) Bucket Pins | \$1,917 |
| 850M273 | 12" (300mm) Heavy Duty Ribbed Bucket: for 1.5" (45mm) Bucket Pins | \$1,418 |
| 850M278 | 72" (1830mm) Ditching Bucket for 1.5" (45mm) Bucket Pins | \$1,724 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| EXCAVATOR QUICKHITCH | | |
| 850M211 | Pivot Pins Kit for use with Quick Hitch (1 additional set) | \$196 |
| 850M271 | Mechanical Quick Hitch for Dipper mounted attachments (pin set not included) | \$2,505 |
| 850M853 | PIPEWORK FOR HYDRAULIC HITCH: FOR 65" (1650MM) DIPPER | \$2,008 |
| 850M854 | Pipework for Hydraulic Hitch: for 83" (2100mm) Dipper | \$2,019 |
| 850M855 | Pipework for Hydraulic Hitch: for 89" (2250mm) Dipper | \$2,019 |
| 850M862 | HYDRAULIC QUICKHITCH ONLY (LIFT FOR HBCV) NO | \$3,639 |
| 850M863 | HYDRAULIC QUICKHITCH ONLY (NON LIFT) NO QUICKHITCH | \$3,639 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.



2023

**JCB Compact Excavator
I100C-2**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



U.S. Dollar Price Page

I00C-2 Compact Excavator

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

| | |
|-------------------|---|
| ENGINE | JCB by Kohler Tier IV Final KDI 2504 - 70.2 SAE net hp. Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, control system and diesel-oxygenated catalyst (DOC). |
| HYDRAULICS | A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. |
| TRACKS | Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph. |
| ELECTRICAL | 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors. |
| EXCAVATOR | Maximum dig depth with standard 7' 5" dipper 16' 8", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on I00C-2 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit. |
| CAB/CANOPY | Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, , Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork. |



I00C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s).

If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

| SALES CODE | ITEM | LIST PRICE |
|------------|--|------------|
| 8298 | I00C-2 Mini Excavator:Primary Build (73.8 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$123,314 |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850C865 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850E863 | American English Language Pack | \$2,044 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850H852 | Dozer Floar System for 2 Way | \$861 |
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850M116 | 24" (600mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,393 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| 850Y850 | Code Needed For High Specification Machines | \$0 |

LIST PRICE \$140,006



100C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES CODE | PRIMARY BUILD | LIST PRICE |
|------------------------------|--|------------|
| 8298 | 100C-2 Mini Excavator:Primary Build (73.8 Gross Hp, Kohler Diesel 4 Cylinder Engine) | \$123,314 |
| OPERATORS COMPARTMENT | | |
| 850A851 | Cab with Air Con: with Laminated Glass | \$7,074 |
| UNDERCARRIAGE | | |
| 850B555 | JCB Trackmaster Plus Rubber Track 450mm (18 Inches) | \$0 |
| 850B556 | 450mm (18In) Steel Tracks | \$1,203 |
| 850B557 | 18" (450mm) Geogrip Tracks (Bridgestone) | \$11,738 |
| CONTROLS | | |
| 850C865 | ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux | \$4,833 |
| SEATS | | |
| 850D322 | Fabric Suspension Seat (High Back) | \$464 |
| 850D323 | Heated Fabric Suspension Seat (High Back) | \$932 |
| LANGUAGE PACK | | |
| 850E863 | American English Language Pack | \$2,044 |
| 850E881 | Canadian Language Pack | \$2,044 |
| DIPPER | | |
| 850F856 | 83" (2100mm) Dipper: (for High And Low Flow Aux) | \$1,416 |
| 850F859 | 89" (2250mm) Dipper: (for High & Low Flow Aux) | \$1,416 |
| DOZER BLADE | | |
| 850G850 | Standard Dozer (91" (2320mm) Wide): for use with 18" (450mm) | \$0 |
| 850G856 | 4 Way Dozer (91" (2320mm) Wide):for use with 18" (450mm) Tracks (H+L) | \$4,541 |
| 850H852 | Dozer Floar System for 2 Way | \$861 |
| 850H853 | Dozer Float System for 4 Way | \$861 |



I00C-2 Compact Excavator



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

| SALES CODE | OPERATOR COMPARTMENT OPTIONS | LIST PRICE |
|------------------------------|--|------------|
| 850J056 | Rotating Beacon | \$355 |
| 850J158 | Radio Kit:(Includes Speakers, Radio And Aerial) | \$309 |
| 850Q034 | REAR CAMERA INCREASED ON SCREEN REAR VISABILITY | \$2,407 |
| 850Q074 | Block Heater 110V Includes Cold Climate Kit (Grid Heater And Cc Fluids & Fuel) | \$363 |
| EXCAVATOR AND BUCKET OPTIONS | | |
| 850M115 | 18" (460mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,655 |
| 850M116 | 24" (600mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$1,393 |
| 850M117 | 32" (800mm) Heavy Duty Bucket: for 1.5" (45mm) Bucket Pins | \$2,126 |
| 850M154 | 24" (600MM) DEEP PROFILE BUCKET WITH BOLT ON TEETH | \$2,380 |
| 850M156 | 35" (900MM) DEEP PROFILE BUCKET WITH BOLT ON TEETH | \$2,861 |
| 850M157 | 43" (1100MM) DEEP PROFILE BUCKET WITH BOLT ON TEETH | \$3,052 |
| 850M207 | 60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped | \$1,502 |
| 850M273 | 12" (300mm) Heavy Duty Ribbed Bucket: for 1.5" (45mm) Bucket Pins | \$1,418 |
| 850M278 | 72" (1830mm) Ditching Bucket for 1.5" (45mm) Bucket Pins | \$1,724 |
| 850M890 | Dipper Thumb Bracket | \$366 |
| EXCAVATOR QUICKHITCH | | |
| 850M211 | Pivot Pins Kit for use with Quick Hitch (1 additional set) | \$196 |
| 850M271 | Mechanical Quick Hitch for Dipper mounted attachments (pin set not included) | \$2,505 |
| 850M859 | PIPEWORK FOR HYDRAULIC HITCH: FOR 65" (1650MM) DIPPER | \$1,913 |
| 850M860 | Pipework for Hydraulic Hitch: for 83" (2100mm) Dipper | \$1,981 |
| 850M861 | Pipework for Hydraulic Hitch: for 83" (2100mm) Dipper | \$1,913 |
| 850M862 | HYDRAULIC QUICKHITCH ONLY (LIFT FOR HBCV) NO QUICKHITCH PIPEWORK | \$3,639 |
| 850M863 | HYDRAULIC QUICKHITCH ONLY (NON LIFT) NO QUICKHITCH PIPEWORK | \$3,639 |

** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.