



2023

**JCB Access
Boom Lifts**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates



2023

**JCB Access Boom Lift
AJ48D**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

AJ48D Access Boom Lift

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

STANDARDS	Meets latest legislation updates for ANSI A92 and CSA B354
BOOM	Articulated with three (3) boom sections with separate 6 ft jib. Platform height of 48 ft 4 in. (14.7 m); horizontal outreach of 27 ft 4 in. (8.3 m)
DRIVETRAIN	Powered by Kohler 48HP (36 kW) KD111903TCR, Tier 4F diesel engine. 4WD and 2WS is standard; hydraulic drive motors used on each wheel.
CHASSIS	Slew rotation 355 degrees; stowed gradeability 40% slope
BASE DISPLAY	7 in. touch screen that shows detailed weight management system, fuel level, engine RPM and machine information including service and maintenance details. Emergency override function control.
PLATFORM	Standard with of 6 ft wide with single entry, full size gate. Capacity 551 lbs (250 kg), rated for 2 persons. Basket rotation of 160 degrees. Crush protection standard.
CONTROLS	Foot pedal standard to engage boom and drive functions; proportional joysticks control main boom, slew and drive functions with switches for secondary boom functions.
ELECTRICAL	Travel and lowering alarms standard. 12v system. 110 volt power to platform outlet
TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 years full coverage warranty, 5 year structural (see the machine warranty certificate for details).



AJ48D Access Boom Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Section following.

SALES CODE	ITEM	LIST PRICE
B021	JCB AJ48D Boom Lift	\$161,702
565A103	North America Build: ANSI A92.2 Standard	\$0
565B115	Operator Manual - English	\$0
565C101	Kohler 48 HP (36KW) T4F Engine	\$0
565D101	Standard 6 ft (1.8 m) Platform	\$0
565E101	Solid Tires	\$0

LIST PRICE \$161,702



AJ48D Access Boom Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
B021	JCB AJ48D Boom Lift	\$161,702
REGION		
565A103	North America Build: ANSI A92.2 Standard	\$0
LANGUAGE PACK		
565B115	Operator Manual - English	\$0
565B117	Operator Manual - Spanish	\$0
POWER SOURCE		
565C101	Kohler 48 HP (36KW) T4F Engine	\$0
PLATFORM		
565D101	Standard 6 ft (1.8 m) Platform	\$0
TIRES		
565E101	Solid Tires	\$0
565E106	Turf Tires	\$1,478
OPTIONS		
565G102	3kW Generator	\$6,300
565J102	Console Cover	\$123
565J103	Work Lights	\$921



2023

**JCB Access Scissor Lift
Price Pages - All Models**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



2023

**JCB Access Scissor Lift
SI930E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

SI930E Access Scissor Lift

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

CHASSIS

Dual wheel multi-disk brakes. Non-marking tires. Pothole protection. Rear recessed charger and power to platform receptacles. Full drive motor protection. Descent and tilt alarm. Dual flashing beacons with protective guard. Proportional drive.

PLATFORM

Proportional lift. 3ft deck extension with automotive style foot pedal. 110v-AC power to platform. Multiple lanyard attachment points. Full access gate with toe board. Electronic horn. Folding rails with quick release pins. Proportional controls with removeable cradle.

STANDARDS

Meets latest legislation updates for ANSI A92 and CSA B354. Minimum guard rail height of 43.5". Machine load sensing to prevent operation in the event of an overload. Wind speed and side load force testing; machine tilt sensors; pothole protection.

ELECTRICAL

Four 6 volt, 225 Ah Deep Cycle Plus Series Trojan batteries. GPE charger. Charger is IP66 rated.

STANDARD EQUIPMENT

- Foldable Rails
- 110v Power to Platform
- 3 ft Extension Platform
- Full Entry Gate
- Forklift Pockets - End
- Removeable Control Cradle
- Non-Marking Tires



S1930E Access Scissor Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	2021	LIST PRICE
A022	JCB S1930E Electric Scissor Lift	\$23,237
REGION		
561A003	North American Region	\$0
LANGUAGE PACK		
561B015	English (US) Language Pack	\$0
561B016	French (Canada) Language Pack	\$0
561B017	Spanish (US) Language Pack	\$0
ELECTRICAL REQUIREMENT		
561C004	110V US/ Canada Plugs and Sockets	\$0
OPTIONS		
561L001	LiveLink Lite Telematics (including 5-year subscription)	\$1,274
561R002	No JCB Decals, Safety and Model Decals Fitted, Customer Decals Req.	\$0



2023

**JCB Access Scissor Lift
S2632E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



S2632E Access Scissor Lift

Effective: Jan 1, 2023



STANDARD EQUIPMENT

CHASSIS

Dual wheel multi-disk brakes. Non-marking tires. Pothole protection. Rear recessed charger and power to platform receptacles. Full drive motor protection. Descent and tilt alarm. Dual flashing beacons with protective guard. Proportional drive.

PLATFORM

Proportional lift. 3ft deck extension with automotive style foot pedal. 110v-AC power to platform. Multiple lanyard attachment points. Full access gate with toe board. Electronic horn. Folding rails with quick release pins. Proportional controls with removeable cradle.

STANDARDS

Meets latest legislation updates for ANSI A92 and CSA B354. Minimum guard rail height of 43.5". Machine load sensing to prevent operation in the event of an overload. Wind speed and side load force testing; machine tilt sensors; pothole protection.

ELECTRICAL

Four 6 volt, 225 Ah Deep Cycle Plus Series Trojan batteries. GPE charger. Charger is IP66 rated.

STANDARD EQUIPMENT

- Foldable Rails
- 110v Power to Platform
- 3 ft Extension Platform
- Full Entry Gate
- Forklift Pockets - End
- Removeable Control Cradle
- Non-Marking Tires



S2632E Access Scissor Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	2021	LIST PRICE
A024	JCB S2632E Electric Scissor Lift	\$31,890
REGION		
561A003	North American Region	\$0
LANGUAGE PACK		
561B015	English (US) Language Pack	\$0
561B016	French (Canada) Language Pack	\$0
561B017	Spanish (US) Language Pack	\$0
ELECTRICAL REQUIREMENT		
561C004	110V US/ Canada Plugs and Sockets	\$0
OPTIONS		
561L001	LiveLink Lite Telematics (including 5-year subscription)	\$1,274
561R002	No JCB Decals, Safety and Model Decals Fitted, Customer Decals Req.	\$0



2023

**JCB Access Scissor Lift
S3246E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



S3246E Access Scissor Lift



STANDARD EQUIPMENT

CHASSIS

Dual wheel multi-disk brakes. Non-marking tires. Pothole protection. Rear recessed charger and power to platform receptacles. Full drive motor protection. Descent and tilt alarm. Dual flashing beacons with protective guard. Proportional drive.

PLATFORM

Proportional lift. 3ft deck extension with automotive style foot pedal. 110v-AC power to platform. Multiple lanyard attachment points. Full access gate with toe board. Electronic horn. Folding rails with quick release pins. Proportional controls with removeable cradle.

STANDARDS

Meets latest legislation updates for ANSI A92 and CSA B354. Minimum guard rail height of 43.5". Machine load sensing to prevent operation in the event of an overload. Wind speed and side load force testing; machine tilt sensors; pothole protection.

ELECTRICAL

Four 6 volt, 225 Ah Deep Cycle Plus Series Trojan batteries. GPE charger. Charger is IP66 rated.

STANDARD EQUIPMENT

- Foldable Rails
- 110v Power to Platform
- 3 ft Extension Platform
- Full Entry Gate
- Forklift Pockets - End
- Removeable Control Cradle
- Non-Marking Tires



S3246E Access Scissor Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	2021	LIST PRICE
A027	JCB S3246E Electric Scissor Lift	\$42,690
REGION		
560A003	North American Region	\$0
LANGUAGE PACK		
560B015	English (US) Language Pack	\$0
560B016	French (Canada) Language Pack	\$0
560B017	Spanish (US) Language Pack	\$0
ELECTRICAL REQUIREMENT		
560C004	110V US/ Canada Plugs and Sockets	\$0
OPTIONS		
561L001	LiveLink Lite Telematics (including 5-year subscription)	\$1,274
561R002	No JCB Decals, Safety and Model Decals Fitted, Customer Decals Req.	\$0



2023

**JCB Access Scissor Lift
S4046E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

S4046E Access Scissor Lift

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

CHASSIS

Dual wheel multi-disk brakes. Non-marking tires. Pothole protection. Rear recessed charger and power to platform receptacles. Full drive motor protection. Descent and tilt alarm. Dual flashing beacons with protective guard. Proportional drive.

PLATFORM

Proportional lift. 3ft deck extension with automotive style foot pedal. 110v-AC power to platform. Multiple lanyard attachment points. Full access gate with toe board. Electronic horn. Folding rails with quick release pins. Proportional controls with removeable cradle.

STANDARDS

Meets latest legislation updates for ANSI A92 and CSA B354. Minimum guard rail height of 43.5". Machine load sensing to prevent operation in the event of an overload. Wind speed and side load force testing; machine tilt sensors; pothole protection.

ELECTRICAL

Four 6 volt, 225 Ah Deep Cycle Plus Series Trojan batteries. GPE charger. Charger is IP66 rated.

STANDARD EQUIPMENT

- Foldable Rails
- 110v Power to Platform
- 3 ft Extension Platform
- Full Entry Gate
- Forklift Pockets - End
- Removeable Control Cradle
- Non-Marking Tires



S4046E Access Scissor Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	2021	LIST PRICE
A028	JCB S4046E Electric Scissor Lift	\$57,250
REGION		
561A003	North American Region	\$0
LANGUAGE PACK		
561B015	English (US) Language Pack	\$0
561B016	French (Canada) Language Pack	\$0
561B017	Spanish (US) Language Pack	\$0
ELECTRICAL REQUIREMENT		
561C004	110V US/ Canada Plugs and Sockets	\$0
OPTIONS		
561L001	LiveLink Lite Telematics (including 5-year subscription)	\$1,274
561R001	No JCB Decals, Safety and Model Decals Fitted	\$0



2021

**JCB Access Scissor Lift
S4550E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

S4550E Access Scissor Lift

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

CHASSIS

Dual wheel multi-disk brakes. Non-marking tires. Pothole protection. Rear recessed charger and power to platform receptacles. Full drive motor protection. Descent and tilt alarm. Dual flashing beacons with protective guard. Proportional drive.

PLATFORM

Proportional lift. 3ft deck extension with automotive style foot pedal. 110v-AC power to platform. Multiple lanyard attachment points. Full access gate with toe board. Electronic horn. Folding rails with quick release pins. Proportional controls with removeable cradle.

STANDARDS

Meets latest legislation updates for ANSI A92 and CSA B354. Minimum guard rail height of 43.5". Machine load sensing to prevent operation in the event of an overload. Wind speed and side load force testing; machine tilt sensors; pothole protection.

ELECTRICAL

Four 6 volt, 225 Ah Deep Cycle Plus Series Trojan batteries. GPE charger. Charger is IP66 rated.

STANDARD EQUIPMENT

- Foldable Rails
- 110v Power to Platform
- 3 ft Extension Platform
- Full Entry Gate
- Forklift Pockets - End
- Removeable Control Cradle
- Non-Marking Tires



S4550E Access Scissor Lift



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
A029	JCB S4550E Electric Scissor Lift	\$64,357
REGION		
560A003	North American Region	\$0
LANGUAGE PACK		
560B015	English (US) Language Pack	\$0
560B016	French (Canada) Language Pack	\$0
560B017	Spanish (US) Language Pack	\$0
ELECTRICAL REQUIREMENT		
560C004	110V US/ Canada Plugs and Sockets	\$0
OPTIONS		
561L001	LiveLink Lite Telematics (including 5-year subscription)	\$1,274
561R002	No JCB Decals, Safety and Model Decals Fitted, Customer Decals Req.	\$0