



2023

**JCB Compact Track Loader
215T
New Generation**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



215T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	2.5L (151.4CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator; 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Travel Speeds of 0 to 5.6 mph in both forward and reverse. Standard Creep speed provides operation from 0 - 1/2 of full speed for special applications. An optional two speed transmission is available providing a low range of 0 - 5.6 mph and a high range of 0 - 7.8 mph.
RUBBER TRACKS	Fitted with 12.6" (320mm) wide tracks provide a machine with of 66" and a ground bearing pressure of 6.5 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Vinyl seat with seatbelt and operator restraint interlock for drive and loader functions. Cab units are pressurized and available with heat or heat and A/C, sliding left window and full side door. Right Hand glass as standard on canopy and cabs. LiveLink standard.
HYDRAULICS	18.5gpm @ 3335psi standard flow. Optional 30gpm @ 3335psi available.



215T Compact Track Loader



STANDARD EQUIPMENT CONT.**LOADER**

Rated Operating Capacity of 2050 lbs, Vertical Lift Loader Design provides vertical lift path and increased reach at full lift vs. Radial Lift Designs. Auxiliary circuit is standard for operation of hydraulic powered attachments. Choice of Standard Mechanical or Optional Powered Quick Hitch. Hydraulic Float standard on all models. Loader Options include: Parallel Lift in raise only and SRS (smooth ride system), left hand auxiliary pipework.

SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components. Rear door provides class leading access to engine bay and daily maintenance and check points.



U.S. Dollar Price Page

215T Compact Track Loader

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	CAB	LIST PRICE
SA54	JCB 215T TIER 4 TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$64,697
881A222	12.6" (320 MM) WIDE RUBBER TRACK SET - 4 ROLLER (PROVIDES 66" WIDTH)	\$0
881B421	CAB, TRACKED, HEAT & AC FOR 4-CYL W/OPTIONS (SP T4/S5 3.2)	\$7,178
881C208	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS	\$2,212
881D300	NO BUCKET OPTION	\$0
881E418	NORTH AMERICAN ENGLISH MANUAL - FOR CAB MACHINE	\$0
881F217	HIGH FLOW HYDRAULICS VL- 30 GPM (REQUIRES 7 WAY MULTI-FUNCTION JOYSTICK OPTION)	\$1,439
881G281	2 SPEED - TRACKED	\$2,055
881G305	BLOCK HEATER - 110V KOHLER ENGINE	\$184
881G415	VINYL AIR SUSPENSION SEAT WITH ADJUSTABLE CONTROL PODS	\$840
881G418	REVERSING FAN	\$1,149
881G423	PARALLEL LIFT AND SMOOTH RIDE 215, 215T WITH HIGH FLOW	\$2,049
881G426	POWERED QUICK HITCH	\$1,071

LIST PRICE

\$82,872



U.S. Dollar Price Page

215T Compact Track Loader

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
SA54	JCB 215T TIER 4 TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$64,697
TRACKS		
881A222	12.6" (320 MM) WIDE RUBBER TRACK SET - 4 ROLLER (PROVIDES 66" WIDTH)	\$0
OPERATORS COMPARTMENT		
Canopy Packages		
881B422	CANOPY, TRACKED, HEAT & AC FOR 4-CYL W/OPTIONS (SP T4/S5 3.2)	\$1,416
Cab with Heater and A/C Packages		
881B421	CAB, TRACKED, HEAT & AC FOR 4-CYL W/OPTIONS (SP T4/S5 3.2)	\$7,178
MACHINE CONTROLS		
881C208	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS	\$2,212



215T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	LANGUAGE PACK	LIST PRICE
881E417	SPANISH EXPORT (AMERICAN) MANUAL	\$0
881E418	NORTH AMERICAN ENGLISH MANUAL - FOR CAB MACHINE	\$0
881E419	NORTH AMERICAN ENGLISH MANUAL - FOR CANOPY MACHINE	\$0
881E420	FRENCH/CANADIAN MANUAL	\$0
HYDRAULIC SYSTEMS		
881F217	HIGH FLOW HYDRAULICS VL- 30 GPM (REQUIRES 7 WAY MULTI-FUNCTION JOYSTICK OPTION)	\$1,439
881F222	STANDARD AUXILIARY HYDRAULICS - 18 GPM AT 3335 PSI (68 LPM /230 BAR)	\$0
MACHINE OPTIONS		
ELECTRICAL OPTIONS		
881G110	FRONT WORK LIGHT PROTECTION (LEVEL 2 FOPS REQUIRED)	\$344
881G119	WORKLIGHTS FRONT,A/C,JCB	\$223
881G231	ROTATING BEACON AND SOCKET	\$192
881G305	BLOCK HEATER - 110V KOHLER ENGINE	\$184
881G413	ROADLIGHT KIT WITH BRAKE LIGHTS FOR A/C MACHINES RIGHT HAND DIP	\$1,206
881G428	LED WORKLIGHT WITH 2 REAR LIGHTS FOR NON A/C MACHINES	\$441
881G429	LED WORKLIGHTS WITH 2 REAR LIGHTS FOR AC MACHINES	\$441
881G433	ROADLIGHT KIT WITH BRAKELIGHTS WITHOUT A/C SP T4/S5	\$1,206
881G434	SP REAR VIEW CAMERA 3.2	\$544
881G444	ENGINE HOUR METER	\$187
LOADER OPTIONS		
881G422	PARALLEL LIFT AND SMOOTH RIDE 215, 215T	\$2,049
881G423	PARALLEL LIFT AND SMOOTH RIDE 215, 215T WITH HIGH FLOW	\$2,049
881G426	POWERED QUICK HITCH	\$1,071
OPERATOR COMPARTMENT OPTIONS		
881G174	RIGHT HAND MESH TO REPLACE GLASS AS STANDARD	\$219
881G211	KEY START/ KEY IMMOBILIZER - ALL MACHINE CONFIGURATIONS	\$549
881G415	VINYL AIR SUSPENSION SEAT WITH ADJUSTABLE CONTROL PODS	\$840
881G416	CLOTH AIR SUSPENSION SEAT WITH ADJUSTABLE CONTROL PODS	\$951



215T Compact Track Loader



U.S. Dollar Price Page

, VINYL SEAT, REVERSE ALARM, HYDRAULIC LOA

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

OTHER OPTIONS		
88IG281	2 SPEED - TRACKED	\$2,055
88IG308	PRE-CLEANER T4	\$635
88IG399	SPARK ARRESTOR MUFFLER - 4 CYL 55 KW ENGINES (210,215,210T,215T)	\$315
88IG418	REVERSING FAN	\$1,149
Impact Protection/Guards		
88IG113	A/C FOPS GUARD WITH SIDE PROTECTION (LEVEL 2 FOPS GUARD REQUIRED)	\$1,241
88IG122	FRONT SCREEN GUARD FOR CAB	\$899
88IG177	IMPACT PROTECTION, FOR CANOPY BUILDS - FRONT LAMINATED GLASS WITHOUT WIPER T4/S5	\$731
88IG178	IMPACT PROTECTION - LEXAN SCREEN - FOR CANOPY OR CAB BUILDS	\$2,315
88IG182	ENCLOSED CAB ADDITIONAL PROTECTION PACKAGE. INCLUDES LEVEL 2 FOPS GUARD AND LEFT HAND AND RIGHT HAND STEEL MESH TO PROVIDE PROTECTION OVER LAMINATED CAB GLASS.	\$4,017
88IG191	ENCLOSED CANOPY PROTECTION PACKAGE T4/S5 INCLUDES LEVEL 2 FOPS GUARD, LEFT HAND AND RIGHT HAND SCREEN MESH PROTECTIVE STRUCTURES	\$4,017
88IG267	HEAVY DUTY REAR BARS - PROTECTIVE BARS FOR ADVERSE APPLICATIONS (AS A STAND ALONE OPTION)	\$1,514
88IG410	LAMINATE GLASS TO REPLACE TEMPERED AS STANDARD ON CAB BUILDS	\$169
APPLICATION PACKAGES		
88IG420	AGRI PACKAGE BUILD - TRACKED (INCLUDES: RADIO, HEATED VINYL SUSPENSION SEAT, BLOCK HEATER 2 SPEED, QUICKHITCH, SRS, FOOT THROTTLE, PARALLEL LIFT, ISO & DUAL PATTERN CHANGE OVER)	\$6,118



215T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	GP BUCKETS	LIST PRICE
881D300	NO BUCKET OPTION	\$0
881D400	GP BUCKET-72IN/1829MM, 15.4 CU- FT/.44 CU-M CAPACITY- WITH BOCE	\$2,342
LANDSCAPE BUCKETS		
881D401	LANDSCAPE BUCKET 72IN/1829 MM WIDTH/19.2 CU- FT/.54CU-M CAPAC ITY	\$2,361



2023

**JCB Compact Track Loader
270T
New Generation**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	4.4L (268CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator; 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Travel Speeds of 0 to 5.7 mph in both forward and reverse. Standard Creep speed provides operation from 0 - 1/2 of full speed for special applications. An optional two speed transmission is available providing a low range of 0 - 5.7 mph and a high range of 0 - 7.8 mph.
RUBBER TRACKS	Fitted with 17.7" wide tracks provide a machine with of 78" and a ground bearing pressure of 4.6 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Vinyl seat with seatbelt and operator restraint interlock for drive and loader functions. Cab units are pressurized and available with heat or heat and A/C, sliding left window and full side door. Right Hand glass as standard on canopy and cabs. LiveLink standard.
HYDRAULICS	24gpm @ 3335psi standard flow. Optional 33gpm @ 3335psi available.



270T Compact Track Loader



STANDARD EQUIPMENT CONT.**LOADER**

Rated Operating Capacity of 2750 lbs, Vertical Lift Loader Design provides vertical lift path and increased reach at full lift vs. Radial Lift Designs. Auxiliary circuit is standard for operation of hydraulic powered attachments. Choice of Standard Mechanical or Optional Powered Quick Hitch. Hydraulic Float standard on all models. Loader Options include: Parallel Lift in raise only and SRS (smooth ride system), left hand auxiliary pipework.

SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components. Rear door provides class leading access to engine bay and daily maintenance and check points.



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

SALES CODE	CAB	LIST PRICE
S976	JCB 270T TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$68,676
881A322	17.7" (450 MM) WIDE SOLIDEAL RUBBER TRACKS - PROVIDES AN OVERALL MACHINE WIDTH OF 78"	\$1,098
881B431	CAB, TRACKED, HEAT & AC -W/OPTIONS (LP T4 3.2)	\$7,351
881C314	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTIC	\$2,212
881D300	NO BUCKET OPTION	\$0
881E118	NORTH AMERICAN ENGLISH MANUAL - FOR CAB	\$0
881F318	HIGH FLOW HYDRAULICS - 33GPM AT 3335 PSI (135 LPM/230 BAR)(REQUIRES 7 WAY MULTI-FUNCTION	\$1,684
881G025	ENGINE BLOCK HEATER - 110V	\$186
881G150	2 SPEED - TRACKED MACHINES	\$2,074
881G153	PARALLEL LIFT AND SMOOTH RIDE 270, 270T	\$2,077
881G156	REVERSING FAN T4/S5	\$1,149
881G158	VINYL AIR SUSPENSION SEAT	\$841
LIST PRICE		\$87,348



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
S976	JCB 270T TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$68,676
TRACKS		
881A322	17.7" (450 MM) WIDE SOLIDEAL RUBBER TRACKS - PROVIDES AN OVERALL MACHINE WIDTH OF 78"	\$1,098
881A326	400 MM WIDE SOLIDEAL RUBBER TRACKS	\$567
OPERATORS COMPARTMENT		
Canopy Packages		
881B432	CANOPY, TRACKED, HEAT & AC -W/OPT IONS (LP T4 3.2)	\$1,668
Cab with Heater and A/C Packages		
881B431	CAB, TRACKED, HEAT & AC -W/OPT IONS (LP T4 3.2)	\$7,351
MACHINE CONTROLS		
881C314	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS	\$2,212



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, withing limitations if infidicated.

SALES CODE	LANGUAGE PACK	LIST PRICE
881E117	SPANISH EXPORT (AMERICAN) MANUAL	\$0
881E118	NORTH AMERICAN ENGLISH MANUAL - FOR CAB MACHINE	\$0
881E119	NORTH AMERICAN ENGLISH MANUAL - FOR CANOPY MACHINE	\$0
881E120	FRENCH/U.S. MANUAL	\$0
HYDRAULIC SYSTEMS		
881F318	HIGH FLOW HYDRAULICS - 33GPM AT 3335 PSI (135 LPM/230 BAR)(REQUIRES 7 WAY MULTI-FUNCTION JOYSTICK OPTION 881C312)	\$1,684
881F320	STANDARD AUXILIARY HYDRAULICS - 24GPM AT 3335 PSI (87.1 LPM /230 BAR)	\$0
MACHINE OPTIONS		
Electrical Options		
881G025	ENGINE BLOCK HEATER - 110V	\$186
881G031	ROTATING BEACON AND SOCKET	\$192
881G119	WORKLIGHTS FRONT,A/C,JCB	\$223
881G151	ROADLIGHT KIT WITH BRAKE LIGHTS FOR A/C MACHINES	\$1,216
881G161	ROADLIGHT KIT WITH BRAKE LIGHTS FOR NON A/C MACHINES	\$1,216
881G185	LED WORKLIGHTS WITH 2 REAR LIGHTS FOR NON A/C MACHINES T4S5	\$441
881G186	LED WORKLIGHTS WITH 2 REAR LIGHTS FOR NON A/C MACHINES T4S5	\$441
881G193	LP REAR VIEW CAMERA 3.2	\$544
Loader Options		
881G112	LOADER HYDRAULIC HOSE GUARD AND AUXILIARY COUPLER GUARD	\$427
881G153	PARALLEL LIFT AND SMOOTH RIDE 270, 270T	\$2,077
881G155	POWERED QUICK HITCH	\$1,097
Operators Compartment Options		
881G011	KEY START/ KEY IMMOBILIZER- ALL MACHINE CONFIGURATIONS	\$550
881G158	VINYL AIR SUSPENSION SEAT	\$841
881G159	CLOTH AIR SUSPENSION SEAT	\$951



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

Other Options		
88IG108	PRE-CLEANER FOR ADVERSE APPLICATIONS	\$490
88IG150	2 SPEED - TRACKED MACHINES	\$2,074
88IG156	REVERSING FAN T4/S5	\$1,149
88IG170	SPARK ARRESTOR MUFFLER	\$329
Impact Protection/Guards		
88IG070	HEAVY DUTY REAR BARS FOR ADVERSE APPLICATIONS	\$1,890
88IG110	FRONT WORK LIGHT PROTECTION (LEVEL 2 FOPS REQUIRED)	\$344
88IG113	A/C FOPS GUARD WITH SIDE PROTECTION (LEVEL 2 FOPS GUARD REQUIRED)	\$1,241
88IG114	TRACK TUBE GUARD	\$559
88IG122	FRONT SCREEN GUARD FOR CAB	\$899
88IG152	LAMINATE GLASS TO REPLACE TEMPERED GLASS AS STANDARD ON CAB BUILDS ONLY - TIER 4	\$170
88IG174	RIGHT HAND MESH TO REPLACE GLASS AS STANDARD	\$219
88IG177	IMPACT PROTECTION, FOR CANOPY BUILDS - FRONT LAMINATED GLASS WITHOUT WIPER T4/S5	\$731
88IG178	IMPACT PROTECTION - LEXAN SCREEN - FOR CANOPY OR CAB BUILDS	\$2,315
88IG191	ENCLOSED CANOPY PROTECTION PACKAGE T4/S5 INCLUDES LEVEL 2 FOPS GUARD, LEFT HAND AND RIGHT HAND SCREEN MESH PROTECTIVE STRUCTURES	\$4,017
88IG410	LAMINATE GLASS TO REPLACE TEMPERED AS STANDARD ON CAB BUILDS	\$169
APPLICATION PACKAGES		
88IG165	AGRI PACKAGE BUILD - TRACKED (INCLUDES: RADIO, HEATED VINYL SUSPENSION SEAT, BLOCK HEATER 2 SPEED, QUICKHITCH, FOOT THROTTLE, ISO & DUAL PATTERN CHANGE OVER)	\$6,070
88IG182	ENCLOSED CAB ADDITIONAL PROTECTION PACKAGE. INCLUDES LEVEL 2 FOPS GUARD AND LEFT HAND AND RIGHT HAND STEEL MESH TO PROVIDE PROTECTION OVER LAMINATED CAB GLASS.	\$4,017



270T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	GP BUCKETS	LIST PRICE
881D300	NO BUCKET OPTION	\$0
881D402	GP BUCKET-78IN/1981MM/6.7 CU-F T/.47 CU-M CAPACITY-WITH BOCE	\$2,526
LANDSCAPE BUCKETS		
881D403	LANDSCAPE BUCKET-78IN/1981MM WIDTH/20.9 CU-FT/.59 CU-M CAPA CITY-WITH BOCE	\$2,552



2023

**JCB Compact Track Loader
300T
New Generation**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

300T Compact Track Loader

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	4.4L (268CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator; 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Travel Speeds of 0 to 5.7 mph in both forward and reverse. Standard Creep speed provides operation from 0 - 1/2 of full speed for special applications. An optional two speed transmission is available providing a low range of 0 - 4.8 mph and a high range of 0 - 7.8 mph.
RUBBER TRACKS	Fitted with 17.7" wide tracks provide a machine with of 78" and a ground bearing pressure of 4.8 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Mechanical vinyl suspension seat with seatbelt and operator restraint interlock for drive and loader functions. Cab units are pressurized and available with heat and A/C, sliding left window and full side door. Right Hand glass as standard on canopy and cabs. LiveLink standard.
HYDRAULICS	24gpm @ 3335psi standard flow. Optional 33gpm @ 3335psi available.



U.S. Dollar Price Page

300T Compact Track Loader

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

LOADER

Rated Operating Capacity of 3000 lbs, Vertical Lift Loader Design provides vertical lift path and increased reach at full lift vs. Radial Lift Designs. Auxiliary circuit is standard for operation of hydraulic powered attachments. Choice of Standard Mechanical or Optional Powered Quick Hitch. Hydraulic Float standard on all models. Loader Options include: Parallel Lift in raise only and SRS (smooth ride system), left hand auxiliary pipework.

SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components. Rear door provides class leading access to engine bay and daily maintenance and check points.



300T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	CAB	LIST PRICE
S984	JCB 300T TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$79,263
88IA322	17.7" (450 MM) WIDE SOLIDEAL RUBBER TRACKS - PROVIDES AN OVERALL MACHINE WIDTH OF 78"	\$1,098
88IB431	CAB, TRACKED, HEAT & AC -W/OPTIONS (LP T4 3.2)	\$7,351
88IC314	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICK	\$2,212
88ID300	NO BUCKET OPTION	\$0
88IE118	NORTH AMERICAN ENGLISH MANUAL - FOR CAB MACHINE	\$0
88IF322	HIGH FLOW HYDRAULICS - 33GPM AT 3335 PSI (135 LPM/230 BAR)(REQUIRES 7 WAY MULTI-FUNCTION JOYSTICK OPTION 88IC312)	\$1,684
88IG025	ENGINE BLOCK HEATER - 110V	\$186
88IG139	CAST IRON COUNTER WEIGHT BUMPER FOR INCREASED ROC ON 300T (CREATES 320T)	\$1,591
88IG150	2 SPEED - TRACKED MACHINES	\$2,074
88IG154	PARALLEL LIFT AND SMOOTH RIDE 300, 300T	\$2,077
88IG155	POWERED QUICK HITCH	\$1,097
88IG157	REVERSING FAN - GLOBAL T4/S5	\$1,422
88IG158	VINYL AIR SUSPENSION SEAT	\$841
LIST PRICE		\$100,897



300T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
S984	JCB 300T TRACKED, VERTICAL LIFT, NEW GENERATION, COMPACT TRACKED LOADER	\$79,263
TRACKS		
881A322	17.7" (450 MM) WIDE SOLIDEAL RUBBER TRACKS - PROVIDES AN OVERALL MACHINE WIDTH OF 78"	\$1,098
881A326	400 MM WIDE SOLIDEAL RUBBER TRACKS	\$567
OPERATORS COMPARTMENT		
Canopy Packages		
881B432	CANOPY, TRACKED, HEAT & AC -W/OPT IONS (LP T4 3.2)	\$1,668
Cab with Heater and A/C Packages		
881B431	CAB, TRACKED, HEAT & AC -W/OPT IONS (LP T4 3.2)	\$7,351
MACHINE CONTROLS		
881C314	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS	\$2,212



300T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	LANGUAGE PACK	LIST PRICE
881E117	SPANISH EXPORT (AMERICAN) MANUAL	\$0
881E118	NORTH AMERICAN ENGLISH MANUAL - FOR CAB MACHINE	\$0
881E119	NORTH AMERICAN ENGLISH MANUAL - FOR CANOPY MACHINE	\$0
881E120	FRENCH/U.S. MANUAL	\$0
HYDRAULIC SYSTEMS		
881F321	STANDARD AUXILIARY HYDRAULICS - 24GPM AT 3335 PSI (87.1 LPM /230 BAR)	\$0
881F322	HIGH FLOW HYDRAULICS - 33GPM AT 3335 PSI (135 LPM/230 BAR)(REQUIRES 7 WAY MULTI-FUNCTION JOYSTICK OPTION 881C312)	\$1,684
MACHINE OPTIONS		
Electrical Options		
881G025	ENGINE BLOCK HEATER - 110V	\$186
881G031	ROTATING BEACON AND SOCKET	\$192
881G110	FRONT WORK LIGHT PROTECTION (LEVEL 2 FOPS REQUIRED)	\$344
881G119	WORKLIGHTS FRONT,A/C,JCB	\$223
881G151	ROADLIGHT KIT WITH BRAKE LIGHTS FOR A/C MACHINES	\$1,216
881G161	ROADLIGHT KIT WITH BRAKE LIGHTS FOR NON A/C MACHINES	\$1,216
881G185	LED WORKLIGHTS WITH 2 REAR LIGHTS FOR NON A/C MACHINES T4S5	\$441
881G186	LED WORKLIGHTS WITH 2 REAR LIGHTS FOR NON A/C MACHINES T4S5	\$441
881G193	LP REAR VIEW CAMERA 3.2	\$544
Loader Options		
881G154	PARALLEL LIFT AND SMOOTH RIDE 300, 300T	\$2,077
881G155	POWERED QUICK HITCH	\$1,097
Operators Compartment Options		
881G011	KEY START/ KEY IMMOBILIZER- ALL MACHINE CONFIGURATIONS	\$550
881G158	VINYL AIR SUSPENSION SEAT	\$841
881G159	CLOTH AIR SUSPENSION SEAT	\$951
Other Options		
881G108	PRE-CLEANER FOR ADVERSE APPLICATIONS	\$490
881G139	CAST IRON COUNTER WEIGHT BUMPER FOR INCREASED ROC ON 300T (CREATES 320T)	\$1,591
881G150	2 SPEED - TRACKED MACHINES	\$2,074
881G157	REVERSING FAN - GLOBAL T4/S5	\$1,422
881G170	SPARK ARRESTOR MUFFLER	\$329



300T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

MACHINE OPTIONS CONT.

Impact Protection/Guards

88IG070	HEAVY DUTY REAR BARS FOR ADVERSE APPLICATIONS	\$1,890
88IG112	LOADER HYDRAULIC HOSE GUARD AND AUXILIARY COUPLER GUARD	\$427
88IG113	A/C FOPS GUARD WITH SIDE PROTECTION (LEVEL 2 FOPS GUARD REQUIRED)	\$1,241
88IG114	TRACK TUBE GUARD	\$559
88IG122	FRONT SCREEN GUARD FOR CAB	\$899
88IG152	LAMINATE GLASS TO REPLACE TEMPERED GLASS AS STANDARD ON CAB BUILDS ONLY - TIER 4	\$170
88IG174	RIGHT HAND MESH TO REPLACE GLASS AS STANDARD	\$219
88IG177	IMPACT PROTECTION, FOR CANOPY BUILDS - FRONT LAMINATED GLASS WITHOUT WIPER T4/S5	\$731
88IG178	IMPACT PROTECTION - LEXAN SCREEN - FOR CANOPY OR CAB BUILDS	\$2,315
88IG410	LAMINATE GLASS TO REPLACE TEMPERED AS STANDARD ON CAB BUILDS	\$169

APPLICATION PACKAGES

88IG182	ENCLOSED CAB ADDITIONAL PROTECTION PACKAGE. INCLUDES LEVEL 2 FOPS GUARD AND LEFT HAND AND RIGHT HAND STEEL MESH TO PROVIDE PROTECTION OVER LAMINATED CAB GLASS.	\$4,017
88IG191	ENCLOSED CANOPY PROTECTION PACKAGE T4/S5 INCLUDES LEVEL 2 FOPS GUARD, LEFT HAND AND RIGHT HAND SCREEN MESH PROTECTIVE STRUCTURES	\$4,017



300T Compact Track Loader



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	GP BUCKETS	LIST PRICE
881D300	NO BUCKET OPTION	\$0
881D402	GP BUCKET-78IN/1981MM/6.7 CU-F T/.47 CU-M CAPACITY-WITH BOCE	\$2,526
LANDSCAPE BUCKETS		
881D403	LANDSCAPE BUCKET-78IN/1981MM WIDTH/20.9 CU-FT/.59 CU-M CAPA CITY-WITH BOCE	\$2,552



2023

**JCB Teleskid
2TS-7T
Compact Track Loader**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	2.5L (151.4CID) 74 SAE Gross hp, Kohler KDI 3504 TCR engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator, 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Standard two (2) speed transmission is provides a low range of 0 - 4.8 mph and a high range of 0 - 7.8 mph in both forward and reverse. Standard Creep speed provides operation from 0 to 1/2 of full speed for special applications.
RUBBER TRACKS	FiFitted with 12.6" (320mm) wide tracks provide a machine with of 66" and a ground bearing pressure of 7.0 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Units are equipped with a heated air suspension seat with adjustable arm pods, an operator restraint interlock for drive and loader functions, enclosed Heated Cab with Air Conditionioing and sliding window in left door. Right Hand glass standard on all units. LiveLink standard on all units.
HYDRAULICS	18 gpm @ 3335psi standard flow. Optional 29 gpm @ 3335psi available.
LOADER	Rated Operating Capacity of 2096 lbs, Radial Lift Loader Design provides a radial lift path, and with a two stage telescopic boom, a hinge pin height of 144" (12') and 84" (7') of forward reach. Auxiliary hydraulic circuit and high flow are standard for operation of hydraulic powered attachments. All machines are equipped with: Automatic Attachment Leveling System, Smooth Ride System (SRS), a Sealed Electric Power Quick Hitch and Hydraulic Float.



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components.

The bucket tilt (crowd) cylinder has been repositioned inside the boom, thereby allowing the cab to be tilted for service access without raising the boom. Rear door provides access to engine bay and daily maintenance and check points.



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each category below. Select Attachments from Section 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	LIST PRICE
S759	JCB 2TS-7T TELESKID	\$77,917
88IA222	12.6" (320 MM) WIDE RUBBER TRACK SET - 3 ROLLER (PROVIDES 66" WIDTH)	\$0
88IB420	CAB, TRACKED, HEAT & AC W/OPTIONS (SP TS T4/S5 3.2)	\$8,017
88IC209	JCB CONTROLS WITH 7 WAY JOYSTICK SPTS	\$2,345
88ID300	NO FACTORY FIT ATTACHMENT OPTION. SEE LIST OF AVAILABLE BUCKETS AND PALLET FORKS TO COMPLETE MACHINE BUILD.	\$0
88IE561	SMALL PLATFORM TELESKID TRACK CAB NA STD FEATURES	\$8,724
88IF221	HIGH FLOW SMALL PLATFORM TELESKID	\$1,525
LIST PRICE		\$98,528



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
S759	JCB 2TS-7T TELESKID	\$77,917
TRACKS		
881A222	12.6" (320 MM) WIDE RUBBER TRACK SET - 3 ROLLER (PROVIDES 66"	\$0
OPERATORS COMPARTMENT		
CANOPY PACKAGES		
881B400	CANOPY, TRACKED W/OPTIONS (SP TS T4/S5 3.2)	\$2,864
CAB PACKAGES		
881B420	CAB, TRACKED, HEAT & AC W/OPTIONS (SP TS T4/S5 3.2)	\$8,017
MACHINE CONTROLS		
881C209	JCB CONTROLS WITH 7 WAY JOYSTICK SPTS	\$2,345
EQUIPMENT PACKAGES		
881E561	SMALL PLATFORM TELESKID TRACK CAB NA STD FEATURES	\$8,724
881E565	SMALL PLATFORM TELESKID CANOPY	\$2,680
HYDROLIC SYSTEM		
881F221	HIGH FLOW SMALL PLATFORM TELESKID	\$1,525



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	CARRIAGES	LIST PRICE
GP Buckets		
881D300	NO FACTORY FIT ATTACHMENT OPTION. SEE LIST OF AVAILABLE BUCKETS AND PALLET FORKS TO COMPLETE MACHINE BUILD.	\$0
881D400	GP BUCKET-72IN/1829MM, 15.4 CU- FT/.44 CU-M CAPACITY-WITH	\$2,342
Landscape Buckets		
881D401	LANDSCAPE BUCKET 72IN/1829 MM WIDTH/19.2 CU-FT/.54CU-M CAPAC ITY	\$0



2023

**JCB Teleskid
3TS-8T
Compact Track Loader**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

3TS-8T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	4.4L (268CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator, 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Standard two (2) speed transmission is provides a low range of 0 - 6.8 mph and a high range of 0 - 7.8 mph in both forward and reverse. Standard Creep speed provides operation from 0 to 1/2 of full speed for special applications.
RUBBER TRACKS	Fitted with 17.7" wide tracks provide a machine width of 78" and a ground bearing pressure of 5.0 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Units are equipped with a heated air suspension seat with adjustable arm pods, an operator restraint interlock for drive and loader functions, enclosed Heated Cab with Air Conditioning and sliding window in left door. Right Hand glass standard on all units. LiveLink standard on all units.
HYDRAULICS	24gpm @ 3335psi standard flow and 33gpm @ 3335psi on standard equipment.
LOADER	Rated Operating Capacity of 3600 lbs, Radial Lift Loader Design provides a radial lift path, and with a two stage telescopic boom, a hinge pin height of 159" (13'-3") and 96" (8') of forward reach. Auxiliary hydraulic circuit and high flow are standard for operation of hydraulic powered attachments. All machines are equipped with: Automatic Attachment Leveling System, Smooth Ride System (SRS), a Sealed Electric Power Quick Hitch and Hydraulic Float.



U.S. Dollar Price Page

3TS-8T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components.

The bucket tilt (crowd) cylinder has been repositioned inside the boom, thereby allowing the cab to be tilted for service access without raising the boom. Rear door provides access to engine bay and daily maintenance and check points.



U.S. Dollar Price Page

3TS-8T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each category below. Select Attachments from Section 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	LIST PRICE
S982	JCB 3TS-8T TIER 4 TRACKED, TELESKID TELESCOPIC COMPACT TRACK LOADER	\$94,908
881A325	17.7" (450 MM) WIDE CAMSO RUBBER TRACKS - PROVIDES A MACHINE WIDTH OF 77.1" FOR TELESKID 3TS-8T	\$1,189
881B427	CAB, TRACKED, HEAT & AC W/OPTIONS (LP TS T4/S5 3.2)	\$8,352
881C315	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS FOR 3TS-8T & W TELESKID TELESCOPIC SSL & CTL	\$2,345
881D300	NO FACTORY FIT ATTACHMENT OPTION. SEE LIST OF AVAILABLE BUCKETS AND PALLET FORKS TO COMPLETE MACHINE BUILD.	\$0
881E802	3TS-8T TRACKED TELESKID VALUE PACKAGE - INCLUDES FOOT THROTTLE, SMOOTH RIDE SYSTEM (SRS), ATTACHMENT LEVELING SYSTEM, POWER QUICK HITCH, 2 SPEED. DUAL PATTERN CONTROLS, REVERSING FAN, ISO/H PATTERN, FENDER KIT, RADIO /SPEAKERS, BLOCK HEATER AND AMERICAN LANGUAGE PACK	\$9,385
881F319	DUAL STANDARD AUXILIARY & HIGH FLOW HYDRAULIC SYSTEM FOR 3TS-8T & W TELESKID SSL & CTL	\$1,826
LIST PRICE		\$118,004



U.S. Dollar Price Page

2TS-7T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
S982	JCB 3TS-8T TIER 4 TRACKED, TELESKID TELESCOPIC COMPACT TRACK LOADER	\$94,908
	TRACKS	
881A325	17.7" (450 MM) WIDE CAMSO RUBBER TRACKS - PROVIDES A	\$1,189
	OPERATORS COMPARTMENT	
	CANOPY PACKAGES	
881B428	CANOPY, TRACKED W/OPTIONS (LP TSK T4/S5 3.2)	\$3,254
	CAB PACKAGES	
881B427	CAB, TRACKED, HEAT & AC W/OPTIONS (LP TS T4/S5 3.2)	\$8,352
	MACHINE CONTROLS	
881C315	JCB EH CONTROLS - 7 WAY MULTI-FUNCTION JOYSTICKS WITH AUXILIARY HYDRAULICS & ATTACHMENT HARNESS. REQUIRED WITH HIGH FLOW HYDRAULICS FOR 3TS-8T & W TELESKID TELESCOPIC SSL & CTL	\$2,345
	EQUIPMENT PACKAGES	
881E802	3TS-8T TRACKED TELESKID VALUE PACKAGE - INCLUDES FOOT THROTTLE, SMOOTH RIDE SYSTEM (SRS), ATTACHMENT LEVELING	\$9,385
881E822	TRACKED TELESKID CANOPY FEATURES	\$8,560
	HYDROLIC SYSTEM	
881F319	DUAL STANDARD AUXILIARY & HIGH FLOW HYDRAULIC SYSTEM FOR 3TS-8T & W TELESKID SSL & CTL	\$1,826



U.S. Dollar Price Page

3TS-8T Teleskid

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	CARRIAGES	LIST PRICE
No Bucket		
881D300	NO FACTORY FIT ATTACHMENT OPTION. SEE LIST OF AVAILABLE BUCKETS AND PALLET FORKS TO COMPLETE MACHINE BUILD.	\$0
GP Buckets		
881D402	GP BUCKET-78IN/1981MM/6.7 CU-F T/.47 CU-M CAPACITY- WITH BOCE	\$2,526
Landscape Buckets		
881D403	LANDSCAPE BUCKET-78IN/1981MM WIDTH/20.9 CU-FT/.59 CU-M	\$2,552