

## CONTRACT

# State of Oklahoma

## Dispatch via Print

**Supplier** 0000524073  
THE BOSTON CONSULTING GROUP INC  
2501 N HARWOOD ST STE 2200  
DALLAS TX 75201-1614  
USA

<b>Contract ID</b> 0000000000000000000000006617			Page 1 of 2	
<b>Contract Dates</b> 08/18/2022 to 03/31/2028		<b>Currency</b> USD	<b>Rate Type</b> CRRNT	<b>Rate Date</b> PO Date
<b>Description:</b> SW1050BCG DBITS			<b>Contract Maximum</b> 0.00	
<b>Allow Open Item Reference</b>				
<b>TYPE: STATEWIDE</b>				

Tax Exempt? Y      Tax Exempt ID:736017987

**Contract Lines:**

Line #	Cat CD / Item ID / Item Desc	UOM	Minimum Order		Maximum / Open	
			Qty	Amt	Qty	Amt
1	80101507 / IT Technology Assessment, Planning, & Procurement Assistance	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001
2	80101608 / Project Management	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001
3	81141902 / Application Development and Maintenance, Support and Training Planning	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001
4	80101507 / Independent Verification and Validation (IV&V) and Quality Assurance (QA)	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001
5	60101725 / Technology Upgrade/Migration Transformation	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001
6	43232314 / Business Intelligence and Data Warehouse	EA	1.00	0.00	0.00	0.00
	Contract Base Pricing			0.00000	EA	0001

COMMENTS:

SW1050 Deliverable Bases IT Services (DBITS).

Initial Contract Period: (to include Renewal Options) 03/31/2023 - 03/31/2024.

Agreement Period: 3/31/23 - 3/31/28

### Optional Renewal Terms

1. 3/31/24 -3/31/25
2. 3/31/25 -3/31/26
3. 3/31/26 -3/31/27
4. 3/31/27 -3/31/28

Initial Contract agreement: 08/18/2022 - 8/17/2023

Supplier Contact:

Final = The price is final after adjustments  
Hard = Apply adjustments regardless of other adjustments  
Skip = Skip adjustments if any other adjustments have been applied

**Authorized Signature**

Lara Moore

Lara Moore (Mar 27, 2024 11:46 CDT)

Lara Moore (Mar 27, 2024 11:46 CDT)