

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

## SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-29M	M2 PRL-29M (EFF:MY26 ORDERS)		
<b>Data Version</b>			
DRL-013	SPECPRO21 DATA RELEASE VER 013		
<b>Vehicle Configuration</b>			
001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450
004-226	2026 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING		
003-001	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
AA1-002	TRUCK CONFIGURATION		
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-027	EPA EMISSIONS CERTIFICATION FOR REGISTRATION IN EPA OR ACT STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)		
AF2-998	NONE		
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-006	HEAVY EQUIPMENT COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		



**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
<b>Truck Service</b>			
AA3-005	FLATBED/PLATFORM/STAKE BODY		
* AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION CUSTOMER WILL USE LOCAL BODY COMPANY		
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		
<b>Engine</b>			
101-3BM	CUM L9 270 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	640	30
<b>Electronic Parameters</b>			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
<b>Engine Equipment</b>			
99C-024	EPA 2010/GHG 2024 CONFIGURATION		
PNV-998	NO CARB24 SURCHARGE		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10	
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2	

**Prepared for:**  
 OKLAHOMA STATE OF  
 2401 N Lincoln  
 Oklahoma City, OK 73105  
 Phone: 405-521-2479

**Prepared by:**  
 Jane Kirton  
 PREMIER TRUCK GROUP OF  
 OKLAHOMA CITY  
 5301 I-40 WEST  
 OKLAHOMA CITY, OK 73128  
 Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20	
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE		
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-001	STANDARD EXHAUST SYSTEM LENGTH		
237-052	RH STANDARD HORIZONTAL TAILPIPE		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-998	NO MUFFLER/TAIPIPE SHIELD	-10	
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
120-998	NO COOLANT FILTER	-10	
266-101	900 SQUARE INCH ALUMINUM RADIATOR	15	
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

#### Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
---------	---	-----	----

#### Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
84N-011	NEUTRAL AT STOP ENABLED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS		
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15	
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

#### Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE

#### Front Suspension

620-002	12,000# FLAT LEAF FRONT SUSPENSION	210
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION	
410-998	NO FRONT SHOCK ABSORBERS	-30

#### Rear Axle and Equipment

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
420-1C8	DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR AXLE		
421-478	4.78 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-093	RPL10 MERITOR SERVICE-FREE MAIN DRIVELINE WITH HALF ROUND (16T) YOKES	-20	-20
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
<b>Rear Suspension</b>			
622-1MG	21,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		100
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
<b>Pusher / Tag Equipment</b>			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
<b>Brake System</b>			
018-002	AIR BRAKE PACKAGE		
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		

Prepared for:  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

Prepared by:  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-008	BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK, PETCOCKS ALL OTHERS		

#### Trailer Connections

481-998	NO TRAILER AIR HOSE
476-998	NO AIR HOSE HANGER
919-063	(1) QUICKFIT PROGRAMMABLE SOLENOID W/STATE RETENTION PLUMBED TO BACK OF CAB
310-998	NO TRAILER ELECTRICAL CABLE

#### Wheelbase & Frame

545-435	4350MM (171 INCH) WHEELBASE		
546-099	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6MM/0.281X10.06 INCH) 120KSI	-60	-10
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 105.71 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 102.71 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 273.23 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 56.0 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 79.16 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		

#### Chassis Equipment

556-1CU	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS, SPACED 3 INCHES FORWARD	40
---------	---	----

**Prepared for:**  
 OKLAHOMA STATE OF  
 2401 N Lincoln  
 Oklahoma City, OK 73105  
 Phone: 405-521-2479

**Prepared by:**  
 Jane Kirton  
 PREMIER TRUCK GROUP OF  
 OKLAHOMA CITY  
 5301 I-40 WEST  
 OKLAHOMA CITY, OK 73128  
 Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE		
585-998	NO MUDFLAP BRACKETS		
590-998	NO REAR MUDFLAPS		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE		
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
<b>Fifth Wheel</b>			
578-998	NO FIFTH WHEEL		
<b>Fuel Tanks</b>			
204-195	60 GALLON/227 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	30	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H7	DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	5	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>			
093-2G9	BRIDGESTONE ECOPIA R268 11R22.5 14 PLY RADIAL FRONT TIRES	12	
094-14F	BRIDGESTONE R213 ECOPIA 11R22.5 14 PLY RADIAL REAR TIRES		12
<b>Hubs</b>			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>			



**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
502-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS	-8	
505-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		-16
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
678-001	LH AND RH GRAB HANDLES		
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
690-002	TUNNEL/FIREWALL LINER		
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4	
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		

Prepared for:  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

Prepared by:  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
<b>Cab Interior</b>			
055-019	RUGGED TRIM PACKAGE		
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-025	(1) 12V DASH MOUNTED POWER OUTLET		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-029	M2/SD DASH		
720-003	5 LB. FIRE EXTINGUISHER	10	
714-001	FIRST AID KIT	2	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-1B3	STANDARD LED CAB LIGHTING		
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2	
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-004	KEY QUANTITY OF 4		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
740-998	NO MATTRESS	-20	-15

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-1AK	BLACK VINYL DRIVER SEAT COVER		
761-1AK	BLACK VINYL PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

#### Instruments & Controls

*	4CH-002	2 EXTRA PROGRAMMABLE SWITCHES/INDICATORS \$B5A5000ZZ,B5C5002ZZ	
	106-002	ELECTRONIC ACCELERATOR CONTROL	
	732-998	NO INSTRUMENT PANEL-DRIVER	
	734-024	INTEGRATED UPPER & LOWER STORAGE PANELS	
	87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK	
	870-002	BRIGHT ARGENT FINISH GAUGE BEZELS	
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE	
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS	
	721-001	97 DB BACKUP ALARM	3
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES	

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

	Data Code	Description	Weight Front	Weight Rear
N	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
	157-004	MANUAL REMOTE ENGINE STOP/START		
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
	844-001	2 INCH ELECTRIC FUEL GAUGE		
	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS		
	48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS		
	48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP		
	163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
	33A-051	PRE-WIRE; DASH TO ROOF FOR LIGHTBAR/STROBE/BEACON: TWO 30AMP WIRES & TWELVE 10AMP WIRES		
	736-998	NO OBSTACLE DETECTION SYSTEM		
	72J-998	NO DR ASSIST SYSTEM		
	49B-006	ELECTRONIC STABILITY CONTROL,4X2 W/SAFETY MIN BODY WEIGHT EXCEEDS 4,000LBS REQ		
	73B-998	NO LANE DEPARTURE WARNING SYSTEM		
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
	679-998	NO OVERHEAD INSTRUMENT PANEL		
	35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10	
	1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE		

**Prepared for:**  
 OKLAHOMA STATE OF  
 2401 N Lincoln  
 Oklahoma City, OK 73105  
 Phone: 405-521-2479

**Prepared by:**  
 Jane Kirton  
 PREMIER TRUCK GROUP OF  
 OKLAHOMA CITY  
 5301 I-40 WEST  
 OKLAHOMA CITY, OK 73128  
 Phone: 405-945-3577

	Data Code	Description	Weight Front	Weight Rear
N	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
	747-001	DASH MOUNTED RADIO		
	750-002	(2) RADIO SPEAKERS IN CAB		
	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2	
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
	75W-998	NO MULTIBAND ANTENNA		
	78C-998	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA		
	74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	817-001	STANDARD VEHICLE SPEED SENSOR		
	812-001	ELECTRONIC 3000 RPM TACHOMETER		
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
	8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
	8DE-998	NO ASE DATA SVCE EXTENSION		
	RDE-998	NO EXTENSIONS		
	6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	329-111	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, CAPPED		
	4C1-026	HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
	4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
	883-998	NO TRAILER HAND CONTROL BRAKE VALVE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Data Code	Description	Weight Front	Weight Rear
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

#### Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

#### Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
963-003	STANDARD E COAT/UNDERCOATING

#### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

#### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED
--------------------------------------

### TOTAL VEHICLE SUMMARY

#### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	6859 lbs	3594 lbs	10453 lbs

**Prepared for:**  
OKLAHOMA STATE OF  
2401 N Lincoln  
Oklahoma City, OK 73105  
Phone: 405-521-2479

**Prepared by:**  
Jane Kirton  
PREMIER TRUCK GROUP OF  
OKLAHOMA CITY  
5301 I-40 WEST  
OKLAHOMA CITY, OK 73128  
Phone: 405-945-3577

Total Weight <sup>+</sup>	6859 lbs	3594 lbs	10453 lbs
---------------------------	----------	----------	-----------

### Extended Warranty

WAG-075 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING  
COVERAGE \$750 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.