



IMPLEMENTS TABLE OF CONTENTS

IMPLEMENT COMPATIBILITY CHART	1
LOADER MODELS	
100C	3
200C	5
250TLA2/260TLA2/250TLA1/260TLA1/250TLA/140TLA/140TLA2	7
235TL	23
BACKHOE MODELS	
905GBL / 910GBL / 915GBH / 925GBH / 935GBH	27
BLADE (FRONT MOUNT) MODELS	
60RBHB / 60CBHA / 72CBHA	52
SNOW BLOWER MODELS	
FRONT-MOUNT 836GS / 50RSHB / 63CSHB / 74CSHA / 74CSHB	65
ROTARY FINISH MOWER MODELS: MID-MOUNT	
160GMS / 266WMM / 266BMM / 372BMM	87
722GMS / 372GMS Current Inventory Only	99
ROTARY FINISH MOWER MODELS: REAR	
310GM - 60" / 320GM - 72" / 330GM - 90"	103
700 SERIES ROTARY CUTTER MODELS: VALUE	
714 / 716 / 717 Current Inventory Only	105
700 SERIES ROTARY CUTTER MODELS: MEDIUM DUTY	
736 / 737 / 738 Current Inventory Only	108
700 SERIES ROTARY CUTTER MODELS: HEAVY DUTY	
757 / 758 Current Inventory Only	110
700 SERIES ROTARY CUTTER MODELS: HEAVY DUTY-PULL TYPE	
780 Current Inventory Only	112
TILLER M MODELS	
105A 60"/72" Current Inventory Only	115
WORK EZ™ EZ MATCH™ QUICK HITCH Current Inventory Only	117



**IMPLEMENTS
TABLE OF CONTENTS**

Work EZ™ SERIES LIGHT DUTY BOX BLADES
EZ48BL / EZ60BL Current Inventory Only 119

Work EZ™ SERIES STANDARD DUTY BOX BLADES
60BM / 72BM / 84BM Current Inventory Only 121

Work EZ™ SERIES LIGHT & MEDIUM DUTY REAR BLADES
EZ60SM / EZ72SM / EZ84SM Current Inventory Only 123

Work EZ™ SERIES HEAVY & HEAVY DUTY PLUS REAR BLADES
84SH / 96SH Current Inventory Only 125

Work EZ™ DISK HARROW
EZ78DC Current Inventory Only 127

Work EZ™ SERIES LANDSCAPE RAKES
EZ72LR Current Inventory Only 129

Work EZ™ BALE CARRIERS
Bale Carriers / Bale Spear Current Inventory Only 131

Work EZ™ HAY SPEARS
Single Bale Quick Attach / Double Bale Quick Attach Current Inventory Only 132

IMPLEMENT COMPATIBILITY CHART

Boomer 24	235TL Loader	915GBH Backhoe	260GMS Mid Mount Mower	836GS Snow Blower	526GR Broom	60CBH Blade
235TL Loader		C	C	LC	LC	LC
915GBH Backhoe	C		LC	NC	LC	LC
260GMS Mid Mount Mower	C	LC		NC	NC	NC
836GS Snow Blower	LC	NC	NC		QC	QC
526GR Broom	LC	LC	NC	QC		QC
60CBH Blade	LC	LC	NC	QC	QC	
Boomer 33/37 (T4B)	250TLA1 Loader	925GBH 935GBH Backhoe	366GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
250TLA1 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 41/47 (T4B)	260TLA1 Loader	925GBH 935GBH Backhoe	372GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
260TLA1 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
372GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 35/40 (T4B)	250TLA2 Loader	925GBH 935GBH Backhoe	366GMS Mid Mount Mower (ROPS Only) NEW 266BMM (ROPS ONLY)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
250TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Mount Mower (ROPS Only) NEW 266BMM (ROPS ONLY)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 45/50/55 (T4B)	260TLA2 Loader	925GBH 935GBH Backhoe	372GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
260TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	NC	NC
372GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	NC	NC	QC		QC
72CBHA Blade	LC	NC	NC	QC	QC	
Boomer 46D/54D (T4B)	250TL IV250TLA (New Axle) Loader	925GBH 935GBH Backhoe	272GMS Mid Mount Mower	74CSHB Snow Blower	72COBA Broom	72CBHA Blade
250TL IV250TLA (New Axle) Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		LC	NC	LC	LC
272GMS Mid Mount Mower	C	LC		NC	NC	NC
74CSHB Snow Blower	LC	NC	NC		QC	QC
72COBA Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Workmaster 25S	100LC Loader	905GBL Backhoe	160 Mid Mount Mower	50RSHB Snow Blower	60COBB Broom	60RBHB Blade
100LC Loader		C	C	LC	LC	LC
905GBL Backhoe	C		C	LC	LC	LC
160GMS Mid Mount Mower	C	C		NC	NC	NC
50RSHB Snow Blower	LC	LC	NC		QC	QC
60COBB Broom	LC	LC	NC	QC		QC
60RBHB Blade	LC	LC	NC	QC	QC	
Workmaster 25 (T4B)	200LC Loader	910GBL Backhoe	266WMM Mid Deck	63CSHB Snow Blower	72COBB Broom	72CBH Blade
200LC Loader		C	C	LC	TBD	TBD
910GBL Backhoe	C		NC	NC	NC	NC
266WMM Mid Deck	C	NC		NC	NC	NC
63CSHB Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	NC	NC	NC	QC		QC
72CBH Blade	NC	NC	NC	QC	QC	
Workmaster 33/37 (T4B)	140TL Loader	925GBH 935GBH Backhoe	366GMS Mid Deck	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBH Blade
140TL Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Deck	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBH Blade	LC	LC	NC	QC	QC	
Workmaster 35/40 (T4B)	140TLA2 Loader	925GBH 935GBH Backhoe	366GMS Mid Deck NEW 266BMM (HST ONLY)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBH Blade
140TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Deck NEW 266BMM (HST ONLY)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBH Blade	LC	LC	NC	QC	QC	

Legend C- Compatible NC- Not Compatible *LC- Limited Compatibility QC- Quick Connect
 *LC- Attachment mount brackets are compatible, the attachment itself is NC. I.e.: The implement must be removed in order to attach the other implement. However, both implements mounting brackets can stay on the tractor
 QC- These attachments share a common quick connector and cannot be used at the same time

**100LC LOADER FOR WM25S SUBCOMPACT (ONLY)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- WORKMASTER™ 25S (ONLY)

NOTE:

- Important Compatibility Information
- 100LC now features a SSL QA 50 inch bucket
 - A configured model 100LC is ONLY compatible with the WORKMASTER 25S Subcompact tractor
 - To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

- Lift Capacity to Maximum Height
- @ Bucket Pivot Pins (lbs.): 1005
 - @ 500mm forward (lbs.): 693
- Lift Capacity to 1500 mm Height
- @ Bucket Pivot Pins (lbs.): 1142
 - @ 500mm forward (lbs.): 823

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2078
- @ 500mm forward (lbs.): 1426

- Max Lift Height @ Pivot Pin (in.): 72
Clearance w/Bucket Dumped (in.): 51
Reach at Maximum Height (in.): 23.4
Maximum Dump Angle (deg.): 46
Maximum Rollback Angle (deg.): 28
Digging Depth (in.): 4.6
Height in Carry Position (in.): 41.5

Bucket Size and Capacity

- Width: 50 Inch
- Capacity (cu. ft.)
Struck: 5.3
Heaped: 7.4

Cycle Times (sec)

- Raise: 3.6
- Lower: 2.1
- Bucket Dump: 2.3
- Bucket Rollback: 1.5

Approx. Weight w/ Bucket (lbs.): 363

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 100LC DOES NOT come with mid mount valve, couplers or joystick as these items are standard on the WORKMASTER™ 25S

WARRANTY

New Holland Standard Warranty Applies

100LC LOADER FOR WM25S SUBCOMPACT (ONLY)
US PRICE LIST

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
LC100	100LC	511 LB		\$4,444.00

**200LC LOADER FOR WM25 (ONLY)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- WORKMASTER™ 25 (ONLY)

NOTE:**Important Compatibility Information**

- A configured model 200LC is ONLY compatible with the WORKMASTER 25 compact tractor. It is NOT compatible with WORKMASTER 33/37 (T4B) or WORKMASTER 35/40 (T4B) compact tractors
- To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:**Lift Capacity to Maximum Height**

- @ Bucket Pivot Pins (lbs.): 1600
- @ 500mm forward (lbs.): 1214

Lift Capacity to 1500 mm Height

- @ Bucket Pivot Pins (lbs.): 1955
- @ 500mm forward (lbs.): 1508

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2637
- @ 500mm forward (lbs.): 1926

Max Lift Height @ Pivot Pin (in.): 94.3

Clearance w/Bucket Dumped (in.): 64.3

Reach at Maximum Height (in.): 18.2

Maximum Dump Angle (deg.): 52

Maximum Rollback Angle (deg.): 41

Digging Depth (in.): 4.3

Height in Carry Position (in.): 51.3

Bucket, Type Size and Capacity

- Quick Attach Design
- Width: 66 Inch
- Capacity (cu. ft.)
 - Struck: 9.5
 - Heaped: 14.5

Cycle Times (sec)

- Raise: 3.1
- Lower: 2.0
- Bucket Dump: 1.7
- Bucket Rollback: 2.7

Approx. Weight w/ Bucket (lbs.): 1819

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 200LC comes with a mid mount valve and couplers.

WARRANTY

New Holland Standard Warranty Applies

200LC LOADER FOR WM25 (ONLY)
US PRICE LIST

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
LC200	200LC	1,124 LB		\$5,443.00

**250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- Boomer™ 35/40 ROPS (T4B ONLY)
 - Boomer™ 40 Cab (T4B ONLY)

NOTE:**Important Compatibility Information**

- A configured model 250TLA2 is NOT compatible with other model tractors:
Boomer™ 3040/3045/3050, 30/40
Tier 3 or 33/37 Tier 4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications: (PRELIMINARY)

Max lift height (to bucket pivot pin):

- 104 in / 2642 mm

Max lift height (under level bucket):

- 98 in / 2489 mm

Clearance with bucket dumped:

- 77 in / 1956 mm

Reach at max lift height:

- 48 in / 1219 mm

Max dump angle: 48 °

Reach with bucket on ground:

- 78 in / 1981 mm

Bucket roll back angle: 30 °

Digging depth:

- 6.8 in / 173 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 1822 (lbs.) / 826 (kg)
- @ 500 mm forward, max height:
 - 1354 (lbs.) / 614 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2176 (lbs.) / 987 (kg)
- @ 500 mm forward, 1500 mm height:
 - 1686 (lbs.) / 765 (kg)

Breakout force:

- @ bucket pivot pin:
 - 3257 (lbs.) / 1477 (kg)
- @ 500 mm forward:
 - 2444 (lbs.) / 1109 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 250TLA2 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 35/40 T4B tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies

250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
250TLA2 T4B 35/40	550941121	800 LB		\$8,408.00

**250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config			No Charge
		X0331XX	BMR 40 Cab Fast Pick Fast Pick 250TLA2 Loader for Boomer 40 Cab (T4B) Package Contains: - Base 250TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 68" Quick Attach bucket			(\$167.00)

SD_T6072 FRONT END LOADER

		464431	250TLA2 Front End Loader 250TLA2 Loader for: - Boomer 35 T4B Rops - Boomer 40 T4B Rops or Cab			No Charge
--	--	--------	---	--	--	-----------

**250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST****Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
	713762016	Cls 2 Mounting & Hardware Kit CONVERSION KIT. This kit allows a 250TLA1 loader (727099016 Rops / 727099026 Cab) for BOOMER 33/37 tractors to be used on BOOMER 35/40 T4B Rops and Cab tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	265 LB		\$949.00

**260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

Current New Holland Compact Models:

- Boomer™ 45/50/55 ROPS(T4B ONLY)
- Boomer™ 45/50/55 Cab (T4B ONLY)

NOTE:

Important Compatibility Information

- A configured model 260TLA2 is NOT compatible with other model tractors: Boomer™ 40/50 Tier 3 or 41/47 T4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Breakout force:

- @ bucket pivot pin:
 - 4081 (lbs.) / 1851 (kg)
- @ 500 mm forward:
 - 3191 (lbs.) / 1447 (kg)

Loader Specifications: (PRELIMINARY)

Max lift height (to bucket pivot pin):

- 109 in / 2769 mm

Max lift height (under level bucket):

- 103 in / 2616 mm

Clearance with bucket dumped:

- 80 in / 2032 mm

Reach at max lift height:

- 58 in / 1473 mm

Max dump angle: 56 °

Reach with bucket on ground:

- 86 in / 2184 mm

Bucket roll back angle: 28 °

Digging depth:

- 6.3 in / 160 mm

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 72 in / 1829 mm

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 260TLA2 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 45/50/55 tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies

Lift capacity:

- @ bucket pivot pin, max height:
 - 2371 (lbs.) / 1076 (kg)
- @ 500 mm forward, max height:
 - 1849 (lbs.) / 839 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2828 (lbs.) / 1283 (kg)
- @ 500 mm forward, 1500 mm height:
 - 2256 (lbs.) / 1023 (kg)

260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
260TLA2 T4B 45/50/55	550941122	800 LB		\$8,737.00

**260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config			No Charge
		X0333XX	BMR 50 Cab Fast Pick Fast Pick 260TLA2 Loader for Boomer 50 Cab (T4B) Package Contains: - Base 260TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 72" Quick Attach bucket			(\$172.00)
		X0332XX	BMR 50 ROPS Fast Pick Fast Pick 260TLA2 Loader for Boomer 50 ROPS (T4B) Package Contains: - Base 260TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 72" Quick Attach bucket			(\$172.00)

SD_T6072 FRONT END LOADER

		464432	260TLA2 Front End Loader 260TLA2 Loader for: - Boomer 45 T4B Rops or Cab - Boomer 50 T4B Rops or Cab - Boomer 55 T4B Rops or Cab			No Charge
--	--	--------	---	--	--	-----------

**250TLA1 FARM LOADER BOOMER 33/37 (T4B)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- Boomer™ 33/37 ROPS (T4B)
 - Boomer™ 37 Cab (T4B)

NOTE:**Important Compatibility Information**

- A configured model 250TLA1 is NOT compatible with other model tractors:
Boomer™ 3040/3045/3050, 30/40 T3
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications:

Max lift height (to bucket pivot pin):

- 104 in / 2642 mm

Max lift height (under level bucket):

- 98 in / 2489 mm

Clearance with bucket dumped:

- 77 in / 1956 mm

Reach at max lift height:

- 48 in / 1219 mm

Max dump angle: 48 °

Reach with bucket on ground:

- 78 in / 1981 mm

Bucket roll back angle: 30 °

Digging depth:

- 6.8 in / 173 mm

Lift capacity:

@ bucket pivot pin, max height:

- 1822 (lbs.) / 826 (kg)

@ 500 mm forward, max height:

- 1354 (lbs.) / 614 (kg)

@ bucket pivot pin, 1500 mm height:

- 2176 (lbs.) / 987 (kg)

@ 500 mm forward, 1500 mm height

- 1686 (lbs.) / 765 (kg)

Breakout force:

@ bucket pivot pin:

- 3257 (lbs.) / 1477 (kg)

@ 500 mm forward:

- 2444 (lbs.) / 1109 (kg)

Cycle times:

Raising: 3.8 sec

Lowering: 2.0 sec

Bucket dumping: 3.5 sec

Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

Struck:

68" Bucket = .43 cu yd.

Heaped:

68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 250TLA1 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 33/37 T4B tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies

**260TLA1 FARM LOADER BOOMER 41/47 (T4B)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

Current New Holland Compact Models:

- Boomer™ 41/47 ROPS (T4B)
- Boomer™ 41/47 Cab (T4B)

NOTE:

Important Compatibility Information

- A configured model 260TLA1 is NOT compatible with other model tractors: Boomer™ 40/50 T3 or 45/50/55 T4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Breakout force:

- @ bucket pivot pin:
 - 4081 (lbs.) / 1851 (kg)
- @ 500 mm forward:
 - 3191 (lbs.) / 1447 (kg)

Loader Specifications:

Max lift height (to bucket pivot pin):

- 109 in / 2769 mm

Max lift height (under level bucket):

- 103 in / 2616 mm

Clearance with bucket dumped:

- 80 in / 2032 mm

Reach at max lift height:

- 58 in / 1473 mm

Max dump angle: 56 °

Reach with bucket on ground:

- 86 in / 2184 mm

Bucket roll back angle: 28 °

Digging depth:

- 6.3 in / 160 mm

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 72 in / 1829 mm

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 260TLA1 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 41/47 tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies

Lift capacity:

- @ bucket pivot pin, max height:
 - 2371 (lbs.) / 1076 (kg)
- @ 500 mm forward, max height:
 - 1849 (lbs.) / 839 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2828 (lbs.) / 1283 (kg)
- @ 500 mm forward, 1500 mm height:
 - 2256 (lbs.) / 1023 (kg)

**250TLA FARM LOADER BOOMER 45/50D 46/54D
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- Boomer™ CVT 45/50D
 - Boomer™ CVT 46/54D

Prior New Holland Compact Models:

- Boomer™ CVT 3040/3045/3050
Serial # ZDMB11925 & newer ONLY

NOTE:

Important Compatibility Information

- A configured model 250TLA IV is NOT compatible with other model tractors
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications:

- Max lift height (to bucket pivot pin):
- 104 in / 2642 mm
- Max lift height (under level bucket):
- 98 in / 2489 mm
- Clearance with bucket dumped:
- 77 in / 1956 mm
- Reach at max lift height:
- 48 in / 1219 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 78 in / 1981 mm
- Bucket roll back angle: 30 °
- Digging depth:
- 6.8 in / 173 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 1822 (lbs.) / 826 (kg)
- @ 500 mm forward, max height:
 - 1354 (lbs.) / 614 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2176 (lbs.) / 987 (kg)
- @ 500 mm forward, 1500 mm height:
 - 1686 (lbs.) / 765 (kg)

Breakout force:

- @ bucket pivot pin:
 - 3257 (lbs.) / 1477 (kg)
- @ 500 mm forward:
 - 2444 (lbs.) / 1109 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

WARRANTY

New Holland Standard Warranty Applies

**140TLA FARM LOADER WM33/37 (T4B ONLY)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- WORKMASTER™ 33 (T4B)
 - WORKMASTER™ 37 (T4B)

NOTE:**Important Compatibility Information**

- A configured model 140TLA is NOT compatible with the WORKMASTER 35/40 T3 or T4B Tractors
- To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

- Max lift height (under level bucket):
- 91.5 in / 2324 mm
- Clearance with bucket dumped:
- 64 in / 1626 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 74.0 in / 1879.6 mm
- Bucket roll back angle: 30.4 °

Lift capacity:

- @ bucket pivot pin, max height:
 - 1250 (lbs.) / 567 (kg)
- @ 500 mm forward, max height:
 - 1100 (lbs.) / 499 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 1500 (lbs.) / 680 (kg)

Breakout force:

- @ bucket pivot pin:
 - 2700 (lbs.) / 1225 (kg)
- @ 500 mm forward:
 - 1900 (lbs.) / 862 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 1.7 sec
- Lowering (float): 2.2 sec
- Bucket dumping: 2.2 sec
- Bucket roll back: 1.7 sec

Bucket Dimensions:

- Width: 68.4 in / 1736.7 mm
- Depth: 22.0 in / 558.8 mm
- Height: 21.4 in / 542.9 mm
- Length: 31.0 in / 787.4 mm
- Weight: 260 (lbs.) / 118 (kg)

Bucket Capacities:

- Struck:
- 68" Bucket = .43 cu yd.
- Heaped:
- 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 140TLA DOES NOT come with mid mount valve, couplers or joystick as these items are now standard on the WORKMASTER™ 33/37 tractors. If a mid mount valve, coupler or joystick is needed, these items must be ordered from parts.

WARRANTY

New Holland Standard Warranty Applies

**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

- Current New Holland Compact Models:
- WORKMASTER™ 35 (T4B ONLY)
 - WORKMASTER™ 40 (T4B ONLY)

NOTE:

- Important Compatibility Information
- A configured model 140TLA2 is NOT compatible with the WORKMASTER 35/40 T3 or WM33/37 T4B Tractors
 - To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications: (PRELIMINARY)

- Max lift height (under level bucket):
- 91.5 in / 2324 mm
- Clearance with bucket dumped:
- 64 in / 1626 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 74.0 in / 1879.6 mm
- Bucket roll back angle: 30.4 °

Lift capacity:

- @ bucket pivot pin, max height:
 - 1250 (lbs.) / 567 (kg)
- @ 500 mm forward, max height:
 - 1100 (lbs.) / 499 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 1500 (lbs.) / 680 (kg)

Breakout force:

- @ bucket pivot pin:
 - 2700 (lbs.) / 1225 (kg)
- @ 500 mm forward:
 - 1900 (lbs.) / 862 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 1.7 sec
- Lowering (float): 2.2 sec
- Bucket dumping: 2.2 sec
- Bucket roll back: 1.7 sec

Bucket Dimensions:

- Width: 68.4 in / 1736.7 mm
- Depth: 22.0 in / 558.8 mm
- Height: 21.4 in / 542.9 mm
- Length: 31.0 in / 787.4 mm
- Weight: 260 (lbs.) / 118 (kg)

Bucket Capacities:

- Struck:
- 68" Bucket = .43 cu yd.
- Heaped:
- 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 140TLA2 DOES NOT come with mid mount valve, couplers or joystick as these items are now standard on the WORKMASTER™ 35/40 T4B tractors. If a mid mount valve, coupler or joystick is needed, these items must be ordered from parts.

WARRANTY

New Holland Standard Warranty Applies

140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
140TLA2 T4B 35/40	550941119	800 LB		\$6,734.00

**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config			No Charge
		X0337XX	WM 35 Gear R4 Fast Pick Fast Pick 140TL2 Loader for WORKMASTER 35 ROPS (T4B) Package Contains: - Base 140TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 68" Quick Attach bucket			(\$142.00)
		X0338XX	WM 40 HST R4 Fast Pick Fast Pick 140TLA2 Loader for WORKMASTER 40 ROPS (T4B) Package Contains: - Base 140TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 68" Quick Attach bucket			(\$142.00)

SD_T6072 FRONT END LOADER

		464433	140TLA2 Front End Loader 140TLA2 Loader for: - WORKMASTER 35 T4B - WORKMASTER 40 T4B			No Charge
--	--	--------	--	--	--	-----------

**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST****Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
	713762006	Cls 2 Hydraulic Line & Fitting Kit CONVERSION KIT. This kit allows a 140TL loader (713740016) for WORKMASTER 33/37 tractors to be used on WORKMASTER 35/40 T4B tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	300 LB		\$949.00

**235TL FARM LOADER BOOMER 24
US PRICE LIST****Standard Equipment****TRACTOR APPLICATIONS:**

Current New Holland Compact Models:

- Boomer™ 24

NOTE:**Important Compatibility Information**

- 235TL is only compatible with Boomer 24 compact tractors
- To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

Max lift height (to bucket pivot pin):

- 80.7 in / 2050 mm

Max lift height (under level bucket):

- 75.6 in / 1920 mm

Reach at max lift height:

- 25.2 in / 640 mm

Max dump angle: 51.0°

Bucket roll back angle: 29.0°

Digging depth:

- 3.9 in / 100.0 mm

Lift capacity:

@ bucket pivot pin, max height:

- 1034 (lbs.) / 470 (kg)

@ 500 mm forward, max height:

- 704 (lbs.) / 320 (kg)

@ bucket pivot pin, 1500 mm height:

- 1298 (lbs.) / 590 (kg)

@ 500 mm forward, 1500 mm height:

- 968 (lbs.) / 440 (kg)

Breakout force

@ bucket pivot pin:

- 1672 (lbs.) / 760 (kg)

@ 500 mm forward:

- 1166 (lbs.) / 530 (kg)

Bucket roll back force:

@ ground level (500 mm forward):

- 1298 (lbs.) / 590 (kg)

Cycle times:

Raising: 2.4 sec

Lowering: 1.2 sec

Bucket dumping: 2.4 sec

Bucket roll back: 1.2 sec

Bucket width

54.0 in / 1371 mm

Bucket capacities:

Struck:

54" Bucket = .20 cu yd.

Heaped:

54" Bucket = .24 cu yd.

Loader includes Grill Guard

Loader specifications may vary based on tractor model, engine speed, hydraulic system, tire type/ size, etc.

WARRANTY

New Holland Standard Warranty Applies

**235TL FARM LOADER BOOMER 24
US PRICE LIST****Models**

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
235TL	550941102	680 LB		\$4,815.00

Current Inventory Only

**235TL FARM LOADER BOOMER 24
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0283XX	BMR 24 Fast Pick			(\$97.00)
		FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER			
		Fast Pick 235TL Loader for Boomer 24			
		Package Contains:			
		- Base 235TL Loader			
		- Mounting Frame			
		- Valve and Joystick			
		- 54" Pin on bucket			
		- Grill Guard			

235TL FARM LOADER BOOMER 24
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	710440186	MID MNT REM VLV AND JSTIC	45 LB		3,200.00

Current Inventory Only

**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST****Standard Equipment**

BACKHOE MODEL: 905GBL (FOR ROPS ONLY)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S (ROPS ONLY)

NOTE: 905GBL is only compatible with
the WORKMASTER 25S Subcompact

905GBL backhoe package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25S)
- 9" Bucket

Specifications:

Transport Height (in.): 74.7
Loading Height (in.): 59.6
Overall Width (in.): 45.3
Ground Clearance (in.): 12.8
Maximum Digging Depth (in.): 79.4
Reach from Centerline of Swing Pivot
(in.): 114.9
Swing Arc (deg.): 135
Bucket Rotating (deg.): 169.4
Stabilizer Spread (Down) (in.): 78.6
Stabilizer Spread (Up) (in.): 53.2
Bucket Digging Force per SAEJ49 (lbs.)
w/Bucket Cylinder: 2,194
w/Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707

IMPORTANT INFORMATION

The tractor must be equipped with a
100LC front end loader when installing
a 905GBL Backhoe.

Note: Mid-mount mower is
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
905GBL	877 LB		\$6,198.00

**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439598006	TRENCHING 9IN 3 TEETH BOLT ON	46 LB		\$278.00
	439599006	TRENCHING 12IN 3 TEETH BOLT ON	56 LB		\$312.00
	439600006	TRENCHING 16IN 3 TEETH BOLT ON	64 LB		\$345.00
	439601006	TRENCHING 18IN 3 TEETH BOLT ON	75 LB		\$384.00

**910GBL BACKHOE FOR WM25 ONLY
US PRICE LIST****Standard Equipment**

BACKHOE MODEL: 910GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

NOTE: 910GBL is only compatible with
the WORKMASTER 25 compact

Specifications:

Transport Height (in.): 77.2
Loading Height (in.): 63.6
Overall Width (in.): 53.3
Ground Clearance (in.): 14.4
Maximum Digging Depth (in.): 76.4
Reach from Centerline of Swing Pivot
(in.): 113.2
Swing Arc (deg.): 180
Bucket Rotating (deg.): 180
Stabilizer Spread (Down) (in.): 68.7
Stabilizer Spread (Up) (in.): 46.5
Bucket Digging Force per SAEJ49 (lbs.)
w/Bucket Cylinder: 2817
w/Dipperstick Cylinder: 1748

Shipping Weight (lbs.): 1092

910GBL backhoe Package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- 12" Bucket

IMPORTANT INFORMATION

The tractor must be equipped with a
200LC front end loader when installing
a 910GBL Backhoe.

Note: Mid-mount mower is NOT
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

**910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
910GBL	1,203 LB		\$9,892.00

**910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST****Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
	439598006	TRENCHING 9IN 3 TEETH BOLT ON	46 LB		\$278.00
	439599006	TRENCHING 12IN 3 TEETH BOLT ON	56 LB		\$312.00
	439600006	TRENCHING 16IN 3 TEETH BOLT ON	64 LB		\$345.00
	439601006	TRENCHING 18IN 3 TEETH BOLT ON	75 LB		\$384.00

**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 915GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

***SPECIFICATIONS:**

Digging Depth - 80.0 (in.)
Reach from Swing Pivot - 108 (in.)
Transport Height - 70 (in.)
Bucket Rotation - 178°
Stabilizer Spread:
 Transport - 44 (in.)
 Operating - 72 (in.)
Loading Height 66 (in.)
Swing Arc - 150°
Bucket Digging Forces - 2480 (lbs.)
Dipper Stick Digging Forces- 1750 (lbs.)
Operating Pressure - 2175 psi
Shipping Weight - 650 (lbs.)

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
915GBH	1,065 LB		\$10,844.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BACKHOE OPTIONS
SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

		439030	Subframe Cls 1 20/25 For Boomer 20/25 & 24 (439030016)			No Charge
--	--	--------	--	--	--	-----------

HYDRAULICS

SD_20102 HYDRAULIC KIT

		716964	Hyd Kit 716964 For Boomer 20/25 & 24 (716964016)			No Charge
--	--	--------	--	--	--	-----------

BUCKETS

SD_N5403 12 IN STD BUCKET

BUCKETS

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$583.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$656.00
--	--	--------	--	--	--	----------

**915GBH BACKHOE
US PRICE LIST****(Telford, TN)****SD_N5412 10 IN STD BUCKET**

		439036	10 In. Standard Bucket (439036006 - 915GBH)			\$474.00
--	--	--------	---	--	--	----------

OTHER**SD_50092 RUBBER STREET PADS**

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$234.00
--	--	--------	--	--	--	----------

SD_N6413 MECH THUMB

		717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)			\$692.00
--	--	--------	--	--	--	----------

**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

	439036006	10IN STD BCKT 2 TEETH	46 LB		\$474.00
	716399046	12IN STD BCKT 3 TEETH	75 LB		\$583.00
	716400036	16IN STD BCKT 3 TEETH	77 LB		\$656.00
	717916026	MECHANICAL THUMB 915GB	30 LB		\$692.00
	439030016	S-FRM CLS1 Subframe for Boomer 20/25 & 24	181 LB		\$961.00
	716964016	HYD KIT CLS1 LS J SER B-HOE Hydraulic kit for Boomer 20/25 & 24	8 LB		\$452.00

	716410056	Rubber Street Pads	4 LB		\$228.00
--	-----------	--------------------	------	--	----------

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 925GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)

Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

***SPECIFICATIONS:**

Digging Depth - 92 (in.)
Reach from Swing Pivot - 120 (in.)
Transport Height - 77 (in.)
Bucket Rotation - 174°
Stabilizer Spread:
 Transport - 49 (in.)
 Operating - 100 (in.)
Loading Height 70 (in.)
Swing Arc - 175°
Bucket Digging Forces - 3151 (lbs.)
Dipper Stick Digging Forces- 2059 (lbs.)
Operating Pressure - 2175 psi
Shipping Weight - 722 (lbs.)

*Specifications may vary with tractor
model, hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
925GBH	1,065 LB		\$11,149.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
	X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge

**925GBH BACKHOE
US PRICE LIST**
(Telford, TN)

		X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 40 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 40 Cab (T4B) Package Contains: - 439203 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 50 ROPS (T4B) Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 50 Cab T4B Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0279XX	WRKMSTR 33 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 33 Package Contains: - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge

**925GBH BACKHOE
US PRICE LIST**
(Telford, TN)

		X0280XX	WRKMSTR 37 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 37 Package Contains: - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0275XX	BMR 37 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 37 Cab Package Contains: - 439141 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0282XX	BMR 47 Rops Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 ROPs Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0276XX	BMR 47 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 Cab Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge
		X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 54D CVT Cab Package Contains: - 717751 (Subframe) - 439069 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			No Charge

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

BACKHOE OPTIONS
SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

		439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
		439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
		439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
		717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
		717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
		439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge

HYDRAULICS

SD_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
		439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
		439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		439113	Hyd Kit Cls 3 ROPS For Boomer 41/47 & Boomer 40/50 (439113006) ROPS Only			No Charge

**925GBH BACKHOE
US PRICE LIST**
(Telford, TN)

		439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
		439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge
		717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge

BUCKETS
SD_N5403 12 IN STD BUCKET

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$583.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$656.00
--	--	--------	--	--	--	----------

SD_N5407 18 IN STD BUCKET

		716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)			\$686.00
--	--	--------	--	--	--	----------

SD_N5409 24 IN STD BUCKET

		716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)			\$728.00
--	--	--------	---	--	--	----------

OTHER
SD_50005 BIG FOOT DIRT PADS

		716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)			\$344.00
--	--	--------	---	--	--	----------

SD_50092 RUBBER STREET PADS

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$234.00
--	--	--------	--	--	--	----------

SD_N5702 FRONT BRACKETS

		439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)			\$70.00
		439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)			\$70.00

925GBH BACKHOE
US PRICE LIST

(Telford, TN)

SD_N6413 MECH THUMB

		717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)			\$692.00
--	--	--------	--	--	--	----------

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB		\$600.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB		\$656.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB		\$686.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB		\$728.00
717916036	Mechanical Thumb Class 2 7.5 Ft	90 LB		\$692.00
716525056	BIG FOOT DIRT PADS	52 LB		\$344.00

439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB		\$1,146.00
439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB		\$481.00
439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB		\$481.00
439113006	HYD KIT CLS 3 41/47 HP T4 For Boomer 41/47 & Boomer 40/50	15 LB		\$481.00
439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB		\$481.00
439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB		\$1,146.00
439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB		\$1,146.00
439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB		\$481.00
439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB		\$1,146.00
439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB		\$1,146.00
439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB		\$1,146.00
716410056	Rubber Street Pads	4 LB		\$228.00
717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB		\$1,180.00
717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB		\$1,146.00

**925GBH BACKHOE
US PRICE LIST****(Telford, TN)**

	717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB		\$1,180.00
	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB		\$481.00

**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 935GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATION:

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)
- WORKMASTER 50/60/70 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

***SPECIFICATIONS:**

Digging Depth - 100 (in.)
Reach from Swing Pivot - 130 (in.)
Transport Height - 88 (in.)
Bucket Rotation - 180°
Stabilizer Spread:
 Transport - 56 (in.)
 Operating - 119 (in.)
Loading Height 76.0 (in.)
Swing Arc - 175°
Bucket Digging Forces - 4480 (lbs.)
Dipper Stick Digging Forces- 2533 (lbs.)
Operating Pressure - 2500 psi
Shipping Weight - 854 (lbs).

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
935GBH	1,065 LB		\$12,053.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

	439111	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70 (439111006)			No Charge
	439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
	439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
	439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
	439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
	717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
	717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
	439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge

**935GBH BACKHOE
US PRICE LIST**
(Telford, TN)
HYDRAULICS
SD_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
		439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
		439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		717914	Hyd Kit WM/FA For WORKMASTER 45/50/55/60/70 (717914016)			No Charge
		439113	Hyd Kit Cls 3 ROPS For Boomer 41/47 & Boomer 40/50 (439113006) ROPS Only			No Charge
		439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
		439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge
		717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge

BUCKETS
SD_N5403 12 IN STD BUCKET

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$583.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$656.00
--	--	--------	--	--	--	----------

SD_N5407 18 IN STD BUCKET

		716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)			\$686.00
--	--	--------	--	--	--	----------

**935GBH BACKHOE
US PRICE LIST**
(Telford, TN)

SD_N5409 24 IN STD BUCKET

		716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)			\$728.00
--	--	--------	---	--	--	----------

OTHER

SD_50005 BIG FOOT DIRT PADS

		716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)			\$344.00
--	--	--------	---	--	--	----------

SD_50092 RUBBER STREET PADS

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$234.00
--	--	--------	--	--	--	----------

SD_N5702 FRONT BRACKETS

		439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)			\$70.00
		439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)			\$70.00

SD_N6413 MECH THUMB

		439122	Mechanical Thumb Class 3 (439122006 - 935GBH)			\$692.00
--	--	--------	---	--	--	----------

**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

	716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB		\$600.00
	716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB		\$656.00
	716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB		\$686.00
	716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB		\$728.00
	716525056	BIG FOOT DIRT PADS	52 LB		\$344.00

	439122006	Mechanical Thumb Class 3 8.5 Ft	90 LB		\$692.00
	439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB		\$1,146.00
	439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB		\$481.00
	439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB		\$481.00
	439111006	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	95 LB		\$1,146.00
	439113006	HYD KIT CLS 3 41/47 HP T4 For Boomer 41/47 & Boomer 40/50	15 LB		\$481.00
	439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB		\$481.00
	439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB		\$1,146.00
	439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB		\$1,146.00
	439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB		\$481.00
	439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB		\$1,146.00
	439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB		\$1,146.00
	439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB		\$1,146.00
	716410056	Rubber Street Pads	4 LB		\$228.00
	717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB		\$1,180.00

**935GBH BACKHOE
US PRICE LIST****(Telford, TN)**

	717914016	HYD KIT F/WORKMASTER 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	15 LB		\$1,146.00
	717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB		\$1,146.00
	717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB		\$1,180.00
	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB		\$481.00

**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST****(Thetford Mines, Quebec)
Standard Equipment**

60RBHB Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S (Subcompact)

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 18 5/8 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes
standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
 - Mid PTO Drive kit
- per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60RBHB	500 LB		\$1,696.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_N5701 HITCH AND SUBFRAME

		439330	SUBFRAME LS For WORKMASTER 25S (439330006)			\$866.00
--	--	--------	---	--	--	----------

**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB		\$866.00

**60CBH FRONT MOUNT BLADES
US PRICE LIST****(Thetford Mines, Quebec)
Standard Equipment**

60CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 22 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees
Adjustable Skid Shoes - Standard

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe
- Mid-Mount Valve for tractor
- Optional Equipment can be added
as desired.

NOTE: If tractor does not have a mid-
mount valve, see tractor DIA pages to
order mid-mount valve.

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

**60CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60CBHA	311 LB		\$2,928.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439030	Subframe CIs 1 20/25 For Boomer 24 & Boomer 20/25			\$2,203.00

**60CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

	439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25	218 LB		\$2,203.00
--	-----------	---	--------	--	------------

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$396.00
--	-----------	--	--------	--	----------

**72CBH FRONT MOUNT BLADES
US PRICE LIST****(Thetford Mines, Quebec)
Standard Equipment**

72CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
 - Boomer 40/45/50/55 Cab (T4B)
 - Boomer 46D/54D CVT
 - Boomer 45D/50D CVT (Canada Only)
 - WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 35/40 (T3)
- WORKMASTER 33/37 (T4B)
- Boomer 30/35/40/50 (T3)

SPECIFICATIONS:

Moldboard Width - 72 (in.)
Moldboard Height - 22 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees
Adjustable Skid Shoes - Standard

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Mid-mount valve for tractor
- Optional Equipment can be added
as desired.

**Hydraulic Valve Kit Shipping Point
Service Parts**

Boomer 35/40/45/50/55 (T4B) and
33/37/41/47 (T4B)

NOTE: If tractor does not have
couplers (ordered without loader),
Coupler Kit # 47608158 must be
ordered

NOTE: A cross-over relief valve is
required to operate the 72CBHA front
blade on a Boomer 30, 35, 40, or 50
(T3) and WORKMASTER 35, 40 (T3)

(Order through Service Parts)

BERBER0076 - Cross-over relief valve kit

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72CBHA	535 LB		\$3,884.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered			\$2,642.00
439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)			\$2,642.00
717989	Front Quick Hitch 30/35/40/50 For Boomer 30/35/40/50 (T3 ONLY) (717989006) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts) Does Not fit: Boomer 33/37/41/47			\$2,642.00
717751	Front Quick Hitch - Class 3 For Boomer™ EasyDrive™ CVT Models (717751006) Conventional Axle Only: Serial ZDMB11924 and below			\$2,821.00
439068	S-Frame CLS3AT MY14 For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV			\$2,821.00

**72CBH FRONT MOUNT BLADES
US PRICE LIST****(Thetford Mines, Quebec)**

		439055	Subframe Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)			\$2,642.00
--	--	--------	---	--	--	------------

SD_N5702 FRONT BRACKETS

		439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--	--------	---	--	--	-----------

**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Hitch and Subframe				
717989006	SUBFRAME 30/35/40/50 HP For Boomer 30/35/40/50 (T3 ONLY) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	325 KG		\$5,025.00
717751006	SUBFRAME CLS 3 For Boomer™ EasyDrive™ CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB		\$2,634.00
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB		\$2,642.00
439055006	Subframe 35/40 HP Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	363 LB		\$2,642.00
439068006	Hitch and Sub Frame For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV	510 KG		\$2,821.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB		\$2,642.00

**72CBH FRONT MOUNT BLADES
US PRICE LIST****(Thetford Mines, Quebec)****Ballast Box**

		717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB		\$594.00
		439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB		\$139.00

**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST****(Thetford Mines, Quebec, Canada)
Standard Equipment**

836GSA FRONT MOUNT SNOW BLOWER
(Reverse Drive Rotation)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

SPECIFICATIONS:

Overall Width - 60 (in.)
Cutting Width - 60 (in.)
Cutting Height - 20 (in.)
Number of Fan Blades - 3
Fan Diameter - 16 (in.)
Auger Diameter - 13 (in.)
Fan Drive - #40 HD Chain
Auger Drive: Mechanical Gearbox with
shear pin protection
Two-Part Chute with:
- Manual Chute Rotation - Standard

Shearbolt Protection - Standard
Skid Shoe-Std. Adjustment - Standard

The following items are required to
make up a complete front mount snow
blower:

- Packaged Front Mount Snow Blower
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Valve Kit for Tractor
(See Tractor Service Part pages)
- Optional equipment can be added
as desired

Note: 836GS previously ordered for
T1110 / Boomer 1030 will not work on
the Boomer 20/25 because the mid-
PTO turns in the opposite direction.

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
836GS	308 LB		\$3,673.00

**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Less Fast Pick Option			No Charge
		X0283XX	BMR 24 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 836GS Package for Boomer 24 ROPS Packages Contains: - 716098 (836GA Front Mount Snow Blower) - 439030 (Subframe for Boomer 24 ROPS) - 439031(Mid-PTO Kit)			(\$142.00)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

		439031	Mid PTO CLS 1 20/25 For Boomer 24 & Boomer 20/25 (439031006)			\$1,143.00
--	--	--------	--	--	--	------------

SD_N5701 HITCH AND SUBFRAME

		439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25 (439030006)			\$2,203.00
--	--	--------	---	--	--	------------

**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Mid PTO Kit

	439031006	MidPTO Drive Kit Boomer 20/25 For Boomer 24 & Boomer 20/25	18 LB		\$1,143.00
--	-----------	---	-------	--	------------

Hitch and Subframe

	439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25	218 LB		\$2,203.00
--	-----------	---	--------	--	------------

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$396.00
--	-----------	---	--------	--	----------

Optional Equipment

	439043006	Hydraulic Chute Rotation Boomer 20/25 Hyd Chute Rotation for 836GS Snow Blower For Boomer 24 & Boomer 20/25	5 LB		\$338.00
--	-----------	---	------	--	----------

**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST****(Thetford Mines, Quebec, Canada)****Standard Equipment**

50RSHB FRONT MOUNT SNOW BLOWER
(Reverse Drive Rotation)

Shearbolt Protection - Standard
Skid Shoe-Std. Adjustment - Standard

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

SPECIFICATIONS:

Overall Width - 50 (in.)
Cutting Width - 50 (in.)
Cutting Height - 20 (in.)
Number of Fan Blades - 4
Fan Diameter - 15.75 (in.)
Auger Diameter - 12.75 (in.)
Fan Drive - #40 HD Chain
Auger Drive: Mechanical Gearbox with
shear pin protection
Two-Part Chute with:
- Manual Chute Rotation - Standard

*NOTE - Hydraulic Chute Rotation
439467 must be selected when
installing a 50RSHB on a WORKMASTER
25S with Cab.

The following items are required to
make up a complete front mount snow
blower:

- Packaged Front Mount Snow Blower
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Kit for Tractor
- Optional equipment can be added
as desired

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
50RSHB	450 LB		\$2,545.00

**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST**

(Thetford Mines, Quebec, Canada)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_03007 MID PTO DRIVE KIT

	439331	MID PTO DRIVE KIT LS For WORKMASTER 25S (439331006)	22 LB		\$866.00
--	--------	---	-------	--	----------

SD_N5701 HITCH AND SUBFRAME

Hitch and Subframe					
	439330	SUBFRAME LS For WORKMASTER 25S (439330006)	90 LB		\$866.00

OPTIONAL EQUIPMENT

SD_20088 HYDRAULIC CHUTE ROT

	439467	HYD CHUTE ROT LS 0.5 Hydraulic Chute Rotation for 50RSHB for WORKMASTER 25S (439467006). *NOTE Hydraulic Chute Rotation must be ordered when installing a 50RSHB on a WORKMASTER 25S with Cab			\$1,082.00
--	--------	---	--	--	------------

**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Mid PTO Drive

	439467006	HYD CHUTE ROT KIT FOR LS SUB COMPACT 0.5 Hydraulic Chute Rotation for 50RSHB for WORKMASTER 25S (439467006). *NOTE Hydraulic Chute Rotation must be ordered when installing a 50RSHB on a WORKMASTER 25S with Cab	11 LB		\$1,082.00
--	-----------	--	-------	--	------------

	439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB		\$866.00
	439331006	PTO KIT For WORKMASTER 25S (439331006)	25 LB		\$866.00

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST****(Thetford Mines, Quebec, Canada)
Standard Equipment**

63CSHB FRONT MOUNT SNOW BLOWER

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

SPECIFICATIONS:

Overall Width - 63 (in.)
Cutting Width - 63 (in.)
Cutting Height - 22 1/2 (in.)
Number of Fan Blades - 4
Fan Diameter - 17 3/4 (in.)
Auger Diameter - 13 3/4 (in.)
Fan Drive - Gear box reduction
Two-Part Chute with
- Hydraulic Chute Rotation - Standard
Shearbolt Protection - Standard
Skid Shoe-Std. Adj. - Standard
Note: The 63CSHB input rotation
(from the driver's seat) is clockwise.

The following items are required to
make up a complete front mount snow
blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Mid-mount valve for Tractor
(See Tractor Service Parts pages)
- Optional equipment can be added
as desired

NOTE: If tractor does not have couplers
(ordered without loader), Coupler Kit #
47608158 must be ordered

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
63CSHB	1,005 LB		\$7,188.00

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Less Fast Pick Option			No Charge
	X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (*Mid-PTO Kit) * Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO			(\$223.00)
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (*Mid-PTO Kit) * Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO			(\$223.00)
	X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 40 (H) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (Mid-PTO Kit)			(\$223.00)
	X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for Boomer 40 Cab (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for Boomer 40 Cab T4B) - 439238 (Mid-PTO Kit)			(\$223.00)

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

Mid PTO Kit						
		717990	Mid PTO 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)			\$1,391.00
		439116	Mid PTO Tier 4 41/47 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B) For 63CSHB and 74CSHA (439116006)			\$1,391.00
		439124	Mid PTO 32/36 HP T3 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B) For 63CSHB and 74CSHA (439124006)			\$1,391.00
		439238	MID PTO CLS2 439238 For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)			\$1,391.00
		439448	MID PTO LS EC 25 For WORKMASTER 25 (439448006)			\$1,391.00
		439057	Mid PTO Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439057006)			\$1,391.00

SD_N5701 HITCH AND SUBFRAME

		717989	Front Quick Hitch 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)			\$2,642.00
		439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)			\$2,642.00

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Hitch and Subframe					
		439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered		\$2,642.00
		439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)		\$2,642.00

OPTIONAL EQUIPMENT

SD_20101 HYDRAULIC CHUTE DEF					
		716864	Hydraulic Chute Deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB (716864026)	16 LB	\$627.00
SD_29036 3 PART CHUTE					
		715345	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB (715345006)	49 LB	\$601.00
SD_N5702 FRONT BRACKETS					
		439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications		No Charge

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG		\$5,025.00
439055006	Subframe 35/40 HP Economy For WORKMASTER COMPACT 35/40 (T3 ONLY)	363 LB		\$2,642.00
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB		\$2,642.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB		\$2,642.00

Mid PTO Drive

439448006	MID PTO - LS ECONOMY WM25 For WORKMASTER 25 (439448006)	25 LB		\$1,391.00
717990006	MID PTO 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 LB		\$1,391.00
439057006	MID PTO 35/40 HP WORKMASTER, FARMALL A For WORKMASTER COMPACT 35/40 (T3 ONLY)	25 LB		\$1,391.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B ONLY)	25 LB		\$1,391.00
439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB		\$32.00

Optional Equipment

715345006	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB	45 LB		\$601.00
716864026	Hyd chute deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB	15 LB		\$627.00

**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Ballast Box

		717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$396.00
		439238006	MID PTO CLS2 T4 LS ENG For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)	25 LB		\$1,391.00
		439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB		\$139.00

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST****(Thetford Mines, Quebec, Canada)****Standard Equipment**

74CSHA FRONT MOUNT SNOW BLOWER
74CSHB FRONT MOUNT SNOW BLOWER

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS: 74CSHA

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 35/40 (T4B)

Prior New Holland Compact Models

- Boomer 30/35/40/50 (T3)
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- WORKMASTER 33/37 (T4B)

TRACTOR APPLICATIONS: 74CSHB

Current New Holland Compact Models

- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)

Prior New Holland Compact Models

- Boomer CVT 3040/3045/3050

SPECIFICATIONS:

Overall Width - 74 (in.)
Cutting Width - 74 (in.)
Cutting Height - 26 (in.)
Number of Fan Blades - 4
Fan Diameter - 24 (in.)
Auger Diameter - 15 (in.)

Fan Drive - Gear box reduction
Auger Drive - #60 HD chain
Two-Part Chute with
- Hydraulic Chute Rotation - Standard
Shearbolt Protection - Standard
Skid Shoe-Std. Adj. - Standard
Note: The 74CSHA/B input rotation
(from the driver's seat) is clockwise.

The following items are required
to make up a complete front mount
snow blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Hydraulic Valve Kit for Tractor
(See Tractor Service Parts pages)
- Optional equipment can be added
as desired

NOTE: If tractor does not have couplers
(ordered without loader), Coupler Kit #
47608158 must be ordered

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
74CSHA	1,005 LB		\$9,449.00
74CSHB	450 LB		\$9,558.00

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config Less Fast Pick Option			No Charge
	X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 74CSHA Package for Boomer 50 ROPS (T4B) Packages Contains: - 715347 (74CSHA Front Mount Snow Blower) - 439205 (Subframe for Boomer 50 ROPS) - 439116 (Mid-PTO Kit)			(\$269.00)
	X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 74CSHA Package for Boomer 50 Cab (T4B) Packages Contains: - 715347 (74CSHA Front Mount Snow Blower) - 439205 (Subframe for Boomer 50 Cab T4B) - 439116 (Mid-PTO Kit)			(\$269.00)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

Mid PTO Kit					
	717990	Mid PTO 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)			\$1,391.00
	717761	Mid PTO Drive Kit-III AT For Boomer EasyDrive CVT models (717761006) Conventional FWD axle ONLY For 74CSHB ONLY			\$1,138.00
	439116	Mid PTO Tier 4 41/47 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B) For 63CSHB and 74CSHA (439116006)			\$1,391.00

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

		439124	Mid PTO 32/36 HP T3 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B) For 63CSHB and 74CSHA (439124006)			\$1,391.00
		439238	MID PTO CLS2 439238 For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)			\$1,391.00

SD_N5701 HITCH AND SUBFRAME

		717989	Front Quick Hitch 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)			\$2,642.00
		717751	Front Quick Hitch - Class 3 For Boomer EasyDrive CVT Models (717751006) Conventional Axle Only: Serial #ZDMB11924 and below			\$2,821.00
		439068	S-Frame CLS3AT MY14 For Boomer EasyDrive CVT Models (439068006) Conventional Axle Only: Serial #ZDMB11925 and above			\$2,821.00

Hitch and Subframe

		439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered			\$2,642.00
--	--	--------	--	--	--	------------

OPTIONAL EQUIPMENT

SD_20101 HYDRAULIC CHUTE DEF

		716864	Hydraulic Chute Deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB (716864026)	16 LB		\$627.00
--	--	--------	--	-------	--	----------

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST****(Thetford Mines, Quebec, Canada)****SD_29036 3 PART CHUTE**

		715345	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB (715345006)	49 LB		\$601.00
--	--	--------	---	-------	--	----------

SD_N5702 FRONT BRACKETS

		439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--	--------	---	--	--	-----------

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG		\$5,025.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB		\$2,642.00
717751006	SUBFRAME CLS 3 For Boomer EasyDrive CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB		\$2,634.00
439068006	Hitch and Sub Frame For Boomer EasyDrive CVT Models Conventional Axle Only: Serial #ZDMB11925 and above	510 KG		\$2,821.00

Mid PTO Drive

717990006	MID PTO 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 LB		\$1,391.00
717761006	MID PTO Drive Kit Cls 3 AT For Boomer EasyDrive CVT Models - Conventional Axle Only	30 KG		\$1,138.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B ONLY)	25 LB		\$1,391.00
439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB		\$32.00

Optional Equipment

715345006	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB	45 LB		\$601.00
716864026	Hyd chute deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB	15 LB		\$627.00

**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST****(Thetford Mines, Quebec, Canada)**

	439238006	MID PTO CLS2 T4 LS ENG For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)	25 LB		\$1,391.00
	439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB		\$139.00

**160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST****Standard Equipment**

160GMS Side Discharge (717966306)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

160GMS is only compatible with the
WORKMASTER 25S

Specifications

Cutting Width (in.): 60
Overall Width (in.): 75.6
Cutting Height Range (in.): 1 to 4
Deck Shell Thickness (in.): 0.126
Spindle Speed at 3000 RPM: 2,640
Blade Tip Speed (ft./min.): 14,144
Number of Blades: 3
Blade Length (in.): 20.5
Blade Width (in.): 2.48
Blade Thickness (in.): 0.236
Weight of Base 60" Deck (lbs.): 285

WARRANTY:

New Holland Standard Warranty Applies

160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
160GMS	293 LB		\$2,709.00

**266WMM FOR WORKMASTER 25
US PRICE LIST****Standard Equipment**

266WMM Side Discharge (717966336)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:Current New Holland Compact Models
- WORKMASTER™ 25**SPECIFICATIONS:**"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - StandardBlade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 14255 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 3x6 (2) 2x6 (2)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge**NOTE:** the mower linkage supplied with
the 266WMM mower is designed to
work on WORKMASTER 25 compacts
equipped with 200LC Loaders. If a
200LC loader is not installed you must
order linkage completion kit 439054016
to complete mower installation.

**266WMM FOR WORKMASTER 25
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
266WMM FOR WM25	1,000 LB		\$4,833.00

**266WMM FOR WORKMASTER 25
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_H5801 COMPLETING PACKAGES

Mid PTO Drive				
	439054	Linkage CLS 2 Econ 439054 MUST BE ORDERED IF THE WORKMASTER 25 THE 266WMM IS BEING INSTALLED ON DOES NOT HAVE A 200LC LOADER INSTALLED. IF THE UNIT DOES HAVE A LOADER INSTALLED 439054 IS NOT REQUIRED		No Charge

**266BMM FOR WM35/40 HST OR BMR35/40 ROPS
US PRICE LIST****Standard Equipment**

266BMM Side Discharge
(717966356) WM35/40 HST Only
(464986006) BMR35/40 ROPS ONLY

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 35/40 T4B HST ONLY
- Boomer™ 35/40 HST or Gear ROPS ONLY

SPECIFICATIONS:

"Drive-over" design for installation

Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79

Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 14255 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 3x6 (2) 2x6 (2)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

NOTE: the mower linkage supplied with
the 266BMM mower allows it to be
used on WORKMASTER 35/40 T4B or Boomer 35/40
models with a loader. NOTE: If a loader is
not
installed you must order linkage
completion kit 464538006 to complete
mower installation.

**266BMM FOR WM35/40 HST OR BMR35/40 ROPS
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
266BMM WM & BMR 35/40 R	1,000 LB		\$4,833.00

**266BMM FOR WM35/40 HST OR BMR35/40 ROPS
US PRICE LIST****Factory Supplied Options**

Order Code			Description	Weight	Factory Data	List Price
		464538	LNKG KT CL2PHG CL2EH 464538 must be ordered if selecting WORKMASTER 35/40 or Boomer 35/40 when installing a 266BMM on a unit that does not have a Loader installed. If the unit does have a loader installed 464538 is not required.			No Charge

**372BMM FOR BOOMER 45/50/55 ROPS
US PRICE LIST****Standard Equipment**

372BMM Side Discharge (717966376)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:Current New Holland Compact Models
- Boomer™ 45-55 ROPS with
Turf Tires Only (not compatible with
R4 or R1 tires)**SPECIFICATIONS:**"Drive-over" design for installation
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard

Blade Length/Width (in.)- 25 L x 2.5 W

Blade Tip Speed (in feet per minute) -
Less than 171355 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 3.5x8 (F) 3x6 (R)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gaugeNOTE: the mower linkage supplied with
the 372MM mower allows it to be
used Boomer 45/50/55 T4B ROPS
models equipped with a 260TLA2
loader. If a loader is not installed you
must order linkage completion kit
464954006 to complete
mower installation.

**372BMM FOR BOOMER 45/50/55 ROPS
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
372BMM FOR BMR45-55	1,000 LB		\$5,154.00

**372BMM FOR BOOMER 45/50/55 ROPS
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_01001 BASE UNIT

	464438	MMM 72IN SD CL3 DLX 372BMM Mid-Mount Mower for Boomer 45/50/55 (Mower is compatible with R3 Turf tires only)			No Charge
--	--------	--	--	--	-----------

SD_H5801 COMPLETING PACKAGES

	464954	LNKG KT CL3 PREM H/G 464954 MUST BE ORDERED IF THE BOOMER 45/50/55 ROPS THE 372BMM IS BEING INSTALLED ON DOES NOT HAVE A LOADER INSTALLED. IF THE UNIT DOES HAVE A LOADER INSTALLED 464954 IS NOT REQUIRED			No Charge
--	--------	--	--	--	-----------

**372BMM FOR BOOMER 45/50/55 ROPS
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
Mid PTO Drive					
	464954006	LINKAGE KIT 72IN CL3 ECON HST/GR	74 LB		\$1.00

**272-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Standard Equipment

272GMS Side Discharge (717966146)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 46D/54D CVT
 - Boomer 45D/50D CVT (Canada Only)

- Prior New Holland Compact Models
- Boomer CVT 3040, 3045, & 3050

SPECIFICATIONS:

- "Drive-over" design for installation
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) -25 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

- 272GMS Tire Compatibility: BMR 3000
Cab & Boomer 45D/50D/55D
Agricultural (R1) - NO 24" Rear Rim)
Industrial (R4) - YES limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees
Turf (R3) - YES, limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees
Galaxy Turf - NO

NOTE: Steering Adjustments required
when using 272GMS with Ind (R4) tires
or Turf (R3) tires. Refer to ASIST.

366GMS Side Discharge

(717966196 for BMR 33/37 ROPS T4B)

(717966266 for BMR 35/40 ROPS T4B)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 33/37 ROPS (T4B)
 - Boomer 35/40 ROPS (T4B)

SPECIFICATIONS:

- "Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

372GMS Side Discharge

(717966216 for BMR 41/47 ROPS T4B)

(717966286 for BMR 45-55 ROPS T4B)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 41/47 ROPS (T4B)
 - Boomer 45/50/55 ROPS (T4B)

**272-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Standard Equipment

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 25 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

372GMS Tire Compatibility: BMR 41/47
(T4B) & BMR 45/50/55 (T4B)
Agricultural (R1) - NO
Industrial (R4) - NO
Turf (R3) - Yes, limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees

Galaxy Turf - NO

NOTE: Steering Adjustments need to
be made when using 372GMS with
Turf (R3) tires.
Refer to ASIST.

WARRANTY:

260/272/366/372GMS
New Holland Standard Warranty Applies

Service Parts:

260GMS - Mulch Kit - AMENHM652
366GMS - Mulch Kit - AMENHM628
Serial # YEWWB0001 & higher
366GMS - Mulch Kit - AMENHM673
Serial # YEWWA9999 & lower
272/372GMS - Mulch Kit - AMENHM728
366GMS - Ramp Kit - AMENHM613
272/372GMS - Ramp Kit - AMENHM747

**272-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
372GMS BMR45/50/55 ROPS	443 LB		\$5,155.00
272GMS	592 LB		\$5,155.00
272GMS FOR CVT	623 LB		\$5,155.00
372GMS	567 LB		\$5,155.00

Current Inventory Only

**272-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B) Package Contains: - *717966266 (366GMS 66" Side Discharge Deck) *Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO			(\$102.00)
	X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B) Package Contains: - *717966266 (366GMS 66" Side Discharge Deck) *Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO			(\$102.00)
	X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 40 (H) ROPS (T4B) Package Contains: - 717966266 (366GMS 66" Side Discharge Deck)			(\$102.00)
	X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 372GMS for Broomer 50 ROPS Package Contains: - 717966286 (372GMS 72" Side Discharge Deck)			(\$104.00)

**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST****(Shipment from Depots)
Standard Equipment**

The 300 series are 3-pt. mounted finishing mowers for use on tractors equipped with 540 rpm PTO. Prices include solid rubber gauge wheels.

Number of Blades

310GM - 3
320GM - 3
330GM - 5

MODEL:

310GM / 320GM / 330GM

Blade Speed (RPM)

310GM - 2,630
320GM - 2,230
330GM - 2,630

SIZE:

310GM - 60" (717676006)
320GM - 72" (717676026)
330GM - 90" (717676046)

Weight (lbs)

310GM - 435
320GM - 500
330GM - 683

SPECIFICATIONS:

Cutting Height Range 1 to 4"
3 Pt Mounted (floating hitch) Cat. 1
Rear Discharge
Discharge Safety Chain Standard
V Belt Drive Standard
Solid Rubber Gauge Wheels (fully rotating) 4
Standard PTO (RPM) 540

ACCESSORIES

(Order through Service Parts)

Mulching Kits:

SIT110283 72" Rear Discharge
SIT110284 60" Rear Discharge
SIT110285 90" Rear Discharge

PTO HP Rating up to:

310GM - 30
320GM - 40
330GM - 60

Anti-Scalp Kit (front adjustable roller):

SIT00364 60" & 72"
SIT00503 90"

Pneumatic Tire Kit:

SIT110318 60" Set of 4
SIT110319 72" Set of 4
SIT110320 90" Set of 4

Note: All Pneumatic Tire Kits Include
Wheels and Forks

**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST**

(Shipment from Depots)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
310GM	435 LB		\$3,344.00
320GM	500 LB		\$3,632.00
330GM	683 LB		\$5,681.00

**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment

"Value" Series

Designed to compliment Compact and Utility tractors equipped with 3-point hitch and 540 rpm PTO.

Models:

714 / 716 / 717

Size (inches):

714 - 48

716 - 60

717 - 72

SPECIFICATIONS

Tractor Horsepower (max.) - 48

Cutting Width (inches):

714 - 48

716 - 60

717 - 72

Overall Width (inches):

714 - 53

716 - 65

717 - 75

Overall Length (inches):

714 - 83

716 - 100

717 - 106

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 48

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Shear Bolt

Deck Gauge (gauge):

714 - 10

716 & 717 - 7

Side Panel Depth - 8 in. x 7 gauge

Blade Carrier - 1 in.

Blade Size - 3/8 in. x 3 in. Updraft

Blade Tip Speed (540):

714 - 13,215 fpm

716 - 11,519 fpm

717 - 14,995 fpm

Minimum Cutting Height (inch) - 1

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

714 - 538

716 - 728

717 - 882

VALUE SERIES ACCESSORIES

(Order through Service Parts)

MAG010D3590 4 ft. Front Chain Guards

MAG010D3591 4 ft. Rear Chain Guards

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG125D801D01 Slip Clutch

**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
714GCA ROTARY CUTTER	519 LB		\$2,309.00
716GCA ROTARY CUTTER	781 LB		\$2,673.00
717GCA ROTARY CUTTER	885 LB		\$3,265.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT

SD_N6428 FRONT SAFETY CHAINS

	717979	Front Safety Chains 714GCA - 48" (717979006)			\$285.00
		716GCA - 60" (717979016)			
		717GCA - 72" (717979026)			
	XN6428X	No Front Safety Chains			No Charge

SD_N6429 REAR SAFETY CHAINS

	717980	Rear Safety Chains 714GCA - 48" (717980006)			\$285.00
		716GCA - 60" (717980016)			
		717GCA - 72" (717980026)			

SD_N6430 SLIP CLUTCH

	7179	Slip Clutch			\$340.00
--	------	-------------	--	--	----------

**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
714GCA ONLY					
	717979006	48" Front Safety Chains	27 LB		\$267.00
	717980006	48" Rear Safety Chains	42 LB		\$267.00
716GCA ONLY					
	717979016	60" Front Safety Chains	29 LB		\$267.00
	717980016	60" Rear Safety Chains	44 LB		\$267.00
717GCA ONLY					
	717979026	72" Front Safety Chains	33 LB		\$267.00
	717980026	72" Rear Safety Chains	48 LB		\$267.00

**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment

Standard "Medium-Duty" Series

Designed to compliment Compact and Utility tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance to maintain larger acreages and estates.

Models:

736 / 737 / 738

Size (inches):

736 - 60

737 - 72

738 - 84

SPECIFICATIONS

Tractor Horsepower (max.):

736 - 60

737 - 65

738 - 65

Cutting Width (inches):

736 - 60

737 - 72

738 - 84

Overall Width (inches):

736 - 65

737 - 75

738 - 90

Overall Length (inches):

736 - 100

737 - 106

738 - 122

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 65

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

736 & 737 - 8 in. x 7 in. gauge

738 - 8 in. x 1 1/2 in.

Blade Carrier - 1 in.

Output Shaft Diameter (inches) - 2

Blade Size:

736 - 3/8 in. x 3 in. Updraft

737 & 738 - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

736 - 16,519 fpm

737 - 14,995 fpm

738 - 17,300 fpm

Minimum Cutting Height (inch) - 2

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

736 - 731

737 - 907

738 - 1,189

"MEDIUM" DUTY ACCESSORIES

(Order through Service Parts)

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG010D3990 7 ft. Front Chain Guards

MAG010D3991 7 ft. Rear Chain Guards

MAG401DSKID8HWY Skid Shoes

**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
736GCA ROTARY CUTTER	985 LB		\$3,846.00
737GCA ROTARY CUTTER	1,005 LB		\$4,334.00
738GCA ROTARY CUTTER	1,305 LB		\$5,000.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD_N6431 DUAL TAIL WHEEL				
717982	Dual Tail Wheel			\$820.00

**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

"Heavy-Duty" Series

Designed for Utility and Mid-Range tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance for maintenance of large farms or ranch operations.

Models:

757 / 758

Size (inches):

757 - 72

758 - 84

SPECIFICATIONS

Tractor Horsepower (max.):

757 & 758 - 95

Cutting Width (inches):

757 - 72

758 - 84

Overall Width (inches):

757 - 79

758 - 90

Overall Length (inches):

757 - 106

758 - 122

Hitch - 3-point

Driveline Category:

757 & 758 - Cat. I

Gearbox Rating (horsepower):

757 & 758 - 95

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection (Slip Clutch)

Deck Gauge (gauge) - 7

Side Panel Depth 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

757 - 14,995 fpm

758 - 17,495 fpm

Minimum Cutting Height (inch) - 2

Tail Wheel:

757, 758, & - Single Spindle

Tire & Wheel - Laminated

Safety Deflectors - Front/Rear Chains

Weight (pounds):

757 - 1,284

758 - 1,599

HEAVY DUTY ACCESSORIES

(Order through Service Parts)

MAG010d3992B 7 ft. (758GC) Dual

Spindle Tail Wheel

**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
757GCA ROTARY CUTTER	1,153 LB		\$5,445.00
758GCA ROTARY CUTTER	1,604 LB		\$7,454.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
717982	Dual Tail Wheel			\$820.00

**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST**

(Distribution Center)

Standard Equipment
"Heavy-Duty" Pull-Type Series

Designed for Mid-Range and High-Horsepower tractors providing rugged performance for maintenance of large farms or ranch operations.

Size:

780GCA - 15 ft. Triple Flex
780GCB - 15 ft. Triple Flex
780GCC - 15 ft. Triple Flex

SPECIFICATIONS
Tractor Horsepower (max.):

780GCA - 210
780GCB - 210
780GCC - 210

Cutting Width (inches):

780GCA - 180
780GCB - 180
780GCC - 18

Overall Width (inches):

780GCA - 187
780GCB - 187
780GCC - 187

Overall Length (inches):

780GCA - 180
780GCB - 180
780GCC - 180

Hitch - Pull-Type
Driveline Category - PT/C Joint
Gearbox Rating (horsepower)

780GCA - 255/210
780GCB - 255/210
780GCC - 255/210

Gearbox Warranty (years) - 5
Galvanized Warranty (years) - 12
Slip Protection - Slip Clutch
Deck Gauge (gauge) - 7
Side Panel Depth:

780GCA - 10.5 in. x 1/4 in.
780GCB - 10.5 in. x 1/4 in.
780GCC - 10.5 in. x 1/4 in.

Blade Carrier - Pan
Output Shaft Diameter (inches):

780GCA - 2 or 2-3/8
780GCB - 2 or 2-3/8
780GCC - 2 or 2 3/8

Blade Size:

780GCA - 1/2 in. x 4 in. Updraft
780GCB - 1/2 in. x 4 in. Updraft
780GCC - 1/2 in. x 4 in. Updraft

Blade Tip Speed (feet/minute):

780GCA - 15,238/14,821
780GCB - 15,238/14,821
780GCC - 15,238/14,821

Minimum Cutting Height (inch) - 2
Tail Wheel:

780GCA - 3 Spindle
780GCB - 3 Spindle
780GCC - 3 Spindle

Tire & Wheel:

780GCA - Laminated
780GCB - 6 tires -25.75 x 6.75 x 14
(used Aircraft tires)
780GCC - 6 tires - 25.75 x 6.75 x14
(used Aircraft tires)

Hydraulic Level Lift:

780GCA - Optional
780GCB - Standard
780GCC - Standard

Safety Deflectors - Front/Rear Chains
Weight (pounds):

780GCA - 5,397
780GCB - 5,500
780GCC - 5,500

PTO Shaft:

780GCA - 540
780GCB - 1000 - 1 3/8 in. shaft
780GCC - 1000 - 1 3/4 in. shaft

PULL TYPE ACCESSORIES

(Order through Service Parts)

MAG415D0060 15 ft. Hydraulic Level
Lift

**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
780GCA ROTARY CUTTER	5,894 LB		\$29,077.00
780GCB ROTARY CUTTER	1,749 LB		\$33,310.00
780GCC ROTARY CUTTER	5,594 LB		\$33,310.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_16049 EXTRA WHEELS, TIRES AND RIMS

780GCA ONLY

	717985	Aircraft Tires (6) Set of 6 Used Aircraft Tires			\$2,023.00
	717986	Aircraft Tires (8) Set of 8 Used Aircraft Tires			\$2,709.00

780GCB & 780GCC ONLY

	717984	Aircraft Tires (2) Additional set of 2 Used Aircraft tires for a total of 8 Used Aircraft Tires			\$675.00
--	--------	---	--	--	----------

780GCA, 780GCB, & 780GCC ONLY

	717987	Foam Filled P Tire 6 Set of 6 Foam Filled Tires			\$2,709.00
	717988	Foam Filled P Tire 8 Set of 8 Foam Filled Tires			\$3,418.00

SD_N6431 DUAL TAIL WHEEL

	717982	Dual Tail Wheel			\$820.00
--	--------	-----------------	--	--	----------

SD_N6432 HYD LIFT

780GCA ONLY

	717983	Hyd Lift Hydraulic Level Lift			\$1,982.00
--	--------	---	--	--	------------

**MODEL 105A ROTARY TILLER
US PRICE LIST****(Shipment from Depots)
Standard Equipment**

3-point hitch mounted, 540 rpm PTO
driven tiller, available in operating widths
of 60 in. and 72 in.

No. of Blades

60 inch - 28

72 inch - 36

Blade Tip Speed (fpm) @ 540 rpm

60 inch & 72 inch - 1063

SPECIFICATIONS:

Approximate Working Width (inches) -

60 inch - 60 (in.)

72 inch - 72 (in.)

Tilling Depth Adjustment with

Guide Shoe - 0-4.5 (in.)

Maximum Tilling Depth without

Guide Shoes - 7.25 (in.)

Hitch - Cat. I

Offset Adjustment to Right - 11 (in.)

PTO hp Rating - 45

Rotor Drive Type - Chain

Drive Protection - Slip Clutch

Rotor Speed @ 540 rpm PTO -

60 inch & 72 inch - 236

A complete rotary tiller includes the
following:

- Basic Tiller

- Category 1 Hitch

- PTO with Slip Clutch

WARRANTY

New Holland Standard Warranty Applies

Dealer pickup permitted

Current Inventory Only

**MODEL 105A ROTARY TILLER
US PRICE LIST**

(Shipment from Depots)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
105A	1,000 LB		\$3,880.00
Includes the following Equipment			
60 in. Rotary Tiller (715416)	\$664.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES
ROTARY TILLER WORKING WIDTH

SD_01001 BASE UNIT

		715416	60 in. Rotary Tiller (715416006)			\$664.00
		716729	72 in. Hvy Duty Rotary Tiller (716729006) remove			\$1,752.00

WORK EZ® EZ MATCH™
US PRICE LIST

(Distribution Center)

Standard Equipment

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Many other New Holland products are quick hitch compatible - rear blades, box blades, landscape rakes, 6 ft Disc and 90" rear finishing mower.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1 ☐ " wide)
Height (inches) - 24
Weight (pounds) - 85
Maximum Horsepower - 60

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB		\$481.00

**LIGHT DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Standard Equipment

Work EZ® Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. The Light Duty Box Blades are also Work EZ® - EZ Match™ compatible. These box blades are offered as Light Duty for the estate and homeowner.

WARRANTY

New Holland Standard Warranty Applies

MODEL: EZ48BL

Application - Light Duty
Working Width - 48 (in.)
Overall Height - 35-1/2 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 30
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 4
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - n/a
Hinges Rear Flat w/ Cutting Edge - N/A

Weight - 313 (lbs.)

MODEL: EZ60BL

Application - Light Duty
Working Width - 60 (in.)
Overall Height - 35-1/2 (in.)
Box Depth- 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 387 (lbs.)

**LIGHT DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ 48BL	363 LB		\$1,371.00
WORKEZ 60BL	437 LB		\$1,531.00

Current Inventory Only

**STANDARD DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ™ Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. These box blades are offered Standard Duty for the landscaper.

WARRANTY

New Holland Standard Warranty Applies

MODEL: 60BM

Application - Standard Duty
Working Width - 60 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 484 (lbs.)

MODEL: 72BM

Application - Standard Duty
Working Width - 72 (in.)

Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 543 (lbs.)

MODEL: 84BM

Application - Standard Duty
Working Width - 84 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 60
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/Cutting Edge - N/A
Weight - 603 (lbs.)

**STANDARD DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ 60BM	534 LB		\$1,865.00
WORKEZ 72BM	643 LB		\$1,999.00
WORKEZ 84BM	703 LB		\$2,281.00

Current Inventory Only

**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3-point hitch. The Medium Duty Rear Blades are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MEDIUM DUTY**MODEL: EZ60SM**

Application - Medium Duty
Moldboard Width - 60 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 256 (lbs.)

MODEL: EZ72SM

Application - Medium Duty
Moldboard Width - 72 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 278 (lbs.)

MODEL: EZ84SM

Application - Medium Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. 9in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 297 (lbs.)

**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ60SM	256 LB		\$1,390.00
EZ72SM	328 LB		\$1,590.00
EZ84SM	297 LB		\$1,780.00

Current Inventory Only

**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3- point hitch. These rear blades are offered as Heavy Duty, Heavy Duty Plus for the contractor or high horsepower owner/operator.

WARRANTY

New Holland Standard Warranty Applies

HEAVY DUTY**MODEL: 84SH**

Application - Heavy Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 584 (lbs.)

MODEL: 96SH

Application - Heavy Duty
Moldboard Width - 96 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 679 (lbs.)

**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
84SH	684 LB		\$2,004.00
96SH	679 LB		\$2,184.00

Current Inventory Only

**WORK EZ® DISK HARROW
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Disk Harrow is designed to compliment compact and utility tractors equipped with 3-point hitch and is Work EZ® - EZ Match™ compatible. This disk harrow combines overall weight and notched blades (front and rear) to aggressively cut and turn the soil, regardless of residue conditions.

WARRANTY

New Holland Standard Warranty Applies

MODEL: EZ78DC

Size - 78 (in.)

SPECIFICATIONS:

Cutting Width - 70 (in.)

Tractor Horsepower (max.) 70

Hitch - Cat. I

Overall Length - 60 (in.)

Overall Width - 79 (in.)

Maximum Cutting Depth - 5 (in.)

Number of Disk Blades - 20 Notched

Blade (front and rear)

Disk Blade Size - 1 (in.) diameter

Disk Blade Spacing -

5 1/2", 6 1/2", 7 1/2" R

Bearing Lubrication -Sealed Bearings

Weight - 679 (lbs.)

Model

COMMERCIAL MODEL	Weight	Factory Data	List Price
E278DC	678 LB		\$3,459.00

**WORK EZ® LANDSCAPE RAKES
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Landscape Rakes are designed to compliment compact and utility tractors equipped with 3-point hitch and are also Work EZ® - EZ Match™ compatible. These basic units offer a choice of angle selection and provide 1 inch tine spacing for precision soil preparation and leveling.

MODEL SPECIFICATIONS:
EZ72LR

Rake Width - 72 (in.)
 Rake Height - 15 (in.)
 Hitch - Cat. I
 Tractor Horsepower (max.) - 50
 Rake Pivot (degrees) - 360°
 Angle - 5 Forward/3 Reverse
 Pivot King Pin - 1-1/4 (in.)
 Tine Spacing - 1 (in.)
 Tine Size - 5/16 x 1 (in.)
 Tine Material - High Carbon Spring Steel
 Weight - 219 (lbs)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ72LR	269 LB		\$1,518.00

**WORK EZ® BALE CARRIERS
US PRICE LIST**

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Bale Carrier

Application - Standard duty

Weight - 155 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear

Application - Standard duty

Weight - 98 lbs

Weight rating - 2000 lbs

Tractor horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB		\$643.00
WORK EZ BALE SPEAR	155 LB		\$709.00

**WORK EZ® HAY SPEARS
US PRICE LIST**
Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ DBL BALE QA	153 LB		\$1,330.00
WORK EZ SNGL BALE QA	168 LB		\$1,156.00