

**OKLAHOMA DEPARTMENT OF CORRECTIONS
Periodic Physical Examination and Laboratory Requirements
Male**

Periodic Physical Examination and Laboratory Requirement: Male		Frequency
Periodic PE Ages 18-39 yrs.	<ul style="list-style-type: none"> Physical Examination 	<ul style="list-style-type: none"> Every 3 years
Periodic PE Ages 40-64 yrs.	<ul style="list-style-type: none"> Physical Examination Lipid Profile Fasting CMP Fecal occult blood testing X 3 beginning age 50 Baseline EKG-age 50 	<ul style="list-style-type: none"> Every 1-3 years Every 1-3 years Every 1-3 years Annually Baseline, and then by provider discretion
Periodic PE Ages 65 and older	<ul style="list-style-type: none"> Physical Examination Lipid Profile Fasting CMP Fecal occult blood testing X 3 	<ul style="list-style-type: none"> Annually Annually Every 3 years Annually until age 75, and then by provider order

**Physical Examination and Laboratory Requirements For Inmates Returning From GPS
Male**

GPS Physical Examination and Laboratory Requirement: Male (4-4365M, b# 3, 5, 7)	
Initial PE Age 39 and younger (4-4312)	<ul style="list-style-type: none"> Tuberculin skin test (4-4365 (b# 3)) HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354, 4-4365 (b# 3)) Rapid Plasma Reagin (Syphilis) Fasting CMP
Initial PE Ages 40-49 yrs.	<ul style="list-style-type: none"> Fasting CMP Tuberculin skin test (4-4365 (b# 3)) HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3)) Rapid Plasma Reagin (Syphilis)
Initial PE Ages 50-64 yrs.	<ul style="list-style-type: none"> Fasting CMP Tuberculin skin test (4-4365 (b# 3)) HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3)) Rapid Plasma Reagin (Syphilis)
Initial PE Ages 65 and older	<ul style="list-style-type: none"> Fasting CMP Tuberculin skin test (4-4365 (b# 3)) HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3)) Rapid Plasma Reagin (Syphilis)