

**OKLAHOMA DEPARTMENT OF CORRECTIONS**  
**Periodic Physical Examination and Laboratory Requirements**  
**Female**

Periodic Physical Examination and Laboratory Requirement: Female		Frequency
Periodic PE Ages 19-39 yrs.	<ul style="list-style-type: none"> <li>Physical Examination</li> <li>PAP testing</li> </ul>	<ul style="list-style-type: none"> <li>Every 3 years</li> <li>Every 1-3 years. Provider discretion after three consecutive normal tests or hysterectomy.</li> </ul>
Periodic PE Ages 40-49 yrs.	<ul style="list-style-type: none"> <li>Physical Examination</li> <li>Lipid Profile</li> <li>Repeat PAP testing</li> <li>Fasting CMP</li> <li>Mammography</li> </ul>	<ul style="list-style-type: none"> <li>Every 1-3 years</li> <li>Every 1-3 years</li> <li>Provider discretion after three consecutive normal tests or hysterectomy.</li> <li>Every 1-3 years after age 45</li> <li>Every 1-2 years until age 75. Provider discretion for high risk patients.</li> </ul>
Periodic PE Ages 50-64 yrs.	<ul style="list-style-type: none"> <li>Physical Examination</li> <li>Lipid Profile</li> <li>PAP testing</li> <li>Fasting CMP</li> <li>Fecal occult blood testing X 3</li> <li>Mammography</li> <li>Baseline EKG-age 50</li> </ul>	<ul style="list-style-type: none"> <li>Every 1-3 years</li> <li>Every 1-3 years</li> <li>Provider discretion after three consecutive normal tests or hysterectomy.</li> <li>Annually</li> <li>Annually</li> <li>Baseline, and then by provider discretion for high risk patients.</li> <li>Baseline, and then by provider discretion</li> </ul>
Periodic PE Ages 65 and older	<ul style="list-style-type: none"> <li>Physical Examination</li> <li>Lipid Profile</li> <li>PAP testing</li> <li>Fasting CMP</li> <li>Fecal occult blood testing X 3</li> <li>Mammography</li> <li>Bone Density Screening</li> </ul>	<ul style="list-style-type: none"> <li>Annually</li> <li>Annually</li> <li>Provider discretion after three consecutive normal tests or hysterectomy.</li> <li>Every 3 years</li> <li>Annually until 75, and then by provider order</li> <li>Every 1-2 years. Provider discretion after age 75.</li> <li>Age 65 or equivalent fracture risk. Repeat screening not recommended by USPSTF, may be ordered by provider discretion.</li> </ul>

**Physical Examination and Laboratory Requirements For Offenders Returning From GPS**  
**Female**

GPS Physical Examination and Laboratory Requirement: Female (4-4365M (b# 3, 5))	
Initial PE Age 39 and younger (4-4312)	<ul style="list-style-type: none"> <li>Tuberculin skin test (4-4365 (b# 3))</li> <li>HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3))</li> <li>Rapid Plasma Reagin (Syphilis)</li> <li>Chlamydial testing</li> <li>Gonorrhea cultur3</li> <li>Fasting CMP</li> <li>Urine pregnancy testing (if clinically indicated)</li> </ul>
Initial PE Ages 40-49 yrs.	<ul style="list-style-type: none"> <li>Tuberculin skin test (4-4365 (b# 3))</li> <li>HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3))</li> <li>Rapid Plasma Reagin (Syphilis)</li> <li>Chlamydial testing</li> <li>Gonorrhea culture</li> <li>Fasting CMP</li> <li>Urine pregnancy testing (if clinically indicated)</li> </ul>
Initial PE Ages 50-64 yrs.	<ul style="list-style-type: none"> <li>Tuberculin skin test (4-4365 (b# 3))</li> <li>HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3))</li> <li>Rapid Plasma Reagin (Syphilis)</li> <li>Chlamydial testing</li> <li>Gonorrhea culture</li> <li>Fasting CMP</li> <li>Urine pregnancy testing (if clinically indicated)</li> </ul>
Initial PE Ages 65 and older	<ul style="list-style-type: none"> <li>Tuberculin skin test (4-4365 (b# 3))</li> <li>HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (4-4354M, 4-4365M (b# 3))</li> <li>Rapid Plasma Reagin (Syphilis)</li> <li>Chlamydial testing</li> <li>Gonorrhea culture</li> <li>Fasting CMP</li> </ul>