

Health Outcomes - Overall Rank

Rank	County
1	Kingfisher (KI)
2	Texas (TE)
3	Cleveland (CE)
4	Payne (PY)
5	Canadian (CN)
6	Rogers (RO)
7	Cimarron (CI)
8	Logan (LO)
9	Noble (NO)
10	Washington (WS)
11	Woods (WO)
12	Custer (CS)
13	Wagoner (WA)
14	Nowata (NW)
15	McClain (MC)
16	Garfield (GA)
17	Alfalfa (AL)
18	Grant (GN)
19	Marshall (MR)
20	Woodward (WD)
21	Roger Mills (RM)
22	Tulsa (TU)
23	Jackson (JA)
24	Grady (GD)
25	Cotton (CT)
26	Bryan (BR)
27	Beaver (BE)
28	Osage (OS)
29	Harper (HR)
30	Lincoln (LI)
31	Major (MA)
32	Comanche (CM)
33	Oklahoma (OL)
34	Stephens (ST)
35	Delaware (DE)
36	Mayes (MY)
37	Dewey (DW)
38	Latimer (LA)
39	Pottawatomie (PW)
40	Ellis (EL)
41	Cherokee (CH)
42	Caddo (CA)
43	Harmon (HA)
44	Kay (KA)
45	Blaine (BL)
46	Le Flore (LF)
47	Murray (MU)
48	Pawnee (PA)

Rank	County
49	Creek (CK)
50	Adair (AD)
51	Atoka (AT)
52	Tillman (TI)
53	Hughes (HU)
54	Ottawa (OT)
55	Craig (CG)
56	Washita (WH)
57	Okfuskee (OK)
58	Beckham (BC)
59	Greer (GE)
60	Haskell (HS)
61	Sequoyah (SQ)
62	Carter (CR)
63	Pontotoc (PO)
64	McCurtain (MT)
65	Okmulgee (OM)
66	Pittsburg (PI)
67	Muskogee (MK)
68	Love (LV)
69	Choctaw (CO)
70	Jefferson (JE)
71	McIntosh (ML)
72	Garvin (GR)
73	Seminole (SE)
74	Kiowa (KO)
75	Coal (CL)
76	Johnston (JO)
77	Pushmataha (PU)

## Canadian (CN)



	Canadian County	Error Margin	Top U.S. Performers*	Oklahoma	Rank (of 77)
<b>Health Outcomes</b>					<b>5</b>
<b>Length of Life</b>					<b>2</b>
Premature death	6,565	6,047-7,083	5,317	9,291	
<b>Quality of Life</b>					<b>11</b>
Poor or fair health	13%	11-15%	10%	19%	
Poor physical health days	3.9	3.4-4.4	2.5	4.3	
Poor mental health days	3.8	3.3-4.3	2.4	4.2	
Low birthweight	7.7%	7.2-8.2%	6.0%	8.3%	
<b>Health Factors</b>					<b>4</b>
<b>Health Behaviors</b>					<b>8</b>
Adult smoking	21%	18-24%	14%	24%	
Adult obesity	31%	28-34%	25%	32%	
Food environment index	8.2		8.7	7.1	
Physical inactivity	31%	28-34%	21%	31%	
Access to exercise opportunities	71%		85%	64%	
Excessive drinking	15%	12-18%	10%	13%	
Alcohol-impaired driving deaths	36%		14%	34%	
Sexually transmitted infections	195		123	385	
Teen births	34	32-37	20	55	
<b>Clinical Care</b>					<b>4</b>
Uninsured	16%	14-17%	11%	22%	
Primary care physicians	2,542:1		1,051:1	1,597:1	
Dentists	2,552:1		1,439:1	1,891:1	
Mental health providers	802:1		536:1	438:1	
Preventable hospital stays	65	59-70	46	77	
Diabetic screening	84%	78-89%	90%	78%	
Mammography screening	59%	54-64%	71%	55%	
<b>Social &amp; Economic Factors</b>					<b>5</b>



	Canadian County	Error Margin	Top U.S. Performers*	Oklahoma	Rank (of 77)
High school graduation	85%			78%	
Some college	68%	65-71%	70%	58%	
Unemployment	4.2%		4.4%	5.2%	
Children in poverty	12%	9-15%	13%	24%	
Inadequate social support	19%	17-22%	14%	20%	
Children in single-parent households	25%	22-28%	20%	33%	
Violent crime	489		64	479	
Injury deaths	61	54-67	49	83	
<b>Physical Environment</b>					<b>55</b>
Air pollution - particulate matter	10.1		9.5	10.3	
Drinking water violations	43%		0%	18%	
Severe housing problems	9%	8-10%	9%	14%	
Driving alone to work	85%	84-86%	71%	82%	
Long commute - driving alone	31%	29-33%	15%	24%	



\* 90th percentile, i.e., only 10% are better.



Note: Blank values reflect unreliable or missing data



2014














**Canadian (CN)**

	<b>Canadian County</b>	<b>Oklahoma</b>
<b>Demographics</b>		
Population	122,560	3,814,820
% below 18 years of age	26%	25%
% 65 and older	11%	14%
% Non-Hispanic African American	2%	7%
% American Indian and Alaskan Native	5%	9%
% Asian	3%	2%
% Native Hawaiian/Other Pacific Islander	0%	0%
% Hispanic	7%	9%
% Non-Hispanic white	79%	68%
% not proficient in English	1%	2%
% Females	50%	50%
% Rural	23%	34%
<b>Health Outcomes</b>		
Diabetes	11%	11%
HIV prevalence rate	122	152
Premature age-adjusted mortality	338	455
Infant mortality	7	8
Child mortality	52	77
<b>Health Behaviors</b>		
Food insecurity	12	17
Limited access to healthy foods	6%	9%
Motor vehicle crash deaths	17	20
Drug poisoning deaths	10	17
<b>Health Care</b>		
Uninsured adults	19%	26%
Uninsured children	9%	11%
Health care costs	\$10,383	\$10,477
Could not see doctor due to cost	14%	18%
Other primary care providers	3,143:1	1,782:1
<b>Social &amp; Economic Factors</b>		
Median household income	\$62,984	\$44,336
Children eligible for free lunch	31%	51%
Homicide rate	4	6

\* Data supplied on behalf of state

Note: Blank values reflect unreliable or missing data