



Caddo County

| | PREVIOUS | CURRENT | GRADE |
|------------------------------------------------------|----------|---------|-------|
| MORTALITY | | | |
| INFANT (RATE PER 1,000) | 8.0 | 7.5 | C |
| TOTAL (RATE PER 100,000) | 1048.4 | 1073.0 | F |
| LEADING CAUSES OF DEATH (RATE PER 100,000) | | | |
| HEART DISEASE | 297.9 | 286.0 | F |
| CANCER | 221.0 | 228.2 | F |
| STROKE | 44.1 | 47.3 | D |
| CHRONIC LOWER RESPIRATORY DISEASE | 48.9 | 55.2 | F |
| UNINTENTIONAL INJURY | 68.6 | 94.5 | F |
| DIABETES | 61.1 | 52.1 | F |
| INFLUENZA/PNEUMONIA | 33.2 | 22.4 | F |
| ALZHEIMER'S DISEASE | 29.1 | 27.9 | D |
| NEPHRITIS (KIDNEY DISEASE) | 28.2 | 27.1 | F |
| SUICIDE | 11.2 | 10.1 | C |
| DISEASE RATES | | | |
| DIABETES PREVALENCE | 13.0% | 11.2% | F |
| ASTHMA PREVALENCE | 8.5% | 5.5% | A |
| CANCER INCIDENCE (RATE PER 100,000) | 512.0 | 528.9 | D |
| RISK FACTORS & BEHAVIORS | | | |
| FRUIT/VEGETABLE CONSUMPTION | 8.0% | 13.1% | F |
| NO PHYSICAL ACTIVITY | 28.2% | 28.2% | D |
| SMOKING | 17.6% | 28.5% | F |
| OBESITY | 31.1% | 28.7% | C |
| IMMUNIZATIONS < 3 YEARS | 71.2% | 69.3% | C |
| SENIORS FLU VACCINATION | 71.1% | 79.9% | A |
| SENIORS PNEUMONIA VACCINATION | 65.2% | 77.5% | A |
| LIMITED ACTIVITY DAYS (AVG) | 4.4 | 5.5 | D |
| POOR MENTAL HEALTH DAYS (AVG) | 3.8 | 4.5 | F |
| POOR PHYSICAL HEALTH DAYS (AVG) | 3.9 | 4.1 | D |
| GOOD OR BETTER HEALTH RATING | 83.5% | 76.0% | F |
| TEEN FERTILITY (RATE PER 1,000) | 32.1 | 31.2 | D |
| FIRST TRIMESTER PRENATAL CARE | 77.4% | 78.6% | |
| LOW BIRTHWEIGHT | 8.4% | 8.4% | C |
| ADULT DENTAL VISITS | 54.4% | 53.7% | F |
| USUAL SOURCE OF CARE | 82.9% | 86.3% | B |
| SOCIOECONOMIC FACTORS | | | |
| NO INSURANCE | 16.1% | 24.1% | F |
| POVERTY | 21.2% | 21.3% | F |

Note: A "." is used to denote <5 events in mortality fields and <5 observations or <50 in the sample population for BRFSS data, which result in unstable rates.

Mortality and Leading Causes of Death

- Caddo County ranked 68th in the state for age-adjusted total mortality, with a rate that was 41 percent higher than the national rate and 15 percent higher than the state rate.
- Caddo County's leading causes of death were heart disease, cancer, and unintentional injury.
- Caddo County had the ninth lowest mortality rate for suicides.

Disease Rates

- Caddo County had the fourth lowest rate of asthma prevalence in the state, with a rate that was 38 percent lower than the national rate.

Risk Factors, Behaviors and Socioeconomic Factors

- Caddo County had relatively high rates of influenza and pneumonia vaccinations for its seniors.
- Caddo County ranked seventh in the state for the percentage of residents who had a usual health care provider.
- One in 4 residents did not have health care coverage and 1 in 5 residents lived in poverty.

Changes from Previous Report

- The unintentional injury mortality rate increased 38 percent.
- Mortality rates declined 15 percent for diabetes and 33 percent for influenza/pneumonia.
- The prevalence of asthma among adults decreased 35 percent.
- Adults consuming the recommended servings of fruits and vegetables daily increased 64 percent.
- Seniors who received vaccinations for influenza and pneumonia increased 12 percent and 19 percent, respectively.
- Adult smokers increased 62 percent.
- The number of limited activity days and poor mental health days increased 25 percent and 18 percent, respectively.
- Adults without health care coverage increased 50 percent.