

Oklahoma Viral Hepatitis Summary Statistics: Acute Hepatitis B and Hepatitis C Cases Diagnosed in 2017

Cases	Acute HCV		Acute HBV	
	Number	(%)	Number	(%)
Total	81	100.0	53	100.0
Age (in years)	Number	(%)*	Number	(%)*
0 – 14	0	0.0	0	0.0
15 – 19	1	1.2	0	0.0
20 – 24	12	14.8	0	0.0
25 – 29	14	17.3	0	0.0
30 – 34	15	18.5	8	15.1
35 – 39	19	23.5	15	28.3
40 – 44	9	11.1	7	13.2
45 – 49	6	7.4	6	11.3
50 and over	5	6.2	17	32.1
Unknown	0	0.0	0	0.0
Race/Ethnicity	Number	(%)*	Number	(%)*
White	47	58.0	32	60.4
Black	3	3.7	2	3.8
American Indian/Alaska Native	11	13.6	3	5.7
Other	6	7.4	7	13.2
Hispanic (All Races)	4	4.9	2	3.8
Multiple Race	10	12.4	7	13.2
Gender	Number	(%)*	Number	(%)*
Female	29	35.8	19	35.8
Male	51	63.0	32	60.4
Unknown	1	1.2	2	3.8
Risk Factors	Number	(%)**	Number	(%)**
Use needle for street drugs	49	75.4	11	29.7
Tattooing	31	54.4	14	42.4
Had other surgery	10	17.2	9	26.5
Had dental work or oral surgery	12	20.7	7	20.6
Accidental Needle Stick	6	10.3	3	8.8
Received Blood or Blood Products	4	6.9	2	5.9
Total	81	100.0	53	100.0

*The sum of the percentages may not equal 100.0% due to rounding.

** Indicates the percentages among persons who responded to the risk factors questions. Risk factors are not mutually exclusive.



This publication was issued by the Oklahoma State Department of Health (OSDH), an equal opportunity employer and provider. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries in compliance with section 3-114 of Title 65 of the Oklahoma Statutes and is available for download at www.documents.ok.gov.
| www.health.ok.gov | August 23, 2018