

**STATE OF OKLAHOMA  
DEPARTMENT OF MINES**

2915 N. Classen Blvd., Suite 213

405/427-3859

Oklahoma City, Oklahoma 73106

**REVISION APPLICATION FORM  
MINING, BLASTING, RECLAMATION, HYDROLOGY  
PLANS AND PERMIT INFORMATION**

**FOR OFFICIAL USE ONLY**

DATE OF RECEIPT: 03/10/10

PERMIT NUMBER: 01/06-4205F

REVISION I.D.#: 1835F

DATE OF APPROVAL: 03/17/11

Date Revision Submitted: 05/08/2010

Company Name: Farrell-Cooper Mining Company, Inc. Permit Number: 01/06-4205F Name of Mine: Pine Mnt.

Company Address: Post Office Box 11050 City, State, Zip: Fort Smith, AR 72917

Legal Description of Permit:  
(Section, Township, Range and County) Section 25, 26, 35, 36; Township 5N; Range 25E; LeFlore County

Current Permit Acres: 182.4 Permit Acres After Revision Approval: 182.4

Revision Area Involves (#new acres): \_\_\_\_\_ Revision Area Involves (#old acres): 0.1 acres

Revision Involves Legal Description:  
(Section, Township, Range and County) Section 26, Township 05N; Range 25E; LeFlore County

**EXHIBITS MAY BE ATTACHED WITH PROPER IDENTIFICATION:** Sedcad, Location Map

**DESCRIBE IN DETAIL THE REVISION REQUESTED:** Add channels to direct seeps to stream. Channel 1 is approximately 100'. Channel 2 is approximately 78'. These channels will direct water from seeps through a riprap line channel to the existing creek. The flows are historically less than 1 CFS in either seep. The channel designs are based on 2 CFS. This is due to the design calculations used by SEDCAD 4. Actual seep flows were not large enough for SEDCAD 4 to be able to calculate design requirements. As-built for SP-1.

**WHY IS THIS REVISION REQUESTED:** To make sure that the area meets the post mine land use.

Is revision due to a Notice of Violation (NOV):  
If Yes, please provide NOV number. Yes/No No NOV Number: \_\_\_\_\_

Does this revision require public notification?  
If Yes, please attach a copy of publication. Yes/No No

Are additional leases required for revision?  
If Yes, attach a copy of the lease Yes/No No

Is there a bond change required? Yes/No No