



**OKLAHOMA BUREAU OF NARCOTICS
AND
DANGEROUS DRUG CONTROL**

**OFFICIAL OKLAHOMA
STATE PRESCRIPTION MONITORING PROGRAM
AND
PSEUDOEPHEDRINE
ELECTRONIC DATA TRANSMISSIONS**

Manual of Instructions
Revised December 23, 2009

Oklahoma Bureau of Narcotics and Dangerous Drug Control
Information Technology Division
440 NE 39th Street
Oklahoma City, Oklahoma 73105
Phone: (800) 522-8031
pmp@obn.state.ok.us

**BUREAU OF NARCOTICS
OFFICIAL OKLAHOMA STATE
PRESCRIPTION MONITORING PROGRAM**

I. Oklahoma Prescription Monitoring Program Overview

- A. Section 2-309C. A. A dispenser of a Schedule II, III, IV or V controlled dangerous substance, except Schedule V substances that contain any detectable quantity of pseudoephedrine, its salts or optical isomers, or salts of optical isomers shall transmit to a central repository designated by the Oklahoma Bureau of Narcotics and Dangerous Drugs Control using the American Society for Automation in Pharmacy's (ASAP) Telecommunications Format for Controlled Substances version designated in rules by the Oklahoma Bureau of Narcotics and Dangerous Drugs Control, the following information for each dispensation:
1. Recipient's name;
 2. Recipient's address;
 3. Recipient's date of birth;
 4. Recipient's identification number;
 5. National Drug Code number of the substance dispensed;
 6. Date of the dispensation;
 7. Quantity of the substance dispensed;
 8. Prescriber's United States Drug Enforcement Agency registration number; ~~and~~
 9. Dispenser's registration number; and
 10. Other information as required by administrative rule.
- B. The information required by this section shall be transmitted:
1. In a format or other media designated acceptable by the Oklahoma Bureau of Narcotics and Dangerous Drugs Control; and
 2. Within twenty-four (24) hours of the time that the substance is dispensed. Beginning January 1, 2012, all information shall be submitted on a real-time log.
- C. The provisions of subsection B of this section shall not apply to a nonresident drug outlet registered pursuant to the Oklahoma Pharmacy Act or to a resident drug outlet as defined in Section 353.1 of Title 59 of the Oklahoma Statutes if the nonresident or resident drug outlet mails or delivers a controlled substance to a patient or client. Nonresident and resident drug outlets shall transmit the information required in this section within seven (7) days of the date that the controlled substance is dispensed.
- D. Willful failure to transmit accurate information as required by this section shall be a misdemeanor punishable, upon conviction, by not more than one (1) year in the county jail, or by a fine of not more than One Thousand Dollars (\$1,000.00), or by both such imprisonment and fine, or administrative action may be taken pursuant to Section 2-304 of this title.

Pharmacies that dispense controlled substances must submit prescription information as required by the

law and regulations and in the manner and format specified in this manual. Pharmacies that utilize the services of a software vendor to submit prescription information remain solely responsible for compliance with these requirements.

The general requirements for the electronic transmission of prescription information are:

- Electronic transmission must occur in the file format and manner approved by OBNDD as described in this manual.
- Electronic transmission must be done as a batch transmission at least once daily.

II. Contact Information

Don Vogt	Policy and Management	(800) 522-8031 x140
Kelly Couch	PMP Support	(800) 522-8031 x166
Dan Harting	PSE Support	(800) 522-8031 x
Matt Spinks	Technical Support	(800) 522-8031 x179

Help Desk

General Support

(877) 627-2674

Individual pharmacies are advised to contact their software vendor to obtain modifications and instructions on compliance with electronic submissions of prescription information.

Assistance and information about the Official Oklahoma State Prescription Program Electronic Data Transmission is available from the *Bureau of Narcotics Information Technology Division* between the hours of 8:30 a.m. and 4:45 p.m. CST, Monday through Friday.

Software for electronic transmission **will not** be provided by the OBNDD. However, the Web Portal will contain a form allowing for the entry of prescriptions one at a time. This method will replace the spreadsheet previously provided by OBNDD.

III. Timeline for Testing and Implementation

Web Service Testing	January 15, 2010	All Users
Portal Testing	February 15, 2010	Selected Users
Portal and Web Service Testing	March 1, 2010	All Users
System Fully Operational 24 Hour Batch Reporting	April 2, 2010	All Users
System Converts to POS Reporting	January 1, 2012	All Users

IV. Prescription Information Reporting Requirements

The required prescription information must be transmitted to OBNDD electronically via the Internet. All electronic submissions must be transmitted in accordance with the format detailed in Section VIII of this manual.

V. Important Information to Establish an On-line Internet Account

This section describes the process to establish an account to transmit prescription information to the OBNDD. **Note: A pharmacy that has already established an account to transmit prescription information under the previous system, must update their contact information before submitting data.**

To establish a new account to transmit prescription information to the OBNDD secure Web portal, the new pharmacy providers must complete appropriate application forms.

VI. Required Format for Electronic Submission of Prescription Information

Submitted prescription information must be in the ASAP 2007 format. This is a character-delimited format. For details and examples, please consult the *Implementation Guide for the ASAP Standard for Prescription Monitoring Programs, 2007 Version 4, Release 1, released November 2009*. This document is available from the American Society for Automation in Pharmacy (<http://www.asapnet.org>) or phone 610-825-7783.

VII. Required Format for Electronic Data Transmission Information

OBNDD has implemented three methods of transmissions:

1. The use of the OBNDD web portal to transmit single transactions.
2. The use a secure web service (<https://pmp.obn.ok.gov/>) in which pharmacies must transmit controlled substance prescription information. An Internet connection which provides 128 bit encryption Secure Socket Layer (SSL), must be used to transmit all controlled substance prescription information.
 - a. File format shall be a format using the following web-method

FIELD	TYPE	
NCPDP OR DEA#	TEXT	
ASAP 2007 BLOCK	TEXT	COMPLETE ASP2007 TRANSACTION
NCPDP PASSWORD	TEXT	

Separated Fields (Web Method)

PerformPMPTransaction (NCPDP or DEA# , ASAP 2007 Block, NCPDP Password)

Return true if transaction complete

3. The use of a secure ftp service (<https://pmp.obn.ok.gov:22/>) in which pharmacies must transmit controlled substance prescription information. An Internet connection which provides 128 bit encryption Secure Socket Layer (SSL), must be used to transmit all controlled substance prescription information.

- a. File naming convention shall be the following for all batch data transfers
 - i. NCPDP_YYYYMMDD.DAT format.
4. After April 2, 2010, tape, CD-ROM's, DVD-ROM's and Floppy Disc's will no longer be accepted.

VIII. Certification and Rejection of Submitted Prescription Information

Certification - Submissions of prescription information will be audited for compliance with the specified formats in this manual and with ASAP 2007 record layout and standards.

Rejection – Submissions of prescription information will be rejected if they do not meet the data requirements specified in this manual and the layout and requirements of the ASAP 2007 standards. The submitting pharmacy will be notified via e-mail of the reason for the rejection of information.

Rejection information will include

1. Reason of Rejection
2. Transaction Identifier

In the event that a submission is rejected by the OBNDD, the submitting pharmacy will be responsible for correcting the rejected submission and resubmitting the information within three business days.

Pharmacies should retain a back-up file for at least 2 months following transmission of prescription information.

Errors can either be corrected on the Web Portal or submitted with a revise flag in the DSP-01 segment. All errors must be corrected within 48 hours of notification. Notifications will be sent by e-mail to the responsible party(s).

Next Page Please

IX. ASAP 2007 Version 004, Release 1

Pharmacies must use the following information block to transmit data to OBNDD. We will reject records which contain missing information in all required reporting elements.

Listed below are the fields used by the Official Oklahoma State Prescription Monitoring Program;

ASAP 2007		
Reporting Requirement	SEGMENT	NAME
Required	TH-01	Version Number
Required	TH-02	Transaction Control Number
<i>Not Used</i>	TH-03	Transaction Type
<i>Not Used</i>	TH-04	Response ID
Required	TH-05	Creation Date
Required	TH-06	Creation Time
Required	TH-07	File Type
<i>Not Used</i>	TH-08	Routing Number
Required	TH-09	Segment Terminator
Required	IS-01	Information Source
Required	IS-02	Information Source Entity Name
Optional	IS-03	Message
Required	PHA-01	National Provider Identifier
Required	PHA-02	NCPDP/NABP
Required	PHA-03	DEA Number
<i>Not Used</i>	PHA-04	Pharmacy Name
<i>Not Used</i>	PHA-05	Address Information – 1
<i>Not Used</i>	PHA-06	Address Information – 2
<i>Not Used</i>	PHA-07	City Address
<i>Not Used</i>	PHA-08	State Address
<i>Not Used</i>	PHA-09	Zip Code Address
<i>Not Used</i>	PHA-10	Phone Number
<i>Not Used</i>	PHA-11	Contact Number
<i>Not Used</i>	PHA-12	Chain Site ID
<i>Not Used</i>	PAT-01	ID Qualifier of Patient Identifier
Required	PAT-02	Patient ID Qualifier
Required	PAT-03	Patient ID
<i>Not Used</i>	PAT-04	ID Qualifier of Additional Patient Identifier
<i>Not Used</i>	PAT-05	Additional Patient ID Qualifier
<i>Not Used</i>	PAT-06	Additional ID
Required	PAT-07	Patient Last Name
Required	PAT-08	Patient First Name

Situational	PAT-09	Patient Middle Name
<i>Not Used</i>	PAT-10	Patient Name Prefix
Situational	PAT-11	Patient Name Suffix
Required	PAT-12	Patient Address 1
Situational	PAT-13	Patient Address 2
Required	PAT-14	Patient City
Required	PAT-15	Patient State
Required	PAT-16	Patient Zip Code
Required	PAT-17	Patient Phone Number
Required	PAT-18	Patient DOB
Required	PAT-19	Patient Gender
Required	PAT-20	Species Code
<i>Not Used</i>	PAT-21	Patient Location Code
<i>Not Used</i>	PAT-22	Country of Non-U.S. Resident
Optional	PAT-23	Name of Animal
Required	DSP-01	Reporting Status
Required	DSP-02	Prescription Number
Required	DSP-03	Date RX Written
Required	DSP-04	Refills Authorized
Required	DSP-05	Date Filled
Required	DSP-06	Refill Number
Required	DSP-07	Product ID Qualifier
Required	DSP-08	Product ID Number
Required	DSP-09	Quantity Dispensed
Required	DSP-10	Days of Supply
Required <i>(Note – For pre-packaged products, report the total pill count. For additional information on populationg this field, refer to the ASAP manual)</i>	DSP-11	Drug Dosage Usage Units Code
Optional	DSP-12	Transmission form of RX Origin Code
Required	DSP-13	Partial Fill
Not Used	DSP-14	Pharma
Required	DSP-15	Pharmacy OBN Registration Number
Required	DSP-16	Classification for Payment
<i>Not Used</i>	DSP-17	Date Sold
Optional	DSP-18	RxNorm Code
Optional	DSP-19	Electronic Prescription Reference Number
Optional	PRE-01	Prescriber NPI Number

Required	PRE-02	DEA Number
Situational	PRE-03	DEA Suffix
<i>Not Used</i>	PRE-04	Prescriber State License Number
<i>Not Used</i>	PRE-05	Last Name
<i>Not Used</i>	PRE-06	First Name
<i>Not Used</i>	PRE-07	Middle Name
Required	CDI-01	CDI Sequence Number
Required	CDI-02	Product ID Qualifier
Required	CDI-03	Product Name
Required	CDI-04	Quantity
Required	CDI-05	Compound Drug Units Code
<i>Not Used</i>	AIR-01	State Issuing Rx Serial Number
<i>Not Used</i>	AIR-02	State Issued Rx Serial Number
<i>Not Used</i>	AIR-03	Issuing Jurisdiction
Optional	AIR-04	ID Qualifier Person Picking Up Rx
Optional	AIR-05	ID Number Person Picking Up Rx
Optional	AIR-06	Relationship of Person Picking Up RX
<i>Not Used</i>	AIR-07	Last Name of Person Dropping Off or Picking Up Rx
<i>Not Used</i>	AIR-08	First Name of Person Dropping Off or Picking Up Rx
<i>Not Used</i>	AIR-09	Last Name or Initials of Pharmacist
<i>Not Used</i>	AIR-10	First Name of Pharmacist
Required	TP-01	Pharmacy Trailer
Required	TT-01	Transaction Control Number
Required	TT-02	Segment Count

The **HEADER** (TH, IS) is sent once for the entire file.

IF multiple pharmacies are included in a single file, the PHA segment is repeated with all the **DETAIL** segments under it for each Pharmacy. The TP segment is inserted at the end of each pharmacy's report.

IF there are multiple patients within a single pharmacy's report, the PAT, DSP, PRE and AIR segments are repeated for each patient.

IF a patient has multiple prescriptions filled within the reporting period, the remaining fields within the **DETAIL** segment (e.g. DSP, PRE, and AIR) are repeated following the PAT segment. In other words, the prescription info can loop multiple times under the PAT segment. Please refer to the *ASAP 2007*,

Version 1 (November 2009) manual for additional information.

IF a compounded prescription has multiple ingredients that are controlled substances, the **Compounded Drug Ingredient** (CDI) segment is repeated.

A **Pharmacy Trailer** (TP) segment should be included for each pharmacy and should be the last segment for each pharmacy.

The **Transaction Set Trailer** (TT) segment signals the end of a transmission and must be inserted at the end of the entire file.

The acknowledgement transmission ASAP 2007 segment will not be used at the current time. The process where an acknowledgement page is displayed on the HCS Upload when you submit your data will be continued.

X. Additional Field and Data Submission Requirements and Considerations

PAT07 and PAT08 (*Last Name, First Name of Patient*)

Do not use any special characters (for example, *, “”, etc.). Use only letters in patient name fields.

PAT15 (*Patient’s Address—State*)

State must be valid two-character state code. For example: OK, TX, MI, etc

PRE02 and PRE03 (*Prescriber DEA Number and DEA Suffix*)

Submitted prescription information must include the DEA registration number of the individual prescribing practitioner.

Pharmacies submitting information from hospital prescriptions may submit the DEA registration of the hospital only when dispensing prescriptions from interns, residents or foreign physicians authorized to prescribe under the hospital’s DEA registration number and assigned a suffix that must be indicated on the prescription.

Next Page Please

Frequently Asked Questions:

1. When will these requirements go into effect?

PMP – April 2, 2010
PMP POS Reporting – January 1, 2012

2. Will there be a test system available?

Yes. PMP Web Service testing will begin on January 15, 2010. PMP Web Portal testing will not begin until February 15, 2010.

3. Which ASAP format can I use for reporting prescriptions drugs?

ASAP 2007, Version 4, Release 1 (*November 2009*).

4. I am not a pharmacy, but I dispense controlled drugs from my practice. Am I required to report that information to Oklahoma's PMP?

Yes. This would include any controlled drug given to a patient to take at home before or after a procedure done within the practice. However, samples are exempt at this time.

5. I have an out-patient hospital pharmacy, should I report dispensed controlled narcotics to Oklahoma's PMP?

If the narcotic is consumed while the patient is still receiving care at the hospital, the hospital pharmacy is not required to report it to the PMP. If the drug leaves the hospital with the patient, even in small quantities, it must be reported.

6. How often must I report.

Every 24 hours, except mail order pharmacies.

7. I'm a mail order pharmacy. How should I submit my prescription reports and get identification from customers?

Mail order pharmacies must report every 7 days. Mail order pharmacies may accept a FAX copy of the Patient's ID. The ID must be valid and one of the four (4) types accepted by Oklahoma. A prescription may not be mailed to a person under 18 or to any person other than the patient or their guardian.

8. I am a mail order pharmacy who serves customers outside of Oklahoma. The drugs are shipped from my Oklahoma business address. Am I required to report those prescriptions that I ship out of state.

Yes. There are no exceptions. If the drug order is filled by an Oklahoma pharmacy, it must be reported to the PMP, regardless of its shipping address.

9. I am a Federal or Indian facility that reports to the Oklahoma system voluntarily. Am I required to get an ID and use the ASAP 2007 format?

Federal Indian Health Systems that are not OBN registrants and who are not required to report by an applicable law do not have to gather the ID's required by Oklahoma. However, we ask that every attempt be made to gather ID information as it helps protect against fraud and illegal diversion.

10. Does Oklahoma require Zero Reports.

Oklahoma does not require pharmacies to report when they do not dispense a controlled drug. Frequently referred to as a Zero Report. However, OBNDD requests that a pharmacy who has not dispensed any controlled drug for more than 30 days send a Zero Report to pmp@obn.state.ok.us. Submitting a Zero Report is voluntary.

11. I noticed that AIR-04, AIR-05 and AIR-06 are optional, even though we were told that we had to collect the information for people picking up the prescription.

Oklahoma law requires that all pharmacists see a valid ID for anyone who they do not know when that person picks up a scheduled narcotic. Upcoming changes in statutes and rules, in conjunction with the ASAP 2007 format, will also require that pharmacies report that information to the PMP. If the person picking up the prescription is known to the pharmacist, or is the person who the script was written for, and has a valid ID stored in the pharmacy system, than that information can be populated for both the patient and AIR-04, AIR-05 and AIR-06. In all other cases where the prescription is being picked up by a third party or a person unknown to the pharmacists, the ID must be collected and submitted to the PMP.

In order to give software vendors and chain stores the opportunity to program the changes into their systems, reporting the information about the person picking up the scheduled prescription will not become mandatory until the PMP goes to a live reporting format on January 1, 2012.

12. What ID's are recognized by Oklahoma?

Driver's License, State Issued Identification Cards, Military ID's and Passports are allowed. They cannot be expired. Tribal ID's are under review. (An example of a state issued identification is Oklahoma's "Red Card").

13. What about those people who are in rest homes, assisted nursing centers or who are in prison?

Pending legislation will allow OBN to provide an identification number for people in that circumstance. The ID number provided by OBN can be used to populate the ID field. That system should be in place before the PMP changes go into effect.

**BUREAU OF NARCOTICS
OFFICIAL OKLAHOMA STATE
ELECTRONIC PSEUDOEPHEDRINE LOG**

I. Oklahoma Electronic Pseudoephedrine Log Overview

- A. Oklahoma's electronic PSE log, authorized by 63 O.S. § 2-309C, has been in place since October 1, 2006. The legislation requires dispensers of pseudoephedrine products to report all sales to OBN electronically at time of sale. Batch processing of sales are not authorized unless OBN's connection is down. Outages are extremely rare.

- B. OBN provides 2 methods for submitting PSE sales data. Dispensers may enter the sales information directly into a Web Portal form or send the information via a Web Service Definition Language (WSDL).

- C. Beginning October 1, 2009, the PSE and PMP Web Portals will share a common login screen and interface.

- D. As of October 1, 2009, OBN will begin collecting the customer's date of birth. This document and the WSDL have been modified to reflect the change.

PLEASE SEE THE NEXT PAGE FOR OKLAHOMA'S PSE REQUIREMEN

PSE Reporting Chart

2009 PSE ELECTRONIC LOG		
Reporting Requirement	NAME	FORMAT
Required	CUSTOMER FIRST NAME	STRING
Required	CUSTOMER LAST NAME	STRING
Required	CUSTOMER DOB	STRING
Required	CUSTOMER STREET ADDRESS	STRING
Required	CUSTOMER CITY	STRING
Required	CUSTOMER STATE	STRING
Required	CUSTOMER ZIP	STRING 5 or 9 number format
Required	ISSUING STATE	STRING U.S. = Standard State Abrev. Mexico = MX Canada = CN
Required	CUSTOMER ID NUMBER	STRING ID's Allowed in Oklahoma State Issued Drivers License State Issued ID Card Military ID Passport
Required	TRANSACTION TYPE	STRING Purchase or Return
Required	PHARMACY NUMBER	STRING NCPDP/NAPB
Required	TECH INITIALS OR ID	STRING
Required	PRODUCT NAME	STRING
Required	QUANTITY	STRING Reported in Grams Example 0.72 or 2.4
Required	LIQUID	STRING
Required	GELCAP	STRING
Required	OVERRIDE BLOCKED SALE	STRING (May use either a 0 or 1, or a true or false in the string)

II. PSE WSDL

```
<?xml version="1.0" encoding="utf-8" ?>
= <wsdl:definitions xmlns:s="http://www.w3.org/2001/XMLSchema"
  xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
  xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/" xmlns:tns="http://tempuri.org/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" targetNamespace="http://tempuri.org/"
  xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
= <wsdl:types>
= <s:schema elementFormDefault="qualified" targetNamespace="http://tempuri.org/">
= <s:element name="SubmitTransaction">
= <s:complexType>
= <s:sequence>
= <s:element minOccurs="0" maxOccurs="1" name="PSET" type="tns:PSETTransaction" />
  </s:sequence>
  </s:complexType>
  </s:element>
= <s:complexType name="PSETTransaction">
= <s:sequence>
= <s:element minOccurs="0" maxOccurs="1" name="CustomerFirstName" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerLastName" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerDateOfBirth" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerStreet" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerCity" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerStateCode" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="CustomerZip" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="IdentificationStateCode" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="IdentificationNumber" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="TransactionType" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="PharmacyNumber" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="TechCode" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="DrugName" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="Quantity" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="Liquid" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="GelCap" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="OverrideBlockedSale" type="s:string" />
  </s:sequence>
  </s:complexType>
= <s:element name="SubmitTransactionResponse">
= <s:complexType>
= <s:sequence>
= <s:element minOccurs="0" maxOccurs="1" name="SubmitTransactionResult" type="tns:PSETTransactionResult" />
  </s:sequence>
  </s:complexType>
  </s:element>
= <s:complexType name="PSETTransactionResult">
= <s:sequence>
= <s:element minOccurs="0" maxOccurs="1" name="BlockSale" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="TransactionStatus" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="TransactionID" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="DailyLimitExceeded" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="RemainingQuantity" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="DailyRemainingQuantity" type="s:string" />
= <s:element minOccurs="0" maxOccurs="1" name="ErrorMessage" type="s:string" />
  </s:sequence>
  </s:complexType>
  </s:schema>
  </wsdl:types>
= <wsdl:message name="SubmitTransactionSoapIn">
= <wsdl:part name="parameters" element="tns:SubmitTransaction" />
```

```

    </wsdl:message>
- <wsdl:message name="SubmitTransactionSoapOut">
  <wsdl:part name="parameters" element="tns:SubmitTransactionResponse" />
  </wsdl:message>
- <wsdl:portType name="PSEWSSoap">
- <wsdl:operation name="SubmitTransaction">
  <wsdl:input message="tns:SubmitTransactionSoapIn" />
  <wsdl:output message="tns:SubmitTransactionSoapOut" />
  </wsdl:operation>
</wsdl:portType>
- <wsdl:binding name="PSEWSSoap" type="tns:PSEWSSoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http" />
- <wsdl:operation name="SubmitTransaction">
  <soap:operation soapAction="http://tempuri.org/SubmitTransaction" style="document" />
- <wsdl:input>
  <soap:body use="literal" />
  </wsdl:input>
- <wsdl:output>
  <soap:body use="literal" />
  </wsdl:output>
  </wsdl:operation>
  </wsdl:binding>
- <wsdl:binding name="PSEWSSoap12" type="tns:PSEWSSoap">
  <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" />
- <wsdl:operation name="SubmitTransaction">
  <soap12:operation soapAction="http://tempuri.org/SubmitTransaction" style="document" />
- <wsdl:input>
  <soap12:body use="literal" />
  </wsdl:input>
- <wsdl:output>
  <soap12:body use="literal" />
  </wsdl:output>
  </wsdl:operation>
  </wsdl:binding>
- <wsdl:service name="PSEWS">
- <wsdl:port name="PSEWSSoap" binding="tns:PSEWSSoap">
  <soap:address location="https://portal.obn.ok.gov/webservices/PSEWS/PSEWS.asmx" />
  </wsdl:port>
- <wsdl:port name="PSEWSSoap12" binding="tns:PSEWSSoap12">
  <soap12:address location="https://portal.obn.ok.gov/webservices/PSEWS/PSEWS.asmx" />
  </wsdl:port>
</wsdl:service>
</wsdl:definitions>

```