

**STATE OF OKLAHOMA
DEPARTMENT OF TRANSPORTATION**

EQUIPMENT SPECIFICATION

27-14

2/2020

AUTO SKID TRUCK MOUNTED SPRAYER

GENERAL: This Auto Skid Truck Mounted Sprayer must be the latest current model complete with manufacturer's standard equipment, accessories and warranty for model bid. One of a kind factory modified machines are not acceptable. Sprayer should be serviced and ready to operate at the time of delivery.

FILL IN ALL SPACES SHOWING SPECIFIC INFORMATION, FAILURE TO COMPLY COULD RESULT IN BID REJECTION.

EXAMPLE MODEL: Wylie W5133-16

VENDOR'S PROPOSED TRAILER: MAKE: _____ MODEL: _____

| <u>MINIMUM REQUIREMENTS</u> | <u>VENDOR'S PROPOSAL</u> |
|--|--------------------------|
| <u>GENERAL SPECIFICATIONS:</u> | |
| Minimum 1600 gallon polyethylene tank | _____ |
| Skid mount with self-folding legs | _____ |
| | _____ |
| <u>FRAME:</u> | |
| Constructed of 6" channel iron | _____ |
| <u>TANK FRAME DIMENSIONS:</u> | |
| 75" W x 133" L | _____ |
| <u>TOTAL LENGTH:</u> | |
| 161" | _____ |
| <u>SUMP DEPTH:</u> | |
| Flat | _____ |
| <u>TARE WEIGHT:</u> | |
| 2150 LBS | _____ |
| <u>ADDITIONAL FEATURES / OPTIONS:</u> | |
| Plumbing kit with Electric start | _____ |
| Triple nozzle roadside kit | _____ |

**STATE OF OKLAHOMA
DEPARTMENT OF TRANSPORTATION**

EQUIPMENT SPECIFICATION

27-14

2/2020

MINIMUM REQUIREMENTS

VENDOR'S PROPOSAL

203 box with 443-AEC valves 1"

Reel for 200X ½ 1000 PSI hose

Minimum 100' of 800 PSI high pressure hose

Adjustable pattern spray gun

Brass male NPT X FBSPP O'Ring

Customized Calc-An-Acre

GPS speed sensor

SERVICE and PARTS:

a) Bidder shall furnish upon request, a list of established manufacturer's authorized locations where an adequate stock of current parts and service are available

b) Consideration in awarding bids shall be given to parts and service availability

**INSPECTION AND DELIVERY OF EQUIPMENT TO COMPLY WITH VENDOR'S
INSTRUCTION SHEET**

SERVICE MANUALS & PARTS BOOKS:

Successful bidder shall furnish one (1) Operators Instruction Manual for each unit. In addition, one (1) Parts Book and one (1) Illustrated Repair Manual shall be furnished to each Division purchasing one or more sprayers

SPECIFICATIONS:

Each bidder shall submit complete manufacturer's specification in duplicate and shall submit all other data to show that his proposal meets these specifications.

**STATE OF OKLAHOMA
DEPARTMENT OF TRANSPORTATION**

EQUIPMENT SPECIFICATION

27-14

2/2020

MINIMUM REQUIREMENTS

VENDOR'S PROPOSAL

**THE STATE OF OKLAHOMA RESERVES THE RIGHT TO WAIVE MINOR
TECHNICALITIES UNDER THESE SPECIFICATIONS.**

DEMONSTRATION:

Bidders may be required to demonstrate the make & model machine bid, prior to the award to assure equality, correct specifications and productivity of subject machine.

PAINT:

All exposed metal shall be sprayed or dipped with a protective metal primer; it shall then be painted black.

SERVICE & WARRANTY:

The Vendor shall furnish a standard Manufacturer's Service and Warranty Policy and shall pay any cost of inspection and adjustment that may be necessary in accordance with the Warranty. Because the maintenance of this equipment in good operational condition without protracted time out for repairs is very important, it is essential that repair parts and service be adequate and readily available.

**VENDOR SHALL FILL IN ALL SPACES UNDER VENDOR'S PROPOSED; FAILURE TO
COMPLY COULD RESULT IN BID REJECTION.**

COMPLIANCE:

Bidder shall furnish a statement in writing on the Bid or by attached letter and in the Vendor's Statement below, if his equipment proposed strictly meets these Specifications. If not, he shall list each variation therefrom.

DEALER: _____ **DATE:** _____

SIGNATURE: _____ **PHONE:** _____

ADDRESS: _____