

Residential Building Technical Committee

Meeting Minutes: 11.16.2010

Voting Members Present

Chris Ramseyer, Chair
Curtis McCarty
Todd Booze
Howard Kelsey
Bob Pratt
Ed Steiner
Roger Gose
Sam Gresham
Weldon Bowman, Secretary
Mike Roberts

- Adopt minutes from previous meeting.
 - o Voted unanimously to accept the minutes.

- Reviewed Preamble.
- Motion to keep Chapter 1 as is, and insert the Preamble at the beginning in lieu of moving portions of Chapter into the Appendix.
 - o Voted unanimously to accept this motion.

- Reviewed Section R602.10.6 and R403.1.6.
- Motion to add Exception #5 under Section R403.1.6 to read "Provide a minimum of 800# in tensile strength on the interior braced walls".
 - o Voted unanimously.

- Reviewed Section R1101.9.
- Motion to move to appendix.
 - o Voted unanimously to accept this motion.

- Committee listened to individuals discuss Fire Sprinkler Systems.

- Reviewed Section R313.1, R313.2, and R313.2.1.
- Motion to move Section(s) R313.2 and R313.2.1 to the Appendix, and keep Section R313.1 in the Cod.
 - o Voted unanimously to accept this motion.

- Reviewed Section R802.3.
- Motion to accept the "Valley Bracing" exhibit as an example.

.....○.....Voted unanimously to accept this motion.

- Meeting was adjourned.