

**ITEMS FOR BID**

ITEM / Page #

**STEEL**

Corrugated, Galvanized, Metal Pipe (arch & band)	1
Corrugated, Galvanized, Metal Pipe (arch & band)	43
Corrugated, Galvanized, Metal Pipe (round)	2
Corrugated, Galvanized, Steel Pipe (3" x 1")	3
Corrugated, Polyethylene Pipe	33
HP Storm Pipe	46
Bridge Material	4
Bridge Planks	5
Interlocking Sheeting	6
Railroad Tank Car Culverts	34

**ROCK**

Surge Rock 2" to 6"	7
Marble, 1 1/2"	8
Mill Run/Scrap Gravel	9
Clean Washed Chips	10
Class "A" Rock	11
Limestone (Misc. Size)	12
Crusher Run Limestone	13
River Rock	14

**PAVING**

Asphalt concrete Pavement (Hot Mix - Hot Laid)	16
Asphalt Lay Down	17
Aggregate Base Lay Down	35
Asphalt Patching Materials	18
Cold Milling	45
Concrete	19
Road Oil and Fog Seal	20
Lite-Wate Aggregate	30
Slurry Seal, Polymer Modified Micro-Surfacing,	36
Asphalt Pavement Coatings, and Hot Rubber Crack Fill	36

**MISC. ROAD WORK / SUPPLIES**

Tires	15
Striping of Roads and Parking Lots	21
Steel Grader Blades	22
Misc. Bulldozer Work	23
Hauling of Road Building Materials	24
Hauling of Steel Beams	39
Ditch Work	25
Application of Asphalt Concrete Re-Junivator	26
Road Surface Preparation Work	27
Welding and Steel Beam Preparation	28
30 Ton Hydraulic Crane w/5,500 lb drop hammer	29
Pre-Cast Concrete Culverts	31
Pre-Cast Concrete Culverts (Box)	32
Construction & Materials Testing Services	37
Bridge Construction Services	38
Rock Salt (Sodium Chloride)	40
Geosynthetic Fabric	41
Soil Stabilizers	42
Fencing	44

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 2 1/3 x 1/2**

Item: 1

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.  
All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Arch	16 ga.	17" x 13"	Linear Foot				
Arch	16 ga.	21" x 15"	Linear Foot				
Arch	16 ga.	24" x 18"	Linear Foot				
Arch	16 ga.	28" x 20"	Linear Foot				
Arch	16 ga.	35" x 24"	Linear Foot				
Arch	14 ga.	42" x 29"	Linear Foot				
Arch	14 ga.	49" x 33"	Linear Foot				
Arch	12 ga.	57" x 38"	Linear Foot				
Arch	12 ga.	64" x 43"	Linear Foot				
Arch	12 ga.	71" x 47"	Linear Foot				
Arch	8 ga.	77" x 52"	Linear Foot				
Arch	8 ga.	83" x 57"	Linear Foot				

Band	16 ga.	15" x 16"	Each				
Band	16 ga.	17" x 13"	Each				
Band	16 ga.	24" x 18"	Each				
Band	16 ga.	28" x 20"	Each				
Band	16 ga.	35" x 24"	Each				
Band	14 ga.	42" x 29"	Each				
Band	14 ga.	49" x 33"	Each				
Band	12 ga.	57" x 38"	Each				
Band	12 ga.	64" x 43"	Each				
Band	12 ga.	71" x 47"	Each				
Band	8 ga.	77" x 52"	Each				
Band	8 ga.	83" x 57"	Each				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Round)**

**Item: 2**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.

All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

All bands 60" and larger diameter for C.G.M.P. shall be 24" wide.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Round Pipe	16 ga.	12"	Linear Foot				
Round Pipe	16 ga.	15"	Linear Foot				
Round Pipe	16 ga.	18"	Linear Foot				
Round Pipe	16 ga.	24"	Linear Foot				
Round Pipe	16 ga.	30"	Linear Foot				
Round Pipe	16 ga.	36"	Linear Foot				
Round Pipe	16 ga.	42"	Linear Foot				
Round Pipe	12 ga.	48"	Linear Foot				
Round Pipe	12 ga.	54"	Linear Foot				
Round Pipe	12 ga.	60"	Linear Foot				
Band	16 ga.	12"	Each				
Band	16 ga.	15"	Each				
Band	16 ga.	18"	Each				
Band	16 ga.	24"	Each				
Band	16 ga.	30"	Each				
Band	16 ga.	36"	Each				
Band	14 ga.	42"	Each				
Band	14 ga.	48"	Each				
Band	14 ga.	54"	Each				
Band	12 ga.	60"	Each				

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Corrugated, Galvanized, Steel Pipe (C.G.S.P.), 3" x 1"**

**Item: 3**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.S.P. from 36" to 54" diameter inclusive shall be 12" wide.

All bands 60" and larger diameter for C.G.S.P. shall be 24" wide, riveted or spiral.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Pipe	16 ga.	36"	Linear Foot				
Pipe	16 ga.	42"	Linear Foot				
Pipe	16 ga.	48"	Linear Foot				
Pipe	16 ga.	66"	Linear Foot				
Pipe	16 ga.	72"	Linear Foot				
Pipe	16 ga.	54"	Linear Foot				
Pipe	16 ga.	60"	Linear Foot				

Pipe	14 ga.	36"	Linear Foot				
Pipe	14 ga.	42"	Linear Foot				
Pipe	14 ga.	48"	Linear Foot				
Pipe	14 ga.	54"	Linear Foot				
Pipe	14 ga.	60"	Linear Foot				
Pipe	14 ga.	66"	Linear Foot				
Pipe	14 ga.	72"	Linear Foot				
Pipe	14 ga.	78"	Linear Foot				
Pipe	14 ga.	84"	Linear Foot				
Pipe	14 ga.	90"	Linear Foot				
Pipe	14 ga.	96"	Linear Foot				
Pipe	14 ga.	102"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Bridge Material**

**Item: 4**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

	<b>New product price per lb.</b>	<b>Used product price per lb.</b>
Steel Beams		
H-Pile		
Structural Steel		
Secondary Steel		
Plate		
	<b>New Product Price</b>	<b>Used Product Price</b>
Guard Rail (per Linear ft)		
Guard Rail Post (Steel)(Each)		
	<b>New product price per ft.</b>	<b>Used product price per ft.</b>
<b>Heavy Wall Pipe Piling</b>		
6"		
8"		
9"		
10"		
11"		
12"		
13"		
	<b>New product price per linear foot.</b>	<b>Used product price per linear foot.</b>
<b>Rebar, Grade 90</b>		
1/2"		
5/8"		
	<b>New product price per square foot.</b>	<b>Used product price per square foot.</b>
<b>Steel Decking</b>		
22 gauge		
24 gauge		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Bridge Planks**

**Item: 5**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Highway Construction", 2009 Edition.

**Galvanized Bridge Planks 6 x 2 (lays 24")**

Gauge	Weight per Square Foot	Vendor \$ Quote per Square Foot (FOB)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	6.2 lb.				
10 ga.	8.0 lb.				
7 ga.	10.7 lb.				

**Black Bridge Planks 6 x 2 (lays 24")**

Gauge	Weight per Square Foot	Vendor \$ Quote per Square Foot (FOB)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	6.0 lb.				
10 ga.	7.14 lb.				
7 ga.	10.5 lb.				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Interlocking Sheeting**

**Item: 6**

**NOTICE:**

Black Sheeting to conform to ASTM A857 Grade 30.  
Galvanized Sheeting to conform to ASTM A929 Grade A (yield = 30 ksi) and galvanized with class G210 coating, per ASTM A525.

**Black Interlocking Sheeting**

Gauge	Thickness (Inches)	Weight per Square Foot	Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	0.1046	5.6 lb.			
10 ga.	0.1345	7.2 lb.			
8 ga.	0.1644	8.9 lb.			
7 ga.	0.1793	9.7 lb.			

**Galvanized Interlocking Sheeting**

Gauge	Thickness (Inches)	Weight per Square Foot	Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	0.1046	5.8 lb.			
10 ga.	0.1345	7.4 lb.			
8 ga.	0.1644	9.1 lb.			
7 ga.	0.1793	9.9 lb.			

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Surge Rock 2" to 6"**

**Item: 7**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$  
Quote (Ton):**

Product price per ton  
if County picks up at  
plant:

Product price per ton  
if vendor delivers to:

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**1 1/2" Marble**

**Item: 8**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

**Product price per ton  
if County picks up at  
plant:**

**Product price per ton  
if vendor delivers to:**

<b>District 1 Barn</b>	
<b>District 2 Barn</b>	
<b>District 3 Barn</b>	
<b>Broken Arrow Area</b>	
<b>Wagoner Area</b>	
<b>Lake Gibson Area</b>	
<b>Okay Area</b>	
<b>Coweta Area</b>	
<b>Porter Area</b>	
<b>Red Bird Area</b>	
<b>Tulahassee Area</b>	
<b>Stone Bluff Area</b>	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Mill Run or Scrap Gravel**

**Item: 9**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

**Product price per ton  
if County picks up at  
plant:**

--

**Product price per ton  
if vendor delivers to:**

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Clean Washed Chips**

**Item: 10**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"
<b>Product price per ton if County picks up at plant:</b>					

<b>Product price per ton if vendor delivers to:</b>	Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Class "A" Rock  
Item: 11**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<b>Vendor's \$ Quote (Ton):</b>	<b>Rock Size 3/4"</b>	<b>Rock Size 1 1/2"</b>	<b>Rock Size 2"</b>	<b>Rock Size 3"</b>
<b>Product price per ton if County picks up at plant:</b>				

<b>Product price per ton if vendor delivers to:</b>	<b>Rock Size 3/4"</b>	<b>Rock Size 1 1/2"</b>	<b>Rock Size 2"</b>	<b>Rock Size 3"</b>
District 1 Barn				
District 2 Barn				
District 3 Barn				
Broken Arrow Area				
Wagoner Area				
Lake Gibson Area				
Okay Area				
Coweta Area				
Porter Area				
Red Bird Area				
Tulahassee Area				
Stone Bluff Area				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Miscellaneous Size Limestone**

Item: 12

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Screening	Riprap
<i>Product price per ton if County picks up at plant:</i>		

<i>Product price per ton if vendor delivers to:</i>	Screening	Riprap
District 1 Barn		
District 2 Barn		
District 3 Barn		
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Crusher Run Limestone**

Item: 13

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
<i>Product price per ton if County picks up at plant:</i>						

<i>Product price per ton if vendor delivers to:</i>	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
---	------	----	--------	----	----	-------------------------------------

District 1 Barn						
District 2 Barn						
District 3 Barn						
Broken Arrow Area						
Wagoner Area						
Lake Gibson Area						
Okay Area						
Coweta Area						
Porter Area						
Red Bird Area						
Tulahassee Area						
Stone Bluff Area						

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**River Rock**

Item: 14

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

*Product price per ton  
if County picks up at  
plant:*

Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"

*Product price per ton  
if vendor delivers to:*

	Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

Tires  
Item 15

**NOTICE:**

All tires bid shall meet the Original Equipment Manufacturer (OEM) Specifications and the most current Federal Specifications. Workmanship shall be in accordance with the manufacturer's best acceptable recognized standard.

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>SEMI &amp; DUMP</b>	11R22.5 16 Ply Steer			
	11R22.5 16 Ply Drive			
	11R22.5 16 Ply Trailer			
	11R22.5 (Specify Ply)			
	11R24.5 16 Ply Steer			
	11R24.5 16 Ply Drive			
	11R24.5 16 Ply Trailer			
	11R24.5 (Specify Ply)			
	295/75R22.5 14 Ply Steer			
	295/75R22.5 14 Ply Drive			
	295/75R22.5 14 Ply Trailer			
	9.00 - 20 10 Ply Drive			
	9.00 - 20 10 Ply Steer			
	10.00 R20 16 Ply Drive			
	10.00 R20 16 Ply Steer			

<b>LIGHT TRUCK</b>	LT245/75R-16 HW 10 Ply			
	LT245/75R-16 10 Ply All Terrain			
	LT245/75R16 (Specify Ply)			
	LT235/75R-16 (Specify Ply)			
	LT235/85R-16 HW 10 Ply			
	LT235/85R-16 10 Ply All Terrain			
	LT235/80R-17 (Specify Ply)			

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>LIGHT TRUCK</b>	LT265/75R-16 HW 10 Ply			
	LT265/75R-16 10 Ply All Terrain			
	LT265/70R-17 HW 10 Ply			
	LT265/70R-17 10 Ply All Terrain			
	LT265/70R-17 (Specify Ply)			
	225/70R19.5 Steer			
	225/70R19.5 Drive			
	LT215/85R16			
	205/65R15			
	195/60R15			

<b>TRACTOR</b>	10.00-16 3 RIB			
	10.00-16 4 RIB			
	11115 RIB IMPL			
	18.4 - 38			
	18.4 - 30			
	18.40-034			
	18.4R34			
	480/85R-34			
	340/85R-24			
	460/85R-34			
	14.9R-24			
	18.4R-34			
	14.9 R-24			
	14 - 17.5 R-4			
	19.5 - 24 R-4			

<b>TRAILER</b>	ST225/75R15			
	700 - 15LT			
	LT235/85R-16 14 Ply			
	LT235/85R-16 10 Ply			

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>TRAILER</b>	ST235/85R-16 10 Ply			
	255/70R 22.5			

<b>OTHER</b>	11L15 Front Backhoe			
	26x9 - 14.5			
	26.5 - 25			
	17.5 R 25 RAD			
	14 - 17.5 Backhoe			
	19.5L - 24 Backhoe			
	17.5R-25			
	20.5 - 25L			
	23.1 -26			
	23.1 - 26 (Turf Tread)			
	23.5 R 25			
	12-16.5			
	AT22.5x10 - 0 - 8			
	22x11 00 - 10			
	24x12.00 - 12			
	13x6 - 50 6/4			
	1400-24 Nylon			
	1400R-24 Radial			
	1300-24 Nylon			
	1300 R-24 Radial			

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Asphalt Concrete Pavement (Hot Mix - Hot Laid)**

Item: 16

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Type A	Type B	Type C
<i>Product price per ton if County picks up at plant:</i>			

<i>Product price per ton if vendor delivers to:</i>	Type A	Type B	Type C
Broken Arrow Area			
Wagoner Area			
Lake Gibson Area			
Okay Area			
Coweta Area			
Porter Area			
Red Bird Area			
Tulahassee Area			
Stone Bluff Area			

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Asphalt Lay Down**

Item: 17

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

"Tac-Down Coat" to be provided by bidder.

Bid includes laying of asphalt and rolling of asphalt.

County will be responsible for providing and hauling of asphalt to job site.

**OPTION 1**

**County Provides Traffic Control**

	1/2" Depth	1 1/2" Depth	2" Depth	3" Depth	4" Depth
<b>Vendor's \$ Quote (square yard):</b>					

**OPTION 2**

**Vendor Provides Traffic Control**

	1/2" Depth	1 1/2" Depth	2" Depth	3" Depth	4" Depth
<b>Vendor's \$ Quote (square yard):</b>					

**MILLED END JOINTS**

**Lump Sum Per  
Joint**

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Asphalt Patching Materials**

Item: 18

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

Poly-modified cold patch material.

Material must have minimum stockpile warranty of 6 months for workability and shelf life of 1 year on bags.

	Vendor's \$ Quote (Ton):	Vendor's \$ Quote (Bag):	Vendor's \$ Quote (Bag):
	Bulk	35 lb. bag	50 lb. Bag
<i>Product price if County picks up at plant:</i>			
<i>Product price if vendor delivers to:</i>	Bulk (Ton)	35 lb. Bag (per bag)	50 lb. Bag (per bag)
District 1 Barn			
District 2 Barn			
District 3 Barn			
Broken Arrow Area			
Wagoner Area			
Lake Gibson Area			
Okay Area			
Coweta Area			
Porter Area			
Red Bird Area			
Tulahassee Area			
Stone Bluff Area			

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Concrete**

Item: 19

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Yard):**

	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
<b>Product price per yard (F.O.B.)</b>					

<b>Product price per yard if vendor delivers to:</b>	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

Road Oil

Item: 20

Page 1 of 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition.

**CRS Road Oil**

**Vendor's \$ Quote  
(Gallon):**

	SS-1	CRS-2	CRS-2S	CRS-TR	AEP	HPE Fog Seal	Fog Seal 0.15 Gal/SY	CQS-TR	TRMSS
<i>Product price per gallon (F.O.B.)</i>									

**Product price per gallon if vendor delivers to:**

	SS-1	CRS-2	CRS-2S	CRS-TR	AEP	HPE Fog Seal	Fog Seal 0.15 Gal/SY	CQS-TR	TRMSS	Demurge (Hourly Rate)
Broken Arrow Area										
Wagoner Area										
Lake Gibson Area										
Okay Area										
Coweta Area										
Porter Area										
Red Bird Area										
Tulahassee Area										
Stone Bluff Area										

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Road Oil**

Item: 20

Page 2 of 2

**MC Road Oil**

**Vendor's \$ Quote  
(Gallon):**

*Product price per  
gallon (F.O.B.)*

MC-30	MC-70	MC-250	MC800	MC-3000	MC-3000TR

*Product price per  
gallon if vendor  
delivers to:*

	MC-30	MC-70	MC-250	MC800	MC-3000	MC-3000TR			Demurge (Hourly Rate)
Broken Arrow Area									
Wagoner Area									
Lake Gibson Area									
Okay Area									
Coweta Area									
Porter Area									
Red Bird Area									
Tulahassee Area									
Stone Bluff Area									

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Striping of Roads and Parking Lots**

Item: 21

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<b>Vendor's \$ Quote</b>	<b>Per Linear Foot</b>	<b>Per Mile</b>

<b>Vendor's \$ Quote</b>		
<i><b>If striping / painting performed in:</b></i>	<b>Per Linear Foot</b>	<b>Per Mile</b>
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Steel Grader Blades**

Item: 22

**NOTICE:**

Steel grader blades shall be curved, double beveled, standard 12" punching, square ends, no bolts, unpolished and unpainted.

The chemical and physical requirements shall be as indicated below:

- Carbon 0.8% to 1.0%
- Manganese 0.50% to 1.00%
- Sulphur 0.50% Maximum
- Phosphorus 0.5% Maximum
- Silicon 0.30% Maximum
- Birnell Hardness 250-325
- Diameter of Indentation Brinell 3.4 mm - 3.8 mm

<i>Item Name</i>	<i>Height</i>	<i>Thickness</i>	<i>Vendor \$ Quote for Linear Foot.</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Grader Blade	6"	1/2"				
Grader Blade	8"	1/2"				
Grader Blade	6"	5/8"				
Grader Blade	8"	5/8"				
Grader Blade	6"	3/4"				
Grader Blade	8"	3/4"				
Grader Blade	6"	1"				
Grader Blade	8"	1"				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Miscellaneous Bulldozer Work**

Item: 23

**NOTICE:**

Bid must reflect hourly rate.

Vendor must provide proof of compliance with the following insurance requirements:

- Certificate of Insurance for Workmans' Compensation
- \$1,000,000 property damage insurance (minimum)
- \$1,000,000 bodily injury insurance per claimant (minimum)
- \$1,000,000 all/any other claims
- \$1,000,000 aggregate insurance to include exposure/damage to underground utilities.

Equivalent Bulldozer Size	Vendor's \$ Quote (Hourly Rate):
<b>Catapillar D-3</b> Power = approx. 70 Weight = approx. 16,000 lb.	Horse Operating
<b>Catapillar D-4</b> Power = approx. 80 Weight = approx. 17,000 lb.	Horse Operating
<b>Catapillar D-5</b> Power = approx. 100 Weight = approx. 19,500 lb.	Horse Operating
<b>Catapillar D-6</b> Horse Power = approx. 185 Operating Weight = approx. 40,000 lb.	
<b>Catapillar D-7</b> Power = approx. 240 Weight = approx. 55,500 lb.	Horse Operating

Transportation Cost To:	Vendor's \$ Quote:
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Hauling Road Materials**

Item: 24

**NOTICE:**

Hauling road materials from crusher to County District Barns or to Job Site.

	<b>COST PER LOAD Mile/Ton</b>	<b>COST PER LOAD Per Hour</b>
<b>10 Wheeler</b>		
<b>18 wheeler</b>		

**Cost if vendor delivers  
to:**

District 1 Barn	10 Wheeler	
District 1 Barn	18 Wheeler	
District 2 Barn	10 Wheeler	
District 2 Barn	18 Wheeler	
District 3 Barn	10 Wheeler	
District 3 Barn	12 Wheeler	
Broken Arrow Area	10 Wheeler	
Broken Arrow Area	18 wheeler	
Wagoner Area	10 Wheeler	
Wagoner Area	18 wheeler	
Lake Gibson Area	10 Wheeler	
Lake Gibson Area	18 wheeler	
Okay Area	10 Wheeler	
Okay Area	18 wheeler	
Coweta Area	10 Wheeler	
Coweta Area	18 wheeler	
Porter Area	10 Wheeler	
Porter Area	18 wheeler	
Red Bird Area	10 Wheeler	
Red Bird Area	18 wheeler	
Tulahassee Area	10 Wheeler	
Tulahassee Area	18 wheeler	
Stone Bluff Area	10 Wheeler	
Stone Bluff Area	18 wheeler	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Ditch Work**

Item: 25

**NOTICE:**

Clean out ditches with Grade-All reclaimer or equivalent equipment with continuous tile, telescoping boom.

Bid must reflect hourly rate.

Vendor must provide proof of compliance with following insurance requirements:

- Certificate of Insurance for Workmans' Compensation
- \$1,000,000 property damage insurance (minimum)
- \$1,000,000 bodily injury insurance per claimant (minimum)
- \$1,000,000 all/any other claims
- \$1,000,000 aggregate insurance to include exposure/damage to underground utilities

Equipment Type	Vendor's \$ Quote (hourly rate)

Transportation Cost To:	Vendor's \$ Quote:
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Application of Asphalt Concrete Re-Junivator**

Item: 26

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

Bid must include labor, equipment and materials.

**Vendor's \$ Quote  
(Square Yard):**

Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Road Surface Preparation Work**

Item: 27

**NOTICE:**

Road surface material reclamation with BOMAG 454R, BOMAG 6-Gmrelcaimer or equivalent.

Bid must reflect hourly rate.

Vendor must provide proof of insurance with following insurance requirements:

Certificate of Insurance for Workmans' Compensation

\$1,000,000 property damage insurance (minimum)

\$1,000,000 bodily injury insurance per claimant (minimum)

\$1,000,000 all/any other claims

\$1,000,000 aggregate insurance to include exposure/damage to underground utilities

<b>Equipment Type</b>	<b>Vendor's \$ Quote (hourly rate)</b>
Cat D6R W/Ripper	
Cat D5H	
Cat Loader	
Cat Road Grader	
Self Propelled Sheepfoot	
Cat Laydown Machine	
Bomag 455 R	
**Water Truck	

<b>Transportation Cost To:</b>	<b>Vendor's \$ Quote:</b>
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

\*\* Minimum 2500 Gallon capacity. Must have Pintle Hitch or ability to be pushed with push bar. Must be able to be fueled by hydrant plug or stand pipe.

Must be able to apply water on the road. Will be connected to equipment by a 4" hose. Vendor will provide driver.

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Welding and Beam Preparation - On-Site Services**

Item: 28

**NOTICE:**

Bid must reflect hourly rate to include truck-mounted weld machine and consumables needed to perform the work.

Vendor must provide proof of compliance with the following insurance requirements:

Certificate of Insurance for Workmans' Compensation

\$1,000,000 property damage insurance (minimum)

\$1,000,000 bodily injury insurance per claimant (minimum)

\$1,000,000 all/any other claims

\$1,000,000 aggregate insurance to include exposure/damage to underground utilities

	<b>Vendor's \$ Quote (Hourly Rate):</b>	<b>Minimum number of Hours</b>
<b>Certified Welder / 250 Amp. Welding Machine</b>		
<b>Steel Beam Preparation, To Include Grinding and Torch Cutting</b>		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Hydraulic Crane Services**

**Item: 29**

**NOTICE:**

Bid must reflect hourly rate.

Vendor must provide proof of compliance with the following insurance requirements:

Certificate of Insurance for Workmans' Compensation

\$1,000,000 property damage insurance (Minimum)

\$1,000,000 bodily injury insurance per claimant (Minimum)

\$1,000,000 any/all other claims

\$1,000,000 aggregate insurance to include exposure/damage to underground utilities.

	<b>Vendor's \$ Quote (Hourly Rate):</b>	<b>Minimum Number of Hours</b>
<b>30 Ton Hydraulic Crane</b>		
<b>30 Ton Hydraulic Crane with 5,500 lb. Drop Hammer</b>		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Lite-Wate Aggregate**

Item: 30

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

	<b>Vendor's \$ Quote (Ton):</b>
	Bulk (Ton)
<i>Product price if County picks up at plant:</i>	

	Bulk (Ton)
<i>Product price if vendor delivers to:</i>	
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Pre-Cast Concrete Culvert**

Item: 31

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Concrete Pipe	12"	Linear Foot				
Concrete Pipe	15"	Linear Foot				
Concrete Pipe	18"	Linear Foot				
Concrete Pipe	24"	Linear Foot				
Concrete Pipe	30"	Linear Foot				
Concrete Pipe	36"	Linear Foot				
Concrete Pipe	42"	Linear Foot				
Concrete Pipe	48"	Linear Foot				
Concrete Pipe	54"	Linear Foot				
Concrete Pipe	60"	Linear Foot				
Concrete Pipe	66"	Linear Foot				
Concrete Pipe	72"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Pre-Cast Concrete Culvert - (Box)**

Item: 32

Pg 1 of 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	4' x 4' x 6'	Linear Foot				
Box Culvert	4' x 4' x 8'	Linear Foot				
Box Culvert	4' x 6' x 6'	Linear Foot				
Box Culvert	4' x 6' x 8'	Linear Foot				
Box Culvert	4' x 8' x 6'	Linear Foot				
Box Culvert	4' x 8' x 8'	Linear Foot				
Box Culvert	5' x 10' x 6'	Linear Foot				
Box Culvert	5' x 10' x 8'	Linear Foot				
Box Culvert	6' x 4' x 6'	Linear Foot				
Box Culvert	6' x 4' x 8'	Linear Foot				
Box Culvert	6' x 6' x 6'	Linear Foot				
Box Culvert	6' x 6' x 8'	Linear Foot				
Box Culvert	6' x 8' x 6'	Linear Foot				
Box Culvert	6' x 8' x 8'	Linear Foot				
Box Culvert	6' x 10' x 6'	Linear Foot				
Box Culvert	6' x 10' x 8'	Linear Foot				
Box Culvert	6' x 12' x 6'	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	6' x 12' x 8'	Linear Foot				
Box Culvert	8' x 8' x 6'	Linear Foot				
Box Culvert	8' x 8' x 8'	Linear Foot				
Box Culvert	8' x 12' x 6'	Linear Foot				
Box Culvert	8' x 12' x 8'	Linear Foot				
Box Culvert	10' x 4' x 6'	Linear Foot				
Box Culvert	10' x 4' x 8'	Linear Foot				
Box Culvert	10' x 6' x 6'	Linear Foot				
Box Culvert	10' x 6' x 8'	Linear Foot				
Box Culvert	10' x 10' x 6'	Linear Foot				
Box Culvert	10' x 10' x 8'	Linear Foot				
Box Culvert	12' x 6' x 6'	Linear Foot				
Box Culvert	12' x 6' x 8'	Linear Foot				
Box Culvert	12' x 12' x 6'	Linear Foot				
Box Culvert	12' x 12' x 8'	Linear Foot				

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Corrugated Polyethylene Pipe (HDPE)**

Item: 33

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Pipe	12"	Linear Foot				
Pipe	15"	Linear Foot				
Pipe	18"	Linear Foot				
Pipe	24"	Linear Foot				
Pipe	30"	Linear Foot				
Pipe	36"	Linear Foot				
Pipe	42"	Linear Foot				
Pipe	48"	Linear Foot				
Pipe	60"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Railroad Tank Car Culvert**

Item: 34

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<i>Item Name</i>	<i>Diameter (Min. 7/16" Thick)</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Tank Car Culvert	8'	Per Foot				
Tank Car Culvert	8.5'	Per Foot				
Tank Car Culvert	9'	Per Foot				
Tank Car Culvert	9.5'	Per Foot				
Tank Car Culvert	10'	Per Foot				

**Railroad Half Tank Car Culvert**

Used Railroad Half Tank Car Culvert with 5/16" Steel Floor and Head Walls

<i>Item Name</i>	<i>Width at Bottom</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Half Tank Car	8'	Per Foot				
Half Tank Car	8.5'	Per Foot				
Half Tank Car	9'	Per Foot				
Half Tank Car	9.5'	Per Foot				
Half Tank Car	10'	Per Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Aggregate Base Lay Down**

Item: 35

**NOTICE:**

Wagoner County is seeking labor and equipment for the lay down of Aggregate Base.

Vendor will provide the labor and equipment, including a lay-down machine.

Wagoner County will be responsible for providing and hauling product to job site. The County will provide Rollers and Rolling of product.

Vendor must provide proof of Liability and Compensation Insurance.

	2" Lift	3" Lift	4" Lift	6" Lift
<b>Vendor's \$ Quote (square yard):</b>				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Emulsified Asphalt Slurry Seal Surface and/or Polymer Modified Micro-Surfacing**

Item: 36

**NOTICE:**

Work will consist of the application of micro-surfacing material to asphalt pavement surfaces & related surface preparation. Cured micro-surfacing shall have a uniform and homogeneous appearance, substantially fill all cracks, and adhere firmly to existing surface.

Micro-surfacing shall be placed without the occurrence of bleeding, raveling, separation or other distress.

Work will be performed in accordance with the current edition of "Recommended Performance Guidelines for Polymer-Modified Micro-Surfacing" A143 (revised) published by the International Slurry Surfacing Association (SSA) tests at one location.

Mix design shall be performed by a laboratory capable of performing all the current applicable International Slurry Surfacing (SSA) tests at one location.

Weather Limitations:

Pavement temperature is 10° C (50°F) or below.

When the ambient air temperature is 10°C (50°F) or below

When there is a forecast of temperatures (as per the National Weather Service) below 32°F within 24 hours after placement

When it is raining as directed by County Engineer

Application Rates:

Emulsified Asphalt Slurry Seal and Polymer Modified Micro-surfacing: 20 lbs./SY with max. 10% Residual Asphalt

Asphalt Pavement Coatings/ Carbonite/ Chip Lock: 0.35 gal./SY (oil) with 12 lbs./SY (agg.)

Chip Seal Tack Coat: 0.15 gal./SY (oil)

Chip Seal: 0.35 gal./SY (oil) with 22 lbs./SY (agg.)

	<b>Emulsified Asphalt Slurry Seal</b>	<b>Polymer Modified Micro- Surfacing</b>	<b>Hot Rubber Crack Fill Surface Prep.</b>	<b>Asphalt Pavement Coating: Carbonite/Ship Lock/Other Equivalent</b>	<b>Chip Seal Preparation (Tack Coat)</b>	<b>Chip Seal</b>
<b>Vendor's Quote for Installed Product Per Sq Yard</b>						
<b>Vendor's Quote for Installed Product Per Sq Yard</b>						

\*Other Equivalent as approved by County Engineer. Specifications available upon request.

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Construction and Materials Testing Services (CMT)**

Item: 37

**NOTICE:**  
Construction and Materials Testing Services Including Lab Testing and On-Site Testing

<b>LAB TESTING</b>	<b>Unit Rate Per Test</b>
ASTM D698 - Standard Proctor Compaction	
Atterburg Limit	
Grain Size Distribution	
Compressive Strength of Concrete	

<b>FIELD TESTING</b>	
Collect Samples of Soil & Aggregate	
Field Density Test with Nuclear Density Gauge	
Sample Concrete & Cast Test Cylinders	
Transportation (Per Hour and/or Mile)	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Bridge Construction Services**

Item: 38

**NOTICE:**

Bid must reflect hourly rate.

Certified CCO Crane Operator and Welders are to be AWS D1.5 Certified.

Vendor must provide proof of certifications and compliance with the following insurance requirements.

Certificate of Insurance for Workmans' Compensation

\$1,000,000 property damage insurance (Minimum)

\$1,000,000 bodily injury insurance per claimant (Minimum)

\$1,000,000 any/all other claims

\$1,000,000 aggregate insurance to include exposure/damage to underground utilities.

	<b>Vendor's \$ Quote (Hourly Rate):</b>	<b>Minimum Number of Hours</b>
125 Ton Crane with Diesel Hammer 200 Series Track hoe 2 - fully equipped welding trucks 3 man construction crew including site Foreman		
30-60 Ton Crane with Drop Hammer 200 Series Track hoe 2 - fully equipped welding trucks 3 man construction crew including site Foreman		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Hauling Steel Beams**

Item: 39

**NOTICE:**

Hauling of 40-80 foot beams from District 2 Barn to various job sites throughout Wagoner County.  
Bidder to provide tractor, pole trailer (or equivalent), and escort.  
Bidder to provide necessary permits from ODOT.  
County will load and unload beams and provide road crew to remove and re-set signs as needed at intersections.

<b>COST PER LOAD Per Hour</b>	
-----------------------------------	--

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Rock Salt (Sodium Chloride)**

Item: 40

**NOTICE:**

Must meet all standards of ASTM D 632-01 (American Society of Testing Materials) Standard Specifications for Sodium Chloride intended for use as a delcer.

**Vendor's \$ Quote  
(Ton):**

*Product price per  
ton if County picks  
up at plant:*

--

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Geosynthetic Fabric**

Item: 41

**NOTICE:**

Wagoner County is seeking sealed bids for geotextile composed woven polypropylene.  
County will pick up at plant.

	<b>Ultimate Tensile Strength</b>	<b>Price Per Sq Yard</b>
<b>Lbs/Ft</b>	<b>Minimum 4800</b>	
<b>Lbs/Ft</b>	<b>Minimum 2400</b>	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 42

**Admixtures:** \_\_\_\_\_

**Vendor's \$ Quote  
(Ton):**

	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)
<b>Product price per ton (F.O.B.)</b>					

<b>Product price per ton if vendor delivers to:</b>	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 42

Page 2 of 3

**Dust Oil**

---

**Vendor's \$ Quote  
(Ton):**

<b>Product price per ton (F.O.B.)</b>	Dust Oil

<b>Product price per ton if vendor delivers to:</b>	Dust Oil
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 42

Page 3 of 3

**Organic Road Oil**

**Vendor's \$ Quote  
(Ton):**

<b>Product price per ton (F.O.B.)</b>	Lignan-Based Product

<b>Product price per ton if vendor delivers to:</b>	Lignan-Based Product
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 3" x 1"**

Item: 43

**NOTE:**

Must meet all requirements of Oklahoma Department on Transportation "Standard Specifications for Highway Construction", 2009 Edition.

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.  
All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Arch	14 ga.	60" x 46"	Linear Foot				
Arch	14 ga.	66" x 51"	Linear Foot				
Arch	14 ga.	73" x 55"	Linear Foot				
Arch	14 ga.	81" x 59"	Linear Foot				
Arch	14 ga.	87" x 63"	Linear Foot				
Arch	12 ga.	95" x 67"	Linear Foot				
Arch	12 ga.	103" x 71"	Linear Foot				
Arch	12 ga.	112" x 75"	Linear Foot				
Arch	12 ga.	117" x 79"	Linear Foot				

Band	14 ga.	60" x 46"	Each				
Band	14 ga.	66" x 51"	Each				
Band	14 ga.	73" x 55"	Each				
Band	14 ga.	81" x 59"	Each				
Band	14 ga.	87" x 63"	Each				
Band	12 ga.	95" x 67"	Each				
Band	12 ga.	103" x 71"	Each				
Band	12 ga.	112" x 75"	Each				
Band	12 ga.	117" x 79"	Each				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Fencing**

Item: 44

**NOTE:**

Bid is to include all materials and labor to complete the project.

5 Strands of 4-Point Barb Wire

8' Length 4" Steel Pipe Corners

4' of the 8' Pipe is to be buried in concrete with 4 (four) 2" horizontal braces

6' T Posts with 16' spacing between posts

8' Length 4" Pipe H Bar with 4 (four) 2" horizontal pipe braces 8' Length every 1/4 mile

All vertical pipe to be capped

Price is to be quoted per linear foot.

<b>Price</b>	
<b>Per Linear Foot</b>	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**Cold Milling**

Item: 45

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

Work consists of cold-milling and removing pavement surfaces to the specified depth and removing ridges, ruts, and imperfections.

Vendor will:

- Provide all labor and equipment to accomplish the project.
- Provide all traffic control.
- Be responsible for brooming and cleaning.

County Will:

- Provide trucking for disposal of material.

Price to be quoted at the Mobilization Price per Square Yard.

Depth	1/2 Inch	1 Inch	1 1/2 Inch	2 Inch
Mobilization Price Per Square Yard				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: Jan. 1, 2015 - June 30, 2015**

**HP Storm Pipe**

Item: 46

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Pipe	12"	Linear Foot				
Pipe	15"	Linear Foot				
Pipe	18"	Linear Foot				
Pipe	24"	Linear Foot				
Pipe	30"	Linear Foot				
Pipe	36"	Linear Foot				
Pipe	42"	Linear Foot				
Pipe	48"	Linear Foot				
Pipe	60"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---