

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

**SPECIFICATIONS FOR FIRE & RESCUE EQUIPMENT
ROLLING HILLS FIRE DEPARTMENT**

QUANTITY ITEM DESCRIPTION

NOTE: Bidder will be responsible for all material and labor required for construction of the wall the gear racks will be mounted to, assembling gear racks, and securing gear racks to the newly constructed wall. Rolling Hills Fire Station #1 is located at: 40 S. 200th E. Avenue, Tulsa, OK 74108

2 Each	Red rack wall mounted (24") turnout gear racks Red rack wall mounted unit made of tubular steel; open wire shelf levels coated with heavy duty power coat: compartments are 24" wide: compartments are completely separated with full length dividers for unrestricted air flow. Each firefighter compartment is equipped with two hanging hooks and one name plate. Racks shall have security option which include lockable door, top security shelf, and a personal property box. Rack shall be 372.25 inches each with fifteen 24 inch compartments. Dimensions: 20 inches deep x 72 inches high x 372.25 inches long Comply <input checked="" type="checkbox"/> Exception _____ Bid <u>11,895.⁰⁰</u>
2 Each	Gas powered blowers 21 inch 6.5HP motor 20,152 CFM: size to be 25 inches wide x 21 inches deep x 26 inches high: weight not to be over 79 pounds; must have air flex composite impeller, turbo 2000 shroud, roll cage frame. Comply <input checked="" type="checkbox"/> Exception _____ Bid <u>3,242.⁰⁰</u>
1 Each	K-12 FD94CC 14 inch saw: Diamond plate aluminum case, maxi blade, four rescue abrasive wheels for cutting both steel and concrete, safety gas can, hearing protector, goggles, spare belt and air filter: air filter oil; 2-cycle engine oil; can of gasoline stabilizer; combination screw driver/wrench and instruction manual. Comply <input checked="" type="checkbox"/> Exception _____ Bid <u>1,852.⁰⁰</u>
2 Each	14 inch diamond blades Comply <input checked="" type="checkbox"/> Exception _____ Bid <u>170.⁰⁰</u>
1 Each	Little Giant ladder 7 foot 11 inches Comply _____ Exception _____ Bid <u>635.⁰⁰</u>
1 Each	Little Giant Ladder 11 foot 19 inches Comply _____ Exception _____ Bid <u>758.⁰⁰</u>
20 Each	10 ounce red vinyl 12 foot by 14 foot salvage cover Comply <input checked="" type="checkbox"/> Exception _____ Bid <u>1371.⁰⁰</u>

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Bid
10 Each	10 ounce lime green 24 inch by 20 foot floor runner Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	270. ⁰⁰
3 Each	Mega Flow XL aluminum valve 5" Storz by 6" NH female with field adjustable pressure relief valve full 3/4" air bleeder 10-1/2" L x 8" W x 17" H Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	2,463. ⁰⁰
1 Each	Mega Flow XL aluminum valve 5" Storz by 5" NH female with field adjustable pressure relief valve full 3/4" air bleeder 10-1/2" L x 8" W x 17" H Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	818. ⁰⁰
12 Each	TFT 1-1/2" selectable g-force pistol grip nozzle Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	5,940. ⁰⁰
4 Each	TFT 1-1/2" Thunderfog selectable gallonage nozzle without pistol grip: 30-200 GPM Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	2,380. ⁰⁰
5 Each	Set of five 30 inch popup flashing cones with black plastic base with one carry bag included Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	755. ⁰⁰
4 Each	2-1/2" Playpipe nozzle with smooth bore tips 1-1/4" - 1-1/8" - 1" all NST Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	1,944. ⁰⁰
4 Each	Set of two spanner wrenches and one hydrant wrench with mounting bracket. Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	256. ⁰⁰
4 Each	Storz spanner wrench set of (4) Four Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	228. ⁰⁰
5 Each	2-1/2 gallon APW & vehicle mounting bracket Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	595. ⁰⁰
5 Each	80 BC Dry chemical extinguisher & vehicle mounting bracket <u>301b.</u> Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	670. ⁰⁰
5 Each	15 pound CO ² extinguisher & vehicle mounting bracket Comply <input type="checkbox"/> Exception <input type="checkbox"/>	1,205. ⁰⁰
2 Each	4 foot dry wall hook D ring handle Comply <input type="checkbox"/> Exception <input type="checkbox"/>	84. ⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION			
4 Each	6 foot fiberglass wood core pike pole Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>156.00</u>
4 Each	8 foot fiberglass wood core pike pole Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>184.00</u>
2 Each	10 foot section; 5" inch Hard suction lightweight LHF x RL male Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>570.00</u>
24 Each	5 inch rubber hose; 100 foot section with Storz coupling: color orange Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>13,080.00</u>
2 Each	5 inch rubber hose: 50 foot section with Storz coupling: color orange Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>688.00</u>
2 Each	5 inch rubber hose: 25 foot section with Storz coupling: color orange Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>478.00</u>
2400 feet	3 inch lightweight double jacket hose with hard-coated lightweight rocker lug NST coupling: color yellow; 50 foot sections Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>8448.00</u>
2 Each	2-1/2" F x (2) 1-1/2" Male NST lightweight gated Y Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>432.00</u>
3 Each	Lightweight hose clamp for 5 inch hose with vehicle mounting bracket Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>1014.00</u>
12 Each	Handheld paddle signs with stop on one side and slow on the other Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>204.00</u>
8 Each	Flashback LED light baton w/six LED bulbs and flash approximately 150 times per minute, weight 1 pound Comply <input checked="" type="checkbox"/> Exception _____		Bid	<u>288.00</u>
8 Each	Wheel chock; 8-1/2 inches tall, 8 inches wide, 14-13/16 inches long, 7.5 pounds for tires up to 32 inches each: chock to have a horizontal holder Comply _____ Exception _____		Bid	<u>1216.00</u>

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Bid
4 Each	BR600 STIHL ^R or equivalent blowers with mounting brackets Comply <input type="checkbox"/> Exception <input checked="" type="checkbox"/> NO BRACKETS	2124. ⁰⁰
20 Each	E-Spot LED lantern w/vehicle mount system. Color orange: industrial duty rechargeable Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	2880. ⁰⁰
2 Each	FLOTO-PUMPS: 8HP Single cylinder, two-cycle with force air cooling. 10 GPM @ 125PSI 50 GPM @ 95PSI 140 GPM @ 25PSI Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	5372. ⁰⁰
3 Each	6" NST F x 5" NST Male long handle lightweight adapter Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	615. ⁰⁰
1 Each	Set aluminum hose bridges for 5 inch hose, 24 inches wide per wheel Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	957. ⁰⁰
2 Each	Blitz Force TFT portable monitor ZN combination adjustable fog/straight stream nozzle Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	2990. ⁰⁰
3 Each	36" yellow handle, 8 pound fiberglass handle pick head axe Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	288. ⁰⁰
3 Each	36" flat head axe; 8 pound yellow fiberglass handle 640. Comply <input type="checkbox"/> Exception <input checked="" type="checkbox"/>	138. ⁰⁰
6 Each	Axe blade bracket, Zinc CP Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	168. ⁰⁰
6 Each	Axe handle side mount bracket, Zinc CP Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	174. ⁰⁰
1 Each	5" Storz ^R to 6" NST female swivel 30 elbow Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	125. ⁰⁰
4 Each	5" Storz ^R blind caps and chains Comply <input checked="" type="checkbox"/> Exception <input type="checkbox"/>	172. ⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Bid
2 Each	5" Storz ^R x 2-1/2" NST rigid female Comply <input checked="" type="checkbox"/> Exception _____	174. ⁰⁰
2 Each	5" Storz ^R x 4" NST LH female swivel Comply <input checked="" type="checkbox"/> Exception _____	220. ⁰⁰
2 Each	5" Storz ^R x 4-1/2" NST LH female swivel Comply <input checked="" type="checkbox"/> Exception _____	224. ⁰⁰
2 Each	5" Storz ^R x 5" NST LH female swivel Comply <input checked="" type="checkbox"/> Exception _____	238. ⁰⁰
2 Each	5" Storz ^R x 2-1/2" NST male Comply <input checked="" type="checkbox"/> Exception _____	164. ⁰⁰
2 Each	5" Storz ^R x 6" NST LH female swivel Comply <input checked="" type="checkbox"/> Exception _____	276. ⁰⁰
2 Each	5" Storz ^R x (2) 2-1/2" NST M ball valve Comply <input checked="" type="checkbox"/> Exception _____	584. ⁰⁰
8 Each	2-1/2" double female swivel NST Comply <input checked="" type="checkbox"/> Exception _____	152. ⁰⁰
1 Each	5" low flow strainer Comply <input checked="" type="checkbox"/> Exception _____	238. ⁰⁰
2 Each	Two person hose roller Comply <input checked="" type="checkbox"/> Exception _____	244. ⁰⁰
1 Each	10 foot folding attic ladder Comply <input checked="" type="checkbox"/> Exception _____	248. ⁰⁰
1 Each	Turbo master stream nozzle Comply <input checked="" type="checkbox"/> Exception _____	978. ⁰⁰
25 Each	3 percent AFFF five gallon foam Comply <input checked="" type="checkbox"/> Exception _____	1950. ⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Comply	Exception	Bid
3 Each	95 GPM foam educator TFT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1401. ⁰⁰
3 Each	Piercing Nozzle	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2085. ⁰⁰
3 Each	500 watt flood light	<input checked="" type="checkbox"/>	<input type="checkbox"/>	699. ⁰⁰
4 Each	50 foot section Blue 2 inch hose with 1-1/2 inch couplings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	564. ⁰⁰
16 Each	50 foot section Red 1-3/4 inch hose	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1552. ⁰⁰
2 Each	LED Spot/Flood Rechargeable Light: 5W Led Spot to a 20 LED Wide Angle Flood Light, to be 6 volt 4.5 amp, Sealed Lead Acid Battery for continuous operation of 5 hours in Spot mode or 50 hours in Flood mode. Charge base to be DC plug in style vehicle charger. Color to be Safety Green.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	236. ⁰⁰
1 Each	Basket type stretcher; lightweight with leg dividers; carton size 83" x 8" x 24"; shipping weight 32 pounds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	630. ⁰⁰
1 Each	Stretcher bridle sling; lift capacity of up to 2,000 pounds; made of 1" nylon webbing with forged snap hooks and 3" ID forged steel suspension ring.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	51. ⁰⁰
2 Each	SCBA staging mat; size is to be 3' x 7'; one end of mat is green and marked "full", other end is red and marked "empty"; mat is to have pleats so as to keep the cylinders from rolling around.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	434. ⁰⁰
6 Each	3# shot filled head dead blow hammer; non-marring material that won't spark; neon orange; lifetime warranty.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	168. ⁰⁰
5 Each	NICOL hose hook; 48" long, large D ring handle with coated welded steel; hook for moving large diameter hose.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	188. ⁰⁰ 430. ⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Comply <input checked="" type="checkbox"/>	Exception <input type="checkbox"/>	Bid
4 Each	Large diameter hose strap; 60" long; 3" nylon strap with a tensile strength of 22,500 pounds with heavy brass rivets; hook and loop strap for spare hose attachment; yellow in color; weight 32 ounces.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	188. ⁰⁰
3 Each	Foam cap wrench aluminum.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	24. ⁰⁰
5 Each	ABC 5LB extinguisher with vehicle mounting brackets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	205. ⁰⁰
4 Each	5" Storz x 4" Storz swivel locking adapters	<input checked="" type="checkbox"/>	<input type="checkbox"/>	416. ⁰⁰
2 Each	3-way manifold: 5" Storz inlet x 5" Storz outlet x (2) 2-1/2" NH male with relief valve and pressure gauge.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2140. ⁰⁰
4 Each	2-1/2" NST FS X 5" Storz 30° elbow	<input checked="" type="checkbox"/>	<input type="checkbox"/>	416. ⁰⁰
2 Each	R.I.T. kit: (MUST be compatible with Survivair SCBA units) 4500 refurbished with 60 minute cylinder, 20/20 plus face mask complete, refurbished cylinders must come with a new hydrostatic test; all packs must ship with a current Posichek Flow Test certificate; all equipment must come with a limited 10 year warranty; price must include shipping.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3794. ⁰⁰
3 Each	2-way Siamese 5" Storz x (2) 2-1/2" NST clapper valve female swivel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	630. ⁰⁰
3 Each	36" Hooligan tool	<input checked="" type="checkbox"/>	<input type="checkbox"/>	432. ⁰⁰
1 Each	Hose Pack High Rise Kit with the following equipment: (2) two spanner wrenches, (1) one hydrant wrench, (3) three 50' section light weight attack hose 1-1/2", color orange, (1) one g-force 1-1/2" selectable gallonage PG nozzle	<input checked="" type="checkbox"/>	<input type="checkbox"/>	695. ⁰⁰
1 Each	Rescue Randy weighing 145 pounds and measuring 6 foot 1 inch tall	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,064. ⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY	ITEM DESCRIPTION	Comply	Exception	Bid
2 Each	Pirana Descender	<input checked="" type="checkbox"/>	<input type="checkbox"/>	104.00
1 Each	CMC Anchor Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	47.00
3 Each	Single SMC 2" Prusik ^R Minding Pulley, color black	<input checked="" type="checkbox"/>	<input type="checkbox"/>	147.00
2 Each	3/8" x 200' Water Line Rescue Rope	<input checked="" type="checkbox"/>	<input type="checkbox"/>	434.00
2 Each	Large mesh CMC rescue throwline bag	<input checked="" type="checkbox"/>	<input type="checkbox"/>	66.00
2 Each	Large water cascade helmets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	228.00
2 Each	Universal Swift Water Vests	<input checked="" type="checkbox"/>	<input type="checkbox"/>	102.00
10 Each	Carabiners ^R screw lock; 6,000 pound	<input checked="" type="checkbox"/>	<input type="checkbox"/>	310.00
2 Each	10 AMP reciprocating saw	<input checked="" type="checkbox"/>	<input type="checkbox"/>	198.00
5 Each	8 inch x 18 TPI demolition reciprocating saw blades (5 pack)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	125.00
1 Each	Mini crash kit to include: Magnetic case; heavy duty seat belt cutter, HD spring window punch, HD cable cutter, HD channel lock, EMS scissors, mini pry bar, water-resistant auto markers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	231.00
1 Each	Specifications on rescue air bags: Shall be equal to or better than the Maxiforce ^R G-2 air lifting bags: bag set bid shall be equal to or better than Model #245 ten air bag set with one each of bags BG131-BG133 and W163-W169	<input checked="" type="checkbox"/>	<input type="checkbox"/>	11,426.00

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

QUANTITY ITEM DESCRIPTION

1 Each Control package BG34 included but not limited to five colored hoses, pressure regulator,
6000-135 PSI, other fittings and adapters with a custom carrying case.
Comply / Exception Bid 3053.⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

13. The inner tube will be painted orange the last 6" in indicate a safe overlap of tubes.

Complies Does not comply

14. A minimum of 4 hrs. of instruction covering the components and uses of the equipment being bid will be included in the price.

Complies Does not comply

4 Point Deluxe Kit to include the following:

- (4) Steel x Strut adjustable Strands
- (2) Aluminum X Strut Add-On Jacks
- (2) 15' Ratchet Strap with Double Wire Hooks
- (3) 15" Ratchet Strap with Snap Hooks
- (2) 27' Ratchet Strap with Chain Grabs
- (4) Sling 8 (4" Chain with 8" J Hook, Mini J, Mini T, Chain Grabs, Grade 70)
- (4) Grade 70 Clusters
- (1) 16' Grade 80 Chain with Grab Hooks
- (2) Hybrid Wedges
- (2) 4" long 1" Picket with Collars
- (2) Short stakes to pin bases

Bid 7417.00

Shipping cost for all listed equipment: Included in Bid Pricing

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

**SPECIFICATIONS FOR THERMAL IMAGING CAMERAS
ROLLING HILLS FIRE DEPARTMENT**

QUANTITY	ITEM DESCRIPTION
1 Each	Bid for equal to or better than Fluke ^R T1200 60hz/FCA T1200 thermal imaging camera with DMM and Fluke ^R connect A3001 flex kit. Comply _____ Exception <input checked="" type="checkbox"/> Bid _____
1 Each	Bid for equal to or better than Fluke ^R TI-Car charger adapter for charger MFR ID 3039779 Comply _____ Exception <input checked="" type="checkbox"/> Bid _____
1 Each	Bid for equal to or better than FLIR ^R E50BX compact thermal imaging camera with MSX 240X180 resolution/60hz. Comply _____ Exception <input checked="" type="checkbox"/> Bid _____

1 MSA 6000 TIC Evolution Plus #10145940 9,354.⁰⁰

1 MSA 6000 TIC Vehicle Kit #10145771 670.⁰⁰

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

Steel X Strut Bid Specifications for Rolling Hills Fire Department shall be equal to or better than:

1. Equipment selection shall allow use of chain as a vehicle purchase point along with application of Res-Q-Jack roof resting techniques as described in US PATENT #6,772,984.

Complies Does not comply

2. Minimum size of extension tubing section shall be 2 inches square with 12 gauge wall thickness. Res-Q-Jack perforated extension tubing is galvanized in accordance with ASTM A-653 des. G-90 Corner weld is zinc coated after scarfing operation. Tubing is top-coated with a clear organic polymer. Tubing is roll formed from 12 gauge (.105 U.S.S. gauge or 2.66 mm) hot rolled steel complying with ASTM A-653 Grade 50. Average minimum yield strength after cold forming is 60,000 psi. Tubing corners are welded by high-frequency resistance welding and externally scarfed to agree with corner radii. $\frac{1}{4}$ ". The outer tube will have a jack pocket welded on it for the use on an ADD on JACK. The outer tube will also have a ratchet strap attached to it with an 8' long strap with a minimum working load of 3,300 pounds. Strut shall extend from 53" collapsed, to 83" fully extended.

Complies Does not comply

3. Steel ADD-ON Jack Specifications: Side-wind mechanical crank jack: Clockwise motion extends, counter-clockwise motion retracts. Jack is to be used in compression only. Jack travel is 12". Jack travels approximately $\frac{1}{8}$ " per revolution. Jack is self-holding at any position under any allowable load. Lifting capacity is 4,000 lbs. Side wind jack shall have an internal positive stop collar to prevent over-extension. WLL of jack shall allow for a minimum 3 to 1 safety factor. Jack can be put in place without the use of pins. Ad on Jack will fit into a pocket on the strut.

Complies Does not comply

4. Two removable Cone head pins will be provided with each strut. They shall be $\frac{3}{8}$ " diameter and self-center while being used with a jack.

Complies Does not comply

5. Stand bases shall have a master link connected at front and back to allow for 1" stake, $\frac{3}{8}$ " chain (grab connection, or pass through), or other auxiliary restraint attachment.

Complies Does not comply

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

6. Stand base bottom shall be ¼" thick steel diamond plate. Base bottom shall be 3" wide by 6" long.

Complies Does not comply

7. Stand base bottom shall lay flat (no bends) to allow positive non-slip engagement in auxiliary load spreading pad.

Complies Does not comply

8. End fitting and base design shall allow for snug fit in 2" tubing, 2-1/4" tubing, jack magazine, and jack bottom.

Complies Does not comply

9. Stand bases shall be interchangeable with end fitting.

Complies Does not comply

10. Strut heads will have chain grab, round point, and channel, attachments which will swivel 360 degrees. The head will not require detachment from the tube to select an end attachment. Auxiliary heads may be used with the strut.

Complies Does not comply

11. The 4' chain sling will have 5/16"-3/8" chain crab hook on each end. In addition to the grab hooks, an 8" large hook will be provided on one end and min-T and mini-J frame hooks will be on the other.

Complies Does not comply

12. The frame hook cluster will have a central link with two smaller links each including a 5/16"-3/8"

chain crab hook. In addition to the crab hooks, one smaller link will include a mini-J frame hook, the other smaller link will include a mini-T frame hook.

Complies Does not comply