

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**ITEMS FOR BID**

ITEM / Page #

**STEEL**

Corrugated, Galvanized, Metal Pipe (arch & band)	1
Corrugated, Galvanized, Metal Pipe (arch & band)	2
Corrugated, Galvanized, Metal Pipe (round)	3
Corrugated, Galvanized, Steel Pipe (3" x 1")	4
Corrugated, Polyethylene Pipe	5
HP Storm Pipe	6
Bridge Material	7
Bridge Planks	8
Interlocking Sheeting	9

**ROCK**

Surge Rock 2" to 6"	10
Marble, 1 1/2"	11
Mill Run/Scrap Gravel	12
Clean Washed Chips	13
Class "A" Rock	14
Limestone (Misc. Size)	15
Crusher Run Limestone	16
River Rock	17

**PAVING**

Asphalt concrete Pavement (Hot Mix - Hot Laid)	18
Asphalt Patching Materials	19
Road Oil and Fog Seal	20
Concrete	21

**MISC. ROAD WORK / SUPPLIES**

Tires	22
Steel Grader Blades	23
Pre-Cast Concrete Culverts	24
Pre-Cast Concrete Culverts (Box)	25
Railroad Tank Car Culverts	26
Rock Salt (Sodium Chloride)	27
Geosynthetic Fabric	28
Soil Stabilizers	29

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 2 1/3 x 1/2**

Item: 1

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.  
All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Arch	16 ga.	17" x 13"	Linear Foot				
Arch	16 ga.	21" x 15"	Linear Foot				
Arch	16 ga.	24" x 18"	Linear Foot				
Arch	16 ga.	28" x 20"	Linear Foot				
Arch	16 ga.	35" x 24"	Linear Foot				
Arch	14 ga.	42" x 29"	Linear Foot				
Arch	14 ga.	49" x 33"	Linear Foot				
Arch	12 ga.	57" x 38"	Linear Foot				
Arch	12 ga.	64" x 43"	Linear Foot				
Arch	12 ga.	71" x 47"	Linear Foot				
Arch	8 ga.	77" x 52"	Linear Foot				
Arch	8 ga.	83" x 57"	Linear Foot				

Band	16 ga.	15" x 16"	Each				
Band	16 ga.	17" x 13"	Each				
Band	16 ga.	24" x 18"	Each				
Band	16 ga.	28" x 20"	Each				
Band	16 ga.	35" x 24"	Each				
Band	14 ga.	42" x 29"	Each				
Band	14 ga.	49" x 33"	Each				
Band	12 ga.	57" x 38"	Each				
Band	12 ga.	64" x 43"	Each				
Band	12 ga.	71" x 47"	Each				
Band	8 ga.	77" x 52"	Each				
Band	8 ga.	83" x 57"	Each				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 3" x 1"**

Item: 2

**NOTE:**

Must meet all requirements of Oklahoma Department on Transportation "Standard Specifications for Highway Construction", 2009 Edition.

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.

All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Arch	14 ga.	60" x 46"	Linear Foot				
Arch	14 ga.	66" x 51"	Linear Foot				
Arch	14 ga.	73" x 55"	Linear Foot				
Arch	14 ga.	81" x 59"	Linear Foot				
Arch	14 ga.	87" x 63"	Linear Foot				
Arch	12 ga.	95" x 67"	Linear Foot				
Arch	12 ga.	103" x 71"	Linear Foot				
Arch	12 ga.	112" x 75"	Linear Foot				
Arch	12 ga.	117" x 79"	Linear Foot				

Band	14 ga.	60" x 46"	Each				
Band	14 ga.	66" x 51"	Each				
Band	14 ga.	73" x 55"	Each				
Band	14 ga.	81" x 59"	Each				
Band	14 ga.	87" x 63"	Each				
Band	12 ga.	95" x 67"	Each				
Band	12 ga.	103" x 71"	Each				
Band	12 ga.	112" x 75"	Each				
Band	12 ga.	117" x 79"	Each				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Round)**

**Item 3**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.  
All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.  
All bands 60" and larger diameter for C.G.M.P. shall be 24" wide.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Round Pipe	16 ga.	12"	Linear Foot				
Round Pipe	16 ga.	15"	Linear Foot				
Round Pipe	16 ga.	18"	Linear Foot				
Round Pipe	16 ga.	24"	Linear Foot				
Round Pipe	16 ga.	30"	Linear Foot				
Round Pipe	16 ga.	36"	Linear Foot				
Round Pipe	16 ga.	42"	Linear Foot				
Round Pipe	12 ga.	48"	Linear Foot				
Round Pipe	12 ga.	54"	Linear Foot				
Round Pipe	12 ga.	60"	Linear Foot				
Band	16 ga.	12"	Each				
Band	16 ga.	15"	Each				
Band	16 ga.	18"	Each				
Band	16 ga.	24"	Each				
Band	16 ga.	30"	Each				
Band	16 ga.	36"	Each				
Band	14 ga.	42"	Each				
Band	14 ga.	48"	Each				
Band	14 ga.	54"	Each				
Band	12 ga.	60"	Each				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Corrugated, Galvanized, Steel Pipe (C.G.S.P.), 3" x 1"**

**Item: 4**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition

All bands for C.G.S.P. from 36" to 54" diameter inclusive shall be 12" wide.

All bands 60" and larger diameter for C.G.S.P. shall be 24" wide, riveted or spiral.

Item Name	Gauge	Size	Unit	Vendor \$ Quote (FOB)	Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)
Pipe	16 ga.	36"	Linear Foot				
Pipe	16 ga.	42"	Linear Foot				
Pipe	16 ga.	48"	Linear Foot				
Pipe	16 ga.	66"	Linear Foot				
Pipe	16 ga.	72"	Linear Foot				
Pipe	16 ga.	54"	Linear Foot				
Pipe	16 ga.	60"	Linear Foot				

Pipe	14 ga.	36"	Linear Foot				
Pipe	14 ga.	42"	Linear Foot				
Pipe	14 ga.	48"	Linear Foot				
Pipe	14 ga.	54"	Linear Foot				
Pipe	14 ga.	60"	Linear Foot				
Pipe	14 ga.	66"	Linear Foot				
Pipe	14 ga.	72"	Linear Foot				
Pipe	14 ga.	78"	Linear Foot				
Pipe	14 ga.	84"	Linear Foot				
Pipe	14 ga.	90"	Linear Foot				
Pipe	14 ga.	96"	Linear Foot				
Pipe	14 ga.	102"	Linear Foot				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Corrugated Polyethylene Pipe (HDPE)**

Item: 5

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coveta, OK)</i>
Pipe	12"	Linear Foot				
Pipe	15"	Linear Foot				
Pipe	18"	Linear Foot				
Pipe	24"	Linear Foot				
Pipe	30"	Linear Foot				
Pipe	36"	Linear Foot				
Pipe	42"	Linear Foot				
Pipe	48"	Linear Foot				
Pipe	60"	Linear Foot				

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**HP Storm Pipe**

Item: 6

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Pipe	12"	Linear Foot				
Pipe	15"	Linear Foot				
Pipe	18"	Linear Foot				
Pipe	24"	Linear Foot				
Pipe	30"	Linear Foot				
Pipe	36"	Linear Foot				
Pipe	42"	Linear Foot				
Pipe	48"	Linear Foot				
Pipe	60"	Linear Foot				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Bridge Material**

**Item: 7**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

	<b>New product price per lb.</b>	<b>Used product price per lb.</b>
Steel Beams		
H-Pile		
Structural Steel		
Secondary Steel		
Plate		
	<b>New Product Price</b>	<b>Used Product Price</b>
Guard Rail (per Linear ft)		
Guard Rail Post (Steel)(Each)		
<b>Heavy Wall Pipe Piling</b>	<b>New product price per ft.</b>	<b>Used product price per ft.</b>
6"		
8"		
9"		
10"		
11"		
12"		
13"		
<b>Rebar, Grade 90</b>	<b>New product price per linear foot.</b>	<b>Used product price per linear foot.</b>
1/2"		
5/8"		
<b>Steel Decking</b>	<b>New product price per square foot.</b>	<b>Used product price per square foot.</b>
22 gauge		
24 gauge		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Bridge Planks**

**Item: 8**

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Highway Construction", 2009 Edition.

**Galvanized Bridge Planks 6 x 2 (lays 24")**

Gauge	Weight per Square Foot	Vendor \$ Quote per Square Foot (FOB)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	6.2 lb.				
10 ga.	8.0 lb.				
7 ga.	10.7 lb.				

**Black Bridge Planks 6 x 2 (lays 24")**

Gauge	Weight per Square Foot	Vendor \$ Quote per Square Foot (FOB)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	6.0 lb.				
10 ga.	7.14 lb.				
7 ga.	10.5 lb.				

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Interlocking Sheeting**

**Item: 9**

**NOTICE:**

Black Sheeting to conform to ASTM A857 Grade 30.  
Galvanized Sheeting to conform to ASTM A929 Grade A (yield = 30 ksi) and galvanized with class G210 coating, per ASTM A525.

**Black Interlocking Sheeting**

Gauge	Thickness (Inches)	Weight per Square Foot	Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	0.1046	5.6 lb.			
10 ga.	0.1345	7.2 lb.			
8 ga.	0.1644	8.9 lb.			
7 ga.	0.1793	9.7 lb.			

**Galvanized Interlocking Sheeting**

Gauge	Thickness (Inches)	Weight per Square Foot	Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)	Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)
12 ga.	0.1046	5.8 lb.			
10 ga.	0.1345	7.4 lb.			
8 ga.	0.1644	9.1 lb.			
7 ga.	0.1793	9.9 lb.			

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Surge Rock 2" to 6"  
Item: 10**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$  
Quote (Ton):**

**Product price per ton  
if County picks up at  
plant:**

**Product price per ton  
if vendor delivers to:**

<b>District 1 Barn</b>	
<b>District 2 Barn</b>	
<b>District 3 Barn</b>	
<b>Broken Arrow Area</b>	
<b>Wagoner Area</b>	
<b>Lake Gibson Area</b>	
<b>Okay Area</b>	
<b>Coweta Area</b>	
<b>Porter Area</b>	
<b>Red Bird Area</b>	
<b>Tulahassee Area</b>	
<b>Stone Bluff Area</b>	

**Vendor's Name:**

**Vendor's Representative:**

**Authorized Signature:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**1 1/2" Marble  
Item: 11**

<b>NOTICE:</b> Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.
---

**Vendor's \$ Quote  
(Ton):**

**Product price per ton  
if County picks up at  
plant:**

--

**Product price per ton  
if vendor delivers to:**

<b>District 1 Barn</b>	
<b>District 2 Barn</b>	
<b>District 3 Barn</b>	
<b>Broken Arrow Area</b>	
<b>Wagoner Area</b>	
<b>Lake Gibson Area</b>	
<b>Okay Area</b>	
<b>Coweta Area</b>	
<b>Porter Area</b>	
<b>Red Bird Area</b>	
<b>Tulahassee Area</b>	
<b>Stone Bluff Area</b>	

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Mill Run or Scrap Gravel**

**Item: 12**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

**Product price per ton  
if County picks up at  
plant:**

--

**Product price per ton  
if vendor delivers to:**

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor's Name:**

**Vendor's Representative:**

**Authorized Signature:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Clean Washed Chips**

Item: 13

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"
Product price per ton if County picks up at plant:					

Product price per ton if vendor delivers to:	Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Class "A" Rock  
Item: 14**

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation ""Standard Specifications for Highway Construction", 2009 Edition.

<b>Vendor's \$ Quote (Ton):</b>	Rock Size 3/4"	Rock Size 1 1/2"	Rock Size 2"	Rock Size 3"
<b>Product price per ton if County picks up at plant:</b>				

<b>Product price per ton if vendor delivers to:</b>	Rock Size 3/4"	Rock Size 1 1/2"	Rock Size 2"	Rock Size 3"
District 1 Barn				
District 2 Barn				
District 3 Barn				
Broken Arrow Area				
Wagoner Area				
Lake Gibson Area				
Okay Area				
Coweta Area				
Porter Area				
Red Bird Area				
Tulahassee Area				
Stone Bluff Area				

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Miscellaneous Size Limestone**

Item: 15

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Screening	Riprap
<i>Product price per ton if County picks up at plant:</i>		

<i>Product price per ton if vendor delivers to:</i>	Screening	Riprap
District 1 Barn		
District 2 Barn		
District 3 Barn		
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Crusher Run Limestone**

Item: 16

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
<i>Product price per ton if County picks up at plant:</i>						

	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
<i>Product price per ton if vendor delivers to:</i>						

District 1 Barn						
District 2 Barn						
District 3 Barn						
Broken Arrow Area						
Wagoner Area						
Lake Gibson Area						
Okay Area						
Coweta Area						
Porter Area						
Red Bird Area						
Tulahassee Area						
Stone Bluff Area						

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**River Rock**  
Item: 17

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

	Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"
<i>Product price per ton if County picks up at plant:</i>					

	Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"
<i>Product price per ton if vendor delivers to:</i>					
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Asphalt Concrete Pavement (Hot Mix - Hot Laid)**

Item: 18

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Ton):**

*Product price per  
ton if County picks  
up at plant:*

Type A	Type B	Type C

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Asphalt Patching Materials**

Item: 19

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

Poly-modified cold patch material.

Material must have minimum stockpile warranty of 6 months for workability and shelf life of 1 year on bags.

	Vendor's \$ Quote (Ton):	Vendor's \$ Quote (Bag):	Vendor's \$ Quote (Bag):
	Bulk	35 lb. bag	50 lb. Bag
<i>Product price if County picks up at plant:</i>			
<i>Product price if vendor delivers to:</i>	Bulk (Ton)	35 lb. Bag (per bag)	50 lb. Bag (per bag)
District 1 Barn			
District 2 Barn			
District 3 Barn			
Broken Arrow Area			
Wagoner Area			
Lake Gibson Area			
Okay Area			
Coweta Area			
Porter Area			
Red Bird Area			
Tulahassee Area			
Stone Bluff Area			

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Road Oil & Fog Seal**

Item: 20

Page 1 of 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition.

**CRS Road Oil**

**Vendor's \$ Quote  
(Gallon):**

*Product price per  
gallon (F.O.B.)*

SS-1	CRS-2	CRS-2S	CRS-TR	AEP	HPE Fog Seal	Fog Seal 0.15 Gal/SY	CQS-TR	TRMSS	NTQS-1HH

*Product price per  
gallon if vendor  
delivers to:*

	SS-1	CRS-2	CRS-2S	CRS-TR	AEP	HPE Fog Seal	Fog Seal 0.15 Gal/SY	CQS-TR	TRMSS	NTQS-1HH	Demurge (Hourly Rate)
Broken Arrow Area											
Wagoner Area											
Lake Gibson Area											
Okay Area											
Coweta Area											
Porter Area											
Red Bird Area											
Tulahassee Area											
Stone Bluff Area											

**Vendor Name:**

**Vendor's Representative:**

**Authorized Signature:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Road Oil & Fog Seal**

Item: 20

**MC Road Oil**

**Vendor's \$ Quote  
(Gallon):**

MC-30	MC-70	MC-250	MC800	MC-3000	MC-3000T R

**Product price per gallon (F.O.B.)**

<b>Product price per gallon if vendor delivers to:</b>	MC-30	MC-70	MC-250	MC800	MC-3000	MC-3000T R	Demurge (Hourly Rate)		
Broken Arrow Area									
Wagoner Area									
Lake Gibson Area									
Okay Area									
Coweta Area									
Porter Area									
Red Bird Area									
Tulahassee Area									
Stone Bluff Area									

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Concrete**  
Item: 21

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

**Vendor's \$ Quote  
(Yard):**

	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
<b>Product price per yard (F.O.B.)</b>					

<b>Product price per yard if vendor delivers to:</b>	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

Tires  
Item: 22

**NOTICE:**  
All tires bid shall meet the Original Equipment Manufacturer (OEM) Specifications and the most current Federal Specifications. Workmanship shall be in accordance with the manufacturer's best acceptable recognized standard.

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>SEMI &amp; DUMP</b>	11R22.5 16 Ply Steer			
	11R22.5 16 Ply Drive			
	11R22.5 16 Ply Trailer			
	11R22.5 (Specify Ply)			
	11R24.5 16 Ply Steer			
	11R24.5 16 Ply Drive			
	11R24.5 16 Ply Trailer			
	11R24.5 (Specify Ply)			
	295/75R22.5 14 Ply Steer			
	295/75R22.5 14 Ply Drive			
	295/75R22.5 14 Ply Trailer			
	9.00 - 20 10 Ply Drive			
	9.00 - 20 10 Ply Steer			
	10.00 R20 16 Ply Drive			
	10.00 R20 16 Ply Steer			
<b>LIGHT TRUCK</b>	LT245/75R-16 HW 10 Ply			
	LT245/75R-16 10 Ply All Terrain			
	LT245/75R-16 (Specify Ply)			
	LT235/75R-16 (Specify Ply)			
	LT235/85R-16 HW 10 Ply			
	LT235/85R-16 10 Ply All Terrain			
	LT235/80R-17 (Specify Ply)			

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>LIGHT TRUCK</b>	LT265/75R-16 HW 10 Ply			
	LT265/75R-16 10 Ply All Terrain			
	LT265/70R-17 HW 10 Ply			
	LT265/70R-17 10 Ply All Terrain			
	LT265/70R-17 (Specify Ply)			
	225/70R19.5 Steer			
	225/70R19.5 Drive			
	LT215/85R16			
	205/65R15			
	195/60R15			
<b>TRACTOR</b>	10.00-16 3 RIB			
	10.00-16 4 RIB			
	11115 RIB IMPL			
	18.4 - 38			
	18.4 - 30			
	18.40-034			
	18.4R34			
	480/85R-34			
	340/85R-24			
	460/85R-34			
	14.9R-24			
	18.4R-34			
	14.9 R-24			
	14 - 17.5 R-4			
	19.5 - 24 R-4			
<b>TRAILER</b>	ST225/75R15			
	700 - 15LT			
	LT235/85R-16 14 Ply			
	LT235/85R-16 10 Ply			

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

	TIRE	BRAND OFFERED	PLY OFFERED (IF NOT SPECIFIED)	PRICE PER TIRE
<b>TRAILER</b>	ST235/85R-16 10 Ply			
	255/70R 22.5			

<b>OTHER</b>	11L15 Front Backhoe			
	26x9 - 14.5			
	26.5 - 25			
	17.5 R 25 RAD			
	14 - 17.5 Backhoe			
	19.5L - 24 Backhoe			
	17.5R-25			
	20.5 - 25L			
	23.1 -26			
	23.1 - 26 (Turf Tread)			
	23.5 R 25			
	12-16.5			
	AT22.5x10 - 0 - 8			
	22x11 00 - 10			
	24x12.00 - 12			
	13x6 - 50 6/4			
	1400-24 Nylon			
	1400R-24 Radial			
1300-24 Nylon				
1300 R-24 Radial				

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Steel Grader Blades**

Item: 23

**NOTICE:**

Steel grader blades shall be curved, double beveled, standard 12" punching, square ends, no bolts, unpolished and unpainted.

The chemical and physical requirements shall be as indicated below:

- Carbon 0.8% to 1.0%
- Manganese 0.50% to 1.00%
- Sulphur 0.50% Maximum
- Phosphorus 0.5% Maximum
- Silicon 0.30% Maximum
- Birrell Hardness 250-325
- Diameter of Indentation Brinell 3.4 mm - 3.8 mm

<i>Item Name</i>	<i>Height</i>	<i>Thickness</i>	<i>Vendor \$ Quote for Linear Foot.</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Grader Blade	6"	1/2"				
Grader Blade	8"	1/2"				
Grader Blade	6"	5/8"				
Grader Blade	8"	5/8"				
Grader Blade	6"	3/4"				
Grader Blade	8"	3/4"				
Grader Blade	6"	1"				
Grader Blade	8"	1"				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Pre-Cast Concrete Culvert**

Item: 24

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Concrete Pipe	12"	Linear Foot				
Concrete Pipe	15"	Linear Foot				
Concrete Pipe	18"	Linear Foot				
Concrete Pipe	24"	Linear Foot				
Concrete Pipe	30"	Linear Foot				
Concrete Pipe	36"	Linear Foot				
Concrete Pipe	42"	Linear Foot				
Concrete Pipe	48"	Linear Foot				
Concrete Pipe	54"	Linear Foot				
Concrete Pipe	60"	Linear Foot				
Concrete Pipe	66"	Linear Foot				
Concrete Pipe	72"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

---

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Pre-Cast Concrete Culvert - (Box)**

Item: 25

Pg 1 of 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction" 2009 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	4' x 4' x 6'	Linear Foot				
Box Culvert	4' x 4' x 8'	Linear Foot				
Box Culvert	4' x 6' x 6'	Linear Foot				
Box Culvert	4' x 6' x 8'	Linear Foot				
Box Culvert	4' x 8' x 6'	Linear Foot				
Box Culvert	4' x 8' x 8'	Linear Foot				
Box Culvert	5' x 10' x 6'	Linear Foot				
Box Culvert	5' x 10' x 8'	Linear Foot				
Box Culvert	6' x 4' x 6'	Linear Foot				
Box Culvert	6' x 4' x 8'	Linear Foot				
Box Culvert	6' x 6' x 6'	Linear Foot				
Box Culvert	6' x 6' x 8'	Linear Foot				
Box Culvert	6' x 8' x 6'	Linear Foot				
Box Culvert	6' x 8' x 8'	Linear Foot				
Box Culvert	6' x 10' x 6'	Linear Foot				
Box Culvert	6' x 10' x 8'	Linear Foot				
Box Culvert	6' x 12' x 6'	Linear Foot				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	6' x 12' x 8'	Linear Foot				
Box Culvert	8' x 8' x 6'	Linear Foot				
Box Culvert	8' x 8' x 8'	Linear Foot				
Box Culvert	8' x 12' x 6'	Linear Foot				
Box Culvert	8' x 12' x 8'	Linear Foot				
Box Culvert	10' x 4' x 6'	Linear Foot				
Box Culvert	10' x 4' x 8'	Linear Foot				
Box Culvert	10' x 6' x 6'	Linear Foot				
Box Culvert	10' x 6' x 8'	Linear Foot				
Box Culvert	10' x 10' x 6'	Linear Foot				
Box Culvert	10' x 10' x 8'	Linear Foot				
Box Culvert	12' x 6' x 6'	Linear Foot				
Box Culvert	12' x 6' x 8'	Linear Foot				
Box Culvert	12' x 12' x 6'	Linear Foot				
Box Culvert	12' x 12' x 8'	Linear Foot				

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Railroad Tank Car Culvert**

Item: 26

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 2009 Edition.

<i>Item Name</i>	<i>Diameter (Min. 7/16" Thick)</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Tank Car Culvert	8'	Per Foot				
Tank Car Culvert	8.5'	Per Foot				
Tank Car Culvert	9'	Per Foot				
Tank Car Culvert	9.5'	Per Foot				
Tank Car Culvert	10'	Per Foot				

**Railroad Half Tank Car Culvert**

Used Railroad Half Tank Car Culvert with 5/16" Steel Floor and Head Walls

<i>Item Name</i>	<i>Width at Bottom</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Half Tank Car	8'	Per Foot				
Half Tank Car	8.5'	Per Foot				
Half Tank Car	9'	Per Foot				
Half Tank Car	9.5'	Per Foot				
Half Tank Car	10'	Per Foot				

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signatue:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Rock Salt (Sodium Chloride)**

Item: 27

**NOTICE:**

Must meet all standards of ASTM D 632-01 (American Society of Testing Materials) Standard Specifications for Sodium Chloride intended for use as a delcer.

**Vendor's \$ Quote  
(Ton):**

*Product price per  
ton if County picks  
up at plant:*

--

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor's Name:**

**Vendor's Representative:**

**Authorized Signature:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Geosynthetic Fabric**

Item: 28

**NOTICE:**

Wagoner County is seeking sealed bids for geotextile composed woven polypropylene.  
County will pick up at plant.

	<b>Ultimate Tensile Strength</b>	<b>Price Per Sq Yard</b>
<b>Lbs/Ft</b>	<b>Minimum 4800</b>	
<b>Lbs/Ft</b>	<b>Minimum 2400</b>	

**Vendor's Name:**

---

**Vendor's Representative:**

---

**Authorized Signature:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 29

**Admixtures:** \_\_\_\_\_

**Vendor's \$ Quote  
(Ton):**

<i>Product price per ton (F.O.B.)</i>	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)

<i>Product price per ton if vendor delivers to:</i>	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)
---	------	--------	--------------------	----------	---------------------------

District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 29

**Dust Oil**

**Vendor's \$ Quote  
(Ton):**

**Product price per ton  
(F.O.B.)**

Dust Oil

**Product price per ton  
if vendor delivers to:**

Dust Oil
District 1 Barn
District 2 Barn
District 3 Barn
Broken Arrow Area
Wagoner Area
Lake Gibson Area
Okay Area
Coweta Area
Porter Area
Red Bird Area
Tulahassee Area
Stone Bluff Area

**Vendor's Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2015 - Dec. 31, 2015**

**Soil Stabilizers & Dust Control Agents**

Item: 29

Page 3 of 3

**Organic Road Oil**

**Vendor's \$ Quote  
(Ton):**

<b>Product price per ton (F.O.B.)</b>	Lignan-Based Product

<b>Product price per ton if vendor delivers to:</b>	Lignan-Based Product
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Authorized Signature:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_