

Lori Hendricks  
Wagoner County Clerk



307 E. Cherokee St.  
Wagoner, OK  
74467  
918.485.7716  
Fax 918.485.7718

---

**Invitation to Bid**

The Board of County Commissioners, Wagoner County, Oklahoma is seeking sealed bids for:  
Road/Bridge Construction Material and Services.

Bid is for the 6 month bidding period of July 1 - December 31, 2013 for road/bridge construction materials and services for Wagoner County.

**Bid: # 19**

**Date Published:** May 23, 2013 (Wagoner Tribune)

**Bidding Period Closing Date and Hour:** June 7, 2013 @ 4:00 PM

**Sealed Bid Opening Date and Hour:** June 10, 2013 @ 9:00 AM

**Location:** Commissioners' Meeting Room, Wagoner County Courthouse

**Requesting Authority:** Wagoner County Commissioners

Bid submissions are to be addressed to:

**ATTN: Wagoner County Purchasing Agent**  
**P O Box 156**  
**307 E Cherokee**  
**Wagoner, Ok. 74467**


Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to item (1) of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

The Non-Collusion Affidavit bearing original signature must be notarized and returned with the bid submission.

This packet contains:

1. Invitation to Bid
2. Terms and Conditions for Bidding
3. Affidavit for Filing with Competitive Bid
4. Specifications/Bid Forms for desired item(s) *(may be more than one page of information).*

  
\_\_\_\_\_  
Lori Hendricks  
Wagoner County Clerk  
P. O. Box 156  
Wagoner, Oklahoma 74477

Lori Hendricks  
Wagoner County Clerk



307 E. Cherokee St.  
Wagoner, OK  
74467  
918.485.7716  
Fax 918.485.7718

---

### **Terms and Conditions for Submitting Bids**

1. Bids **MUST** be received in a sealed envelope by the date and time specified in the invitation to bid. Each envelope **MUST** be legibly marked on the outside with the following information: The word "BID", the bid number and the closing date. This information must be readily observable. Bid packets should be returned to: Wagoner County Clerk, P.O. Box 156, Wagoner, OK 74477 or brought to: Wagoner County Clerk, 307 E. Cherokee, Wagoner, OK 74467.
2. Sealed bids will be opened by the authority requesting the bid, at the location and time specified in the published advertisement and on the "Invitation to Bid" form. Late bids will not be considered.
3. Purchases by Wagoner County, Oklahoma, are not subject to state or federal taxes.
4. Firm prices will be F.O.B. destination.
5. Unit prices will be guaranteed correct by the bidder.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to Furnish notarized sworn Affidavit for Filing with Competitive Bid (Affidavit included in this bid.)
8. This particular bid (commonly referred to as "the six-month bid") establishes base pricing by unit of measure, valid for a 6 month period (July 1 thru December 31, 2013) on a variety of materials and services used in the construction and maintenance of the Wagoner County road system.
9. Vendors may cite extraordinary circumstances adversely affecting the base price during the defined 6 month period in their bid submission. Vendor must define a specific condition that will trigger a price increase (example: fuel exceeds \$3.599 per gallon.) Vendor must also identify the amount of increase by percentage or by dollar amount for each submitted bid item when specified condition is met. Vendors must verbally notify the Wagoner County Purchasing Agent of the intended base price increase caused by the specified condition before the new base pricing becomes effective. Written notification of the intended price change is required no later than the conclusion of the business week following the verbal notification.
10. The Board of County Commissioners in conjunction with the Wagoner County Purchasing Agent will analyze all qualifying bid submissions. The lowest and or best bid will be

Lori Hendricks  
Wagoner County Clerk



307 E. Cherokee St.  
Wagoner, OK  
74467  
918.485.7716  
Fax 918.485.7718

---

determined based on the following considerations:

- a. Price per unit of measure.
  - b. Distance and delivery time to the desired destination.
  - c. Product source (manufacturer, retailer, jobber).
  - d. Product availability.
  - e. Product quality.
  - f. Vendor's reliability
  - g. Specific conditions identified by the vendor triggering a base price increase.
  - h. Any additional consideration as may be deemed appropriate by the Board of County Commissioners.
11. The Wagoner County Board of Commissioners reserves the right to accept or reject any or all bids, and to make the bid award in the best interest of Wagoner County whether it be lowest bid or best bid.



**STEEL**

Corrugated, Galvanized, Metal Pipe (arch & band)	1
Corrugated, Galvanized, Metal Pipe (arch & band)	43
Corrugated, Galvanized, Metal Pipe (round)	2
Corrugated, Galvanized, Steel Pipe (3" x 1")	3
Corrugated, Polyethylene Pipe	33
Bridge Material	4
Bridge Planks	5
Interlocking Sheeting	6
Railroad Tank Car Culverts	34

**ROCK**

Surge Rock 2" to 6"	7
Marble, 1 1/2"	8
Mill Run/Scrap Gravel	9
Clean Washed Chips	10
Class "A" Rock	11
Limestone (Misc. Size)	12
Crusher Run Limestone	13
River Rock	14
Shale	15

**PAVING**

Asphalt concrete Pavement (Hot Mix - Hot Laid)	16
Asphalt Lay Down	17
Aggregate Base Lay Down	35
Asphalt Patching Materials	18
Concrete	19
Road Oil	20
Lite-Wate Aggregate	30
Slurry Seal &/or Polymer Modified Micro-Surfacing	36

**MISC. ROAD WORK / SUPPLIES**

Striping of Roads and Parking Lots	21
Steel Grader Blades	22
Misc. Bulldozer Work	23
Hauling of Road Building Materials	24
Hauling of Steel Beams	39
Ditch Work	25
Application of Asphalt Concrete Re-Junivator	26
Road Surface Preparation Work	27
Welding and Steel Beam Preparation	28
30 Ton Hydraulic Crane w/5,500 lb drop hammer	29
Pre-Cast Concrete Culverts	31
Pre-Cast Concrete Culverts (Box)	32
Construction & Materials Testing Services	37
Bridge Construction Services	38
Concrete Building Materials	40
Geosynthetic Fabric	41
Soil Stabilizers	42
Fencing	44

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 2 1/3 x 1/2**

Item: 1

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.  
All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Arch	16 ga.	17" x 13"	Linear Foot				
Arch	16 ga.	21" x 15"	Linear Foot				
Arch	16 ga.	24" x 18"	Linear Foot				
Arch	16 ga.	28" x 20"	Linear Foot				
Arch	16 ga.	35" x 24"	Linear Foot				
Arch	14 ga.	42" x 29"	Linear Foot				
Arch	14 ga.	49" x 33"	Linear Foot				
Arch	12 ga.	57" x 38"	Linear Foot				
Arch	12 ga.	64" x 43"	Linear Foot				
Arch	12 ga.	71" x 47"	Linear Foot				
Arch	8 ga.	77" x 52"	Linear Foot				
Arch	8 ga.	83" x 57"	Linear Foot				

Band	16 ga.	15" x 16"	Each				
Band	16 ga.	17" x 13"	Each				
Band	16 ga.	24" x 18"	Each				
Band	16 ga.	28" x 20"	Each				
Band	16 ga.	35" x 24"	Each				
Band	14 ga.	42" x 29"	Each				
Band	14 ga.	49" x 33"	Each				
Band	12 ga.	57" x 38"	Each				
Band	12 ga.	64" x 43"	Each				
Band	12 ga.	71" x 47"	Each				
Band	8 ga.	77" x 52"	Each				
Band	8 ga.	83" x 57"	Each				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Round)**

Item: 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

- All bands for C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.
- All bands for C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.
- All bands 60" and larger diameter for C.G.M.P. shall be 24" wide.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Round Pipe	16 ga.	12"	Linear Foot				
Round Pipe	16 ga.	15"	Linear Foot				
Round Pipe	16 ga.	18"	Linear Foot				
Round Pipe	16 ga.	24"	Linear Foot				
Round Pipe	16 ga.	30"	Linear Foot				
Round Pipe	16 ga.	36"	Linear Foot				
Round Pipe	16 ga.	42"	Linear Foot				
Round Pipe	12 ga.	48"	Linear Foot				
Round Pipe	12 ga.	54"	Linear Foot				
Round Pipe	12 ga.	60"	Linear Foot				
Band	16 ga.	12"	Each				
Band	16 ga.	15"	Each				
Band	16 ga.	18"	Each				
Band	16 ga.	24"	Each				
Band	16 ga.	30"	Each				
Band	16 ga.	36"	Each				
Band	14 ga.	42"	Each				
Band	14 ga.	48"	Each				
Band	14 ga.	54"	Each				
Band	12 ga.	60"	Each				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Corrugated, Galvanized, Steel Pipe (C.G.S.P.), 3" x 1"**

Item: 3

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition

- All bands for C.G.S.P. from 36" to 54" diameter inclusive shall be 12" wide.
- All bands 60" and larger diameter for C.G.S.P. shall be 24" wide, rivited or spiral.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Pipe	16 ga.	36"	Linear Foot				
Pipe	16 ga.	42"	Linear Foot				
Pipe	16 ga.	48"	Linear Foot				
Pipe	16 ga.	66"	Linear Foot				
Pipe	16 ga.	72"	Linear Foot				
Pipe	16 ga.	54"	Linear Foot				
Pipe	16 ga.	60"	Linear Foot				

Pipe	14 ga.	36"	Linear Foot				
Pipe	14 ga.	42"	Linear Foot				
Pipe	14 ga.	48"	Linear Foot				
Pipe	14 ga.	54"	Linear Foot				
Pipe	14 ga.	60"	Linear Foot				
Pipe	14 ga.	66"	Linear Foot				
Pipe	14 ga.	72"	Linear Foot				
Pipe	14 ga.	78"	Linear Foot				
Pipe	14 ga.	84"	Linear Foot				
Pipe	14 ga.	90"	Linear Foot				
Pipe	14 ga.	96"	Linear Foot				
Pipe	14 ga.	102"	Linear Foot				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Bridge Material**

Item: 4

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

**Vendor's \$ Quote for Material  
(No Installation)**

	<u>New</u> product price per lb.	<u>Used</u> product price per lb.
<b>Steel Beams</b>		
<b>H-Pile</b>		
<b>Structural Steel</b>		
<b>Secondary Steel</b>		
<b>Plate</b>		
<b>Guard Rail</b>		
<b>Guard Rail Post (Steel)</b>		
	<u>New</u> product price per ft.	<u>Used</u> product price per ft.
<b>Heavy Wall Pipe Piling</b>		
6"		
8"		
9"		
10"		
11"		
12"		
13"		
	<u>New</u> product price per linear foot.	<u>Used</u> product price per linear foot.
<b>Rebar, Grade 90</b>		
1/2"		
5/8"		
	<u>New</u> product price per square foot.	<u>Used</u> product price per square foot.
<b>Steel Decking</b>		
22 gauge		
24 gauge		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Bridge Planks**

Item: 5

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

***Galvanized Bridge Planks 6 x 2 (lays 24")***

<i>Gauge</i>	<i>Weight per Square Foot</i>	<i>Vendor \$ Quote per Square Foot (FOB)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)</i>
12 ga.	6.2 lb.				
10 ga.	8.0 lb.				
7 ga.	10.7 lb.				

***Black Bridge Planks 6 x 2 (lays 24")***

<i>Gauge</i>	<i>Weight per Square Foot</i>	<i>Vendor \$ Quote per Square Foot (FOB)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: (Square Foot) Delivered to Dist. 3 Barn (Coweta, OK)</i>
12 ga.	6.0 lb.				
10 ga.	7.14 lb.				
7 ga.	10.5 lb.				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Interlocking Sheeting**

Item: 6

**NOTICE**

Black Sheeting to conform to ASTM A857 Grade 30.  
Galvanized Sheeting to conform to ASTM A929 Grade A (yield = 30 ksi) and galvanized with class G210 coating, per ASTM A525.

**Black Interlocking Sheeting**

<i>Gauge</i>	<i>Thickness (Inches)</i>	<i>Weight per Square Foot</i>	<i>Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)</i>
12 ga.	0.1046	5.6 lb.			
10 ga.	0.1345	7.2 lb.			
8 ga.	0.1644	8.9 lb.			
7 ga.	0.1793	9.7 lb.			

**Galvanized Interlocking Sheeting**

<i>Gauge</i>	<i>Thickness (Inches)</i>	<i>Weight per Square Foot</i>	<i>Vendor \$ Quote: (per section) Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: (per linear foot) Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: (per linear foot) Delivered to Dist. 3 Barn (Coweta, OK)</i>
12 ga.	0.1046	5.8 lb.			
10 ga.	0.1345	7.4 lb.			
8 ga.	0.1644	9.1 lb.			
7 ga.	0.1793	9.9 lb.			

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

---

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

Surge Rock 2" to 6"

Item: 7

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation  
"Standard Specifications for Highway Construction," 1999 Edition.

**Vendor's \$  
Quote (Ton):**

*Product price per  
ton if County picks  
up at plant:*

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

1 1/2" Marble  
Item: 8

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$  
Quote (Ton):**

*Product price per  
ton if County picks  
up at plant:*

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Mill Run or Scrap Gravel**

Item: 9

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$  
Quote (Ton):**

*Product price per  
ton if County picks  
up at plant:*

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Clean Washed Chips**

Item: 10

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

*Product price per ton  
if County picks up at  
plant:*

Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"

*Product price per ton  
if vendor delivers to:*

	Chip Size 3/8"	Chip Size 1/2"	Chip Size 5/8"	Chip Size 3/4"	Chip Size 7/8"
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Class "A" Rock**

Item: 11

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

*Product price per ton  
if County picks up at  
plant:*

Rock Size 3/4"	Rock Size 1 1/2"	Rock Size 2"	Rock Size 3"

*Product price per ton  
if vendor delivers to:*

	Rock Size 3/4"	Rock Size 1 1/2"	Rock Size 2"	Rock Size 3"
District 1 Barn				
District 2 Barn				
District 3 Barn				
Broken Arrow Area				
Wagoner Area				
Lake Gibson Area				
Okay Area				
Coweta Area				
Porter Area				
Red Bird Area				
Tulahassee Area				
Stone Bluff Area				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Miscellaneous Size Limestone**

Item: 12

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

	Screening	Riprap
<i>Product price per ton if County picks up at plant:</i>		

<i>Product price per ton if vendor delivers to:</i>	Screening	Riprap
District 1 Barn		
District 2 Barn		
District 3 Barn		
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Crusher Run Limestone**

Item: 13

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
<i>Product price per ton if County picks up at plant:</i>						

<i>Product price per ton if vendor delivers to:</i>	3/4"	1"	1 1/2"	2"	3"	1 1/2" AG Based (Special Mix)
---	------	----	--------	----	----	-------------------------------------

District 1 Barn						
District 2 Barn						
District 3 Barn						
Broken Arrow Area						
Wagoner Area						
Lake Gibson Area						
Okay Area						
Coweta Area						
Porter Area						
Red Bird Area						
Tulahassee Area						
Stone Bluff Area						

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**River Rock**

Item: 14

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation  
"Standard Specifications for Highway Construction, 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

	Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"
<i>Product price per ton if County picks up at plant:</i>					

<i>Product price per ton if vendor delivers to:</i>	Size 3/8"	Size 1/2"	Size 5/8"	Size 3/4"	Size 7/8"
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Shale**

Item: 15

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation  
"Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$  
Quote (Ton):**

*Product price per  
ton if County picks  
up at plant:*

*Product price per  
ton if vendor  
delivers to:*

District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Asphalt Concrete Pavement (Hot Mix - Hot Laid)**

Item: 16

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Ton):**

	Type A	Type B	Type C
<i>Product price per ton if County picks up at plant:</i>			

<i>Product price per ton if vendor delivers to:</i>	Type A	Type B	Type C
Broken Arrow Area			
Wagoner Area			
Lake Gibson Area			
Okay Area			
Coweta Area			
Porter Area			
Red Bird Area			
Tulahassee Area			
Stone Bluff Area			

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Asphalt Lay Down**

Item: 17

- Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.
- "Tac Down Coat" to be provided by bidder.
- Bid includes laying of asphalt and rolling of asphalt.
- County will be responsible for providing and hauling of asphalt to job site.

**OPTION 1  
County Provides Traffic Control**

	1/2" Depth	1 1/2" Depth	2" Depth	3" Depth	4" Depth
<b>Vendor's \$ Quote (square yard):</b>					

**OPTION 2  
Vendor Provides Traffic Control**

	1/2" Depth	1 1/2" Depth	2" Depth	3" Depth	4" Depth
<b>Vendor's \$ Quote (square yard):</b>					

**MILLED END JOINTS**

**Lump Sum Per Joint**

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Asphalt Patching Materials**

Item: 18

**NOTICE**

Poly modified cold patch material  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

	Vendor's \$	Vendor's \$	Vendor's \$
	Quote (Ton):	Quote (Bag):	Quote (Bag):
	Bulk	35 lb. bag	50 lb. Bag
<i>Product price if County picks up at plant:</i>			
<i>Product price if vendor delivers to:</i>	Bulk (Ton)	35 lb. Bag (per bag)	50 lb. Bag (per bag)
District 1 Barn			
District 2 Barn			
District 3 Barn			
Broken Arrow Area			
Wagoner Area			
Lake Gibson Area			
Okay Area			
Coweta Area			
Porter Area			
Red Bird Area			
Tulahassee Area			
Stone Bluff Area			

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Concrete**

Item: 19

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

**Vendor's \$ Quote  
(Yard):**

	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
<b>Product price per yard (F.O.B.)</b>					

<b>Product price per yard if vendor delivers to:</b>	3000 P.S.I. Class A	3500 P.S.I.	3500 P.S.I. Class A	4000 P.S.I. Class AA	5000 P.S.I.
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Road Oil**

Item: 20

**CRS Road Oil**

**Vendor's \$ Quote  
(Gallon):**

<i>Product price per gallon (F.O.B.)</i>	SS-1	CRS-2	CRS-2S	AEP	CQS-1F (Fog Seal)

<i>Product price per gallon if vendor delivers to:</i>	SS-1	CRS-2	CRS-2S	AEP	CQS-1F	Demurge (Hourly Rate)
Broken Arrow Area						
Wagoner Area						
Lake Gibson Area						
Okay Area						
Coweta Area						
Porter Area						
Red Bird Area						
Tulahassee Area						
Stone Bluff Area						

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Road Oil**

Item: 20

Page 2 of 2

**MC Road Oil**

**Vendor's \$ Quote  
(Gallon):**

	MC-30	MC-70	MC-250	MC800	MC-3000
<i>Product price per gallon (F.O.B.)</i>					

<i>Product price per gallon if vendor delivers to:</i>	MC-30	MC-70	MC-250	MC800	MC-3000	Demurge (Hourly Rate)
Broken Arrow Area						
Wagoner Area						
Lake Gibson Area						
Okay Area						
Coweta Area						
Porter Area						
Red Bird Area						
Tulahassee Area						
Stone Bluff Area						

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Striping of Roads and Parking Lots**

Item: 21

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation  
"Standard Specifications for Highway Construction," 1999 Edition.

<b>Vendor's \$ Quote</b>	<b>Per Linear Foot</b>	<b>Per Mile</b>

<b>Vendor's \$ Quote</b>		
<i>If striping / painting performed in:</i>	<b>Per Linear Foot</b>	<b>Per Mile</b>
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Steel Grader Blades**

Item: 22

**NOTICE**

Steel grader blades shall be curved, double beveled, standard 12" punching, square ends, no bolts, unpolished and unpainted.

The chemical and physical requirements shall be as indicated below:

Carbon 0.8% to 1.0%

Manganese 0.50% to 1.00%

Sulphur 0.50% Maximum

Silicon 0.30% maximum

Brinell Hardness 250 - 325

<i>Item Name</i>	<i>Height</i>	<i>Thickness</i>	<i>Vendor \$ Quote for Linear Foot.</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote (Linear Foot) : Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Grader Blade	6"	1/2"				
Grader Blade	8"	1/2"				
Grader Blade	6"	5/8"				
Grader Blade	8"	5/8"				
Grader Blade	6"	3/4"				
Grader Blade	8"	3/4"				
Grader Blade	6"	1"				
Grader Blade	8"	1"				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Miscellaneous Bulldozer Work**

Item: 23

**NOTICE**

Bid must reflect hourly rate.

Vendor must provide proof of compliance with the following insurance requirements:

- Certificate of Insurance for Workmans' Compensation.
- \$100,000 property damage insurance (minimum)
- \$25,000 bodily injury insurance per claimant (minimum)
- \$100,000 all/any other claims
- \$1,000,000 aggregate insurance to include exposure/damage to underground utilities

Equivalent Bulldozer Size	Vendor's \$ Quote (Hourly Rate):
<b>Catapillar D-3</b> Power = approx. 70 Weight = approx. 16,000 lb.	Horse Operating
<b>Catapillar D-4</b> Power = approx. 80 Weight = approx. 17,000 lb.	Horse Operating
<b>Catapillar D-5</b> Power = approx. 100 Weight = approx. 19,500 lb.	Horse Operating
<b>Catapillar D-6</b> Horse Power = approx. 185 Operating Weight = approx. 40,000 lb.	
<b>Catapillar D-7</b> Power = approx. 240 Weight = approx. 55,500 lb.	Horse Operating

Transportation Cost To:	Vendor's \$ Quote:
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Hauling Road Materials**

Item: 24

**NOTICE**  
Hauling road materials from cursher to County District Barns or to job site

	<b>COST PER LOAD Mile/Ton</b>	<b>COST PER LOAD Per Hour</b>
10 Wheeler		
18 wheeler		

**Cost if vendor delivers  
to:**

District 1 Barn	10 Wheeler	
District 1 Barn	18 Wheeler	
District 2 Barn	10 Wheeler	
District 2 Barn	18 Wheeler	
District 3 Barn	10 Wheeler	
District 3 Barn	12 Wheeler	
Broken Arrow Area	10 Wheeler	
Broken Arrow Area	18 wheeler	
Wagoner Area	10 Wheeler	
Wagoner Area	18 wheeler	
Lake Gibson Area	10 Wheeler	
Lake Gibson Area	18 wheeler	
Okay Area	10 Wheeler	
Okay Area	18 wheeler	
Coweta Area	10 Wheeler	
Coweta Area	18 wheeler	
Porter Area	10 Wheeler	
Porter Area	18 wheeler	
Red Bird Area	10 Wheeler	
Red Bird Area	18 wheeler	
Tulahassee Area	10 Wheeler	
Tulahassee Area	18 wheeler	
Stone Bluff Area	10 Wheeler	
Stone Bluff Area	18 wheeler	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Ditch Work**

Item: 25

**NOTICE**

Clean out ditches with Grade-All reclaimer or equivalent equipment with continuous tile, telescoping boom.

Bid must reflect hourly rate

Vendor must provide proof of compliance with following insurance requirements:

- Certificate of Insurance for Workman's Comp
- \$100,000 property damage insurance (minimum)
- \$25,000 bodily injury insurance per claimant (minimum)
- \$100,000 all/any other claims
- \$1,000,000 aggregate insurance to include exposure/damage to underground utilities

Equipment Type	Vendor's \$ Quote (hourly rate)

Transportation Cost To:	Vendor's \$ Quote:
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Application of Asphalt Concrete Re-Junivator**

Item: 26

**NOTICE**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition

Bid must include labor, equipment and materials

**Vendor's \$ Quote  
(Square Yard):**

Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Road Surface Preparation Work**

Item: 27

- Road surface material reclamation with BOMAG 454R reclaimer, BOMAG 6-G reclaimer or larger, or equivalent equipment.
- Bid must reflect hourly rate.
- Vendor must provide proof of compliance with following insurance requirements:
  - Certificate of Insurance for Workmans' Compensation.
  - \$100,000 property damage insurance (minimum).
  - \$25,000 bodily injury insurance per claimant (minimum).
  - \$100,000 all/any other claims.

Equipment Type	Vendor's \$ Quote (hourly rate)
Cat D6R W/Ripper	
Cat D5H	
Cat Loader	
Cat Road Grader	
Self Propelled Sheepfoot	
Cat Laydown Machine	
Bomag 455 R	
**Water Truck	

Transportation Cost To:	Vendor's \$ Quote:
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

*\* If transportation cost is included in hourly rate please so state.*

\*\* Minimum 2500 Gallon capacity. Must have Pintle Hitch or ability to be pushed with push bar. Must be able to be fueled by hydrant plug or stand pipe. Must be able to apply water on the road. Will be connected to equipment by a 4" hose. Vendor will provide driver.

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

---

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Welding and Beam Preparation - On-Site Services**

Item: 28

**NOTICE:**

- Bid must reflect hourly rate to include truck mounted weld machine and consumables needed to perform the work.
- Vendor must provide proof of compliance with following insurance requirements:
  - Certificate of Insurance for Workmans' Compensation.
  - \$100,000 property damage insurance (minimum).
  - \$25,000 bodily injury insurance per claimant (minimum).
  - \$100,000 all/any other claims (minimum).
  - \$1,000,000.00 Liability Coverage(minimum)

	Vendor's \$ Quote (Hourly Rate):	Minimum number of Hours
Certified Welder / 250 Amp. Welding Machine		
Steel Beam Preparation, To Include Grinding and Torch Cutting		

Vendor Name:

Vendor's Representative:

Vendor's Phone #:

Email:

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Hydraulic Crane Services**

Item: 29

**NOTICE:**

- Bid must reflect hourly rate.
- Vendor must provide proof of compliance with following insurance requirements:
  - Certificate of Insurance for Workmans' Compensation.
  - \$100,000 property damage insurance (minimum).
  - \$25,000 bodily injury insurance per claimant (minimum).
  - \$100,000 all/any other claims.
  - \$1,000,000 aggregate insurance to include exposure/damage to underground utilities

	Vendor's \$ Quote (Hourly Rate):	Minimum Number of Hours
30 Ton Hydraulic Crane		
30 Ton Hydraulic Crane with 5,500 lb. Drop Hammer		

Vendor Name:

Vendor's Representative:

Vendor's Phone #:

Email:

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Lite-Wate Aggregate**

Item: 30

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

	<b>Vendor's \$ Quote (Ton):</b>
	Bulk (Ton)
<i>Product price if County picks up at plant:</i>	

	Bulk (Ton)
<i>Product price if vendor delivers to:</i>	
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

---

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Pre-Cast Concrete Culvert**

Item: 31

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Concrete Pipe	12"	Linear Foot				
Concrete Pipe	15"	Linear Foot				
Concrete Pipe	18"	Linear Foot				
Concrete Pipe	24"	Linear Foot				
Concrete Pipe	30"	Linear Foot				
Concrete Pipe	36"	Linear Foot				
Concrete Pipe	42"	Linear Foot				
Concrete Pipe	48"	Linear Foot				
Concrete Pipe	54"	Linear Foot				
Concrete Pipe	60"	Linear Foot				
Concrete Pipe	66"	Linear Foot				
Concrete Pipe	72"	Linear Foot				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Pre-Cast Concrete Culvert - (Box)**

Item: 32

Pg 1 of 2

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	4' x 4' x 6'	Linear Foot				
Box Culvert	4' x 4' x 8'	Linear Foot				
Box Culvert	4' x 6' x 6'	Linear Foot				
Box Culvert	4' x 6' x 8'	Linear Foot				
Box Culvert	4' x 8' x 6'	Linear Foot				
Box Culvert	4' x 8' x 8'	Linear Foot				
Box Culvert	5' x 10' x 6'	Linear Foot				
Box Culvert	5' x 10' x 8'	Linear Foot				
Box Culvert	6' x 4' x 6'	Linear Foot				
Box Culvert	6' x 4' x 8'	Linear Foot				
Box Culvert	6' x 6' x 6'	Linear Foot				
Box Culvert	6' x 6' x 8'	Linear Foot				
Box Culvert	6' x 8' x 6'	Linear Foot				
Box Culvert	6' x 8' x 8'	Linear Foot				
Box Culvert	6' x 10' x 6'	Linear Foot				
Box Culvert	6' x 10' x 8'	Linear Foot				
Box Culvert	6' x 12' x 6'	Linear Foot				
Box Culvert	6' x 12' x 8'	Linear Foot				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

Pg 2 of 2

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
	<b>W x H x L</b>					
Box Culvert	8' x 8' x 6'	Linear Foot				
Box Culvert	8' x 8' x 8'	Linear Foot				
Box Culvert	8' x 12' x 6'	Linear Foot				
Box Culvert	8' x 12' x 8'	Linear Foot				
Box Culvert	10' x 4' x 6'	Linear Foot				
Box Culvert	10' x 4' x 8'	Linear Foot				
Box Culvert	10' x 6' x 6'	Linear Foot				
Box Culvert	10' x 6' x 8'	Linear Foot				
Box Culvert	10' x 10' x 6'	Linear Foot				
Box Culvert	10' x 10' x 8'	Linear Foot				
Box Culvert	12' x 6' x 6'	Linear Foot				
Box Culvert	12' x 6' x 8'	Linear Foot				
Box Culvert	12' x 12' x 6'	Linear Foot				
Box Culvert	12' x 12' x 8'	Linear Foot				

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Corrugated Polyethylene Pipe (HDPE)**

Item: 33

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

<i>Item Name</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Pipe	12"	Linear Foot				
Pipe	15"	Linear Foot				
Pipe	18"	Linear Foot				
Pipe	24"	Linear Foot				
Pipe	30"	Linear Foot				
Pipe	36"	Linear Foot				
Pipe	42"	Linear Foot				
Pipe	48"	Linear Foot				
Pipe	54"	Linear Foot				
Pipe	60"	Linear Foot				

Band	12"	Each				
Band	15"	Each				
Band	18"	Each				
Band	24"	Each				
Band	30"	Each				
Band	36"	Each				
Band	42"	Each				
Band	48"	Each				
Band	54"	Each				
Band	60"	Each				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Railroad Tank Car Culvert**

Item: 34

**NOTICE:**  
Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.

<i>Item Name</i>	<i>Diameter (Min. 7/16" Thick)</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Tank Car Culvert	8'	Per Foot				
Tank Car Culvert	8.5'	Per Foot				
Tank Car Culvert	9'	Per Foot				
Tank Car Culvert	9.5'	Per Foot				
Tank Car Culvert	10'	Per Foot				

**Railroad Half Tank Car Culvert**

Used Railroad Half Tank Car Culvert with 5/16" Steel Floor and Head Walls

<i>Item Name</i>	<i>Width at Bottom</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Half Tank Car	8'	Per Foot				
Half Tank Car	8.5'	Per Foot				
Half Tank Car	9'	Per Foot				
Half Tank Car	9.5'	Per Foot				
Half Tank Car	10'	Per Foot				

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Aggregate Base Lay Down**

Item: 35

**NOTICE**

- Wagoner county is seeking labor and equipment for the lay down of Aggregate Base.
- Vendor will provide the labor and equipment, including a lay down machine.
- Wagoner County will be responsible for providing and hauling product to job site. The County will provide Rollers and Rolling of product.
- Vendor must provide proof of liability and workers' comp insurance.

	2" Lift	3" Lift	4" Lift	6" Lift
<b>Vendor's \$ Quote (square yard):</b>				

**Vendor Name:**

**Vendor's Representative:**

**Vendor's Phone #:**

**Email:**

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Emulsified Asphalt Slurry Seal Surface and/or Polymer Modified Micro-Surfacing  
Item: 36**

**NOTICE:**

- Work will consist of the application of micro-surfacing material to asphalt pavement surfaces & related surface preparation.
- Cured micro-surfacing shall have a uniform & homogeneous appearance, substantially fill all cracks, and adhere firmly to existing surface.
- Will be 1/2 inch thick. Micro-surfacing shall be placed without the occurrence of bleeding, raveling, separation or other distress.
- Work will be performed in accordance with the current edition of "Recommended Performance Guidelines for Polymer-Modified Micro-Surfacing" A143 (revised) published by the International Slurry Surfacing Association (ISSA) tests at one location.
- Mix design shall be performed by a laboratory capable of performing all the current applicable International Slurry Surfacing Association (ISSA) tests at one location.
- Weather Limitations: No Mixture will be placed when:
  - ◆ 1) Pavement temperature is 10°C (50°F) or below
  - ◆ 2) When the ambient air temperature is 10°C (50°F) or below
  - ◆ 3) When there is a forecast of temperatures (as per the National Weather Service) below 32°F within twenty-four (24) hours after mix placement
  - ◆ 4) When it is raining
  - ◆ 5) As directed by the Engineer

	Emulsified Asphalt Slurry Seal	Polymer Modified Micro-Surfacing	Hot Rubber Crack Fill Surface Prep
<b>Vendor's Quote for Installed Product Per Sq Yard</b>			
<b>Vendor's Quote for Installed Product Per Sq Yard</b>			

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Construction and Materials Testing Services (CMT)**

Item: 37

**NOTICE**  
Construction and Materials Testing Services Including Lab Testing and On-Site Testing

<b>LAB TESTING</b>	<b>Unit Rate Per Test</b>
ASTM D698 - Standard Proctor Compaction	
D1557 - Modified Proctor Compaction	
Atterburg Limit	
Grain Size Distribution	
Compressive Strength of Concrete	

<b>FIELD TESTING</b>	
Collect Samples of Soil & Aggregate	
Field Density Test with Nuclear Density Gauge	
Sample Concrete & Cast Test Cylinders	
Transportation (Per Hour and/or Mile)	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Bridge Construction Services**

Item: 38

**NOTICE:**

- Bid must reflect hourly rate.
- Certified CCO Crane Operator and Welders are to be AWS D1.5 Certified.
- Vendor must provide proof of certifications and compliance with the following insurance requirements:
  - Certificate of Insurance for Workmans' Compensation.
  - \$100,000 property damage insurance (minimum).
  - \$25,000 bodily injury insurance per claimant (minimum).
  - \$100,000 all/any other claims.
  - \$1,000,000 aggregate insurance to include exposure/damage to underground utilities.

	Vendor's \$ Quote (Hourly Rate):	Minimum Number of Hours
125 Ton Crane with Diesel Hammer 200 Series Track hoe 2 - fully equipped welding trucks 3 man construction crew including site Foreman		
30-60 Ton Crane with Drop Hammer 200 Series Track hoe 2 - fully equipped welding trucks 3 man construction crew including site Foreman		

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Hauling Steel Beams**

Item: 39

- Hauling of 40-80 foot beams from District 2 Barn to various job sites throughout Wagoner County
- Bidder to provide tractor, pole trailer (or equivalent), and escort.
- Bidder to provide necessary permits from ODOT.
- County will load and unload beams and provide road crew to remove and re-set signs as needed at intersections.

<b>COST PER LOAD</b> Per Hour	
----------------------------------	--

Vendor Name: \_\_\_\_\_

Vendor's Representative: \_\_\_\_\_

Vendor's Phone #: \_\_\_\_\_ Email: \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Concrete Building Materials**

Item: 40

**NOTICE:**

Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction", 1999 Edition.

*Product price per  
block if County picks  
up at plant:*

<b>CONCRETE BLOCKS</b>	Size 8"x8"x16"
Plain	
Textured Face	

*Product price per  
block if County picks  
up at plant:*

<b>LARGE CONCRETE BLOCKS</b>	Size 2'x2'x4'

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Geosynthetic Fabric**

Item: 41

**NOTICE**

- Wagoner County is seeking sealed bids for geotextile composed woven polypropylene.
- County will pick up at plant.

	Ultimate Tensile Strength	Price Per Sq Yard
Lbs/Ft	Minimum 4800	
Lbs/Ft	Minimum 2400	

Vendor Name:

Vendor's Representative:

Vendor's Phone #:

Email:

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Soil Stabilizers & Dust Control Agents**

Item: 42

Admixtures:

**Vendor's \$ Quote  
(Ton):**

	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)
<b>Product price per ton (F.O.B.)</b>					

<b>Product price per ton if vendor delivers to:</b>	Lime	Cement	Fly-Ash Class C	MACS Ash	CKD (Cement Kiln Dust)
District 1 Barn					
District 2 Barn					
District 3 Barn					
Broken Arrow Area					
Wagoner Area					
Lake Gibson Area					
Okay Area					
Coweta Area					
Porter Area					
Red Bird Area					
Tulahassee Area					
Stone Bluff Area					

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Soil Stabilizers & Dust Control Agents**

Item: 42

Dust Oil

**Vendor's \$ Quote  
(Ton):**

<i>Product price per ton (F.O.B.)</i>	Dust Oil

<i>Product price per ton if vendor delivers to:</i>	Dust Oil
District 1 Barn	
District 2 Barn	
District 3 Barn	
Broken Arrow Area	
Wagoner Area	
Lake Gibson Area	
Okay Area	
Coweta Area	
Porter Area	
Red Bird Area	
Tulahassee Area	
Stone Bluff Area	

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Soil Stabilizers & Dust Control Agents**

Item: 42

Organic Road Oil

**Vendor's \$ Quote  
(Ton):**

	Lignan-Based Product (Concentrate)	Lignan-Based Product (Pre-Mixed)
<b>Product price per ton (F.O.B.)</b>		

<b>Product price per ton if vendor delivers to:</b>	Lignan-Based Product Concentrate	Lignan-Based Product (Pre-Mixed)
District 1 Barn		
District 2 Barn		
District 3 Barn		
Broken Arrow Area		
Wagoner Area		
Lake Gibson Area		
Okay Area		
Coweta Area		
Porter Area		
Red Bird Area		
Tulahassee Area		
Stone Bluff Area		

**Vendor Name:** \_\_\_\_\_

**Vendor's Representative:** \_\_\_\_\_

**Vendor's Phone #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Corrugated, Galvanized, Metal Pipe (C.G.M.P.) (Arch & Band) 3" x 1"**

Item: 43

**NOTICE**

- Must meet all requirements of Oklahoma Department of Transportation "Standard Specifications for Highway Construction," 1999 Edition.
- All bands from C.G.M.P. from 15" to 30" diameter inclusive shall be 7" wide.
- All bands from C.G.M.P. from 36" to 54" diameter inclusive shall be 12" wide.

<i>Item Name</i>	<i>Gauge</i>	<i>Size</i>	<i>Unit</i>	<i>Vendor \$ Quote (FOB)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 1 Barn (Broken Arrow, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 2 Barn (Wagoner, OK)</i>	<i>Vendor \$ Quote: Product Delivered to Dist. 3 Barn (Coweta, OK)</i>
Arch	14 ga.	60" x 46"	Linear Foot				
Arch	14 ga.	66" x 51"	Linear Foot				
Arch	14 ga.	73" x 55"	Linear Foot				
Arch	14 ga.	81" x 59"	Linear Foot				
Arch	14 ga.	87" x 63"	Linear Foot				
Arch	12 ga.	95" x 67"	Linear Foot				
Arch	12 ga.	103" x 71"	Linear Foot				
Arch	12 ga.	112" x 75"	Linear Foot				
Arch	12 ga.	117" x 79"	Linear Foot				

Band	14 ga.	60" x 46"	Each				
Band	14 ga.	66" x 51"	Each				
Band	14 ga.	73" x 55"	Each				
Band	14 ga.	81" x 59"	Each				
Band	14 ga.	87" x 63"	Each				
Band	12 ga.	95" x 67"	Each				
Band	12 ga.	103" x 71"	Each				
Band	12 ga.	112" x 75"	Each				
Band	12 ga.	117" x 79"	Each				

**Vendor Name:**

---

**Vendor's Representative:**

---

**Vendor's Phone #:**

**Email:**

---

**Wagoner County, Oklahoma 6 Month Bid,  
Effective Date: July 1, 2013 - Dec. 31, 2013**

**Fencing**

Item: 44

**NOTICE**

Bid is to include all materials and labor to complete the project.

- 5 Strands Of 4-Point Barb Wire
- 8' Length 4" Steel Pipe Corners
- 4' Of The 8' Pipe Is To Be Buried in Concrete With 4 (Four) 2" Horizontal Braces
- 6' T Posts With 16' Spacing Between Posts
- 8' Length 4" Pipe H Bar With 4(Four) 2" Horizontal Pipe Braces 8' Length Every 1/4 Mile
- All Vertical Pipe To Be Capped

Price is to be quoted per Linear Ft

**Price**

Per Linear Foot	
-----------------------	--

Vendor Name:

---

Vendor's Representative:

---

Vendor's Phone #:

Email:

---