

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

Invitation to Bid

The Board of County Commissioners, Wagoner County, Oklahoma is seeking sealed bids for one or more new Dump Trailers for District 2. This equipment is being financed through the ODOT Revolving Fund and is to be delivered to the ODOT office in Muskogee, OK.

Bid #13

Date Published: February 7, 2013 (Wagoner Tribune)

Bidding Period Closing Date and Hour: February 22, 2013 @ 4:00 PM

Sealed Bid Opening Date and Hour: February 25, 2013 @ 9:00 AM

Requesting Authority: Wagoner County District 2

Bid submissions are to be: Addressed to:

Wagoner County Purchasing Agent
P O Box 156
Wagoner, OK 74477

Delivered to:

Wagoner County Purchasing Agent
307 E Cherokee
Wagoner, OK 74467

Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to Item 1 of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

Included in this packet is a Non-Collusion Affidavit which must be signed and submitted as part of the bid.

This packet contains:

1. Invitation to Bid
2. ODOT Invitation to Bid
3. Terms and Conditions for Bidding
4. Affidavit for filing with Competitive Bid
5. Specifications

A handwritten signature in cursive script that reads "Lori Hendricks".

Lori Hendricks
Wagoner County Clerk
P O Box 156
Wagoner, OK 74477

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

TERMS AND CONDITIONS

THESE ITEMS APPLY TO AND BECOME A PART OF THE BID
NO EXCEPTIONS TO THESE TERMS AND CONDITIONS WILL BE CONSIDERED

1. Bids must be submitted on the included form only. Each bid shall be placed in a separate envelope. Be sure the envelope is completely and properly identified and sealed, showing the bid name and number in the lower left hand corner.
2. All bids shall be entered on the Bid Form enclosed or a copy thereof. Bids are to be typewritten or in ink. No bidder may withdraw his proposal for a period of thirty (30) days after the date and hour set for the opening of bids.
3. The bidder shall attach the manufacturer's name of the equipment or material to be furnished, type, model numbers, manufacturer's descriptive bulletins and specifications. All guarantees and warranties should be clearly stated. This data shall be in sufficient detail to describe accurately the equipment or material to be furnished. Manufacturer's specifications, in respect to the successful bidder, shall be considered as part of the contract with Wagoner County.
4. Any exceptions or deviations from written specifications shall be identified in writing and attached to the bid form.
5. The enclosed Affidavit for Filing with Competitive Bid MUST be returned with the bid.
6. Wagoner County reserves the right to reject any and all bids and to waive any technicalities in the bidding.
7. Direct purchase of certain items of equipment or material by Wagoner County is exempt from Federal Excise Tax and Oklahoma Sales Tax. In such cases, the bidder shall quote prices which do not include Federal Excise Tax and Oklahoma Sales Tax.
8. Bid must show number of days required for delivery under normal conditions. Contractor must keep the County advised at all times of the status of the order. For any exception to the delivery date as specified on this order, vendor shall give prior notification and obtain written approval from the Purchasing Agent. Default in promised delivery date, or failure to meet specifications, authorizes the County to purchase supplies elsewhere and charge the full increase of cost and handling to defaulting contractor.
9. Bidder agrees to defend and save Wagoner County from and against all demands, claims, costs expense, damage and judgments based upon infringement of any patent to goods specified in this order or the ordinary use or operation of such goods

Lori Hendricks
Wagoner County Clerk



307 E. Cherokee St.
Wagoner, OK 74467
918.485.7716
Fax 918.485.7718

by the County or use or operation of such goods in accordance with the bidders' direction.

10. Financing is to be through the ODOT Revolving Fund. Manufacturer's Statement of Origin (MSO) shall be made out to the Oklahoma Department of Transportation and shall be sent to the Oklahoma City address listed on the ODOT Invitation to Bid sheet. (Form CERF-200). The equipment will be delivered to the ODOT field office at: Oklahoma Department of Transportation
Division One
2800 S 32nd
Muskogee, OK 74402

S.A.&I. 425 (2000)

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)
COUNTY OF _____) SS

_____, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract; or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

BIDDER:

Signature

Subscribed and sworn to before me this _____ day of _____
20 ____.

Notary Public (or Clerk or Judge)

My commission expires: _____

Note:

Each competitive bid submitted to a county, school district or municipality must be accompanied with the above Affidavit as required by 61 Okl.St. Ann. § 138

SPECIFICATIONS - DUMP TRAILER

		<u>YES</u>	<u>NO</u>
CAPACITY:	24 Cubic yards, water level	_____	_____
LENGTH:	25' 9" overall	_____	_____
HEIGHT:	9' 10" based on a 52" fifth wheel height	_____	_____
FRONT:	47" height from floor (inside height). Constructed of 10 gauge (.104 minimum thickness) hi-tensile (A-607 grade 50) steel	_____	_____
SIDES:	47" height from floor (inside height). Constructed of 10 gauge (.104 minimum thickness) hi-tensile (A-607 grade 50) steel with reinforcing vertical side braces, full length of trailer	_____	_____
TOP RAIL:	3" x 3"x 1/4" hi-tensile (A-500 Grade B) steel tube	_____	_____
TAILGATE:	47" Height from floor (inside height). Constructed of 10 gauge (.134 minimum thickness) hi-tensile (A-607 grade 50) steel with reinforcing vertical and horizontal side braces. Air operated from cab of truck. 3/8" spreader chains provided.	_____	_____
ASPHALT APRON:	Approximately 12" from rear of tires	_____	_____
FLOOR:	1/4" Hardox floor	_____	_____
CROSS MEMBERS:	3" x 3" x 10 gauge hi-tensile (A-500 grade B) steel tube on 18" centers	_____	_____
LONGITUDINALS:	Twin, 8" x 4" x 1/4" hi-tensile (A-500 grade C) steel tube	_____	_____
AXLES:	Two (2) 25,000 Lbs. capacity axles. 5" round with oil seals	_____	_____
BRAKES:	16 1/2" x 7" air actuated, service and emergency. ABS included	_____	_____
HUB DRUM	Kic, 10 hole hub piloted with 16.5 x 7 drum	_____	_____
WHEELS:	AWS, 10 hole hub piloted	_____	_____
TIRES:	11R-22.5, 14 ply, radial tubeless	_____	_____
SUSPENSION:	44,000 lbs capacity. Straddle mount suspension	_____	_____
HOIST:	50-ton four-stage telescopic hydraulic hoist	_____	_____

ELECTRICAL:	12-volt, USDOT approved. All stop, turn, tail and clearance lights included. 7-way receptacle.	_____	_____
SUPPORT LEGS:	Adequate to support empty trailer only.	_____	_____
UPPER COUPLER ASSEMBLY:	2" SAE kingpin @ 24" location in a 3/8" steel plate.	_____	_____
FINISH:	Exterior metal surfaces are to be steam cleaned and shot-blasted and washed with industrial degreaser. Two coats of primer and two coats of green acrylic paint to a finished thickness of 3 to 3.5 mils.	_____	_____
TARP:	Electric tarp, 1.8 HP, 90-1 gear ratio	_____	_____
OPTIONS:	Air bed vibrator	_____	_____
WARRANTY:	3 year written warranty	_____	_____